REGIS

RAMSGATE

{ARCHER HOUSE}

KENT

1911-20

FORM A.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Archer House, … E.
… ate Harbour

in the County of Kent. … 5 in.

by L. M. Wainwright … und – ft. 11 in.

Level 75 ft. ft.

NOTE.—Rain should be measured da… uctions for the measurement of rain and particulars as to the British … sent post-free on application to Dr. H. R. MILL, 62, Camden Square, …

Date.	Jan.	Feb.	March.	Ap							Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	·09	–	·03								·01	–	1
2	·05	–	·03								·14	·04	2
3	·13	·01	–	·17	·03	–	–	–	–	·12	·03	–	3
4	·12	·03	·07	·04	–	–	–	–	·03	·56	·19	·21	4
5	·05	·01	–	–	–	–	–	·06	–	·02	–	·14	5
6	·15	–	–	–	–	–	–	–	–	–	–	·15	6
7	–	–	–	–	–	–	–	–	–	1·10	·20	·40	7
8	·09	–	·08	–	–	–	–	–	–	·03	·43	–	8
9	·10	–	·12	·02	–	–	–	–	–	·08	·47	·20	9
10	–	·03	–	·02	–	–	–	–	–	–	·19	·36	10
11	·60	–	·03	–	–	–	–	–	–	–	·55	–	11
12	·03	–	·68	–	–	·03	–	–	–	·01	·03	–	12
13	–	–	–	–	·42	–	–	–	·50	·96	·07	·12	13
14	–	·15	·03	–	·52	–	–	–	·01	–	·01	·21	14
15	–	·05	·13	–	–	–	–	–	·05	–	·01	·04	15
16	–	–	·01	–	–	·37	–	–	–	–	·14	·02	16
17	–	–	·06	–	–	·01	–	–	–	–	·18	·05	17
18	–	–	–	–	–	–	–	–	–	–	·64	·05	18
19	–	·10	·02	–	·05	·03	–	–	·08	–	·32	·11	19
20	–	–	–	–	–	–	–	·52	·03	·08	–	·50	20
21	–	·02	–	–	–	–	–	·03	·41	·65	–	–	21
22	–	–	·47	–	–	–	–	–	–	·58	–	·57	22
23	–	·11	·08	–	–	·73	–	–	·15	·03	–	·03	23
24	–	·02	·06	–	–	·15	·13	·03	–	·50	–	·24	24
25	–	·08	·18	·10	–	·09	–	·23	·02	–	·25	–	25
26	–	–	·28	·20	–	–	–	–	–	·11	·24	·13	26
27	–	·27	·04	·04	–	–	–	–	·10	·32	–	·03	27
28	–	·08	–	·13	–	–	·06	–		–	–	·01	28
29	–		–	–	–	·15	·03	–	·22	·16	–	–	29
30	–		–	·09	·20	·01	–	–	·05	·21	–	–	30
31	–		–		–		–	–		–		–	31
Total	1·41	·96	2·40	1·04	1·35	1·57	·23	·98	1·65	5·53	4·10	3·61	TOTAL for year 24·83
No. of Rain Days	10	13	18	11	6	9	4	6	12	18	19	21	147

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1911

FORM A.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Archer House, Ramsgate.

in the County of Kent.

by L. M. Wainwright

2

Lat. 51°20′N. Long. 1°26′ E.

Nearest Railway Station Ramsgate Harbour

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

" " " Sea Level 75 ft. ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	–	·03	·20	–	–	–	·11	–	·01	·01	–	1
2	·05	–	·03	·03	·13	–	·01	–	–	–	·14	·04	2
3	·13	·01	–	·17	·03	–	–	–	–	·12	·03	–	3
4	·12	·03	·07	·04	–	–	–	–	·03	·56	·19	·21	4
5	·05	·01	–	–	–	–	–	·06	–	·02	–	·14	5
6	·15	–	–	–	–	–	–	–	–	–	–	·15	6
7	–	–	–	–	–	–	–	–	–	1·10	·20	·40	7
8	·09	–	·08	–	–	–	–	–	–	·03	·43	–	8
9	·10	–	·12	·02	–	–	–	–	–	·08	·47	·20	9
10	–	·03	–	·02	–	–	–	–	–	–	·19	·36	10
11	·60	–	·03	–	–	–	–	–	–	–	·55	–	11
12	·03	–	·68	–	–	·03	–	–	–	·01	·03	–	12
13	–	–	–	–	·42	–	–	–	·50	·96	·07	·12	13
14	–	·15	·03	–	·52	–	–	–	·01	–	·01	·21	14
15	–	·05	·13	–	–	–	–	–	·05	–	·01	·04	15
16	–	–	·01	–	–	·37	–	–	–	–	·14	·02	16
17	–	–	·06	–	–	·01	–	–	–	–	·18	·05	17
18	–	–	–	–	–	–	–	–	–	–	·64	·05	18
19	–	·10	·02	–	·05	·03	–	–	·08	–	·32	·11	19
20	–	–	–	–	–	–	–	·52	·03	·08	–	·50	20
21	–	·02	–	–	–	–	–	·03	·41	·65	–	–	21
22	–	–	·47	–	–	–	–	–	–	·58	–	·57	22
23	–	·11	·08	–	–	·73	–	–	·15	·03	–	·03	23
24	–	·02	·06	–	–	·15	·13	·03	–	·50	–	·24	24
25	–	·08	·18	·10	–	·09	–	·23	·02	–	·25	–	25
26	–	–	·28	·20	–	–	–	–	–	·11	·24	·13	26
27	–	·27	·04	·04	–	–	–	–	·10	·32	–	·03	27
28	–	·08	–	·13	–	–	·06	–		–	–	·01	28
29	–		–	–	–	·15	·03	–	·22	·16	–	–	29
30	–		–	·09	·20	·01	–	–	·05	·21	–	–	30
31	–		–		–		–	–		–		–	31
Total	1·41	·96	2·40	1·04	1·35	1·57	·23	·98	1·65	5·53	4·10	3·61	TOTAL for year 24·83
No. of Rain Days	10	13	18	11	6	9	4	6	12	18	19	21	147

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex D.L

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept at Archer House Ramsgate

in the County of Kent

by L. M. Wainwright.

Lat. 51° 20' N. Long. 1° 26' E

Nearest Railway Station Ramsgate Harbour

Time of Observation 9 am.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 11 in.

" " " Sea Level 75 ft. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·05	-	-	·25	·23	-	·10	·79	-	-	1
2	-	·05 s	·10	-	-	·17	·08	·20	·01	·16	-	·01	2
3	·10	·09 s	-	-	·04	·12	-	·06	·03	·05	-	-	3
4	·33	-	·48	·01	·07	·69	-	-	-	-	·19	-	4
5	·10	·10	·10	-	-	·07	-	·25	-	-	·13	·04	5
6	·38	-	-	-	·06	-	·18	·45	-	-	-	-	6
7	·12	-	-	-	·03	·18	-	·21	-	-	-	-	7
8	·13	·13	·14	-	-	·64	-	·26	·41	-	-	-	8
9	-	-	·05	·05	-	-	·09	·02	·01	-	-	·01	9
10	-	·02	-	·03	-	-	-	·16	·12	-	·08	·22	10
11	-	·10	-	-	-	-	-	·06	·12	-	-	-	11
12	·01	·10	·03	-	·01	-	-	·02	·01	-	-	·09	12
13	-	·09	-	-	-	·06	·08	-	-	-	·39	-	13
14	-	·01	·02	-	·13	-	-	·07	·05	·04	·03	-	14
15	-	·01	·07	-	·06	·75	-	-	-	-	-	·30	15
16	·12	-	·04	-	·12	·15	-	·12	-	·02	·05	-	16
17	·40	-	·24	-	-	·03	-	·05	-	·09	-	-	17
18	-	-	·21	·11	-	-	·12	·23	-	-	-	32	18
19	-	·11	·07	-	·01	-	·32	·12	-	-	·10	·01	19
20	-	-	·45	-	-	-	·01	·08	-	·75	-	-	20
21	-	·05	·10	-	·05	-	-	·05	-	·19	·04	-	21
22	·04	·10	·06	-	-	-	·08	·07	-	·11	-	-	22
23	·24	·11	·21	-	·55	-	-	·70	-	-	·13	-	23
24	·05	-	·02	-	·01	-	·08	·26	-	·04	-	·11	24
25	-	-	-	-	-	·09	-	·75	-	-	·20	·20	25
26	-	-	-	-	-	-	·08	·65	-	·26	·19	·35	26
27	-	-	·03	-	-	-	·27	-	-	·02	-	·12	27
28	-	-	-	·03	-	-	·01	-	-	·29	·13	·11	28
29	-	·01	-	·16	-	-	·18	·10	·84	·16	·19	-	29
30	-		-	-	·01	-	-	·69	1·31	·23	-	-	30
31	-		-	-	-		·12	·16		·01	-	-	31
Total	2·02	1·08	2·47	·39	1·15	3·20	1·93	5·79	3·01	3·21	1·85	1·89	TOTAL for year
No. of Rain Days	1·2	15	19	6	13	12	15	25	11	16	13	13	27·99

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

170

Price [illegible]d.

cod. by W.W. 6.11.14

FORM A.
BRITISH RAINFALL

2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Archer House, Ramsgate

in the County of Kent

by L. M. Wainwright

2

Lat. 51° 20" N, Long. 1° 26' E

Time of Observation 9 a.m.

Nearest Railway Station Ramsgate Harbour

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·41	-	·04	-	·25	-	-		-	·04	-	1
2	-	·14	-	-	-	-	·30	-		-	·03	-	2
3	-	-	-	·54	·19	-	-	-		-	-	-	3
4	·02	-	-	-	-	-	·05	-	·01	·26	·02	-	4
5	-	-	-	·01	-	-	·35	-	·32	·18	·01	·11	5
6	·01	-	-	-	-	·31	-	-	-	·34	·09	-	6
7	-	·03	·06	·02	·03	-	-	·02	-	·61	-	-	7
8	-	-	·03	·05	·15	-	-	-	-	·38	·05	-	8
9	-	·04	-	·04	·30	-	-	·35	·15	-	·01	-	9
10	-	-	·09	·06	-	-	-	-	-	-	·58	-	10
11	·37	-	-	·50	-	-	-	-	-	·39	·02	-	11
12	-	-	-	·03	·01	-	-	·01	-	-	·55	-	12
13	·22	-	·03	-	-	-	-	·03	-	-	·34	-	13
14	·06	-	·03	·05	-	-	·68	-	·72	·26	·28	-	14
15	·14	-	·11	·03	-	-	·11	-	-	-	-	-	15
16	·25	-	·25	·09	-	-	-	-	·10	-	·04	-	16
17	·14	·02	-	·08	-	-	16	·01	·22	-	-	(·02) ·02	17
18	-	-	·05	·04	-	-	-	-	·23	-	-	-	18
19	·08	-	·11	-	-	·36	·08	·11	·18	-	-	-	19
20	·50	-	·08	·01	-	-	-	-	·04	·38	-	-	20
21	·02	-	·03	·11	·20	-	-	-	-	·61	·61	-	21
22	·22	-	·19	-	-	-	·18	-	·03	-	-	·01	22
23	-	-	·01	-	-	·02	-	-	-	·10	-	·40	23
24	·02	-	-	-	-	-	-	·02	-	-	·01	-	24
25	·01	-	-	·14	-	·20	-	-	-	-	-	-	25
26	-	-	·04	-	-	-	-	-	-	·36	-	·15	26
27	-	·02	-	-	·01	-	-	-	-	·12	-	-	27
28	·15	-	·13	-	-	-	-	-	-	·15	-	-	28
29	·30		·07	-	·13	-	-	-	-	-	-	Snow ·26	29
30	·25		·11	·33	·17	-	-	·01	-	·08	-	Snow ·24	30
31			·33		-	-	-	-	-	·05	-	snow ·01	31
Total	2·76	·66	1·85	2·17	1·19	1·14	1·94	·56	2·00	4·17	2·68	1·20 ✓	YEAR'S TOTAL 22·32 ✓
Rain Days.	17	6	18	18	9	5	8	8	10	15	15	8	137

W. 7,500, XI. ·12

Cwd 9.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

4 JAN 1915

W.R.G

2

Kept at Archer House, Ramsgate

in the County of Kent

by L. Wainwright

Lat. 51° 20" N. Long. 1° 26' E.

Time of Observation 9 am

Nearest Railway Station Ramsgate Harbour

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·06	-	-	-	·01	-	-	·15	·16	1
2	-	-	-	-	-	-	·01	-	-	·02	-	·13	2
3	-	-	·09	-	·12	-	·18	-	-	-	-	-	3
4	-	-	·01	·10	-	-	-	·08	-	-	·26	·29	4
5	-	-	-	·21	-	-	·16	·13	-	-	-	-	5
6	-	-	-	·21	·01	·34	·02	-	-	-	-	·09	6
7	·24	·10	·16	·10	-	·05	-	-	-	-	-	·07	7
8	·30	·02	·25	·02	-	-	·11	·02	-	-	-	·02	8
9	·19	-	·58	·03	-	-	-	-	-	-	-	1·00	9
10	·11	-	-	·01	·04	-	-	-	-	·01	-	·02	10
11	-	·13	·13	-	-	·01	-	-	·10	-	·34	·31	11
12	-	-	·03	-	·04	-	-	-	·12	-	-	·21	12
13	-	·11	·16	·03	-	-	-	-	·14	·09	·06	·33	13
14	-	-	·25	-	-	-	?	-	-	·42	-	·38	14
15	-	-	·20	-	-	-	·50	·01	-	-	1·04	·08	15
16	·07	·13	·04	-	-	-	·50	-	-	-	·05	·03	16
17	-	·01	·01	-	-	-	-	-	-	·24	·05	-	17
18	-	·06	·19	-	-	-	-	-	·05	·60	·14	·21	18
19	-	·02	·63	-	-	-	-	-		·21	·20	·13	19
20	-	·09	·29	-	-	·06	·01	-	·01	·16	-	·28	20
21	-	·52	·16	-	-	-	-	-	·01	·01	-	·11	21
22	-	·01	-	·12	·50	·43	1·34	-	-	·06	-	·07	22
23	-	-	·52	·04	·27	·38	·05	-	-	·01	-	·15	23
24	-	-	·01	-	·04	-	·06	-	-	-	-	·01	24
25	·09	-	·26	·24	·03	-	-	·01	-	·33	·05	-	25
26	·05	-	·17	-	-	-	·07	·10	-	-	·10	·15	26
27	-	-	·02	-	-	-	·09	-	-	·13	·03	·27	27
28	·01	-	-	-	-	-	-	-	-	-	·20	·30	28
29	-		-	-	-	-	-	-	-	·63	·03	-	29
30	-		-		-	-	-	-	-	·06	·24	-	30
31	-		-		·31	-	-	-	-	-		·09	31
Total	1·06	1·20	4·16	1·17	1·36	1·27	3·10	·36	·43	2·98	2·94	4·89 4·89	YEAR'S TOTAL 24·92 24·92
Rain Days.	8	11	21	12	9	6	13	7	6	15	15	25	148

W.7,000, XI. 13

cordp. auth 23.11.16

367

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Archer House, Ramsgate

in the County of Kent.

2

by L. M. Wainwright

Lat. 51°20' N Long. 1°26' E
Time of Observation 9 a.m.
Nearest Railway Station Ramsgate Harbour
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·38	·12	·05	-	-	-	-	-	·35	-	·45	·07	1
2	·24	·08	·22	-	-	-	-	·03	·22	-	·17	·01	2
3	·08	-	·10	·24	·04	-	-	·17	1·26	-	·01	·49	3
4	·07	-	-	-	-	-	-	-	·01	·34	-	·30	4
5	·02	·10	-	·05	-	-	·02	·03	-	·43	·22	·33	5
6	·32	·16	·07	·25	-	-	-	-	-	-	-	·09	6
7	·21	-	·10	·01	-	-	-	-	-	-	-	·20	7
8	-	·12	·20	-	-	-	·02	-	-	-	-	-	8
9	-	·30	·04	-	-	·01	-	-	-	·06	·26	·51	9
10	·15	·02	·01	-	-	·05	-	-	-	-	-	·66	10
11	·04	-	-	-	-	-	-	-	-	·06	·51	·01	11
12	·02	-	-	·30	·25	-	-	-	-	·03	·51	-	12
13	·11	·65	-	·10	1·09	-	-	-	-	-	-	-	13
14	·02	·01	-	·01	-	-	·27	·76	·03	-	-	·07	14
15	·14	-	-	-	·03	-	-	·06	-	-	·45	·04	15
16	-	× Not measured	-	·05	-	-	·94	·36	-	-	·02	-	16
17	·04	α ·37	-	-	·75	-	·03	·24	-	-	-	·43	17
18	-	·18	·09 Snow	-	·71	-	-	-	-	·20	·10	·06	18
19	·02	-	·01	-	-	-	-	-	-	·03 ~~·03~~	-	-	19
20	·34	-	-	-	-	-	-	·03	-	-	-	·22	20
21	·25	·16	-	-	-	-	-	-	-	·09	-	-	21
22	·02	-	·01	·01	-	-	·33	-	-	-	-	·17	22
23	·05	·22 Snow	·09	-	-	·01	·03	-	-	-	-	·28	23
24	·15	-	·16	·20	-	-	·03	-	·08	-	·01	·46	24
25	·01	-	-	·03	-	·18	-	-	-	-	-	·07	25
26	·04	-	-	-	-	-	-	-	-	·06	·04	·36	26
27	-	-	-	-	-	-	·01	-	-	·25	-	·02	27
28	-	·08	·03	-	-	·05	-	-	1·76	·65	-	-	28
29	~~0~~ -		·03	-	·02	·01	-	·29	·09	·03	·14	·05	29
30	·06		-	-	-	-	-	-	·02	-	·20	-	30
31	·03		-		-		-	-		54		28	31
Total	2·81	2·57	1·21	1·25	2·89	·31	1·68	1·97	3·82	2·77	3·09	5·18	YEAR'S TOTAL 29·53 29·55
Rain Days.	24	15 14	15	11	7	6	9	9	9	13	14	23	155 154

W. 8,000. X. 14.

Erc DL

352

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Archer House, Ramsgate

in the County of Kent

by L M Wainwright

Lat. 51° 20' N. Long. 1° 26' E

Time of Observation 9 am

Nearest Railway Station Ramsgate Harbour

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	–	–	–	–	–	–	–	·01	·49	–	1
2	·35	·01	·29	–	10	–	–	–	·05	·36	·01	–	2
3	–	·18	·05	–	–	·03	–	–	–	·13	·18	–	3
4	–	·08	–	–	–	·09	–	–	·02	–	·16	–	4
5	·04	–	–	–	·03	·14	·11	–	–	·01	·37	·01	5
6	–	–	·25 snow	·22	–	·15	·30	–	–	–	·26	–	6
7	·04	·07	·72	.	·31	·04	·03	–	–	–	·43	–	7
8	–	–	·02	.	·05	–	–	–	–	–	·01	·07	8
9	·01	–	–	–	·18	·04	–	–	·01	–	–	·05	9
10	–	·05	·02	·05	–	·01	·36	–	–	–	–	·23	10
11	–	·34	·01	·07	–	·06	·01	–	·01	–	–	·03	11
12	–	·01	–	·16	·90	·24	·02	–	–	·18	–	·43	12
13	–	·16	·06	·04	·12	·05	·76	·01	–	·05	–	·04	13
14	–	·45	·09	·04	·02	·02	·22	–	–	–	·01	·06	14
15	–	·14	·01	–	–	–	·07	·04	·01	–	–	·01	15
16	–	·02	–	–	–	–	·02	·01	–	·03	–	–	16
17	·08	–	–	·26	–	–	–	–	·30	·55	–	·03	17
18	·06	·10	·02	·11	–	–	–	·06	·19	·10	·69	Not measured –	18
19	·12	·02	–	–	–	–	–	·07	·18	–	·59	×	19
20	–	·05	–	·11	–	·02	–	·10	–	–	·13	×	20
21	–	–	·35	·25	–	–	–	·03	–	–	·05	×	21
22	·01	·28	·19	·20	–	–	–	–	–	·15	–	1·07	22
23	–	·57 Snow	·03	–	–	·09	–	–	–	·43	·03	·08	23
24	–	·30 Snow	–	–	·01	–	–	·03	–	·27	–	·24	24
25	–	·12	·12	–	–	–	–	–	–	·07	·04	–	25
26	–	·09	–	–	–	·33	–	·18	–	·90	·04	–	26
27	·04	·22	×	–	–	·06	–	·01	–	·08	–	–	27
28	–	·53	×·72	–	–	·01	–	·05	·15	–	–	·11	28
29	–	·28	–	–	–	·08	–	·03	·01	3~~2~~8	–	·20	29
30	–	X	–	–	–	–	–	1·18	·25	·20	–	·01	30
31	·01	X	–	X	–	X	–	·33	X	·02	X	·01	31
Total	·78	4·07	2·95	1·51	1·72	1·46	1·92	2·13	1·18	3·92	3·49	2·68	YEAR'S TOTAL 27·81
Rain Days.	11	22	17 16	11	9	17	10	14	11	18	16	20 ~~17~~	176 ~~172~~

W. 8,000. X. 15.

345

FORM A. BRITISH RAINFALL.

14. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Archer House Ramsgate

in the County of Kent

by L. M. Wainwright.

Lat. 51°20' N Long. 1°26' E

Time of Observation 9 am

Nearest Railway Station Ramsgate Harbour

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·02 Snow	-	·12	-	-	-	2·06	·06	-	·04	·02	1
2	04	-	-	-	-	-	-	·18	-	·05	·05	-	2
3	-	-	-	·28	-	-	-	1·76	-	·05	-	-	3
4	-	·10 Snow	-	-	-	-	-	·04	-	·32	-	-	4
5	24	-	-	-	-	-	-	-	·26	·02	-	-	5
6	·01	-	-	·15	-	·06	-	-	·05	-	·17	-	6
7	·15	-	·06 Snow	-	-	-	·04	-	-	·01	·01	·02	7
8	·58	-	-	·08	-	-	·40	·40	-	·25	·12	·32	8
9	·38	-	-	·08 Snow	-	-	-	-	-	·01	·17	·68	9
10	·14	-	·10	·08	-	-	-	·10	-	-	-	·01	10
11	·12	·13	·43	·15	-	-	-	·01	07	·16	·01	·12	11
12	·07	-	·04	·01	-	-	-	·02	-	·23	-	·02	12
13	·07	-	·10	-	·02	-	-	-	·01	·22	-	-	13
14	·40 Snow	-	-	·14	-	-	·02	-	-	·01	-	·04	14
15	·11	-	-	-	-	-	-	·15	-	-	-	-	15
16	·11	-	-	-	·10	-	·01	-	-	-	-	·22	16
17	·14	·02	-	-	·40	-	·17	-	·09	·10	-	·05	17
18	·06	-	-	·14	-	-	·02	-	·05	-	-	·01	18
19	-	·05	·15	·04	-	-	-	-	·07	-	-	-	19
20	-	·19	-	-	·01	·12	-	·35	·08	-	·10	·01	20
21	-	·04	-	-	·02	·41	-	·01	-	-	·03	·13	21
22	-	·01	·15 Snow	-	-	·33	-	·07	-	·15	-	·05	22
23	-	-	-	-	·05	·01	-	·02	-	·03	-	·04	23
24	-	-	-	-	-	·03	·02	·07	-	·11	·01	·01	24
25	-	-	·07	-	-	-	-	-	-	·01	·02	-	25
26	-	·01	·04	-	-	·09	-	·10	-	·01	·65	-	26
27	-	-	-	-	-	·14	-	·73	-	-	·01	·22	27
28	-	-	·01	-	-	·72	-	·23	-	-	-	·03	28
29	-	-	-	-	-	·06	·79	·16	-	·22	-	·16	29
30	·07 Snow	X	·07	-	-	·02	·54	·07	-	·25	-	·02	30
31	-	X	·15	X	-	X	1·55	·02	X	-	X	·03	31
Total	2·69	·57	1·37	1·27	·60	1·99	3·56	5·94	·74	2·81	1·39	2·21	YEAR'S TOTAL 25·14
Rain Days.	16	9	12	11	6	11	10	20	9	19	13	21	157

W. 8,000, VIII. 16

Ex D L

43

FORM A.
BRITISH RAINFALL
9. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Archer House Ramsgate

in the County of Kent

by L M Wainwright

Lat. 51° 20' N Long. 1° 26' E

Time of Observation 9 am

Nearest Railway Station Ramsgate Harbour

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·04	·11	-	-	-	-	-	-	·05	·08	1
2	·02	·02	·02	-	-	-	-	·24	-	-	·48	·13	2
3	-	-	·02	·20	·02	-	-	-	-	·03	·43	·04	3
4	·02	·01	·02	·02	·43	-	-	·13	·43	-	·22	-	4
5	-	·10	-	-	·14	-	-	·05	-	-	-	-	5
6	·30	·04	-	·04	·23	-	-	·07	-	·02	·40	-	6
7	-	·01	·01	-	·09	-	-	-	·56	·01	·02	·01	7
8	-	-	-	·02		-	-	·01	-	-	-	-	8
9	·03	-	·01	·02	-	·14	-	-	-	·11	-	·14	9
10	·05	-	-	·05	-	-	·11	-	·49	·01	-	·15	10
11	·03	-	-	-	·08	-	·01	-	·17	·30	·16	-	11
12	·02	·14	-	-	·14	-	-	-	·05	·35	-	12	12
13	·08 snow	·07	-	-	·08	-	·12	-	-	-	-	-	13
14	·09	·01	-	·02	-	·11	·06	-	-	·20	-	·05	14
15	1·01	-	-	·28	-	·02	·02	-	·14	-	-	·03	15
16	·20	-	-	·08	-	·20	·02	-		·15	-	-	16
17	·38	-	-	·05	-	-	·35	·03	·02	·03	-	·20	17
18	·09	-	-	·01	-	·13	·01	-	·91	-	-	-	18
19	·08	-	·21	·08	-	·06	·01	-	·03	·31	-	·03	19
20	·02	·03	-	-	-	·07	·49	-	·10	·30	-	-	20
21	·04	-	-	-	-	-	·06	-	·13	·08	-	·04	21
22	·07	-	-	·07	·01	-	·04	-	·36	-	-	-	22
23	·12	-	-	-	·25	-	·91	·03	·03	·01	-	·06	23
24	·01	·21	-	·25	·12	·19	-	-	-	-	·06	-	24
25	-	-	-	·01	·01	-	·11	-	·11	-	-	-	25
26	-	-	-	-	-	·05	·08	-	-	·10	·20	·08	26
27	-	·02	-	·05	-	-	·14	·16	-	·01	-	·03	27
28	-	·06	·25	·03	-	-	-	·02	-	-	·19	·08	28
29	-		·02	·01	-	-	-		·63	-	·06	-	29
30	·02		·34	-	-	-	-		·10	·21	·01	-	30
31	-		·02		-		-	·06		·06		·13	31
Total	2·65	·72	·99	1·43	1·90	·97	2·54	·80	4·26	2·29	2·28	1·40	YEAR'S TOTAL 22·23
Rain Days.	20	12	11	19	12	9	16	10	16	18	12	17	172

W. 8,000, IX. 17.

326

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Archer House, Ramsgate
in the County of Kent
by L M Wainwright

Lat. 51' 20' N Long. 1' 26' E.
Time of Observation 9 am
Nearest Railway Station Ramsgate Harbour
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	'20	Snow '04	'01	-	'01	-	'34	-	-		'05	'30	1
2	'10	-	-	-	'11	-	'05	'09	-	'17	'13	'25	2
3	'17	-	'38	-	'01	-	'29	-	'02	-	-	'17	3
4	-	-	'50	-	-	'02	'06	-	-	'02	'01	'05	4
5	'22	Snow '32	'75	-	-	-	- -	-	-	-	-	'18	5
6	'03	-	-	-	-	-	- -	-	-	-	'04	-	6
7	'02	-	'09	'01	-	-	'02	-	-	-	'08	'20	7
8	'03	-	'08		-	-	- -	-	-	-	'02	-	8
9	'43	-	-	'06	-	-	- -	-	-	'01	1'00	-	9
10	'38	-	~~4~~ -	~~10~~ -	'02	-	- -	-	-	-	'15	-	10
11	'07	-	'11	'35	-	-	- -	-	-	-	'09	'06	11
12	-	-		'02	-	-	'39	-	-	'24	'11 Snow	-	12
13	03	-	-	'30	-	-	'33	-	-	-	-	-	13
14	-	-	-	'15	-	-	- -	-	-	-	-	-	14
15	'08	-	'06	}	-	-	'04	-	-	'03	'13	'02	15
16	-	'50	-	'18	-	-	- -	-	-	-	'08	-	16
17	'01	-	-	'08	-	-	- -	-	-	-	'18	-	17
18	-	'8	-	-	-	-	'30	-	'02	-	'02	-	18
19	-	'10	'28	-	-	-	'04	-	'08	-	'12	-	19
20	'19	-	-	-	-	'39	'70	'10	-	-	-	'08	20
21	-	'15	-	-	-	'10	'11	-	'05	-	-	-	21
22	-	'01	'20	-	-	-	'20	-	-	-	-	'40	22
23	-	-	'11	-	-	'17	'09	-	'43	-	'04	-	23
24	'05	-	-	~~2~~ -	-	'05	'02	-	-	'12	'14	'08	24
25	'11	-	-	'22	-	'03	- -	'28	-	-	-	-	25
26	-	'22	'16	'07	'10	- -	- -	'01	'05	-	'17	'18	26
27	-	-	-	'70	-	- -	- -	'11	-	-	'15	~~'78~~ '01	27
28	'38	-	Snow '26	'14	-	- -	'02	'10	-	'02	'68	'39 ~~'04~~	28
29	-	-	-	'15	-	- -	'01	'45	'02	'46	'29	'10	29
30	-		-	'19	-	- -	-	'50		'35		'18	30
31	Snow '12		Snow '12		-		'02	-		'35		'03	31
Total	2'62	1'42	3'11	2'62	'25	'7~~2~~9	3'07	1'64	'67	1'77	3'68	2'68	YEAR'S TOTAL 24'32
Rain Days.	18	8	14	14	5	6	18	8	7	10	21	17	146

W. 8,000, IX. 17.

exd 970 cod for auth 303

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Archer House, Ramsgate

in the County of Kent

by

Lat. 51° 20′ N. Long. 1° 36′ E

Time of Observation 9 am

Nearest Railway Station Ramsgate Harbour

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–	–	–	–	–	–	·52	–	·15	1
2	–	–	–	–	·03	–	·05	·31	·04	·18	–	·14	2
3	–	–	·01	–	–	–	–	–	·03	–	–	·02	3
4	–	·04	–	·22	–	·17	–	–	–	–	–	·10	4
5	–	–	–	·10	·02	–	·42	·03	·09	–	–	·21	5
6	–	–	–	–	·17	–	·13	–	–	–	–	–	6
7	–	–	·03	·15	–	–	·02	–	–	·05	–	·05	7
8	·03	–	–	·08	·07	–	·02	–	–	–	–	–	8
9	·20	–	–	–	·02	–	–	·12	–	–	–	–	9
10	·17	·02	–	–	–	–	–	–	–	–	·01	·08	10
11	·21	–	·11	·14	–	–	·19	–	–	–	–	·17 Snow	11
12	·10	–	–	·15	–	·08	·47	–	–	–	–	–	12
13	·31	–	–	}	–	·06	–	–	–	–	·05	–	13
14	–	–	–	·20 }	–	·07	–	–	·04	–	·09	–	14
15	–	–	·15	–	–	–	–	–	·38	·14	·04	·07 Snow	15
16	–	–	–	·20	·04	–	–	–	·12	–	–	·21 Snow	16
17	–	–	–	–	– ~~·04~~	–	·02	–	·13	–	–	·02	17
18	–	–	–	–	·08 ~~·08~~	–	–	·92	·77	–	–	·01	18
19	·05	–	–	·25	–	–	–	·47	–	–	–	–	19
20	·23	·53	–	·02	–	·54	–	–	1·56* }	–	–	–	20
21	–	–	–	–	–	–	·12	·05	–	–	–	·05	21
22	–	–	–	·10	–	–	–	·09	–	–	–	·29	22
23	–	–	–	–	–	–	·26	·10	–	–	–	–	23
24	–	–	–	–	–	–	–	–	·08	–	–	·01	24
25	·01	–	–	·08	–	–	–	–	–	–	–	–	25
26	–	–	·05	·10	–	–	·26	–	–	–	–	–	26
27	x 4 days measured together	–	–	·18	–	·12 ~~·14~~	–	–	–	–	·04	·15	27
28	x	·08	–	–	·50	–	·03	–	–	–	·11	·05	28
29	x		·06	–	·18	–	–	–	–	–	·06	·05	29
30	x ·60		–	–	–	–	·14	–	·16	–	·07	–	30
31			·23		–		–	–		·13		·06	31
TOTAL	1·91	·67	·64	1·97	1·11	1·04	2·13	2·09	3·40	1·02	·47 ~~·42~~	1·89	YEAR'S TOTAL 18·34 ~~18·29~~
Days with ·01 in. or more	13	4	7	14	9	6	13	8	12	5	8	19	11~~8~~
	18	3	5	13	6	6	9	7	10	5	7	15	~~7~~

* measured at noon on account of storm

(44,283). Wt. 1958—218. 7500. 10/19. Gp. 132. A.&E.W.

8h/

2/2

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

RE

Kept at Ramsgat

in the County of E

by W. Thomson

RAMSGATE
SOUTHWOOD W. W.
KENT

1911-20

in.
round 1 ft. in.
ea Level 169 ft.

ame
stance Direction

IMPORTANT NOTE … the result entered to the previous day. If an Obs… rsal rule, he is earnestly requested to add the readi… in the space provided for it at the end of this … nt of rain, the selection and placing … sh Rainfall Organization are given in " … plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15		·02	·17				·11		·04			1
2	·09	·01	·01	·04	·15						·13	·07	2
3	·13	·03		·12	·03					·25	·03	·11	3
4	·05		·06	·06					·02	·67	·18	·12	4
5	·14	·01								·02		·16	5
6	·15											·06	6
7										1·06	·18	·61	7
8	·03		·02							·01	·39	·15	8
9	·22		·14	·01						·06	·48	·03	9
10		·02		·05							·14	·42	10
11	·51										·59		11
12	·10		·71			·03					·02		12
13			·01		·43				·47	·85	·04	·12	13
14		·16			·27				·01			·21	14
15		·04	·14						·04			·01	15
16						·42					·16		16
17											·22	·09	17
18		·08	·01								·61	·06	18
19					·04	·02			·08		·34	·05	19
20								·48	·03	·08		·54	20
21		·03						·04	·38	·77		·14	21
22			·43							·57		·38	22
23		·10	·09			·79			·14		·06		23
24						·14	·12	·03		·45		·22	24
25		·07	·21	.08 ·0~~5~~		·09		·25	·02		·09		25
26			·19	·20		·01				·15	·34	·12	26
27		·26	·04	·04					·09	·30		·02	27
28		·08		·11			·06						28
29		x		·04		·15			·21	·15			29
30		x		·05	·19	·01	·14		·06	·23			30
31		x		x		x			x		x		31
Total	1·57	·89	2·08	·97	1·11	1·66	·32	·91	1·55	5·66	4·00	3·69	TOTAL for year 24·41
No. of Rain Days	10	12	14	12	6	9	3	5	12	16	17	21	137

9,000, IX. '10.

86

2/2

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

Kept at Ramsgate

in the County of E. Kent 2

by W. Thomson

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 169 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15		·02	·17				·11		·04			1
2	·09	·01	·01	·04	·15						·13	·07	2
3	·13	·03		·12	·03					·25	·03	·11	3
4	·05		·06	·06					·02	·67	·18	·12	4
5	·14	·01								·02		·16	5
6	·15											·06	6
7										1·06	·18	·61	7
8	·03		·02							·01	·39	·15	8
9	·22		·14	·01						·06	·48	·03	9
10		·02		·05							·14	·42	10
11	·51										·59		11
12	·10		·71			·03					·02		12
13			·01		·43				·47	·85	·04	·12	13
14		·16			·27				·01			·21	14
15		·04	·14						·04			·01	15
16						·42					·16		16
17											·22	·09	17
18		·08	·01								·61	·06	18
19					·04	·02			·08		·34	·05	19
20								·48	·03	·08		·54	20
21		·03						·04	·38	·77		·14	21
22			·43							·57		·38	22
23		·10	·09			·79			·14		·06		23
24						·14	·12	·03		·45		·22	24
25		·07	·21	.08 ·08		·09		·25	·02		·09		25
26			·19	·20		·01				·15	·34	·12	26
27		·26	·04	·04					·09	·30		·02	27
28		·08		·11			·06						28
29		×		·04		·15			·21	·15			29
30		×		·05	·19	·01	·14		·06	·23			30
31		×		×		×			×		×		31
Total	1·57	·89	2·08	·97	1·11	1·66	·32	·91	1·55	5·66	4·00	3·69	TOTAL for year 24·41
No. of Rain Days	10	12	14	12	6	9	3	5	12	16	17	21	137

9,000, IX. '10.

Dl

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2/2
22 JAN 1913

Kept at Ramsgate
in the County of Kent 2
by W. Thomson

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·10			·20	·15		·13	·60		·15	1
2			·09			·18	·09	·24		·10		—	2
3	·13				·03	·08		·05		·02			3
4	·26		·54		·08	·49			·03		·18	·04	4
5	·11	·15	·08			·05		·23			·15		5
6	·41	·05			·05		·10	·45					6
7	·07				·03	·15		·14					7
8	·22	·06	·16			·79		·29	·32	—	—		8
9				·07			·08	·02	·01				9
10			·02	·02				·06	·11		·05	·23	10
11		·09				·02			·10			·09	11
12		·11			·01			·07		—			12
13		·09	·01			·07	·04	·01			·34		13
14					·12			·04	·05	·04	·02		14
15			·07		·07	·72		·02			·03	·30	15
16	·19		·05		·14	·16		·14		·02			16
17	·48		·24			·03		·01			·03		17
18	·07		·20	·10			·15	·28		·07	·05	·35	18
19		·11	·16		·01		·36	·11			·02		19
20			·40			·01		·04		·77	·02		20
21		·02	·19	—				·06		·18	·05		21
22	·04	·07	·05		·04		·11	·07				·01	22
23	·30	·15	·24		·41			·69		·11	·12		23
24	·06		·01		·01		·13	·27		·08		·07	24
25	·06					·09		·85			·19	·20	25
26							·11	·69		·26	·20	·40	26
27			·03				·12					·12	27
28							·02			·36	·18	·09	28
29				·19			·24	·10	·79	·18	·16		29
30		×						·71	1·35	·20	·02		30
31		×			·01	×	·12	·12	×	·01	×		31
Total	2·40	·90	2·64	·38	1·01	3·04	1·82	5·76	2·89	3·00	1·81	2·05	TOTAL for year 27·70
No. of Rain Days	13	10	18	4	13	14	14	26	9	15	17	12	165

9,000, IX. '10.

82—

FORM A.
BRITISH RAINFALL.
2/2
28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Southwood W. W, Ramsgate

in the County of Kent 2 Ey RA

by W Thomson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 169 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·42		·05		·23					·06	·04	1
2	·01	·14					·33				·04		2
3				·46	·18					·02		·04	3
4							·06	·01		·04	·03		4
5							·32	·14	·40	·16			5
6	·01		·02		·02	·39				·43	·08	·05	6
7		·04	·07	·03				·02		·39	·02		7
8				·07	·18					·31	·07		8
9		·04		·04	·31		·03	·36	·12		·03		9
10			·10	·07							·51		10
11	·38			·46				·03		·40	·01		11
12				·04							·49		12
13	·23		·02					·05			·34		13
14	·02		·03	·05			·55		·88	·25	·07		14
15	·13		·11				·11						15
16	·21		·26	·12					·19			·03	16
17	·12	·03		·10			·17	·04	·23		·03		17
18			·02	·05				·02	·20		·05		18
19	·06		·15		·01		·08	·13	·28				19
20	·48		·07						·05	·26			20
21	·03		·02	·10	·14		·05			·79	·58		21
22	·27		·13				·20		·03	·02		·01	22
23			·15			·02			·01	·05		·41	23
24	·01							·10			·02		24
25	·05			·17		·25							25
26			·12							·40			26
27		·02	·01		·01					·14		·16	27
28	·13		·13							·15			28
29	·31	x	·07		·16						·02		29
30	·29	x	·08	·33	·15					·09		·27	30
31		x	·37	x		x		·02	x	·07	x	·25	31
Total	2·74 ✓	·69 ✓	1·93 ✓	2·14 ✓	1·16 ✓	·89 ✓	1·90 ✓	·92 ✓	2·39 ✓	3·97 ✓	2·45 ✓	1·26 ✓	YEAR'S TOTAL 22·44
Rain Days.	17	6	19	15	9	4	10	11	10	17	17	9	144

W. 7,500, XI. ·12

8L

6X M8

42

FORM A.
BRITISH RAINFALL.

23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Ramsgate, Southwood W. W.
in the County of Kent 2
by W. Thomson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 169 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02							·02		·03	·12	·23	1
2				·06			·01				·03	·14	2
3					·12		·19	·02					3
4			·10					·21			·32	·25	4
5				·11	·02		·25	·19			·01		5
6	·26		·03	·22		·40	·02			·03		·12	6
7				·20	·04	·02	·01					·07	7
8		13	·14	·09			·08	·03					8
9	·12	·03	·27	·02						·01		1·09	9
10	·39		·61	·04	·02					·02		·04	10
11	·12			·05		·03			13		·39	·32	11
12		·19	·15		·06				·14			·18	12
13		·02							·16	·11	·08	·40	13
14	·03	·08	·18				·02			·46		·43	14
15		·06	·29				·72	·03			·97	·08	15
16			·19				·57				·11		16
17	·02	·13	·04						·08	·21	·05	·04	17
18			·02							·78	·15	·29	18
19		·09	·22					·05	·01	·17	·23	·10	19
20		·03	·46			·05	·02			·16		·29	20
21		·12	·45	·09						·12		·12	21
22		·56	·17	·06	·24	34	1·42			·08		·13	22
23		·03			·28	·40	·03			·02		·14	23
24			·52	·24	·05		·09			·02	·04		24
25			·03		·05					·34			25
26	·05		·23				·04	·15			·10	·15	26
27	·10		·11				·09			·10	·04	32	27
28			·03		·01					·02	·23	·31	28
29	·02	x								·61	·04		29
30		x								·08	·33		30
31	·02	x		x	·30	x			x		x	·11	31
Total	1·15	1·47	4·24	1·18	1·19	1·24	3·56	·70	·52	3·37	3·24	5·35	YEAR'S TOTAL 27 21
Rain Days.	11	12	20	11	11	6	15	8	5	19	17	23	158

W.7,000, XI. 13

82

366
4/2

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Southwood Water Works

in the County of Kent 2 6·0·38

by W. Thomson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·42	·12	·05						·38		·46	·09	1
2	·13	·10	·16	·04				·04	·04		·26		2
3	·15		·15	·23	·04			·16	1·12		·01	·47	3
4	·06									·31		·31	4
5	·03	·08		·06				·01		·46	·20	·24	5
6	·29	·21	·02	·25	·03							·11	6
7	·25	·11	·12				·04					·20	7
8		·09	·11				·02						8
9	·04	·29	·12			·01		·02		·05	·24	·54	9
10	·13	·03	·01			·08						·52	10
11	·04									·02	·50	·08	11
12	·02			·30	·18					·09	·48		12
13	·09	·78		·10	1·11								13
14		·02					·30	·85	·03			·09	14
15	·15				·03			·07			·50	·03	15
16		·05		·05			86	·10			·03		16
17	·05	·40			·72		·03	·38				·43	17
18		·22	·10		·76					·11	·10	·12	18
19	·04									·03		·01	19
20	·31						·02	·06				·21	20
21	·22	·03			·01					·07		·02	21
22	·09	·01	·02	·02			·36					·15	22
23	·05		·06			·02	·04					·27	23
24	·08	·19	·04	·16		·05			·07	·04		·47	24
25	·03		·12	·06		·21	·24					·11	25
26	·04			·01						·06	·08	·35	26
27							·02			·19	·03	·01	27
28		·08	·03			·09			1·59	·69			28
29			·02		·03		·04	·31	·11	·01	·12	·06	29
30	·03	X								·01	·29		30
31	·07	X		X		X			X	·42	X	·30	31
Total	2·81	2·81	1·13	1·28	2·91	·46	1·97	2·00	3·34	2·56	3·30	5·19	YEAR'S TOTAL 29·76
Rain Days.	24	17	15	11	9	6	11	10	7	15	14	24	163

W. 8,000. X. 14.

8L ✓ Exe 8L 351 21/a

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL
30 JAN 1917

Kept at Southwood Water Works Ramsgate
in the County of Kent
by W. Thomson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·02						·05	·01	·50		1
2	·32	·01	·28		·08					·39			2
3		·27	·04			·04			·02	·07	·23		3
4	06	·04				·10				·08	·18		4
5	·04			·01	05	·13	·14		01		·32		5
6				·21		·15	·04	·01	·01		·31		6
7	·05	·09	1·03		·38	·04	·30				·39	·02	7
8			·06		·03							·08	8
9	·01				·17	·09						·06	9
10		·04	·03	03		·02	·02					·23	10
11	·02	·34	·02	·09		·05						·01	11
12	·05			·15	88	·26	02			·18		41	12
13		·17	·05	·05	·11	·05	·82			·06		·05	13
14		·44	·05	·06	·02	·02	·20	·03				·06	14
15		·13	·05						·01			·03	15
16		·04		·14			·07			·04			16
17	·08			·09			·03	·65	·30	·55		·05	17
18	07	·09	·03	·10				·13	·19	·12	·69		18
19	·06	·03		·19		·01		·06	·30	·04	·55	·02	19
20	·07			·05		·02		·04			·17	·29	20
21			·34	·12							·06	·26	21
22		·26	·20	·29								·53	22
23		·09	·03			·10		·03		·14	·03	·08	23
24		·36								·45	·02	·26	24
25		·12	·10		·01			·17		·27	·06		25
26		·07				·30				·07	·03	·01	26
27	·04	·26	·48			·11		·07		·85		·02	27
28		·49	·18		·02	·02			·13	·11		·11	28
29		·26				·11		1·02	07	·27		·20	29
30		X				·10		·33	·20	·33			30
31	·02	X		X		X			X	·02	X	·01	31
Total	·92	3·60	2·99	1·58	1·75	1·72	1·64	2·54	1·29	4·05	3·54	2·79	YEAR'S TOTAL 28·41
Rain Days.	14	20	17	14	10	19	9	11	11 ~~12~~	19	14	21	179

W. 8,000. X. 15.

8L

344
2/c

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Ramsgate, Southwood W.W.

in the County of Kent

by W Thomson

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·13				2·10	·08		·05		1
2	·04			·23				·21		·06	·04		2
3				·20				1·16		·01			3
4	·03	·07	·02					·14		·37			4
5	·19		·01						·14	·04			5
6				·15		·05			·07		·18		6
7	·17						·04			·62		·02	7
8	·49			·07			·45	·61		·25	·12	·29	8
9	·37		·01	·09				·02			·20	·74	9
10	·07		·06	·02				·06			·02		10
11	·16	·05	·44	·13				·01	·07	·17		·12	11
12	·20		·07							·22			12
13	·08		·10		·03				·01	·23		·02	13
14	·09		·01	·16			·03					·04	14
15	·35							·09					15
16	·10	·01		·05	·11		·05					·18	16
17	·17			·09	·33		·14		·07	·13		·06	17
18	·07			·14			·06		·07				18
19		·05	·12	·02					·06				19
20	·01	·21	·14		·01	·08	·01	·56	·09		·10		20
21		·04	·01		·04	·38					·03	·11	21
22			·11		·02	·32		·06		·14		·08	22
23		·02			·04			·02		·03		·03	23
24						·02	·03	·07		·10	·01	·02	24
25			·07										25
26			·07			·05		·08			·62	·03	26
27						·12		·83				·18	27
28		·02	·02			·70		·23				·02	28
29						·06	·80	·16		·16		·16	29
30	·07	X	·07			·01	·49	·06		·26			30
31		X	·16	X		X	1·61		X		X		31
Total	2·66	·47	1·49	1·48	·58	1·79	3·71	6·47	·66	2·79	1·37	2·10	YEAR'S TOTAL 25·57
Rain Days.	17	8	17	13	7	10	11	18	9	15	10	16	151

W. 8,000, VIII. 16

6.37

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
23 . 1 . 19

Kept at Ramsgate
in the County of Kent
by W. Thomson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06	·12							·05	·08	1
2	·02							·28			·30	·13	2
3			·03	·22	·02						·57	·05	3
4		·04			·75			·01	·41	·03	·27		4
5		·07		·01	·08			·09				·01	5
6		·03		·04	·11			·09		·02	·36		6
7	·30				·18				·57	·01			7
8				·01					·02		·08	·01	8
9				·02		·07			·28	·12		·13	9
10				·04			·12		·20			·15	10
11	·06				·07				·17	·40	·08	·09	11
12	·02	·05			·10		·06		·03	·36		·07	12
13	·07	·18			·07		·05		·09				13
14	·22					·10	·06		·08	·19		·07	14
15	1·15			·25		·01	·05		·07	·10		·02	15
16	·30			·08		·19	·04			·01			16
17	·16			·03			·24	·03	·02			·18	17
18	·09					·09						·02	18
19	·07		·21	·11		·10			·79	·28			19
20		·02				·06	1·01			·31			20
21	·04						·06		·09	·06		·02	21
22	·08			·06			·04		·60			·18	22
23					·30		·91	·02	·01			·07	23
24	·11	·19		·24	·05	·21			·10		·06		24
25						·04	·07				·02		25
26							·69	·06			·15	·09	26
27				·07			·20	·12	·01			·04	27
28		·03	·25	·02				·02			·18	·10	28
29			·01						(·68)		·08		29
30		×	·37						·09	·17			30
31		×	·03	×		×		·05	×	·08	×	·24	31
Total	2·69	·61	·96	1·32	1·73	·87	3·60	·77	4·31	2·14	2·20	1·75	YEAR'S TOTAL 22·95
Rain Days.	14	8	7	15	10	9	14	10	19	14	12	20	152

W. 8,000, VIII. 16

81 325

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Ramsgate
in the County of Kent
by W. Thomson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·16			·02		·41			·15	– ~~·21~~	·30	1
2	·08				·09		·02	·11			·16 ~~·24~~	·24	2
3	·17		·37		·01		·33		·02		·04 ~~·19~~	·18	3
4	·06		·30			·02	·05			·02	– ~~·06~~	·06	4
5	·21	·29	·89								·01 ~~·20~~	·20	5
6	·05									·02	·05 ~~·07~~	·07	6
7			·09				·01				·16 ~~·07~~	·07	7
8	·21										·01		8
9	·18		·08	·06						·03	·10		9
10	·26		·01		·02						·10		10
11	·13		·09	·33							·06	·08	11
12	·02			·05			·46 ·(24)			·08	·08		12
13				·17						·01	·15	–	13
14	·10			·30			·35 ~~·17~~		·01				14
15	·05			·10			·02			·03	·14	·01	15
16	·06	·50		·09							·07	·02	16
17		·44		·09							·18	·02	17
18		·14	·02				·47		·04		·04	·04	18
19		·06	·24				·03		·09		·12		19
20	·25	·02	·07			·37	·72	·12					20
21		·16	·04			·12	·11		·03			·01	21
22			·20				·17		·02		·04	·43	22
23	·06			·04		·16	·05		·18			·08	23
24				·18		·14	·03	·04	·48		·14		24
25	·10				·09	·04		·26		·08			25
26	·09	·09		·12							·17	·19	26
27	·05	·05	·13	·43				·07	·06	·02	·16	·02	27
28	·23	·02	·08	·35			·02	·11		·02	·65	·38	28
29	·04		·05	·18				·32	·06	·35	·29	·09	29
30		✕		·17				·49		·40	·01	·22	30
31		✕	·04	✕		✕	·02		✕	·53	✕	·03	31
Total	2·55	1·93	2·70	2·66	·23	·85	3·27 ~~2·87~~	1·52	·99 ~~·90~~	1·74	2·93 ~~3·65~~	2·74	YEAR'S TOTAL ~~24·[illegible]~~ ~~24·34~~
Rain Days.	21	11	16	15	5	6	17	8	~~9~~ 10	13	~~25~~ 23	21	16~~6~~

24·11

W. 8,000, IX. 17.

325

20 MAR 2[illegible]

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ramsgate [M.O.]
in the County of Kent
by The Town Clerk

Lat. 51° 20′ Long. 1° 25′ E
Time of Observation 9h. G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 168 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·8	4·1	-	-	0·5	-	10·3	-	-	3·8	-	7·6	1
2	2·1	-	-	-	2·4	-	1·1	2·7	-	-	4·0	6·0	2
3	4·4	-	9·4	-	0·2	-	8·4	-	0·6	-	0·9	4·6	3
4	1·5	-	7·6	-	-	0·6	1·2	-	-	0·6	-	1·4	4
5	5·4	7·4	22·7	-	-	-	-	-	-	-	0·3	5·0	5
6	1·2	-	-	-	-	-	-	-	-	0·4	1·3	1·8	6
7	-	-	2·2	-	-	-	0·2	-	-	-	4·1	1·9	7
8	5·4	-	-	-	-	-	-	-	-	-	0·2	-	8
9	4·6	-	2·1	1·5	-	-	-	-	-	0·8	2·6	-	9
10	6·7	-	0·2	-	0·6	-	-	-	-	-	2·6	-	10
11	3·3	-	2·2	8·5	-	-	-	-	-	-	1·4	2·1	11
12	0·5	-	-	1·2	-	-	11·6	-	-	2·0	2·1	-	12
13	-	-	-	4·2	-	-	-	-	-	0·2	3·7	-	13
14	2·5	-	-	7·7	-	-	8·9	-	0·2	-	-	-	14
15	1·2	-	-	2·6	-	-	0·4	-	-	0·7	3·6	0·2	15
16	1·6	12·6	-	2·2	-	-	-	-	-	-	1·9	0·4	16
17	-	11·0	-	2·3	-	-	-	-	-	-	4·6	0·5	17
18	-	3·6	0·5	-	-	-	11·9	-	0·9	-	1·0	1·0	18
19	-	1·5	6·2	-	-	-	0·8	-	2·4	-	3·0	-	19
20	6·4	0·5	1·7	-	-	9·3	18·3	3·0	0·8	-	-	-	20
21	-	4·1	1·0	-	-	3·1	2·8	-	0·5	-	-	0·2	21
22	-	-	5·0	-	-	-	4·4	-	4·5	-	1·0	10·8	22
23	1·6	-	-	0·9	-	4·1	1·2	-	12·2	-	-	2·1	23
24	-	-	-	4·6	-	3·6	0·9	1·0	-	-	3·5	-	24
25	2·6	-	-	-	2·3	0·9	-	6·6	-	2·0	-	-	25
26	2·3	2·3	-	3·1	-	-	-	-	1·6	-	4·3	4·8	26
27	1·2	1·3	2·3	11·0	-	-	-	1·7	-	0·4	4·0	0·5	27
28	5·8	0·6	2·1	8·9	-	-	0·4	2·9	1·5	0·4	16·6	9·6	28
29	1·0		1·2	4·6	-	-	-	8·2	-	9·0	7·4	2·4	29
30	-		-	4·3	-	-	-	12·5	-	10·2	0·2	5·6	30
31	-		1·1		-		0·6	-		13·5		0·7	31
TOTAL	65·1	49·0	67·5	67·6	6·0	21·6	~~72·6~~ 83·4	38·6	25·2	44·0	74·3	69·2	YEAR'S TOTAL 611·5
Days with 0·2 mm. or more	21	11	16	15	5	6	17	8	10	13	23	21	166

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203.

302

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ramsgate (M.O)
in the County of Kent
by The Town Clerk

Lat. 51° 20′ N Long. 1° 25′ E
Time of Observation 9R G.M.T
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
„ „ „ „ Sea Level 168 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.2	-	-	6.1	-	-	0.7	-	-	8.4	0.3	5.0	1
2	-	-	0.5	-	0.8	-	0.4	8.1	1.4	5.1	-	3.0	2
3	-	-	-	-	-	4.1	-	-	1.1	-	-	0.9	3
4	-	0.6	0.2	5.1	-	-	1.7	-	-	-	-	2.8	4
5	-	-	-	3.5	0.5	-	10.2	0.6	2.6	-	-	9.7	5
6	-	-	0.7	-	3.8	-	2.3	-	-	-	-	-	6
7	-	-	-	3.5	0.5	-	0.8	-	-	1.7	-	1.8	7
8	0.8	-	-	2.3	1.0	-	0.7	-	-	-	-	-	8
9	5.3	-	-	1.0	0.5	-	-	2.6	-	-	-	-	9
10	4.6	0.6	1.0	-	-	-	-	0.8	-	-	0.3	2.7	10
11	6.5	-	1.6	3.1	-	-	3.1	-	-	-	-	6.5	11
12	2.5	-	1.0	4.4	-	2.0	8.5	-	-	-	-	-	12
13	7.9	-	-	0.8	-	1.4	-	-	0.2	-	1.4	-	13
14	-	-	3.6	4.8	-	1.9	-	-	1.3	0.2	2.8	-	14
15	-	-	-	-	-	-	-	-	10.3	4.1	1.5	1.4	15
16	-	-	-	-	1.0	-	-	-	2.8	-	-	6.2	16
17	-	-	-	3.3	-	-	0.6	-	3.6	-	-	0.7	17
18	1.5	-	-	0.6	2.0	-	-	26.3	19.5	-	-	0.3	18
19	5.5	-	-	4.3	-	-	-	5.9	-	-	-	-	19
20	1.4	8.7	-	0.5	-	13.4	-	-	28.1	-	-	-	20
21	-	3.5	-	-	-	-	3.4	1.3	8.1	-	-	1.4	21
22	-	-	-	3.0	-	-	-	3.0	-	-	-	6.9	22
23	-	-	-	-	-	-	6.8	4.0	-	-	-	7.1	23
24	-	-	-	-	-	-	-	-	2.3	-	-	-	24
25	0.4	-	-	2.1	-	-	2.4	-	0.6	-	-	-	25
26	1.2	-	0.7	2.0	-	-	6.5	-	-	-	-	0.5	26
27	1.7	2.1	1.2	4.8	-	2.8	-	-	-	-	1.8	4.5	27
28	5.9	-	-	-	12.7	-	0.2	-	-	-	3.6	0.5	28
29	8.4	-	2.0	-	4.9	-	0.6	-	0.3	-	1.5	1.8	29
30	0.5		-	-	0.3	-	3.6	-	3.9	-	2.6	0.7	30
31	-		-		-		-	-		3.8		1.6	31
TOTAL	54.3	15.5	12.5	55.2	28.0	25.6	52.5	52.6	86.1	23.3	15.8	66.0	YEAR'S TOTAL 487.4
Days with 0·2 mm. or more	16	5	10	18	11	6	17	9	15	6	9	21	143
	13	3	6	15	6	6	10	7	12	5	7	15	104

(44,284). Wt.21,958—213 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Forms 3206

FORM A.
BRITISH RAINFALL.

15 APR 1914

REG

RAMSGATE
WEST CLIFFE TERRACE
KENT
1913

1·25·23 E.

Kept at West Cliff Te a.m.

in the County of Kent Ramsgate

5 in.

by J. E. McGildon

bove Ground ft. 13 in.

Sea Level ft.

IMPORTANT NO d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.31				.26							1
2	.03	.10					.36						2
3				.63	.16								3
4			.02				.07						4
5							.32	.21					5
6	.04		.04		.03	.35							6
7		.05	.12	.05				.05					7
8				.08	.18								8
9		.06		.05	.33		.04	.38					9
10			.09	.09									10
11	.36			.46				.03					11
12													12
13	.21												13
14	.05		.07	.07			.55						14
15	.12		.12				.11						15
16	.18		.27	.10									16
17	.11	.05		.12			.18	.05					17
18			.05										18
19	.07		.14	.05	.03		.10	.13					19
20	.48		.08			.04							20
21	.04		.05	.13	.15		.05						21
22	.29		.27				.20						22
23			.12			.03							23
24	.02							.37					24
25	.05			.17		.21							25
26			.16										26
27		.05	.03										27
28	.14		.12										28
29	.30		.07		.19								29
30	.15		.12	.33	.16								30
31			.32										31
Total	2.64	.62	2.26	2.33	1.23	.89	1.98	1.22	✓				YEAR'S TOTAL
Rain Days.	17	6	19	13	8	5	10	7	✓				

W.7,000, XI. 13

REC

1·25·23 E.

FORM A. BRITISH RAINFALL.

15 APR 1914

✓

Kept at West Cliff Terrace, Ramsgate

in the County of Kent

by J. E. McGildowny

Time of Observation 9 a.m.

Nearest Railway Station Ramsgate

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 13 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·31				·26							1
2	·03	·10					·36						2
3				·63	·16								3
4			·02				·07						4
5							·32	·21					5
6	·04		·04		·03	·35							6
7		·05	·12	·05				·05					7
8				·08	·18								8
9		·06		·05	·33		·04	·38					9
10			·09	·09									10
11	·36			·46				·03					11
12													12
13	·21												13
14	·05		·07	·07			·55						14
15	·12		·12				·11						15
16	·18		·27	·10									16
17	·11	·05		·12			·18	·05					17
18			·05										18
19	·07		·14	·05	·03		·10	·13					19
20	·48		·08			·04							20
21	·04		·05	·13	·15		·05						21
22	·29		·27				·20						22
23			·12			·03							23
24	·02							·37					24
25	·05			·17		·21							25
26			·16										26
27		·05	·03										27
28	·14		·12										28
29	·30		·07		·19								29
30	·15		·12	·33	·16								30
31			·32										31
Total	2.64	·62	2.26	2.33	1.23	·89	1.98	1.22	✓				YEAR'S TOTAL
Rain Days.	17	6	19	13	8	5	10	7	✓				

W.7,000, XI. 13

R

RECULVER

KENT

1911-20

FORM A2.
BRITISH RAINFALL

9 JAN 1912

Kept at Reculver

in the County of Kent

by Allington Coll

+ Zanda [illegible] in [illegible]

5 in.

Ground 5 ft. 2

Sea Level 27 ft.

Name Herne Bay

Distance 4 miles Direction W

IMPORTANT NOT … the result entered to the previous day. If an Ob … versal rule, he is earnestly requested to add the rea … ear in the space provided for it at the end of thi … ment of rain, the selection and placin … ritish Rainfall Organization are given in … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·17		·01	·01				·11				·05	1
2			·02	·02	·11						·15	·08	2
3	·09	·01			·03						·02	·11	3
4	·12	·02	·03	·07					·02	·78	·12	·08	4
5	·03	·01								·57		·16	5
6	·16											·14	6
7	·01									·82	·16	·40	7
8	·03		·05							·01	·26	·05	8
9	·18		·12	·01				·01		·06	·05	·05	9
10		·01		·06							·01	·53	10
11	·24	·03	·01						·49			·02	11
12			·49			·07					·54		12
13			·01		·40	·44				·42	·04	·13	13
14		·11			·28	·02				·01	·03	·14	14
15		·05	·29									·02	15
16						·55					·15	·02	16
17			·05								·10	·04	17
18		·07									·72	·03	18
19									·06		·25	·08	19
20					·01			·45		·10		·43	20
21	·01	·01						·04		·60		·08	21
22			·62			·02				·11		·32	22
23		·16	·05			1·30			·16	·03	·02	·03	23
24		·02	·02			·15	·14	·01		·43		·21	24
25		·05	·20	·08		·14		·06	·01		·05		25
26			·21	·19						·10	·14	·12	26
27		·21	·05	·04					·14	·41		·02	27
28		·08	·01	·08						·03	·02		28
29			·01	·10		·11	·07		·17	·15	·01		29
30				·04	·13			·02	·04	·16	·02		30
31							·01						31
Total	1·04	·84	2·25	·70	·96	2·80	·22	·70	1·09	4·79	2·86	3·34	TOTAL for year
No. of Rain Days.		1·88	4·13	4·83	5·79	8·59	8·81	9·51	10·60	15·39	18·25	21·59	✓ 148
W. 8,000, X. '11.	10	14	18	11	6	9	3	7	8	17	20	25	

FORM A2.
BRITISH RAINFALL

9 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Reculver

in the County of Kent

2

by Allington Collard

RAIN GAUGE
Pattern Negretti & Zambra funnel in jar
Diameter of top 5 in.
Height of top above Ground 5 ft. 2 in.
" " " Sea Level 27 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Herne Bay
Distance 4 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17		·01	·01				·11				·05	1
2			·02	·02	·11						·15	·08	2
3	·09	·01			·03						·02	·11	3
4	·12	·02	·03	·07					·02	·78	·12	·08	4
5	·03	·01								·57		·16	5
6	·16											·14	6
7	·01									·82	·16	·40	7
8	·03		·05							·01	·26	·05	8
9	·18		·12	·01				·01		·06	·05	·05	9
10		·01		·06							·01	·53	10
11	·24	·03	·01						·49			·02	11
12			·49			·07					·54		12
13			·01		·40	·44				·42	·04	·13	13
14		·11			·28	·02				·01	·03	·14	14
15		·05	·29									·02	15
16						·55					·15	·02	16
17			·05								·10	·04	17
18		·07									·72	·03	18
19									·06		·25	·08	19
20					·01			·45		·10		·43	20
21	·01	·01						·04		·60		·08	21
22			·62			·02				·11		·32	22
23		·16	·05			1·30			·16	·03	·02	·03	23
24		·02	·02			·15	·14	·01		·43		·21	24
25		·05	·20	·08		·14		·06	·01		·05		25
26			·21	·19						·10	·14	·12	26
27		·21	·05	·04					·14	·41		·02	27
28		·08	·01	·08						·03	·02		28
29			·01	·10		·11	·07		·17	·15	·01		29
30				·04	·13			·02	·04	·16	·02		30
31							·01						31
Total	1·04	·84	2·25	·70	·96	2·80	·22	·70	1·09	4·79	2·86	3·34	TOTAL for year
No. of Rain Days.		1·88	4·13	4·83	5·79	8·59	8·81	9·51	10·60	15·39	18·25	21·59	✓ 148
W. 8,000, X. '11.	10	14	18	11	6	9	3	7	8	17	20	25	

Ex. Hole

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

7 JAN 1913

Kept at Reculver

in the County of Kent. 2

by Allington Collard

RAIN GAUGE
Pattern circular funnel in jar
Diameter of top 5 in.
Height of top above Ground 5 ft. 2 in.
" " " Sea Level 27 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Herne Bay
Distance 4 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01			·25	·50		·08	·52		·11	1
2	·01	·02	·07				·14	·03		·10			2
3	·09	·05	·06		·03	·18		·07		·01		·03	3
4	·30		·32		·07	·36					·16		4
5	·06					·21	·03	·21			·10	·02	5
6	·31		·08		·04			·31					6
7	·02	·11	·07		·01	·15		·50					7
8	·16	·18	·08			·14		·03	·27			·01	8
9		·01	·01	·08			·07	·04					9
10								·09	·05		·04	·21	10
11	·01	·13				·01			·02			·08	11
12		·16	·01		·02			·03		·04		·02	12
13		·10				·02	·18	·05			·23	·01	13
14			·03		·03			·07	·07	·05	·02		14
15		·01	·11		·16	·70		·01				·19	15
16	·18		·04		·03	·10				·02	·02		16
17	·28		·20					·03			·04	·02	17
18	·01		·29	·04			·12	·15			·05	·18	18
19	·02	·06	·19				·35	·18		·03	·03		19
20	·03		·30					·03		·62	·01		20
21		·03	·13					·05		·25	·07	·01	21
22	·05	·08	·01				·10	·07				·01	22
23	·30	·22	·19		·01			·60		·14	·14	·02	23
24	·08		·01			·02	·26	·13					24
25	·05					·11		1·34			·14	·24	25
26							·10	·31		·24	·19	·33	26
27							·02	·01		·02		·08	27
28							·01			·30	·19	·05	28
29		·01		·04				·05	·73	·13			29
30						·02		·45	1·40	·20			30
31			·02		·03		·11	·18		·03			31
Total	1·96	1·17	2·23	·16	·43	2·27	1·99	5·02	2·62	2·70	1·43	1·62	TOTAL for year 23·60
No. of Rain Days.	17	14	21	3	10	13	13	26	7	16	15	18	173

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
13 JAN 1914

Kept at Reculver

in the County of Kent.

by Allington Collard

2

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Herne Bay

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 2 in.

" " " " Sea Level 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·30		·04		·25				·06	·01	·04	1
2		·12		·60	·08		·28				·01	·15	2
3	·04			·02	·21		·01			·06			3
4	·04						·05	·05			·04		4
5	·09			·02			·40	·06	·63		·06	·07	5
6			·01		·03		·02			·41	·09		6
7		·03	·05							·25	·01		7
8					·12					·35	·02		8
9		·05		·03	·17		·06	·13	·06		·02	·01	9
10			·07	·08			·01	·09			·43		10
11	·34	·01		·39						·32	·05		11
12											·53		12
13	·29		·03		·01			·04			·44		13
14	·04		·05	·03			·32		·09	·21	·23		14
15	·08		·16	·02			·08						15
16	·28		·25	·11			·13		·51		·02	·05	16
17		·06		·04				·03	·11				17
18	·05		·05	·04			·02		·16				18
19	·13		·08	·01			·06		·25				19
20	·60		·04							·20			20
21			·05	·06		·01	·01			·63	·52		21
22	·26	·01	·16		·37		·13		·02			·01	22
23			·02			·08				·01		·36	23
24	·01		·05			·04		·01					24
25	·01			·14		·05		·01					25
26			·17							·50		·12	26
27			·02		·63					·15			27
28	·26		·12							·11			28
29	·30		·03	·01	·23								29
30	·22		·07	·24	·09			·43	·01	·08		·11	30
31			·40					·07		·05			31
Total	3·04	·58	1·88	1·88	1·94	·43	1·58	·92	1·84	3·39	2·48	·92	YEAR'S TOTAL 20·88
Rain Days.	17	7	20	17	10	5	14	10	9	15	15	9	148

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

REGISTER OF RAINFALL IN 1914

Ex DL

Kept at St Peter's
in the County of Kent
by H. C. V. Snowden

2

Lat. 51.23 N. Long. 1.26 E
Time of Observation 9 a.m
Nearest Railway Station Broadstairs
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·02	—	—	·05	—	—	·01	·04	—	—	·16	·18	1
2	—	—	—	·03	—	—	·01	—	—	·04	·02	·08	2
3	—	—	·08	·02	·11	—	·15	·03	—	—	—	—	3
4	—	—	·02	·08	—	—	—	·16	—	—	·27	·18	4
5	·25	—	·03	·36	·11	·02	·22	·15	—	—	—	—	5
6	—	—	—	·18	·03	·32	·[illegible]4	—	—	·01	—	·11	6
7	—	·12	·18	·08	—	·02	—	—	—	—	—	·07	7
8	·17	·05	·31	·02	—	—	·03	·05	—	—	—	·07	8
9	·37	—	·60	·04	—	—	—	—	—	·02	—	·83	9
10	·14	—	·03	·03	·02	—	—	—	—	·02	—	·03	10
11	—	·17	·16	·04	·02	·01	—	—	·13	—	·39	·24	11
12	snow. ·01		·06	—	·05	·01	—	—	·15	—	—	·17	12
13	snow ·04		·16	·02	—	—	—	—	·14	·09	·08	·33	13
14	—	·06	·14	—	—	—	·02	—	—	·40	·01	·34	14
15	—	·01	·22	—	—	—	·65	·03	—		1·27	·07	15
16	·03	·14	·04	—	—	—	·25	—	—		·05	—	16
17	·02	·03	—	—	—	—	—	—	·10	·24	·04	·02	17
18	—	·12	·21	—	—	—	—	—	—	·74	·12	·12	18
19	—	·04	·58	—	—	—	—	—	—	·14	snow. ·21	·06	19
20	—	·10	·49	—	—	·08	—	—	—	·25	—	·30	20
21	—	·55	·17	·09	—		—	—	—	·04	—	·10	21
22	—	·02	—	·04	thunder ·22	thunder ·36	1·82	—	—	·05	—	·09	22
23	—	—	·58	·01	·58	thunder ·18	·03	—	—	·04	—	·26	23
24	—	—	·02	·22	·05	—	—	—	—	·02	·07	—	24
25	·06	—	·24	—	·06	—	·03	—	—	·35	—	—	25
26	·07	—	·17	—	—	—	—	·14	—	—	·12	·13	26
27	·01	—	·02	—	—	—	·08	·04	—	·10	·04	·19	27
28	·03	—	—	—	·01	—	—	—	—	—	·25	·25	28
29	·03		—	—	—	—	—	—	—	·66	·06	—	29
30	—		—	—	—	—	—	—	—	·06	·29	·02	30
31	—		—		·31		—	—		—		·06	31
Total	1.24	1.41	4·51	1·31	1·67	1.00	3·34	·64	·52	3·27	3·45	4·30	YEAR'S TOTAL 26·56
Rain Days.	14	12	22	16	12	8	13	8	4	18	17	25	169

W. 7,500, XI. ·12

Exd DSS

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
16 JAN 1915

2

Kept at Reculver
in the County of Kent
by Allington Collard

Lat. ______ Long. ______
Time of Observation 9 a m
Nearest Railway Station Herne Bay
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 2 in.
" " " " Sea Level 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·34

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·08	·03	1
2					·01					·03	·04	·11	2
3			·06	·04	·06		·16						3
4				·26				·41			·36	·10	4
5	·19			·33	·01		·08	·34					5
6			·02	·18	·06	·38						·09	6
7		·16	·11	·10								·06	7
8			·25	·01			·05	·02					8
9	·35		·73	·03		·05						1·08	9
10	08 ·08	·14	·14							·06			10
11		·02		·02		·01			·11		·66	·24	11
12	·02		·06				·10		·12		·01	·34	12
13		·15	·20			·05			·11	·08	·06	·23	13
14		·10	·14				·10			·24	·04	·39	14
15		·02	·19				·40				·90	·08	15
16		·05	·02				·13				·02		16
17	·04	·02							·05	·06	·01	·02	17
18		·11	·08							·40		·25	18
19		·02	·70						·01	·25	·35	·08	19
20		·10	·29			·02				·22		·22	20
21		·60	·06	·04						·09		·07	21
22				·24	·01	·03	·44			·11			22
23			·49		·61		·04					·19	23
24			·04	·15		·61				·01	·07		24
25	·03		·07				·03	·05		·30	·01	·10	25
26	·07		·09				·01	·08			·16	·21	26
27			·13							·06	·02	·15	27
28	·02						·02			·07	·21		28
29	·01				·04					·60	·04	·37	29
30		X								·15	·36		30
31		X		X	·25	X			X		X	·04	31
Total	·81	1·49	3·87	1·40	1·05	1·15	1·56	·90	·40	2·73	3·40	4·45	YEAR'S TOTAL 23·21
Rain Days.	9	12	20	11	8	7	12	5	5	16	18	22	145

W. 8,000. X. 14.

end for anlt 23.11.16

369

FORM A.
BRITISH RAINFALL.

6. JAN. 1916

REGISTER OF WLM RAINFALL IN 1915

Kept at Reculver

in the County of Kent 2

by Allington Collard

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Herne Bay

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 2 in.

" " " " Sea Level 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	·09	·05						·37		·20	·11	1
2	·14	·13	·15	·04	·01			·10			·01		2
3	·17		·09	·13	·01			·23	·43			·42	3
4	·07							·04		·06	·10	·43	4
5	·03	·07		·01						·10	·10	·24	5
6	·32	·05	·01	·19			·03					·05	6
7	·16	·14	·07	·01								·23	7
8	·03	·19	·08				·05				·05		8
9	·04	·06						·21		·06	·38	·48	9
10	·11					·06						·50	10
11	·04	·09									·47		11
12	·02	·10		·33	·49			·35		·02	·40	·02	12
13	·05	·62		·06	·85								13
14		·63					·30	·11	·04			·13	14
15	·10				·02			·10			·51	·04	15
16		·09		·03			·67	·28				·01	16
17	·02	·36			·69			·20			·06	·42	17
18		·08	·04		·46					·15		·07	18
19										·08			19
20	·31		·01							·23		·18	20
21	·20											·02	21
22	·06		·03	·03			·31					·12	22
23	·02	·16	·12	·06		·03	·05					·26	23
24	·02						·25		·12	·06		·31	24
25	·02		·08	·09		·08	·18					·07	25
26	·05	·03				·02						·31	26
27			·01				·12		·02	·14	·02	·02	27
28		·05	·02			·16	·37		1·88	·19			28
29			·02		·02		·03	·11	·11	·02	·20		29
30	·04	X								·40	·56	·06	30
31	·01	X		X		X			X		X	·16	31
Total	2·37	2·34	·78	·98 ·88	2·55	·35	2·36	1·73	2·97	1·51	3·06	4·66	YEAR'S TOTAL 25·66 25·66
Rain Days.	24	17	14	11	8	5	11	10	7	12	13	24	156

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
16. JAN 1917

Kept at Reculver X
in the County of Kent
by Allington Collard

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Herne Bay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 2 in.
" " " " Sea Level 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05				·04				·08		·29		1
2	·28	·02	·27		·09				·02	·44			2
3	·09	·25	·10				·04		·01	·01	·42		3
4	·02	·12				·15				·06	·14		4
5			·21	·10	·02	·35	·10				·30		5
6	·02	·03	·73	·27		·07	·13			·05	·24		6
7	·02		·25		·45		·04						7
8	·02				·09							·06	8
9	·01				·29	·05						·12	9
10		·01	·05	·11		·37	·18					·18	10
11	·02	·20		·26		·05	·01		·02			·21	11
12	·03	·02	·01	·05	·89	·17				·10		·08	12
13		·16	·37			·11	·88			·03			13
14		·35	·13				·05		·02			·07	14
15		·14	·02	·03						·02		·04	15
16		·06	·03	·15			·04			·02			16
17	·05	·01		·15					·27	·55			17
18	·06	·07		·11			·02	·07	·09	·11	·78		18
19	·03		·02	·04		·01			·20		·94	·03	19
20	·08	·01	·02	·04								·35	20
21			·73	·20							·03	·06	21
22	·02	·32	·25	·18								·34	22
23		·21				·13		·04			·21	·04	23
24							·01			·29	·02		24
25		·23	·17		·03			·45		·05	·02		25
26		·12			~~·09~~	·19				·10	·03	·22	26
27	·02	·26	·53			·06				·58			27
28		·45	·13		·09	·09		·06	·13	·04		·15	28
29		·21						·64	·03	·22		·15	29
30		X						·22		·39			30
31		X		X		X			X	·04	X	·02	31
Total	·82	3·25	4·02	1·69	1·99	1·80	1·50	1·48	·87	3·10	3·42	2·12	YEAR'S TOTAL 26·06
Rain Days.	16	21	18	13	9	13	11	6	10	18	12	16	163

W. 8,000, VIII. 16

347

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

18 JAN 1918

Kept at Reculver

in the County of Herne Bay Kent

by Allington Collard

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Herne Bay

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 2 in.

" " " " Sea Level 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·11				2·67	·03		·03		1
2	·03			·45				·25		·05	·04		2
3	·02			·12				1·00		·02			3
4		·12	·01					·05		·33			4
5	·20		·02						·12	·13			5
6						·07			·19		·12		6
7	·15			·08						·59		·01	7
8	·09			·17				·25		·21	·14	·34	8
9	·09						·49	·03			·07	1·14	9
10	·15		·11	·17			·01	·08			·05		10
11	·08		·78	·13					·05	·20		·10	11
12	·15	·05	·33					·05		·28		·02	12
13	·03		·10		·09					·23			13
14	·44			·21				·01					14
15	·08							·04					15
16	·31	·02		·04	·09	·01	·02					·34	16
17	·02			·12	·45		·13	·01	·08	20			17
18	·04	·02		·10			·10	·04				·02	18
19	~~·02~~	·08	·15				·15		·06				19
20		·22	·11		·03	·04	·05				·10		20
21		·03	·06		·05	·20					·03	·08	21
22		·01	·08			·39		·08		17			22
23		·01			·07	·02		·03				·08	23
24						·01		·03		·10			24
25			·04			·04					·01		25
26			·03					·13		·02	·70		26
27						·02		·73				·10	27
28	·02					·35		·13				·02	28
29	·16					·05	2·13	·03		·21		·22	29
30	·02		·12				·70	·10		·13	·02		30
31			·12				·93	·02		·01		·02	31
Total	2·08	·56	2·06	1·70	·78	1·20	4·71	5·76	·53	2·88	1·31	2·49	YEAR'S TOTAL 26·06
Rain Days.	18	9	14	11	6	11	10	21	6	16	11	13	146

W. 8,000, IX. 17.

Ckd C & E

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

6. 1. 19

Kept at Reculver

in the County of Kent

by Allington Collard

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Herne Bay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 2 in.
" " " " Sea Level 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·15				·18			·07	·08	1
2		·05	·03								·40	·16	2
3			·01	·16	·09					·05	·67	·03	3
4		·63			·10			·04	·28		·41		4
5		·05			·79			·02	·02			·01	5
6	·23	·07			·11			·05		·02	·09	·01	6
7	·03	·02		·10					·51	·02	·10		7
8			·02						·08	·05		·01	8
9	·03		·02			·16			·28	·09		·02	9
10						·01	·04		·16	·03	·01	·20	10
11	·08				·10				·13	·42	·08	·06	11
12	·02	·13			·11		·13		·11	·24	·02	·07	12
13	·05	·07			·04				·02				13
14	·07					·15	·06		·18	·19		·09	14
15	1.15			·23		·25	·16		·02	·03		·05	15
16	·21			·18		·03	·13						16
17	·23			·12		·07	·31					·15	17
18	·11			·01	·02				·60			·03	18
19			·22	·11					·08	·32			19
20		·05					1·21		·04	·46			20
21	·04						·02		·03	·08	·02		21
22	·03								·49		~~·03~~	·14	22
23	·07			·02	·12		·02		·08			·12	23
24		·13			·10	·13	·73		·10		·03		24
25				·01			·07	·02			·10	·02	25
26							·28	·10		·01	·01	·08	26
27				·09			·08	·07	·02	·01	·15	·05	27
28		·06	·18					·08					28
29			·01					·01	·61		·07		29
30		✕	·35						·08	·10		·08	30
31		✕		✕		✕		·07	✕	·05	✕	·25	31
Total	2·35	·66	·84	1·18	1·58	·80	3·24	·64	3·92	2·17	2·23	1·71	YEAR'S TOTAL 21·32
Rain Days.	14	10	8	11	10	7	13	10	21	17	15	21	157

W, 6,500, VII. 18. W W C

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

Entd MB

REGISTER OF RAINFALL IN 1919.

Kept at Reculver

in the County of Kent.

by Allington Collard

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Herne Bay

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 2 in.

„ „ „ „ Sea Level 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	·04			·05		·73			·14	·02	·40	1
2	·12		·01		·06		·06	·03			·18	·09	2
3	·14		·38		·04		·35		·03		·03	·21	3
4	·09		·29			·05	·36	·01		·03	·02	·11	4
5	·19	·30	·98				·06				·02	·20	5
6	·02		·01							·02	·04		6
7			·10				·03				·10		7
8	·20		·05	·02								·05	8
9	·14		·03	·19							·74		9
10	·31		·03	·02							·07		10
11	·14		·04	·35								·06	11
12	·10			·05		·03	·36			·03	·13		12
13	·05			·20						·02	·55		13
14	·10			·30			·33						14
15	·07	·03	·01	·16						·01	·15	·01	15
16		·40	·01							·02			16
17		·58		·06							·19	·05	17
18		·09					·05		·02		·05		18
19		·11										·01	19
20	·13	·03	·30			·56	·70	·04	·02			·01	20
21		·14	·05			·16	·10						21
22	·07	·05				·01	·16		·18			·40	22
23	·07	·03		·17		·08		·02				·04	23
24				·20		·12	·03	·02		·01	·14		24
25	·07			·13	·03	·02							25
26	·06	·11		·07				·25	·05	·02		·16	26
27	·21		·09	·45				·11			·02	·04	27
28			·20	·13				·24			·46	·28	28
29				·19				·64		·26	·17	·16	29
30	·08			·16		·01		·63		·35	·04	·26	30
31	·17		·10				·01	·07		·64		·04	31
Total	2·72	1·91	2·68	2·85	·18	1·04	3·33	2·06	·30	1·55	3·12	2·58	Year's Total 24·32
Days with ·01 in. or more	22	12	17	17	4	9	14	11	5	12	19	19	161

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

Max daily fall 0·98 in on March 5

304

10 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Reculver
in the County of Kent
by Allington Collard

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Herne Bay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 2 in.
" " " " Sea Level 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·05

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·28	·01	·07				·47	·02	·15	1
2			·20	·01				·13	·06	·09	~~·09~~	·05	2
3					·02			·03	·04	·01		·02	3
4		·02		·11	·02		·34			·01		·11	4
5				·13	·04		·32	·10	·05			·26	5
6			·13	·01	·12		·10			·01			6
7			·02	·09	·04		·07			·01		·06	7
8	·03		·03	·04	·02		·07						8
9	·21							·11					9
10	·18			·17	·02		·04					·04	10
11	·22			·13	·04		·56					·05	11
12	·09			·15		·15	·32			·01			12
13			·09	·02		·08					·09		13
14			·15	·14		·05	·01		·01	·01	·09		14
15			·01	·12					·63	·08	·03	·04	15
16				·02	·20				·12			·42	16
17				·19	·02				·37			·04	17
18				·06				·80	·13			·02	18
19	·16			·21				·03					19
20	·04	·12		·09		·53			·42			·04	20
21		·06			·03		·45	·08	1·00				21
22				·14				·13				·31	22
23				·01			·33	·03	·01			·28	23
24									·10			·01	24
25			·01	·04			·25			·01			25
26	·04		·07	·06			·08						26
27	·07			·23		·12	·02				·12	·14	27
28	·16	·03			·24		·01				·10	·02	28
29	·45		·08	·02	·02		·02				·05	·06	29
30	·03	╳		·01			·05		·16		·13	·08	30
31		╳		╳		╳			╳	·23	╳	·04	31
TOTAL	1·68	·23	·79	2·48	·84	1·00	3·04	1·44	3·10	·94	·63	2·24	YEAR'S TOTAL 18·41 ✓
Days with ·01 in. or more	12	4	10	25	14	6	17	9	13	11	8	21	150 ✓
Days with ·04 in. or more	10	2	6	18	6	6	13	6	11	4	6	17	105

(44.283). 10/19. (52.638). Wt.10.000—359. 10.000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REGIS

ROCHESTER

{KNIGHTS PLACE}

KENT

1911-20

Kept at Knights Place,

in the County of Kent

by James Pye

a.

d 3 ft. in.

evel 320 ft.

Rochester Bridge

nce 3 m Direction W

IMPORTANT NOTE.— result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading n the space provided for it at the end of this pa of rain, the selection and placing o Rainfall Organization are given in " R cation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05			·90			·01	·12			·03	·01	1
2	·06			·08	·21						·13	·09	2
3	·02	·01		·08	·12						·04	·15	3
4	·20	·05	·11						·04	·30	·18	·15	4
5	·06	·06		·05						·56	·02	·10	5
6	·21									·01		·17	6
7	·08			·02						·37		·26	7
8			·06								·37	·14	8
9	·21		·06	·02							·02	·09	9
10	·01	·08		·05							·04	·67	10
11	·16										·64		11
12						·05				·01	·08		12
13	·02		·60		·22				·60	·13		·12	13
14		·10			·22	·06						·35	14
15		·03	·37							·04	·03		15
16						·20					·42	·08	16
17						·03					·93		17
18		·10	·10					·06		·01	1·35	·16	18
19										·18	·25		19
20	·02	·01	·01					·34	·09	·14		·82	20
21	·04	·04				·01		·16	·03	1·04		·15	21
22			·08			·06		·16		·35		·41	22
23		·15	·19			·97		·02	·18		·03	·13	23
24		·09	·02			·03	·08	·02		·49		·29	24
25			·14	·02		·19		·11		·01		·01	25
26			·18	·17						·16	·09	·20	26
27		·26	·08	·05					·16	·22	·01	·02	27
28		·12	·05	·22			·61	·01			·02	·01	28
29	·01	—	·01	·14		·16		·02	·09	·18			29
30		—		·07		·02		·05	·05	·18		·01	30
31		—	·02	—		—			—		—		31
Total	1·15	1·10	2·08	1·87	·77	1·78	·70	1·07	1·24	4·38	4·68	4·59	TOTAL for year
No. of Rain Days.	14	13	16	13	4	11	3	11	8	18	19	24	25·41

W. 8,000, K. '11.

No of days. 154

✓

REGISTER OF RAINFALL IN 1911.

FORM A2. BRITISH RAINFALL.

5 - JAN 1912

Kept at Knights Place, Rochester

in the County of Kent

4

by James Pye

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
„ „ „ Sea Level 320 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Rochester Bridge
Distance 3m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05			·90			·01	·12			·03	·01	1
2	·06			·08	·21						·13	·09	2
3	·02	·01		·08	·12						·04	·15	3
4	·20	·05	·11						·04	·30	·18	·15	4
5	·06	·06		·05						·56	·02	·10	5
6	·21									·01		·17	6
7	·08			·02						·37		·26	7
8			·06								·37	·14	8
9	·21		·06	·02							·02	·09	9
10	·01	·08		·05							·04	·67	10
11	·16										·64		11
12						·05				·01	·08		12
13	·02		·60		·22				·60	·13		·12	13
14		·10			·22	·06						·35	14
15		·03	·37							·04	·03		15
16						·20					·42	·08	16
17						·03					·93		17
18		·10	·10					·06		·01	1·35	·16	18
19										·18	·25		19
20	·02	·01	·01					·34	·09	·14		·82	20
21	·04	·04				·01		·16	·03	1·04		·15	21
22			·08			·06		·16		·35		·41	22
23		·15	·19			·97		·02	·18		·03	·13	23
24		·09	·02			·03	·08	·02		·49		·29	24
25			·14	·02		·19		·11		·01		·01	25
26			·18	·17						·16	·09	·20	26
27		·26	·08	·05					·16	·22	·01	·02	27
28		·12	·05	·22			·61	·01			·02	·01	28
29	·01	—	·01	·14		·16		·02	·09	·18			29
30		—		·07		·02		·05	·05	·18		·01	30
31		—	·02	—		—			—		—		31
Total	1·15	1·10	2·08	1·87	·77	1·78	·70	1·07	1·24	4·38	4·68	4·59	TOTAL for year
No. of Rain Days.	14	13	16	13	4	11	3	11	8	18	19	24	25·41

W. 8,000, X. '11.

No of days. 154

FORM A.

BRITISH RAINFALL.

18 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Knights Place

in the County of Kent 4

by Successors of late James Pye

Lat. Long.

Nearest Railway Station Rochester Bridge

Time of Observation 9 AM

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " Sea Level 320 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·11	·06		·10			·04	·48		·27	1
2		·04	·50				·23	·02	·02	·07			2
3	·08		·06			·22		·19	·01		·02		3
4			·46		·19	·28	~~·23~~	·06			·17	·04	4
5	·13	·04	·11		·03	·02		·17			·13	·02	5
6	·43	·05		·07	·07			·24				·07	6
7	·18		·23			·84	·03	·25			·01	·05	7
8	·01	·28	·18					·19	·06			·02	8
9		·05				·04	·06	·03		·03			9
10		·04				·07		·15	·05				10
11			·02			·38	~~·06~~	·03	·03			·32	11
12	·02	·10	·02			·30		·15			·02		12
13		·01			·05		·11	·04			·22	·02	13
14						·01		·02			·03		14
15			·08		·02	·58	[illegible]	·02			·07	·24	15
16	·25		·04		·30	·09		·04	·01	·01	·13		16
17	·52		·29		·09			·05				·04	17
18	·03		·28				·05	·07		·20	·02	·15	18
19	·05	·09	·08			·05	·21	·16			·03		19
20		·02	·31	·03	·03	·02	·10 ~~·05~~	·02		·42		·01	20
21	·01	·03	·49				[illegible]	·08		·12	·12		21
22	·24	·11					·09	·10		·02			22
23	·46				·02		·01	·33		·19	·17	·04	23
24	·03					·05	~~·09~~	·18		·01		·13	24
25	·10					·37	[illegible]	·80		·01	·50	·37	25
26		·03			·04	·03		·41		·22		·41	26
27							·23			·10		·09	27
28		·06				·01	·06	·05		·38	·45	·12	28
29		·03			·08		·04 ~~·23~~	·43	1·25	·16			29
30							~~·06~~	·06	1·80	·32			30
31					·02		·17	·16		·01			31
Total	2·54	·98	3·26	·16	·94	3·46	1·39	4·50	3·27	2·75	2·09	2·41	TOTAL for year 27·75
No. of Rain Days	15	15	16	3	12	18	13	29	9	17	15	18	180

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

DL

cor. 23.1.14

FORM A.
BRITISH RAINFALL
15 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Knights Place, Nr Rochester

in the County of Kent

by F. H. Pye

4

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Rochester Bridge 2½ miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.25	.03	.02	.01					.13	.04	.10	1
2		.11	.	.31	.02		.21		.03		.18		2
3			.03		.32	.03			.02	.01		.05	3
4	.17	.01	.01	.32	.02	.03				.01	.03	.01	4
5	.17	.01		.04		.06	.22		.52	.06	.03	.05	5
6	.05	.05	.10		.03	.04	.41			.34	.10		6
7		.12	.02		.02		.29	.29	.05	.29	.10		7
8			.05		.07	.04				.07			8
9		.13		.03				.19	.15				9
10	.01		.10	.04			.22				.04		10
11	.34			.36	.02					.57	.60		11
12		.02			.04					.01	.20		12
13	.13		.02	.02				.09	.03		.47		13
14	.12	.01	.05	.07			.57		.02	.12	.38		14
15	.12		.17	.19		.04	.34		.05		.04		15
16	.19		.38	.19			.02		.53		.01		16
17	.03	.06	.05	.05			.13		.01			.01	17
18		.02	.10	.09			.02		.04		.06		18
19	.21		.15				.13		.20			.03	19
20	.31		.28	.04		.34				.33	.01		20
21	.03	.02	.19	.27			.08			.57	.66		21
22	.29		.13	.03			.05		.03			.02	22
23	.01		.21			.04	.03	.17	.09	.03	.02	.37	23
24	.04		.07	.02		.03		.10		.02	.05		24
25			.	.12		.06				.01	.02	.01	25
26		.02	.17				.02	.04		1.14		.17	26
27		.02	.03	.02	.23	.01	.04			.14			27
28	.21		.19 .09	.07					.01	.32			28
29	.21		.02 .29	.40				.06		.07			29
30	.32		.	.16	.03			.13		.12			30
31			.02					.33		.05			31
Total	2.96	.85	2.57	2.86	.81	.72	2.78	1.40	1.78	4.41	3.04	.82	YEAR'S TOTAL 25.00 25.00
Rain Days.	19	14	2.57 24	22	11	11	16	9	15	21	19	10	191

W.7,000, XI. 13

Ew D.B.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 FEB 1915

Kept at Knights Place W-Rochester

in the County of Kent 4

by Miss Pye

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Rochester Bridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·03			·03	·08			·03	·02	1
2			·01	·03			·07				·02	·13	2
3			·21		·13		·10			·05	·01	·01	3
4			·03	·15	·02			·06			·26	·18	4
5	·10		·04	·28	·23	·02	·18	·57			·02		5
6		·06			·02	·20	·02	·01				·16	6
7		·40	·18	·14	·52	·29	·10					·12	7
8	·07	·34	·34	·07	·02	·03	·05	·06				·11	8
9	·18	·02	1·26	·15	·02				·06			1·23	9
10	·05	·02		·07	·04						·01	·07	10
11		·36	·24	·04	·04	·06			·15		·24	·19	11
12	·03	·05	·04				·09		·18	·03		·36	12
13		·24	·12						·14	·04	·09	·23	13
14		·10	·18				·09			·43	·07	·27	14
15	·04	·03	·22				·02				·82	·18	15
16	·03	·01	·04				·01	·05	·04				16
17		·19	·13						·08			·10	17
18		·18	·34									·30	18
19		·03	·52				·04			·06	·16	·12	19
20		·79	·19			·07	·01		·03	·09		·07	20
21		1·02	·09			·02		·09		·02		·05	21
22			·02	·03	·10	·05	·11	·03		·25			22
23			·18	·03		·20	·05	·01				·11	23
24			·03	·09	·46		·02	·06			·06		24
25	·05		·44		·04		·09	·08		·45	·01		25
26			·10				·03	·06		·09	·26	·50	26
27	·02		·06				·05	·07			·03	·29	27
28										·10	·34	·63	28
29	·02				·03					·55	·11		29
30		X	·03								·53	·10	30
31		X		X	·30	X	·04		X	·02	X	·02	31
Total	·61	2·84	5·04	1·11	1·97	·94	1·20	1·23	·68	2·18	3·07	5·55	YEAR'S TOTAL ~~26·22~~
Rain Days.	11	16	25	12	13	9	20	13	7	13	18	25	26.42

W. 8,000. X. 14.

14

(3.07)

183

ext 75

449

FORM A.
BRITISH RAINFALL.
6 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Knights Place, nr Rochester

in the County of Kent

by Miss F. H. Pye

5

Lat. Long.

Time of Observation 9.a.m

Nearest Railway Station Rochester Bridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

„ „ „ „ Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·08	·09		·04			·08			·42	·46	1
2	·15	·13	·14	·06	·01				·0	·03		·04	2
3	·29		·03	·16				·55				·67	3
4	·04				·03			·09		·09		·33	4
5	·04	·23			·02					·13	·03	·33	5
6	·31	·09		·16			·15			·01		·05	6
7	·54	·34					·26	·03				·18	7
8	·07	·63		·08			·23	·07					8
9	·05			·04		·17		·09		·07	·27	·45	9
10	·19											·49	10
11	·03		·02							·01	·62	·05	11
12	·06	·04		·31	·45			·21		·02	·73	·03	12
13	·05	·60		·07	1·50			·02	·02				13
14	·01	·05					·10					·20	14
15	·18						·06	·14			·50	·19	15
16	·03	·41		·06	·01		·72	·03				·13	16
17	·01	·27			·04							·12	17
18	·01	·10	·13		1·99					·02	·10	·18	18
19		·10					·02			·29			19
20	·21			·08	·08			·05				·23	20
21	·17	·02					·41					·04	21
22	·16	·10	·04				·41			·22		·16	22
23			·18	·04			·27		·03	·05		·23	23
24	·02	·19	·06	·08			·46		·31			·32	24
25	·02			·22			·27					·18	25
26	·01	·05								·01		·37	26
27			·04			·15	·09		·05	·28		·05	27
28		·08				·15			1·75				28
29			·13			·80	·16	·09			·22	·05	29
30		✕									·50	·03	30
31	·09	✕		✕		✕		·14	✕	·42	✕	·27	31
Total	3·14	3·51	·86	1·36	4·17	1·27	3·61	1·59	2·16	1·65	3·39	5·83	YEAR'S TOTAL 32.54
Rain Days.	25	18	10	12	10	4	14	13	5	14	9	27	161

W. 8,000. X. 15.

#CFE

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 FEB 1917

Kept at Knights Place, Rochester
in the County of Kent
by James Pye's Succrs

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Strood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07				·23				·11		·27		1
2	·20	·06	·07		·09		·01		·04	·35	·03		2
3		·60	·07				·05		·08	·20	·61		3
4	·16					·21	·06		·05	·02	·54		4
5	·03	·01	·02	·04	·06	·16	·41			·03	·40		5
6		·13	·30		·04	·20	·24			·07	·41		6
7	·06		·72		·26	·10	·13				·65		7
8					·16					·05		·27	8
9			·04		·44	·04				·03		·23	9
10		·11	·15	·08		·35						·33	10
11	·04	·18	·04	·16		·14			·04				11
12	·03	·04		·07	·36	·25				·04			12
13		·22	·17	·09	·37	·12	·16	·01		·04			13
14		·45	·03	·01	·06			·01				·09	14
15		·19	·17					·70				·26	15
16		·02	·08	·15				·11					16
17	·09	·08		·03			·44		·27				17
18	·01	·10	·02	·12			·10				·95		18
19	·08	·04	·06	·15			3		·26	·08	·45	·03	19
20	·16		·13	·09							·02	·34	20
21			·90									·19	21
22			·11	·02		·02						·35	22
23		·60	·11					·03			·02		23
24			·01		·04	·02		·02		·21	·08	·25	24
25		·66	·23					·26		·06	·06		25
26		·16	·11			·05				·09	·33		26
27	·05	·18	·64	·03		·08		·16	·02	·15	4		27
28	5	·32	·17	4					·06	·02		·13	28
29		7	8		·13	·03		·23	4	·07		·16	29
30		X			·01	·14		·36		·42			30
31		X		X	·01	X 5		2	X	·18	X	·05	31
Total	·98	4·15	4·35	1·04	2·26	1·91	1·60	2·39	·93	2·11	4·79	2·68	YEAR'S TOTAL 29·19
Rain Days.	12	19	23	13	14	15	9	10	9	18	14	13	169

Knights Place
Nr Rochester

Dear Sir

We were sorry not to be able to alter our hour for taking the rainfall to 10 A.M. when the Daylight saving bill passed but ours is a very busy household & by 10 o'clock we are scattered to our various duties and the measurement of the rain would I know have been very irregular —

Yours truly
Frances H. Pye
(Successor of James Pye)

417

FORM A.
BRITISH RAINFALL.

6 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Knights Place, W. Rochester
in the County of Kent
by Frances H. Pye

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station Strood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
			.02	.27									
1				.10	–	–	–	2.02	–			.02	1
2		.02	–	.12	–	–	–	.81	–		.05		2
3		.	–	–	–	–	–	.25	–	.09	.25		3
4	.02	.14	.14	~~.33~~	–	–	.10		–	.38	–		4
5	.11	.02	.02	.42	–	–	–		.31	.14	.04		5
6	.		–	.04	–	.09	–		.15		.06		6
7	.25		–	.07	–		–			.32	–	.02	7
8	–		–	–	–		.70	.14		.23	.14	.20	8
9	.05		–	.04	–		.71	.10	.02		.04	.70	9
10	Snow .21		–	.38	–		–	.07	–			.15	10
11	.06		.58	–	–		–	.01	.22	.27			11
12	.07		.04	–	–		–	–	–	.42			12
13	.02		.08	.21	.02		–	.09	.01	.12			13
14	Snow .05		–	–			–	.07		.05			14
15	.14		–	.05			.06	.10				.03	15
16	.05	.09	–	.06	.20	.10	–	–		.27		Snow .59	16
17	.	~~.03~~	–	.09	.45	.01	.18	.02	.18	.30			17
18	.05	.03	–	–	.02	–	.07	–	.16	–			18
19		.09	.13	–	.03	.14	–	–	.09	–			19
20		.12	.08	–	.76	–	.40	–		–			20
21		.03	.03	–	–	–		–		–			21
22		.04	.10	–	.07	.05		.12		.03	.10		22
23		.06	–	–	.20	–		.09		–	.01		23
24	.04		–	–	–	.02		–		.19	–	.10	24
25			.02	–	–	.22		–		–	.05		25
26			.03	–	–	.02		.25		.05	.07		26
27			–	–	–	.05		.85		–			27
28			–	–	–	.84		.10		–			28
29			–	–	.14	.09	1.30	.08		.39			29
30		X	.33				2.31	.05		–		.33	30
31	.15	X	.09	X		X	1.14	–	X	.04	X		31
Total	1.27	.64	1.69	1.85	1.69	1.63	6.97	5.22	1.14	3.29	.81	2.14	YEAR'S TOTAL 28.54
Rain Days.	14 13	10	14	12	9	11	10	18	8	16	10	9	141

7.83

W. 8,000, IX. 17.

Esea C12.

112

FORM A.
BRITISH RAINFALL.
4 : 1 : 1[illegible]

REGISTER OF RAINFALL IN 1918

Kept at Knights Place, Rochester

in the County of Kent

by Miss F. H. Pye

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Strood

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02		·02					·13	·08	1
2		·06		·05		·03		·45			·27	·09	2
3		·02	·15		·33	·05		·35			·75	·07	3
4		·11	·07	·03	·03			·05	·37				4
5		·03			·31			·15	·03	·05		·02	5
6		·10		·20	·25			·30	·01	·02	·45		6
7		·04			·15			·02	·06				7
8		·06							·21	·02	·11	·06	8
9	·12		·02	·04					·46	·21		·15	9
10				·13			·46		·03	·04	·05	·20	10
11	·09			·04					·05	·62	·11	·10	11
12	·02	·06			·17		·36		·06			·23	12
13	·08	·04			·10		·18		·05				13
14	·10					·40	·29		·12	·34		·10	14
15	1·28			·75		·02	·05		·01	·04		·14	15
16	·32			·29		·02	·42		·02				16
17	·24			·11		·39		·07				·18	17
18	·35					·16	·05		·47	·63		·09	18
19	·07		·11	·11		·08	·15		·02	·19		·08	19
20	·06	·10				·03	·73		·14	·34		·18	20
21	·15			·02					·18	·05		·06	21
22	·05				·05		·13		·43			·20	22
23	·03			·04	·21			·08				·04	23
24		·22		·02	·16		·03						24
25					·01		·04	·18			·06		25
26							·58	·10		·05	·08	·06	26
27				·16				·14	·05		·07	·02	27
28			·37	·06				·18				·08	28
29								·02	=1·12				29
30		X	·45						·10	·02		·06	30
31		X	·01	X		X		·15	X		X		31
Total	2·96	·84	1·18	2·00	1·77	1·20	3·47	2·24	3·99	2·62	2·08	2·29	YEAR'S TOTAL 26·64
Rain Days.	14	11	7	16	11	10	13	14	21	14	10	22	163

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

8 JAN 20

Kept at Knights Place, Rochester
in the County of Kent
by Miss F. H. Pye

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Strood, Kent
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29						·16			·18	·12	·66	1
2	·31	·05	·01		·05		·10	·09			·12	·23	2
3	·18		·36				·47		·19		·10	·24	3
4	·16		·36			·08						·15	4
5	·14	·025	·84						·04		·02	·22	5
6	·04		·02								·03	·04	6
7	·06		·28								·16		7
8	·33		·05							·01	·08		8
9	·53		·03	·015							·20		9
10	·23		·04	·01						·02			10
11	·07		·20	·27			·15					·04	11
12	·03		·04	·12			·58			·08			12
13	·02			·37						·04		·03	13
14	·20		·04	·61			·25		·16				14
15	·25	·04	·04	·32						·04	·05	·09	15
16	·04	·44		·03							·07		16
17		·38									·15	·04	17
18		·54	·05						·10		·06	·08	18
19	·01	·08	·28				·25	·08	·09		·07		19
20	·24	·29	·03			·95	·19			·01	·07		20
21	·12	·27	·02			·04	·07		·02				21
22		·05	·05				·10		·39			·20	22
23							·03		·14		·07		23
24				·02		·02		·03		·02			24
25	·03			·20	·17	·01		·13			·13	·04	25
26	·05	·17	·19	·21					·09				26
27				1·41				·22				·05	27
28	·33	·07	·18	·06				·78			·28	·22	28
29	·08			·03				·59		·22	·06	·10	29
30	·09			·24				·42		·10	·18	·46	30
31	·11									·04		·06	31
TOTAL	3·94 ✓	2·60 ✓	3·11 ✓	4·05 ✓	·22 ✓	1·10 ✓	2·35 ✓	2·34 ✓	1·22 ✓	·76 ✓	2·02 ✓	2·95 ✓	YEAR'S TOTAL 26·66 ✓
Days with ·01 in. or more	25 ✓	12 ✓	20 ✓	15 ✓	2 ✓	5 ✓	11 ✓	8 ✓	9 ✓	11 ✓	19 ✓	18 ✓	155 ✓

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

max daily fall 1·41 on april 27

369
22 FEB 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Knights Place Rochester
in the County of Kent
by Miss F. H. Pye

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Strood
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·28	·02		·17			·31		·18	1
2			·08					·18	·05	·05		·06	2
3		·03		·02	·01	·11			·09			·05	3
4		·06		·10			·40	·06		·04		·04	4
5			·03		·03		·51	·19	·04				5
6			·11		·15		·26						6
7							·09					·10	7
8				·13	·06		·21	·01					8
9	·23			·01	·01		·04	·02			·04		9
10	·30	·09	·04	·14			·18						10
11	·32			·25		·02	·45					·21	11
12	·06		·04	·25		·29					·01		12
13	·29		·07	·06		·01			·04		·23		13
14		·03	·34	·21		·11			·07	·06	·12		14
15			·03	·15					·69	·05			15
16			·03	·07	·16	·23			·21	·01	·08		16
17				·07	·09	·07			·84			·11	17
18	·02			·05	·05			1·10	·39			·09	18
19	·17			·32				·04				·11	19
20				·44		·49			·33				20
21				·04			·98	·05	·75			·11	21
22				·38					·34			·30	22
23			·02				·35					·27	23
24				·01			·01		·02				24
25				·04			·13	·01	·06				25
26			·04	·06			·02					·02	26
27	·32	·08		·18		·10	·12				·08	·17	27
28	·26		·03	·03	·08		·08				·08	·03	28
29	·61		·05		·04		·01		·01		·06	·16	29
30	·01						·04		·16	·26	·26	·11	30
31												·09	31
TOTAL	2·59	·29	·91	3·29	·70	1·43	4·05	1·66	4·09	·78	·96	2·21	YEAR'S TOTAL 22·96
Days with ·01 in. or more	11	5	13	23	11	9	18	9	16	7	9	18	149
Days with ·04 in. or more	8	3	8	19	7	7	15	6	14	6	8	16	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGIS

ROCHESTER
ST MARYS HALL
KENT
1911 - 1920

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at St Mary's Ha

in the County of Kent.

by Henry Pye,

d. -
n.
d 5 ft. 6 in.
evel 146 ft.
n. Sharnal Street
Distance 2. miles. Direction S.W.

IMPORTANT NOTE.—Ra[illegible] be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	- -	- -	·60	- -	- -	- -	·17	- -	- -	·01	- -	1
2	·03	- -	- -	·10	·18	- -	- -	- -	- -	- -	·10	·07	2
3	·03	·02	- -	- -	·07	- -	- -	- -	- -	- -	·03	·05	3
4	·25	·01	·06	·24	- -	- -	- -	- -	- -	·48	·19	·11	4
5	·06	- -	- -	·04	- -	- -	- -	- -	- -	·37	- -	·13	5
6	·11	- -	·08	- -	- -	- -	- -	- -	- -	- -	- -	·06	6
7	·01	- -	·01	- -	- -	- -	- -	- -	- -	·76	·17	·25	7
8	·05	- -	·12	·02	- -	- -	- -	- -	- -	- -	·19	·03	8
9	·18	- -	·02	·02	- -	- -	- -	- -	- -	- -	- -	·02	9
10	- -	·04	·01	·03	- -	- -	- -	- -	- -	- -	·01	·50	10
11	·14	- -	·02	- -	- -	- -	- -	- -	- -	- -	·58	- -	11
12	- -	- -	·53	- -	- -	·03	- -	- -	- -	- -	·03	- -	12
13	- -	- -	·06	- -	·24	- -	- -	- -	·54	·16	·08	·08	13
14	- -	·05	·01	- -	·46	·06	- -	- -	- -	- -	- -	·18	14
15	- -	- -	·30	- -	- -	- -	- -	- -	- -	·01	·02	·01	15
16	- -	- -	- -	- -	- -	·21	- -	- -	- -	- -	·30	·02	16
17	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	·80	·08	17
18	- -	·08	·03	- -	- -	- -	- -	- -	- -	- -	·79	·09	18
19	- -	- -	·01	- -	·03	·05	- -	- -	·05	·13	·23	·05	19
20	- -	- -	- -	- -	- -	- -	- -	·24	·05	·13	- -	·56	20
21	·03	·03	- -	- -	- -	- -	- -	·29	- -	·65	- -	·11	21
22	·01	- -	·12	- -	- -	·03	- -	·43	- -	·25	- -	·36	22
23	- -	·11	·20	- -	- -	·78	- -	- -	·25	- -	·02	·05	23
24	- -	·05	- -	- -	- -	·03	·06	- -	- -	·28	- -	·20	24
25	- -	·04	·22	·02	- -	·13	- -	·04	- -	·02	·01	- -	25
26	- -	- -	·20	·21	- -	·07	- -	- -	- -	·09	·07	·19	26
27	- -	·28	·06	·02	- -	- -	- -	- -	·15	·16	- -	·07	27
28	- -	·12	- -	·16	- -	- -	- -	- -	- -	- -	- -	- -	28
29	- -	—	·01	·10	- -	·16	·20	- -	·08	·16	- -	- -	29
30	- -	—	- -	- -	·01	- -	- -	- -	·02	·10	- -	·01	30
31	- -	—	- -	—	- -	—	- -	- -	—	- -	—	- -	31
Total	·92	·83	2·07	1·56	·99	1·55	·26	1·17	1·14	3·75	3·63	3·28	TOTAL for year 21·15
No. of Rain Days.	12	11	19	12	6	10	2	5	7	15	18	24	Rain Days - 141

W. 8,000, X. '11.

REGIS

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at St. Mary's Hall, Rochester.

in the County of Kent.

4

by Henry Pye,

RAIN GAUGE
Pattern Dolland.
Diameter of top 5 in.
Height of top above Ground 5 ft. 6 in.
" " " Sea Level 146 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Sharnal Street
Distance 2. miles. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	--	--	·60	--	--	--	·17	--	--	·01	--	1
2	·03	--	--	·10	·18	--	--	--	--	--	·10	·07	2
3	·03	·02	--	--	·07	--	--	--	--	--	·03	·05	3
4	·25	·01	·06	·24	--	--	--	--	--	·48	·19	·11	4
5	·06	--	--	·04	--	--	--	--	--	·37	--	·13	5
6	·11	--	·08	--	--	--	--	--	--	--	--	·06	6
7	·01	--	·01	--	--	--	--	--	--	·76	·17	·25	7
8	·05	--	·12	·02	--	--	--	--	--	--	·19	·03	8
9	·18	--	·02	·02	--	--	--	--	--	--	--	·02	9
10	--	·04	·01	·03	--	--	--	--	--	--	·01	·50	10
11	·14	--	·02	--	--	--	--	--	--	--	·58	--	11
12	--	--	·53	--	--	·03	--	--	--	--	·03	--	12
13	--	--	·06	--	·24	--	--	--	·54	·16	·08	·08	13
14	--	·05	·01	--	·46	·06	--	--	--	--	--	·18	14
15	--	--	·30	--	--	--	--	--	--	·01	·02	·01	15
16	--	--	--	--	--	·21	--	--	--	--	·30	·02	16
17	--	--	--	--	--	--	--	--	--	--	·80	·08	17
18	--	·08	·03	--	--	--	--	--	--	--	·79	·09	18
19	--	--	·01	--	·03	·05	--	--	·05	·13	·23	·05	19
20	--	--	--	--	--	--	--	·24	·05	·13	--	·56	20
21	·03	·03	--	--	--	--	--	·29	--	·65	--	·11	21
22	·01	--	·12	--	--	·03	--	·43	--	·25	--	·36	22
23	--	·11	·20	--	--	·78	--	--	·25	--	·02	·05	23
24	--	·05	--	--	--	·03	·06	--	--	·28	--	·20	24
25	--	·04	·22	·02	--	·13	--	·04	--	·02	·01	--	25
26	--	--	·20	·21	--	·07	--	--	--	·09	·07	·19	26
27	--	·28	·06	·02	--	--	--	--	·15	·16	--	·07	27
28	--	·12	--	·16	--	--	--	--	--	--	--	--	28
29	--	—	·01	·10	--	·16	·20	--	·08	·16	--	--	29
30	--	—	--	--	·01	--	--	--	·02	·10	--	·01	30
31	--	—	--	—	--	—	--	--	—	--	—	--	31
Total	·92	·83	2·07	1·56	·99	1·55	·26	1·17	1·14	3·75	3·63	3·28	TOTAL for year
No. of Rain Days.	12	11	19	12	6	10	2	5	7	15	18	24	21·15
												Rain Days –	141

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

6 JAN 1913

Kept at St. Mary's Hall, Rochester
in the County of Kent. 4
by Henry Pye

RAIN GAUGE: Pattern Dollond –
Diameter of top 5 in.
Height of top above Ground 5 ft. 6 in.
" " " Sea Level 146 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Sharnal Street
Distance 2 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

~~Date~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	''	=	0·04	0·02	=	0·26	0·05	..	0·08	0·35	..	0·10	1
~~1~~ 2	''	0·04	0·33	=	=	0·03	0·23	..	0·02	0·02	..	..	~~1~~ 2
~~2~~ 3	0·04	0·08	0·02	=	0·11	0·23	..	0·15	..	..	..	0·02	~~2~~ 3
~~3~~ 4	0·25	0·16	0·38	=	0·19	0·30	..	0·11	..	..	0·11	..	~~3~~ 4
~~4~~ 5	0·10	0·04	0·07	=	=	''	..	0·19	0·02	..	0·04	..	~~4~~ 5
~~5~~ 6	0·31	0·04	=	=	=	''	0·02	0·10	..	..	..	0·08	~~5~~ 6
~~6~~ 7	''	..	0·04	..	0·01	0·78	..	0·10	..	..	..	0·02	~~6~~ 7
~~7~~ 8	0·22	0·22	0·10	..	..	0·02	..	0·05	0·04	..	..	..	~~7~~ 8
~~8~~ 9	''	-/-	..	0·05	..	0·01	0·17	0·01	..	0·01	..	0·03	~~8~~ 9
~~9~~ 10	''	0·03	0·01	..	..	..	..	0·05	0·05	0·01	0·01	0·22	~~9~~ 10
~~10~~ 11	0·02	0·10	..	..	..	0·03	..	..	0·06	0·02	..	0·15	~~10~~ 11
~~11~~ 12	''	0·07	0·01	..	..	0·54	..	0·03	..	0·02	..	..	~~11~~ 12
~~12~~ 13	''	..	..	..	..	..	0·03	..	..	..	0·15	..	~~12~~ 13
~~13~~ 14	''	..	..	..	..	..	..	0·09	..	0·05	0·03	..	~~13~~ 14
~~14~~ 15	''	..	0·10	..	0·25	0·53	..	0·02	..	..	0·03	0·37	~~14~~ 15
~~15~~ 16	0·23	..	0·02	..	0·06	0·08	..	0·06	..	0·03	0·13	..	~~15~~ 16
~~16~~ 17	0·61	..	0·16	..	..	0·03	..	0·02	..	..	0·01	0·01	~~16~~ 17
~~17~~ 18	0·02	..	0·17	..	..	..	0·05	0·01	..	0·02	0·02	0·10	~~17~~ 18
~~18~~ 19	0·05	0·04	0·07	..	..	..	0·19	0·12	..	..	..	..	~~18~~ 19
~~19~~ 20	0·02	0·04	0·16	..	..	..	0·01	0·01	..	0·40	0·01	..	~~19~~ 20
~~20~~ 21	''	0·04	0·23	..	0·04	..	..	0·07	..	0·08	0·06	..	~~20~~ 21
~~21~~ 22	0·25	0·10	0·01	..	..	..	0·19	0·10	..	0·01	0·01	0·02	~~21~~ 22
23	0·50	0·19	0·24	..	..	0·02	0·15	0·38	..	0·20	0·13	0·03	23
~~23~~ 24	0·04	0·02	..	..	0·01	0·20	0·01	0·16	..	..	..	0·16	~~23~~ 24
25	0·13	..	..	..	..	..	..	0·88	..	..	0·16	0·25	~~24~~ 25
~~25~~ 26	0·02	0·01	..	..	..	..	0·08	0·23	..	0·35	0·23	0·32	~~25~~ 26
~~26~~ 27	''	..	0·01	..	..	..	0·05	0·01	..	0·04	..	0·07	~~26~~ 27
~~27~~ 28	''	0·02	..	..	..	..	0·05	..	0·02	0·27	0·18	0·05	~~27~~ 28
~~28~~ 29	''	..	..	..	..	..	0·01	0·24	0·67	0·12	0·02	..	~~28~~ 29
~~29~~ 30	''	—	..		0·02	0·05	..	0·03	1·18	0·18	..	..	~~29~~ 30
~~30~~ 31	0·02		0·01	—	0·03	—	0·08	0·18	—	..	—	..	~~30~~ 31
~~31~~ Total ~~Total~~	2·83	1·24	2·18	0·07	0·72	3·11	1·37	3·40	2·14	2·18	1·33	2·00 =	~~31~~ 22·57 TOTAL for year
No. of Rain Days.	17	17	20	2	9	15	16	26	9	18	17	17 =	183

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
2 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at St. Mary's Hall, Rochester.
in the County of Kent.
by Henry Pye

9

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Sharnal Street
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	--	0'20	--	0'36	--	--	--	--	0'01	0'26	0'01	0'11	1
2	0'02	0'13	--	--	0'02	--	0'19	--	0'01	--	0'10	--	2
3	--	--	--	0'30	0'28	--	--	--	--	0'02	--	0'05	3
4	0'07	--	0'02	0'02	--	--	0'03	--	--	--	0'01	--	4
5	0'16	--	--	--	--	0'03	0'20	--	0'38	0'20	0'01	0'03	5
6	0'13	0'03	0'05	--	0'02	0'08	0'48	--	--	0'33	0'08	--	6
7	--	0'05	--	--	--	--	0'20	0'07	--	0'26	0'05	--	7
8	--	0'01	0'02	--	0'05	0'03	--	--	--	0'11	0'01	--	8
9	--	0'11	--	--	0'07	--	0'07	0'09	0'06	--	—	0'03	9
10	--	—	0'07	0'07	--	--	0'15	0'07	--	--	0'88	--	10
11	0'29	--	--	0'46	--	--	--	--	--	0'38	0'22	--	11
12	--	--	--	--	0'02	--	--	--	--	--	0'55	0'04	12
13	0'25	0'01	0'01	--	--	--	--	0'03	0'02	--	0'50	--	13
14	0'04	0'01	0'05	0'07	--	--	0'72	--	--	0'18	0'04	--	14
15	0'05	--	0'25	0'09	--	--	0'15	--	--	--	--	--	15
16	0'20	--	0'29	0'15	--	--	0'02	--	0'55	--	--	--	16
17	0'01	0'07	0'01	0'13	--	--	0'18	--	--	--	--	--	17
18	0'01	--	0'06	0'08	--	--	0'01	--	0'06	--	0'05	--	18
19	0'06	--	0'20	0'01	--	--	0'12	--	0'12	0'01	--	--	19
20	0'33	--	0'07	0'04	--	0'18	--	--	0'09	0'29	--	--	20
21	0'01	0'04	0'23	0'14	--	--	0'02	--	--	0'56	0'61	--	21
22	0'29	--	0'10	--	--	--	0'04	0'01	0'09	--	0'01	--	22
23	--	--	0'16	--	--	--	0'01	0'08	0'03	0'02	--	0'35	23
24	0'02	--	0'04	--	--	0'02	--	--	--	--	0'03	--	24
25	--	--	--	0'07	--	0'10	--	--	--	--	--	--	25
26	--	--	0'14	--	--	--	0'02	0'03	--	1'22	--	0'14	26
27	--	0'01	0'02	--	0'02	--	--	--	--	0'04	--	--	27
28	0'24	--	0'12	0'02	--	0'01	--	--	--	0'22	--	--	28
29	0'20	—	0'02	0'52	0'27	--	--	0'02	--	0'07	--	--	29
30	0'20	—	--	0'17	0'08	--	--	0'03	--	0'04	--	--	30
31	--	—	0'01	—	--	—	--	0'23	—	0'09	—	--	31
Total	2'58	0'67	1'94	2'70	0'83	0'45	2'61	0'66	1'42	4'30	3'16	0'75	YEAR'S TOTAL 22'07
Rain Days.	19	11	21	17	9	7	17	10	11	18	16	7	163

W.7,000, XI. 13

Ex LMcc

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 19

Kept at St. Mary's Hall, Rochester.
in the County of Kent. 4
by Henry Pye

Lat. 51° 27′ N Long. 36′ E
Time of Observation 9. a. m.
Nearest Railway Station Sharnal Street, S.E.&C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	--	--	--	0·04	0·01	--	--	0·04	--	--	0·02	--	1
2	--	--	0·01	--	--	--	0·11	--	--	--	0·04	0·09	2
3	--	--	0·26	--	0·07	--	0·07	--	--	--	--	--	3
4	0·10	--	0·01	0·10	--	--	--	--	--	--	0·31	0·17	4
5	0·05	--	0·02	0·22	0·10	--	0·10	0·30	--	--	--	--	5
6	--	0·03	--	0·07	--	0·25	--	--	--	--	--	0·07	6
7	--	0·30	0·22	0·09	0·10	0·15	0·02	--	--	--	--	0·05	7
8	0·07	0·28	0·31	0·03	--	0·18	0·08	0·04	--	--	--	0·06	8
9	0·20	--	1·13	0·09	--	0·02	--	--	0·04	--	--	1·42	9
10	0·09	--	--	0·04	0·01	--	--	--	--	--	--	0·04	10
11	--	0·22	0·15	0·02	--	0·04	--	--	0·18	--	0·35	0·26	11
12	--	0·01	0·07	--	--	--	0·14	--	0·13	0·01	--	0·25	12
13	--	0·17	0·09	--	--	--	--	--	0·11	0·01	0·07	0·34	13
14	--	0·19	0·12	--	--	--	--	--	--	0·25	--	0·18	14
15	0·04	0·01	0·20	--	--	--	0·14	--	--	--	0·62	0·12	15
16	0·02	--	0·04	--	--	--	--	--	--	--	--	--	16
17	--	0·09	0·05	--	--	--	--	--	0·04	--	--	0·02	17
18	--	0·16	0·03	--	--	--	--	--	--	--	--	0·25	18
19	--	0·03	0·90	--	--	--	0·01	--	--	0·03	0·25	0·12	19
20	--	0·08	0·19	--	--	0·07	--	--	--	0·12	--	0·12	20
21	--	0·60	0·05	--	--	--	--	--	--	--	0·01	0·16	21
22	--	0·01	0·02	0·04	0·13	0·02	0·12	--	--	0·07	--	0·01	22
23	--	--	0·14	0·03	0·13	0·33	0·08	--	--	0·03	--	0·11	23
24	--	--	0·10	0·11	0·01	--	0·01	--	--	0·10	0·07	0·01	24
25	0·02	--	0·47	--	--	--	--	0·05	--	0·32	--	0·01	25
26	--	--	0·02	--	--	--	--	0·09	--	0·04	0·21	0·35	26
27	0·02	--	0·07	--	--	--	--	0·01	--	--	0·01	0·16	27
28	0·01	--	0·01	--	0·01	--	0·02	--	--	0·09	0·38	0·65	28
29	--	×	--	--	--	--	--	--	--	0·50	0·17	--	29
30	--	×	--	--	--	--	--	--	--	0·15	0·40	0·02	30
31	--	×	--	×	0·26	×	0·02	--	×	--	×	0·01	31
Total	0·62	2·18	4·68	0·88	0·83	1·06	0·92	0·53	0·50	1·72	2·91	5·05	YEAR'S TOTAL 21·88 ✓
Rain Days.	10	14	25	12	10	8	13	6	5	13	14	26	156 ✓

W. 8,000. X. 14.

453

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915.

Kept at St. Mary's Hall, Rochester.

in the County of Kent. 4

by Henry Pye

Lat. 51°27' Long. 36' E

Time of Observation 9. a.m.

Nearest Railway Station Sharnal Street

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·08	·05	--	·01	--	--	--	·02	·04	·50	·33	1
2	·13	·10	·15	·02	--	--	--	·16	·02	--	·01	·01	2
3	·30	--	·05	·08	--	--	--	·18	·08	--	--	·69	3
4	·02	--	--	--	--	--	--	--	--	·04	--	·23	4
5	·03	·12	--	·01	--	--	--	·24	--	·09	--	·26	5
6	·30	·06	·02	·18	--	--	·25	·02	--	--	·02	·01	6
7	·28	·15	·12	--	--	--	·19	--	--	--	--	·10	7
8	·02	·35	--	·01	--	--	·25	·13	--	--	--	--	8
9	·03	·13	--	--	--	·05	--	·10	--	·17	·19	·59	9
10	·18	--	--	--	--	·11	--	--	--	--	--	·44	10
11	·02	--	·02	--	--	--	--	--	--	--	·63	·02	11
12	·01	·01	--	·16	·45	--	--	·40	--	--	·44	--	12
13	·06	·52	--	·02	1·07	--	--	·01	·01	--	--	--	13
14	·01	·05	--	--	--	--	·15	·01	·04	·03	--	·17	14
15	·10	--	--	--	·05	--	·05	·21	--	--	·52	·08	15
16	--	·24	--	·03	--	--	·40	·06	--	--	--	·02	16
17	--	·24	--	--	·95	--	·03	--	--	--	--	·20	17
18	--	·09	·16	--	·41	--	--	--	--	--	·07	--	18
19	--	·07	--	--	--	--	·01	--	--	·50	--	·01	19
20	·20	·01	--	·01	·01	--	--	--	--	--	--	·18	20
21	·20	·07	--	--	--	--	--	--	--	--	--	·02	21
22	·10	--	·06	--	--	--	·35	--	--	--	--	·12	22
23	·01	·14	·20	--	--	·05	·36	--	--	·13	--	·19	23
24	--	--	·08	·02	--	--	·47	--	·27	·10	--	·11	24
25	--	--	·07	·25	--	·01	·18	--	--	--	--	·20	25
26	--	·04	--	--	--		--	--	--	--	--	·36	26
27	·02	·02	·04	--	--	·04	·11	--	·02	·27	--	·03	27
28	--	·06	--	--	--	·07	--	·01	1·69	·10	--	--	28
29	--	X	·02	--	--	·25	·24	·10	--	·01	·09	·05	29
30	·03	X	--	--	--	·48	--	--	·03	--	·38	·01	30
31	·05	X	--	X	--	X	·11	·09	X	·62	X	·21	31
Total	2·36	2·55	1·04	·79	2·95	1·06	3·15	1·72	2·18	2·10	2·85	4·64	YEAR'S TOTAL 27·39 ✓
Rain Days.	22	20	13	11	7	8	15	14	9	12	10	26	= 167 ✓

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

5 JAN 191

Kept at St. Mary's Hall, Rochester.
in the County of Kent.
by Henry Pye

Lat. 51° 27′ Long. 36′ E
Time of Observation 9. a.m.
Nearest Railway Station Sharnal Street. S. E. & C. R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0'06	0'02	--	--	0'09	--	--	--	0'08	0'02	0'23	--	1
2	0'19	0'03	0'07	--	0'05	--	0'01	--	0'02	0'34	0'02	--	2
3	--	0'55	0'20	--	--	--	0'12	--	0'05	0'09	0'36	--	3
4	0'12	0'12	--	--	--	0'21	0'01	--	0'02	0'01	0'50	--	4
5	0'02	--	--	0'02	0'02	0'14	0'22	--	--	0'02	0'34	--	5
6	0'01	0'13	0'32	0'44	--	0'16	0'18	--	0'02	0'03	0'27	--	6
7	0'06	--	0'43	--	0'17	0'05	0'04	--	--	--	0'62	0'03	7
8	--	--	--	--	0'08	--	--	--	--	--	0'01	0'15	8
9	--	--	0'04	--	0'20	0'07	0'01	--	--	0'02	--	0'08	9
10	--	0'17	0'14	0'05	--	0'12	0'07	--	0'01	--	--	0'34	10
11	0'02	0'38	0'03	0'14	--	0'03	--	--	0'02	--	0'01	0'10	11
12	0'03	0'01	0'01	0'07	0'37	0'12	0'01	--	--	0'03	0'02	0'04	12
13	0'03	0'22	0'20	0'11	0'37	0'25	0'12	--	--	--	--	0'01	13
14	--	0'30	0'10	0'02	0'02	--	0'08	0'07	--	0'01	--	0'10	14
15	--	0'20	0'06	--	--	--	0'01	0'34	--	--	--	0'15	15
16	--	0'03	0'06	0'14	--	--	0'09	0'21	--	0'02	--	0'02	16
17	0'10	0'06	--	0'04	--	--	0'20	0'46	0'28	0'43	0'01	--	17
18	0'01	0'08	0'02	0'09	--	--	0'01	0'07	0'02	0'09	1'00	--	18
19	0'11	0'03	0'03	0'06	--	--	--	--	0'20	0'01	0'37	0'03	19
20	0'07	--	0'13	0'01	--	--	--	0'02	0'01	--	0'01	0'20	20
21	--	--	0'67	--	--	--	--	--	--	--	0'02	0'12	21
22	--	--	0'13	--	--	0'02	--	--	--	--	0'01	0'33	22
23	--	0'75	0'20	--	--	0'28	--	0'01	--	--	0'02	0'12	23
24	0'01	0'25	0'01	--	--	0'04	--	0'01	--	0'25	0'02	0'25	24
25	--	0'50	0'25	--	--	--	--	0'17	--	0'05	0'05	--	25
26	--	0'10	0'07	--	--	0'05	--	0'01	0'02	0'04	0'02	--	26
27	0'08	0'28	0'65	--	--	--	--	0'25	0'01	0'08	--	0'02	27
28	--	0'32	0'18	--	--	0'01	--	0'01	0'02	0'01	--	0'10	28
29	--	0'10	--	--	--	0'08	--	0'67	0'14	0'13	--	0'11	29
30	--	×	--	--	--	--	--	0'22	--	0'37	--	0'01	30
31	--	×	--	×	--	×	--	0'01	×	0'14	×	0'02	31
Total	0'92	4'63	4'00	1'19	1'37	1'63	1'18	2'53	0'92	2'19	3'91	2'33	YEAR'S TOTAL 26'80
Rain Days.	15	22	23	12	9	15	15	15	15	21	20	21	203

W. 8,000, VIII. 16

421

FORM A. BRITISH RAINFALL 5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at St Mary's Hall, Rochester.
in the County of Kent.
by Henry Pye.

Lat. 51° 27' Long. 35' E
Time of Observation 9 a.m. solar
Nearest Railway Station 2 miles W. Sharnal Street
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 6 ft. 6 in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	--	0'04	--	0'25	--	--	--	1'70	0'08	--	0'01	--	1
2	0'02	--	--	0'10	--	--	--	0'21	--	--	0'02	--	2
3	--	--	--	0'10	--	--	--	0'81	--	0'09	0'07	--	3
4	--	0'16	0'09	--	--	--	0'01	0'01	--	0'33	--	--	4
5	0'18	0'04	0'02	0'25	--	--	--	--	0'12	0'11	0'01	--	5
6	--	--	--	0'10	--	--	--	--	0'07	--	0'07	--	6
7	0'08	--	--	--	--	--	--	--	--	0'22	--	0'01	7
8	0'04	--	--	0'07	--	--	0'78	0'04	0'02	0'20	0'15	0'24	8
9	--	--	0'04	0'14	--	--	0'61	0'05	--	0'01	0'05	0'64	9
10	0'26	--	0'39	0'05	--	--	--	0'03	--	--	--	0'02	10
11	0'07	--	0'66	0'33	--	--	--	--	0'31	0'14	--	--	11
12	0'03	0'04	0'05	0'01	--	--	--	0'12	--	0'48	--	--	12
13	0'03	--	0'15	0'03	0'02	--	--	--	0'01	0'15	--	--	13
14	0'16	--	0'02	0'11	--	--	--	--	--	--	--	--	14
15	0'24	--	--	0'01	--	--	0'02	0'03	--	--	--	--	15
16	0'04	0'07	--	0'06	0'12	--	0'03	--	--	0'12	--	0'52	16
17	--	0'01	--	0'06	0'77	--	0'12	--	0'20	0'25	--	--	17
18	0'02	0'05	--	0'10	0'06	0'01	0'13	0'17	0'10	--	--	--	18
19	--	0'10	0'11	--	0'03	0'50	--	--	0'08	--	--	--	19
20	--	0'24	0'07	--	0'53	0'01	0'06	--	--	--	0'11	--	20
21	--	--	0'02	0'01	0'04	--	--	--	--	--	--	--	21
22	--	--	0'06	--	--	0'03	--	0'06	--	0'10	--	--	22
23	--	0'04	--	--	0'14	0'01	--	0'02	--	0'01	0'02	0'05	23
24	0'04	--	--	--	--	--	0'01	--	--	0'03	--	--	24
25	--	--	0'04	--	--	0'16	--	--	0'01	--	0'04	--	25
26	--	--	--	--	--	--	--	0'14	--	--	0'54	0'01	26
27	--	--	--	--	--	--	--	0'59	--	--	--	--	27
28	--	0'01	0'04	--	--	0'45	--	0'08	--	--	--	--	28
29	—	×	0'03	--	0'09	0'11	0'82	0'25	--	0'22	--	0'30	29
30	0'04	×	0'25	--	--	--	0'79	0'03	--	0'11	--	0'03	30
31	0'16	×	0'08	×	--	×	0'92	--	×	--	×	0'03	31
Total	1·41	·80	1·76	1.78	1·80	1.28	4.30	4.34	1.00	2.57	1·09	1·85	YEAR'S TOTAL 23.98
Rain Days.	15	11	17	17	9	8	12	17	10	16	11	10	153

W. 8,000, IX. 17.

5.24

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at St. Mary's Hall, Rochester.

in the County of Kent.

by Henry Pye

Lat. 51° 27′ Long. 36

Time of Observation 9 a.m.

Nearest Railway Station Strood St. S.E.& C.R. 5[illegible]

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	"	"	"	"	"	"	"	"	0·07	0·10	1
2	"	0·05	"	0·05	"	"	"	0·20	"	"	0·21	0·12	2
3	"	0·02	0·07	0·02	"	"	"	0·23	"	"	0·69	0·02	3
4	"	0·04	0·06	"	0·01	"	"	0·04	0·28	"	0·34	"	4
5	"	0·03	"	0·03	0·44	"	"	0·04	0·02	0·02	"	"	5
6	0·25	0·07	"	0·18	0·21	"	"	0·18	"	"	"	0·02	6
7	0·04	0·02	"	0·06	0·08	"	"	"	0·07	0·05	0·02	"	7
8	"	0·04	0·01	"	"	"	"	0·02	0·15	"	0·11	"	8
9	"	"	0·02	0·03	"	0·02	"	"	(0·41)	0·13	"	0·07	9
10	0·01	"	"	0·11	"	0·07	0·17	"	0·02	0·03	0·01	"	10
11	"	"	"	0·05	0·05	"	0·26		0·02	0·81	"	0·06	11
12	"	0·07	"	"	0·11	"	0·26	[illegible]	0·01	"	0·07	0·01	12
13	"	0·01	"	"	0·07	"	0·22	"	"	0·04	"	"	13
14	0·12	"	"	"	"	0·30	0·06	"	0·14	0·28	"	0·10	14
15	1·25	"	"	0·57	"	0·08	0·55	"	"	0·04	"	0·08	15
16	0·25	"	"	0·24	"	"	0·04	"	0·02	"	"	"	16
17	0·26	"	"	0·11	"	"	0·29	0·01	"	"	"	0·10	17
18	0·24	"	"	0·01	"	0·10	0·03	"	0·38	0·59	"	0·08	18
19	0·06	"	0·12	0·17	"	"	0·02	"	"	0·15	"	0·05	19
20	0·01	0·09	"	0·23	"	"	0·70	"	0·04	0·28	0·01	0·02	20
21	0·02	"	"	"	"	0·01	0·03	"	0·11	0·11	0·01	"	21
22	0·04	"	"	"	"	"	0·09	"	0·42	"	"	0·20	22
23	"	"	"	0·01	0·09	"	0·78	0·08	"	"	"	0·04	23
24	"	0·18	"	"	0·05	0·10	0·11	"	0·15	"	0·04	"	24
25	"	"	"	"	"	0·03	0·08	0·20	"	0·01	"	"	25
26	"	"	"	"	"	"	0·55	0·05	"	0·07	0·34	0·09	26
27	"	0·01	"	0·11	"	"	0·57	0·11	0·02	"	0·05	0·02	27
28	"	0·01	0·25	0·05	"	"	"	0·02	"	"	0·37	0·08	28
29	"		0·01	"	"	"	"		0·97	"	0·05	0·04	29
30	"		0·51	"	"	"	"		0·07	0·03	"	"	30
31	"		"		"		"	0·07		0·01		0·01	31
Total	2·55	0·64	1·05	2·03	1·11	0·71	4·81	1·25	3·00	2·65	2·39	1·31	YEAR'S TOTAL 23·50
Rain Days.	12	13	8	17	9	8	18	13	18	16	15	20	167

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

3 JAN 20

Kept at St. Mary's Hall, Rochester.
in the County of Kent.
by Henry Pye

Lat. 51° 27' 30" Long. 0 27' 30" E.
Time of Observation 9 a.m.
Nearest Railway Station Sharnal Street. S.E. & C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft 6 in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·00

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·22	0·04	..	..	0·01	..	0·26	..		0·17	0·08	0·57	1
2	0·23	..	..	..	0·04	..	0·05	..	..	..	0·15	0·14	2
3	0·14	..	0·39	..	0·03	..	0·27	..	0·06	..	0·12	0·26	3
4	0·10	..	0·38	..	..	0·07	0·08	..	..	..	0·02	0·08	4
5	0·13	..	0·69	..	..	..	..	0·02	..	..	0·02	0·21	5
6	0·01	0·35	0·01	..	..	..	0·01	..	..	0·02	0·04	0·10	6
7	0·04	..	0·20	..	0·01	..	..	..	..	..	0·06	..	7
8	0·21	..	0·04	0·02	..	..	..	..	..	..	0·03	..	8
9	0·40	..	0·04	0·05	..	..	..	..	..	..	0·14	..	9
10	0·28	..	0·02	..	..	..	..	..	..	..	0·02	..	10
11	0·10	..	0·08	0·19	..	..	0·10	..	..	..	..	0·02	11
12	0·03	..	0·01	0·09	..	..	0·46	..	..	0·02	..	..	12
13	0·02	..	..	0·20	..	..	0·14	..	..	0·02	..	..	13
14	0·13	..	..	0·52	..	..	0·41	..	0·03	..	..	..	14
15	0·14	0·04	..	0·17	..	..	..	..	..	0·08	..	0·01	15
16	..	0·50	..	0·10	..	..	..	..	..	..	0·08	0·11	16
17	..	0·48	..	0·02	..	..	..	..	..	..	0·14	0·01	17
18	..	0·33	0·02	..	..	..	..	..	0·06	..	0·04	0·09	18
19	..	0·07	0·20	..	..	0·09	0·40	0·05	0·10	..	0·03	..	19
20	0·05	0·05	..	0·01	..	0·85	0·38	0·11	..	..	..	..	20
21	0·03	0·25	0·01	..	..	0·04	0·07	..	..	..	0·01	0·02	21
22	..	0·06	..	..	..	..	0·16	..	0·23	..	0·03	0·40	22
23			..	..		0·05	0·03	..	0·26	..	0·05	0·01	23
24	..	..	0·01	0·14	..	0·01	0·01	0·02	..	0·01	0·04	..	24
25	0·03	..	..	..	0·07	..	..	0·11	..	..	..	..	25
26	0·08	0·11	0·07	0·06	..	..	0·04	0·02	0·08	..	..	0·17	26
27	..	0·10	0·01	1·53	..	..	..	0·20	..	..	..	0·01	27
28	0·29	..	0·56	0·05	..	..	0·01	0·50	..	..	0·24	0·34	28
29	0·06		..	0·09	..	..	..	0·55	..	0·11	0·22	0·07	29
30	0·01		..	0·22	..	0·02	..	0·27	..	0·07	0·05	0·59	30
31	0·08		0·05		..		..	..		0·03		0·05	31
TOTAL	2·81	2·28	2·79	3·56	0·16	1·13	2·88	1·85	0·82	0·53	1·57	3·26	YEAR'S TOTAL 23·64
Days with ·01 in. or more	23	12	18	16	5	7	17	10	7	9	21	20	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Sc (WTD) 373

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at St Mary's Hall, Rochester.
in the County of Kent.
by Henry Pye

Lat. 51° 27' 30" N. Long. 0° 27' 30" E.
Time of Observation 9 a.m.
Nearest Railway Station Sharnal Street. S.E.&C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·08

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	"	"	·26	"	"	·07	·01	"	·32	·06	·19	1
2	"	"	·06	"	"	"	"	·10	·03	·10	"	·03	2
3	"	"	"	·20	"	·04	"	"	·03	"	"	·12	3
4	"	·02	"	·08	"	"	·28	"	·01	·03	"	·08	4
5	"	"	·01	·02	·01	"	·44	·37	·02	"	"	·03	5
6	"	"	·02	"	·13	"	·39	·02	·01	"	"	·03	6
7	·01	"	"	·11	"	"	·16	"	"	"	"	·06	7
8	·01	"	"	·04	·06	"	·11	"	"	"	"	"	8
9	·27	·01	"	"	"	"	"	·02	"	"	"	"	9
10	·40	·03	·04	·16	"	"	·20	"	"	"	·01 fog	"	10
11	·18	"	·03	·33	"	·01	·42	"	"	"	·01	·32 Snow	11
12	·08	"	"	·08	·03	·21	"	"	"	·01 fog	"	"	12
13	·14	"	·03	·08	"	·02	"	"	·01	·02	·06	"	13
14	"	·01	·23	·18	"	·05	"	"	·06	·03	·11	"	14
15	"	"	"	·07	"	"	"	"	·47	·08	·07	"	15
16	"	"	·01	·02	·19	·04	"	"	·25	"	"	·02	16
17	"	"	"	·11	·05	·30	"	"	·87	·02	"	·08	17
18	·02	"	"	·05	·02	"	"	1·07	·50	"	"	·08	18
19	·11	·01	"	·23	"	"	"	·01	"	"	"	·10	19
20	·05	·23	"	·15	"	·52	"	"	·57	"	"	"	20
21	"	"	"	·02	"	"	1·00	·05	1·44	·02 fog	"	·05	21
22	"	"	"	·27	"	"	"	·02	·28	·02	"	·25	22
23	"	"	·01	·01	"	"	·30	"	"	·01	"	·36	23
24	·01	"	·01	"	·18	"	"	"	"	"	"	"	24
25	"	"	"	·03	"	"	·06	"	·02	·01	·01 fog	"	25
26	·03	·03	"	·02	"	"	"	"	"	·01	"	"	26
27	·22	·05	"	·13	"	·14	·01	"	·01 fog	"	·05	·16	27
28	·40	"	"	"	·05	"	·05	"	"	"	·15	·01	28
29	·46	"	·02	"	·03	"	·13	"	"	·01	·06	·16	29
30	·01		"	"	"	"	"	"	·19	"	·20	·10	30
31	"		"		"		"	"		·08		·08	31
TOTAL	2·40	0·39	0·57	2·65	0·75	1·33	3·62	1·67	4·79	0·77	0·79	2·31 =	YEAR'S TOTAL 22·02
Days with ·01 in. or more	16	8	11	23	10	9	14	9	17	15	11	20 =	163
Days with ·04 in. or more	10	2	4	17	6	7	13	4	9	4	8	15 =	99

✓

REG

ST LEONARDS

KENT

1911 - 1917

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

Kept at St Leonards

in the County of Me

by G Phill

5 in.

round 1 ft. – in.

a Level ft.

me

stance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	—	—	·93	—	—	—	·19	—	—	·01	·01	1
2	·10	—	—	·07	·32	—	·01	—	—	—	·15	·21	2
3	·03	·03	—	—	·18	—	—	—	—	—	·09	·12	3
4	·11	·02	·07	·17	—	—	—	—	·06	1·14	·32	·15	4
5	·02	·01	—	·26	—	—	—	—	—	·44	·02	·12	5
6	·24	—	·05	—	—	—	—	—	—	—	—	·32	6
7	·07	—	·02	·02	—	—	—	—	—	·32	·38	·38	7
8	·12	—	·15	—	—	—	—	—	—	—	·47	·17	8
9	·17	—	·05	·02	—	—	—	—	—	—	·05	·04	9
10	—	·07	·03	—	—	—	—	—	—	—	·01	·78	10
11	·44	—	·08	—	·02	—	—	—	—	—	1·07	—	11
12	·02	—	·68	—	—	·15	—	—	—	—	·06	—	12
13	—	—	·05	—	—	—	—	—	·61	·17	·04	·18	13
14	—	·11	—	—	·21	·02	—	—	—	—	—	·38	14
15	—	·03	·32	—	—	—	—	—	—	·01	·07	·02	15
16	—	—	—	—	—	·29	—	—	—	—	·61	·09	16
17	—	—	·06	—	—	·02	—	—	—	—	1·00	·10	17
18	—	·26	·01	—	—	—	—	—	—	—	1.22	·21	18
19	—	·02	—	—	—	·18	—	—	·14	·18	·29	·08	19
20	·02	—	·01	—	—	—	—	·37	·17	·20	—	·79	20
21	·03	·22	—	—	—	—	—	·02	·02	·79	—	·26	21
22	·01	—	·32	—	—	·04	—	·04	—	·20	—	·48	22
23	—	·27	·06	—	—	·99	—	—	·26	·03	·04	·13	23
24	—	·17	—	—	—	·14	·07		—	·23	—	·36	24
25	—	·07	·24	·02	—	·22	—	·03	·01	·02	·04	—	25
26	—	—	·24	·38	·01	·03	—	—	—	·23	·06	·31	26
27	—	·36	·11	·07	—	—		—	·12	·54	—	·07	27
28	—	·22	—	·14	—	—	—	·02	—	—	—	·01	28
29	·02			·29	—	·17	—	·01	·29	·28	·01		29
30	—		—	·02	—	·01	·50	·18	·01	·27	·01	—	30
31	—		—		—		—			·01		—	31
Total	1·50	1·86	2·55	2·39	·74	2·26	·58	·86	1·69	5·06	6·02	5·77	TOTAL for year ✓
No. of Rain Days	15	14	18	12	5	12	3	8	10	17	22	25	31.28

9,000, IX. '10.

161 ✓

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

REG

Kept at St Leonards, W Malling
in the County of Kent 4
by G Phillips

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	—	—	·93	—	—	—	·19	—	—	·01	·01	1
2	·10	—	—	·07	·32	—	·01	—	—	—	·15	·21	2
3	·03	·03	—	—	·18	—	—	—	—	—	·09	·12	3
4	·11	·02	·07	·17	—	—	—	—	·06	1·14	·32	·15	4
5	·02	·01	—	·26	—	—	—	—	—	·44	·02	·12	5
6	·24	—	·05	—	—	—	—	—	—	—	—	·32	6
7	·07	—	·02	·02	—	—	—	—	—	·32	·38	·38	7
8	·12	—	·15	—	—	—	—	—	—	—	·47	·17	8
9	·17	—	·05	·02	—	—	—	—	—	—	·05	·04	9
10	—	·07	·03	—	—	—	—	—	—	—	·01	·78	10
11	·44	—	·08	—	·02	—	—	—	—	—	1·07	—	11
12	·02	—	·68	—	—	·15	—	—	—	—	·06	—	12
13	—	—	·05	—	—	—	—	—	·61	·17	·04	·18	13
14	—	·11	—	—	·21	·02	—	—	—	—	—	·38	14
15	—	·03	·32	—	—	—	—	—	—	·01	·07	·02	15
16	—	—	—	—	—	·29	—	—	—	—	·61	·09	16
17	—	—	·06	—	—	·02	—	—	—	—	1·00	·10	17
18	—	·26	·01	—	—	—	—	—	—	—	1.22	·21	18
19	—	·02	—	—	—	·18	—	—	·14	·18	·29	·08	19
20	·02	—	·01	—	—	—	—	·37	·17	·20	—	·79	20
21	·03	·22	—	—	—	—	—	·02	·02	·79	—	·26	21
22	·01	—	·32	—	—	·04	—	·04	—	·20	—	·48	22
23	—	·27	·06	—	—	·99	—	—	·26	·03	·04	·13	23
24	—	·17	—	—	—	·14	·07		—	·23	—	·36	24
25	—	·07	·24	·02	—	·22	—	·03	·01	·02	·04	—	25
26	—	—	·24	·38	·01	·03	—	—	—	·23	·06	·31	26
27	—	·36	·11	·07	—	—	—	—	·12	·54	—	·07	27
28	—	·22	—	·14	—	—	—	·02	—	—	—	·01	28
29	·02		—	·29	—	·17	—	·01	·29	·28	·01	—	29
30	—		—	·02	—	·01	·50	·18	·01	·27	·01	—	30
31	—		—		—		—			·01		—	31
Total	1·50	1·86	2·55	2·39	·74	2·26	·58	·86	1·69	5·06	6·02	5·77	TOTAL for year ✓
No. of Rain Days	15	14	18	12	5	12	3	8	10	17	22	25	31.28

9,000, IX. '10.

161 ✓

Ex. 82

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

7 - JAN 1913

Kept at St Leonards West Malling

in the County of Kent 4

by George Phillips

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.09	.03	—	.15	.02	—	.05	.62	—	.18	1
2	—	.02	.35	—	—	—	.20	.10	.01	.09	—	—	2
3	.07	.17	.03	—	.07	.10	.03	.13	—	—	.02	.05	3
4	.22	—	.74	—	.25	.32	—	—	—	—	.15	—	4
5	.14	—	.19	—	—	—	—	.17	—	—	.16	.02	5
6	.49	.10	—	—	.03	—	—	.37	—	—	.01	.08	6
7	—	—	.03	—	.10	.65	—	.12	—	—	—	.04	7
8	.32	.33	.19	—	—	.15	.01	.06	—	—	—	.05	8
9	—	.05	.01	.07	—	.01	.05	.04	—	—	.02	.16	9
10	—	.03	—	—	—	—	—	.15	.02	—	.08	.23	10
11	.02	.26	.03	—	.01	.12	—	.06	.03	—	—	.28	11
12	.01	.08	—	—	.24	.16	—	.17	—	—	.03	.03	12
13	—	.02	—	—	—	—	—	.01	—	.01	.18	—	13
14	—	—	—	—	.02	—	—	.10	—	.04	—	.02	14
15	—	.01	.07	—	.21	.70	—	.01	—	—	.02	.35	15
16	.19	—	.03	—	—	.16	—	.08	—	.08	.05	—	16
17	.70	—	.39	—	—	.02	—	.03	—	—	—	.05	17
18	.05	—	.30	—	—	—	.01	.14	—	.05	—	.07	18
19	.03	.15	.19	—	—	—	.12	.34	—	—	—	—	19
20	.01	.01	.44	—	—	—	.12	.25	—	.49	—	—	20
21	—	.05	.37	—	.09	—	—	.05	—	.17	.14	—	21
22	.16	.31	.01	—	—	—	.09	.13	—	—	—	.01	22
23	.52	.27	.37	—	—	.10	—	.44	—	.14	.14	.09	23
24	.05	.02	—	—	—	.13	—	.24	—	—	—	.16	24
25	.04	.02	—	—	—	.20	—	.86	—	—	.39	.48	25
26	.02	.01	—	—	—	—	—	.36	—	.54	.28	.43	26
27	—	—	—	—	—	—	.15	—	—	.13	—	.21	27
28	—	.06	—	—	—	.02	.06	.04	.05	.71	.54	.18	28
29		.01	—	—	—	—	.08	.19	1.34	.11	.08	—	29
30	—		—	—	.05	.02	.06	.25	1.60	.35	—	—	30
31	.01		.07		—		.24	.10		—		—	31
Total	3.05	1.98	3.90	.10	1.07	3.01	1.24	4.99	3.10	3.53	2.29	3.17	TOTAL for year 31.43
No. of Rain Days.	18	20	19	2	10	16	14	28	7	14	16	21	185

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

Cod for anth 23.1.14

REGISTER OF RAINFALL IN 1913

4

Kept at St Leonards West Malling
in the County of Kent
by Geo Phillips

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Malling
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.31	.02	.25	—	—	—	—	—	.07	.04	.05	1
2	.07	.20	—	—	.19	—	.20	—	—	.02	.22	—	2
3	—	—	.05	.66	.33	—	—	—	—	.02	—	.11	3
4	.11	—	.02	.04	—	.04	.03	—	.02	—	.02	.03	4
5	.28	.02	—	—	—	.02	.14	—	.63	.07	.04	.04	5
6	.10	.03	.11	—	.03	.07	.18	—	.06	.30	.06	—	6
7	—	.12	.02	—	—	.02	.04	—	—	.33	.03	—	7
8	—	.02	.04	—	.09	.09	—	.12	—	.15	.05	.02	8
9	—	.11	—	.02	.10	—	—	.49	.06	—	.02	.01	9
10	.03	—	.02	.04	—	—	—	.04	—	—	.92	—	10
11	.43	—	—	.47	—	—	—	—	—	.66	.21	—	11
12	—	.01	—	—	.01	—	—	.05	—	.01	1.07	—	12
13	.34	—	.01	—	—	—	—	.05	.11	—	.32	—	13
14	.15	—	—	.10	—	—	.55	.01	.14	.14	.16	—	14
15	.18	—	.18	.17	—	—	.22	—	.03	—	.01	—	15
16	.20	.02	.43	.26	—	—	.04	—	.45	—	—	—	16
17	.03	.09	.04	.07	—	—	.17	—	—	—	—	.02	17
18	—	—	.12	.20	—	—	—	—	.03	—	.09	—	18
19	.17	—	.14	—	—	.01	.09	—	.31	—	—	—	19
20	.58	—	.08	.11	—	.10	—	—	—	.37	—	—	20
21	.02	—	.25	.04	.01	—	.03	—	.01	.61	.87	—	21
22	.37	—	.17	.08	—	—	.09	.02	.07	—	—	—	22
23	—	—	.31	—	—	.03	.04	.06	—	.02	.01	.55	23
24	.05	—	.02	—	—	—	—	.03	—	—	.04	—	24
25	—	—	—	.18	—	.03	—	—		—		—	25
26	—	.02	.18	—	—	—	.01	.10	—	1.05	—	.37	26
27	—	.01	.03	—	.12	—	—		—	.14	—	—	27
28	.17	—	.22	.07	—	—	—	—		.33	—	—	28
29	.16		.01	.40	.39	—	—	.22	—	.20	—	—	29
30	.40		—	.26	.01	—	—	.08	.02	.09	—	.01	30
31	—		—		—		—	.39		.17		—	31
Total	3.84	.96	2.47	3.42	1.28	.41	1.83	1.66	1.94	4.75	4.18	1.21	YEAR'S TOTAL 27.95
Rain Days.	19	12	22	18	10	9	14	13	13	19	18	10	177

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
11 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at St Leonards West Malling
in the County of Kent 4
by George Phillips

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Malling
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·04	—	—	—	·08	—	—	·03	·04	1
2	—	—	—	—	—	—	·13	—	—	—	·07	·25	2
3	—	—	·27	·04	·17	—	·02	—	—	—	—	—	3
4	·02	—	·04	·16	·03	—	—	—	—	—	·25	·24	4
5	·08	—	·05	·41	·32	—	·18	·18	—	—	—	—	5
6	—	·07	—	·18	·02	·17	—	·04	—	—	—	·27	6
7	—	·36	·37	·31	·04	·33	·05	·07	—	—	—	·23	7
8	·09	·45	·33	—	—	·07	·04	—	—	—	—	·07	8
9	·21	—	1·20	·15	—	—	—	—	·04	—	—	1·24	9
10	·01	·02	·02	·09	·08	—	—	—	—	·02	·01	·18	10
11	—	·45	·43	·04	—	·02	—	—	·23	—	·11	·37	11
12	·04	·02	·12	—	·07	—	·06	—	·30	—	—	·41	12
13	·02	·32	·18	—	—	—	—	—	16	·05	·10	·54	13
14	—	·28	·25	—	—	—	—	—	—	·34	·02	·37	14
15	·03	·06	·31	—	—	—	·11	·01	—	·02	1.02	·14	15
16	·06	—	·04	—	—	—	—	—	·05	—	—	—	16
17	—	·38	·17	—	—	—	—	—	·05	—	—	·08	17
18	—	·20	·27	—	—	—	—	—	—	—	—	·42	18
19	—	·06	·99	—	—	—	·06	—	·02	·05	·25	·20	19
20	—	·13	·19	—	—	·04	—	—	·01	·11	—	·12	20
21	—	·92	·08	—	—	—	—	·08	—	—	·02	·05	21
22	—	·03	—	—	·10	—	·15	·02	—	·23	—	—	22
23	—	—	·28	—	·13	·25	—	—	—	·01	—	·13	23
24	—	—	·04	·04	—	—	—	—	—	·02	·12	—	24
25	·09	—	·43	—	—	—	·03	·04	—	·33	·01	—	25
26	—	—	·04	—	—	—	—	·17	—	·06	·31	·46	26
27	·03	—	·02	—	—	—	—	·02	—	—	·08	·33	27
28	·02	·02	—	—	·01	—	—	—	—	·13	·37	·65	28
29	·05		—	—	—	—	—	—	—	·64	·16	—	29
30	—		·07	—	·01	—	—	—	—	—	1·02	·10	30
31	—			—	·27		·02	—		·08		·03	31
Total	·75	3·77	6·19	1·46	1·25	·88	·85	·71	·86	2·09	3·95	6·92	YEAR'S TOTAL 29·68
Rain Days.	13	16	24	10	12	6	11	10	8	14	17	24	165

W. 7,500, XI. ·12

439

FORM A.
BRITISH RAINFALL.

4. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at St Leonards West Malling

in the County of Kent 4

by George Phillips

Lat. ________ Long. ________
Time of Observation 9 a.m.
Nearest Railway Station Malling
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ____ in.
" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·66	·10	·09	—	—	—	—	·24	·38	·01	·41	·42	1
2	·18	·11	·26	·09	—	—	—	·48	·02	·02	—	·04	2
3	·38	—	·03	·24	·12	—	—	·49	·08	—	—	·42	3
4	·04	—	—	—	—	—	—	·04	—	·02	—	·69	4
5	·04	·26	—	·02	—	—	—	·29	—	·07	·03	·46	5
6	·40	·07	·05	·43	—	—	·14	·03	—	—	—	·05	6
7	·40	·30	·02	—	—	—	·10	·01	—	—	—	·35	7
8	·03	·55	·02	·01	—	—	·25	·06	—	—	—	—	8
9	·03	·16	—	·03	—	·07	—	·20	—	—	—	·72	9
10	·40	—	—	—	—	·08	—	—	—	—	—	·47	10
11	·06	—	—	—	—	—	—	—	—	—	·62	·02	11
12	·09	·09	—	·26	·44	—	—	·05	—	·02	·68	—	12
13	·05	·80	—	·04	1·42	—	—	·03	—	—	—	—	13
14	·05	·04	—	—	—	—	·14	·26	·05	—	—	·29	14
15	·08	—	—	—	·06	—	·34	·05	—	—	·41	·23	15
16	—	·32	—	—	·03	—	·87	·35	—	—	—	·13	16
17	—	·43	—	—	1·29	—	·57	—	—	—	—	·14	17
18	—	·13	·08	—	·32	—	·07	—	—	—	·05	—	18
19	—	·17	—	—	—	—	·03	—	—	·13	—	—	19
20	·37	—	—	·01	·20	—	—	—	—	—	—	·23	20
21	·17	·10	—	—	—	—	—	—	—	—	—	·07	21
22	·12	·05	·06	—	—	—	·05	—	—	—	—	·16	22
23	·01	·37	·16	—	—	·03	·03	—	—	·25	—	·34	23
24	—	—	·12	·09	—	—	·58	—	—	·19	—	·70	24
25	—	—	·12	·13	—	—	·14	—	—	·02	—	·24	25
26	·02	·07	—	—	—	·08	—	—	—	—	—	·46	26
27	—	·08	·07	—	—	·02	·10	—	—	·35	—	·04	27
28	—	·06	—	—	—	·12	—	—	1·62	—	—	—	28
29	—		·05	—	·12	·02	—	·10	—	—	·39	·02	29
30	·12	X	—		—		·29	—	·04	—	·55	·02	30
31	·04	X	—	X	—	X	—	·35	X	·52	X	·26	31
Total	3·74	4·26	1·13	1·35	4·00	·42	3·70	3·03	2·19	1·60	3·14	6·97	YEAR'S TOTAL 35·53
Rain Days.	22	20	13	11	9	7	15	16	6	11	8	25	163

W. 8,000. X. 14.

Exd CJE

426

FORM A.
BRITISH RAINFALL.
5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at St Leonards, West Malling

in the County of Kent

by George Phillips

Lat. Long.

Time of Observation 9 oc A.M.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·02	—	—	·38	—	—	—	·11	·08	·27	—	1
2	·53	·07	·25	—	·10	—	·02	—	—	·30	—	—	2
3	—	·66	·37	—	—	—	·03	—	·11	·30	·50	—	3
4	·26	·10	—	—	—	·37	·03	—	·02	·04	·44	—	4
5	—	—	·01	—	·09	·16	·05	—	·06	·06	·47	—	5
6	·03	·14	·30	·50	—	·36	·31	—	—	·06	·45	—	6
7	·04	—	·93	—	·37	·11	·12	—	—	·01	·71	·02	7
8	—	—	—	—	·28	—	—	—	—	—	—	·30	8
9	·02	—	—	—	·42	·01	—	—	—	·03	—	·21	9
10	—	·17	·11	·08	—	·37	·20	—	—	—	—	·45	10
11	·03	·29	·03	·12	—	·11	—	—	—	—	—	·04	11
12	·04	·09	—	·11	·27	·25	·07	—	—	·08	—	—	12
13	—	·54	·16	·17	·13	·18	·07	·10	—	·07	—	—	13
14	—	·55	·03	·02	·11	—	—	·10	—	·01	·01	·16	14
15	—	·25	·18	—	—	—	—	·87	—	—	—	·11	15
16	·02	·09	·15	·19	—	—	·23	·04	—	—	—	—	16
17	·17	·09	—	·10	—	—	·07	·07	·39	·71	—	—	17
18	·01	·14	·01	·19	—	—	—	·09	·04	·16	·78	—	18
19	·17	—	·03	·09	—	·06	—	—	·25	—	·65	·10	19
20	·11	—	·15	·10	—	·03	—	·02	—	—	·03	·40	20
21	·03	—	·38	·01	—	—	—	—	—	—	·02	·30	21
22	·02	·06	·10	·03	—	·01	—	—	—	·02	—	·52	22
23	·03	·31	·08	—	—	·42	—	·01	—	·02	·05	·10	23
24	—	·31	—	—	·02	·01	—	—	—	·26	·03	·35	24
25	—	·60	·24	—	·05	—	—	—	—	·11	·03	—	25
26	—	·19	·06	—	—	·05	—	·39	—	·15	·07	—	26
27	·03	·10	·67	·06	—	·11	—	·84	·03	·21	—	—	27
28	—	·37	·16	—	—	·06	—	·01	·13	·03	—	·20	28
29	—	·16	—	—	—	·18	—	·70	·05	·26	—	·28	29
30	—	X	—	—	·03	—	—	·33	—	·31	—	—	30
31	—	X	—	X	—	X	—	—	X	·25	X	·06	31
Total	1·68	5·30	4·40	1·77	2·25	2·85	1·20	3·57	1·19	3·53	4·51	3·60	YEAR'S TOTAL 35·85
Rain Days.	17	22	21	14	12	18	11	13	10	23	15	16	192

W. 8,000. X. 15.

408

FORM A.
BRITISH RAINFALL.

18. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at St Leonards West Malling

in the County of Kent

by G. Phillips

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Malling

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	·32	—	—	—	1·22	·09				1
2	—	—	—	·22	—	—	—	·27	—				2
3	·02	—	—	·22	—	—	·03	·78	—				3
4	—	·13	·19	—	—	—	·08	·02	—				4
5	·27	—	·04	·24	—	—	—	—	·26				5
6	—	—	·01	·14	—	·12	—	—	·06				6
7	·23	—	—	—	—	—	·03	—	·01				7
8	·06	—	—	·12	—	—	·52	·15	·02				8
9	—	—	·04	·08	—	—	·62	·02	—				9
10	·18	—	·12	·09	—	—	—	·09	—				10
11	·22	·04	·30	·45	—	—	—	·16	·08				11
12	·07	·06	·06	·02	—	—	—	·13	—				12
13	·03	—	·12	—	—	—	—	·01	·02				13
14	—	—	·06	·27	—	—	—	—	—				14
15	·11	—	—	—	—	—	—	·03	—				15
16	·09	·11	—	·26	·27	—	·04	—	—				16
17	—	·02	—	·12	·67	—	·18	—	·38				17
18	·03	·03	—	·12	·10	·02	·10	·13	·26				18
19	·01	·10	·07	·02	·34	·11	—	·01	·18				19
20	—	·19	·06	—	1·10	—	·24	·03	·02				20
21	—	·02	·03	·03	·03	·03	—	—	—				21
22	—	·03	·09	—	—	·13	—	·10	—				22
23	—	·10	·07	—	—	·03	—	·10	—				23
24	—	·01	—	—	·30	·02	—	—	—				24
25	—	—	·02	—	—	·09	—	—	·01				25
26	—	—	·03	—	—	—	—	·24	—				26
27	—	—	·01	—	—	—	—	·89	—				27
28	—	—	·03	—	—	1·61	—	·37	—				28
29	·04		·12	—	·06	·19	·61	·03	—				29
30	·02	X	·36	—	—	·01	1·66	·21	—				30
31		X	·32	X	—	X	·82	·01	X		X		31
Total	1·38	·84	2·17	2·72	2·87	2·36	4·93	5·00	1·39			to 30 Sept	YEAR'S TOTAL ~~23·66~~
Rain Days.	14	12	22	16	8	11	12	22	12			do	~~129~~

W. 8,000, VIII. 16

SANDGATE

KENT

1911-13, 19-20

REC

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

Kent at Sand

in.

ound 1 ft. 6

in the County of K

ea Level 52 ft.

by Chas. J. Cong

ame Sandgate

istance ½ Mile Direction W

IMPORTANT NOTE he result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the readi ar in the space provided for it at the end of this ent of rain, the selection and placing tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	—	—	·07	·01	—	—	·03	—	—	·10	—	1
2	·10	—	·03	·22	·27	—	—	—	—	—	·06	·12	2
3	·03	·01	—	·02	·02	—	—	—	—	·04	·06	·72	3
4	·14	·04	·08	·10	—	—	—	—	—	·61	·06	·12	4
5	·05	—	—	·04	—	—	—	—	—	·02	·03	·14	5
6	·04	—	—	·07	—	—	—	—	—	—	—	·21	6
7	·13	-	-	-	-	-	-	-	-	·65	·81	·30	7
8	·19	-	·07	-	-	-	-	-	-	·02	·60	·04	8
9	·31	-	·10	·09	-	-	-	-	-	·06	·57	·06	9
10	-	·08	·02	·05	-	-	-	-	-	-	·16	·51	10
11	·79	-	·01	-	-	-	-	-	-	-	·76	-	11
12	·03	-	·87	-	-	·06	-	-	-	·06	·15	-	12
13	-	-	·10	-	·46	·05	-	-	·52	·50	-	·19	13
14	-	-	-	-	-	·15	-	-	-	-	-	·09	14
15	-	·12	·20	-	-	-	-	-	-	-	·10	·03	15
16	-	-	-	-	-	·27	-	-	-	-	·16	·06	16
17	-	-	-	-	-	·05	-	-	-	-	·06	·10	17
18	-	·09	·01	-	-	-	-	-	-	-	·51	·11	18
19	-	-	·03	-	-	-	-	-	·04	-	·29	·20	19
20	-	-	-	-	-	·02	-	·82	·09	·11	-	·35	20
21	-	-	-	-	-	-	-	·13	-	1·01	-	·16	21
22	-	·04	·17	-	-	·02	-	·06	-	·24	-	·51	22
23	·03	·18	·06	-	-	·93	-	-	·16	·89	-	·02	23
24	·01	-	·07	-	-	·03	·10	·09	-	·31	-	·13	24
25	-	·07	·17	·04	-	·06	-	-	·05	·02	·02	-	25
26	-	·06	·42	-	-	·04	·01	-	-	·36	·04	·27	26
27	-	·22	·09	·10	-	-	-	-	·07	·29	-	·06	27
28	-	·35	-	·21	-	-	-	-	-	-	-	·10	28
29	-	X	-	·12	-	·13	·03	·06	·32	·37	-	-	29
30	-	X	-	·02	-	·01	·03	·08	·06	·22	-	-	30
31	-	X	-	X	·02	X	-	-	X	-	X	-	31
Total	1·91	1·26	2·50	1·15	·78	1·82	·17	1·27	1·31	5·78	4·54	4·60	TOTAL 27·09
No. of Rain Days.	13	11	17	13	5	13	4	7	8	18	18	24	151

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

REG

Kept at Sandgate

in the County of Kent.

by Chas. J. Conquest

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6
" " " Sea Level 52 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Sandgate
Distance ½ Mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	—	·07	·01	—	—	·03	—	—	·10	—	1
2	·10	—	·03	·22	·27	—	—	—	—	—	·06	·12	2
3	·03	·01	—	·02	·02	—	—	—	—	·04	·06	·72	3
4	·14	·04	·08	·10	—	—	—	—	—	·61	·06	·12	4
5	·05	—	—	·04	—	—	—	—	—	·02	·03	·14	5
6	·04	—	—	·07	—	—	—	—	—	—	—	·21	6
7	·13	—	—	—	—	—	—	—	—	·65	·81	·30	7
8	·19	—	·07	—	—	—	—	—	—	·02	·60	·04	8
9	·31	—	·10	·09	—	—	—	—	—	·06	·57	·06	9
10	—	·08	·02	·05	—	—	—	—	—	—	·16	·51	10
11	·79	—	·01	—	—	—	—	—	—	—	·76	—	11
12	·03	—	·87	—	—	·06	—	—	—	·06	·15	—	12
13	—	—	·10	—	·46	·05	—	—	·52	·50	—	·19	13
14	—	—	—	—	—	·15	—	—	—	—	—	·09	14
15	—	·12	·20	—	—	—	—	—	—	—	·10	·03	15
16	—	—	—	—	—	·27	—	—	—	—	·16	·06	16
17	—	—	—	—	—	·05	—	—	—	—	·06	·10	17
18	—	·09	·01	—	—	—	—	—	—	—	·51	·11	18
19	—	—	·03	—	—	—	—	—	·04	—	·29	·20	19
20	—	—	—	—	—	·02	—	·82	·09	·11	—	·35	20
21	—	—	—	—	—	—	—	·13	—	1·01	—	·16	21
22	—	·04	·17	—	—	·02	—	·06	—	·24	—	·51	22
23	·03	·18	·06	—	—	·93	—	—	·16	·89	—	·02	23
24	·01	—	·07	—	—	·03	·10	·09	—	·31	—	·13	24
25	—	·07	·17	·04	—	·06	—	—	·05	·02	·02	—	25
26	—	·06	·42	—	—	·04	·01	—	—	·36	·04	·27	26
27	—	·22	·09	·10	—	—	—	—	·07	·29	—	·06	27
28	—	·35	—	·21	—	—	—	—	—	—	—	·10	28
29	—	X	—	·12	—	·13	·03	·06	·32	·37	—	—	29
30	—	X	—	·02	—	·01	·03	·08	·06	·22	—	—	30
31	—	X	—	— X	·02	X	—	—	X	—	X	—	31
Total	1·91	1·26	2·50	1·15	·78	1·82	·17	1·27	1·31	5·78	4·54	4·60	TOTAL for Year 27·09
No. of Rain Days.	13	11	17	13	5	13	4	7	8	18	18	24	151

W. 8,000, X. '11.

E4 ML

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
15 JAN 1913

Kept at Sandgate

in the County of Kent.

by Chas J Conquest Engineer & Surveyor

RAIN GAUGE
Pattern —
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
„ „ „ Sea Level 52 ft.

Time of Observation 9. 0 am

Nearest Railway Station
Name Sandgate
Distance ½ m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	—	—	—	·37	·05	—	·12	·51	—	·03	1
2	—	·30	—	—	—	·24	·03	—	—	—	—	·12	2
3	·03	—	·08	—	—	·40	—	·12	·03	—	—	·04	3
4	·19	—	·31	—	·02	·49	—	·13	—	—	·18	·05	4
5	·05	·10	·02	·02	—	·12	—	·18	—	—	·15	·27	5
6	·34	·06	·05	—	·01	—	—	·75	—	—	—	·10	6
7	·27	·05	—	—	·18	·14	—	·11	—	—	—	—	7
8	·25	·09	—	—	—	·29	—	·05	·02	—	—	—	8
9	·03	—	·19	·03	—	—	—	—	—	—	—	—	9
10	—	—	—	—	—	—	·19	·27	—	—	—	—	10
11	·01	·23	—	—	—	·45	—	—	·04	—	—	—	11
12	—	·13	—	—	—	—	·02	—	—	—	—	—	12
13	—	·02	·25	—	—	—	·04	—	—	—	·04	·17	13
14	—	·06	·05	—	·11	—	—	·07	—	·04	—	—	14
15	—	·10	·03	—	·08	·18	—	·03	—	—	—	·12	15
16	·20	—	·06	—	·02	·04	—	·05	—	—	—	·09	16
17	·41	—	·47	—	—	—	—	—	—	—	·01	—	17
18	·02	—	·19	—	—	—	·15	·09	—	·03	·02	·50	18
19	·10	·03	·29	—	·02	—	·14	·24	—	·06	·03	·02	19
20	·03	—	·62	—	—	—	—	·04	—	·44	—	—	20
21	·02	·04	·24	—	·01	—	—	·05	—	·37	—	—	21
22	—	·22	·07	—	—	—	·03	·09	—	·01	·07	—	22
23	·33	·20	·14	—	—	—	—	·64	—	·23	—	·02	23
24	·10	·10	·06	—	—	—	·10	·16	—	—	·26	—	24
25	·09	—	—	—	—	·21	—	1·26	—	—	·05	·18	25
26	—	—	—	—	—	·03	·08	·27	—	·10	·39	·20	26
27	—	·02	·02	—	—	—	·06	—	—	·04	·09	·05	27
28	—	·13	—	·05	—	—	—	·08	—	·52	·03	—	28
29	—	—	—	—	—	—	·18	·07	·74	·11	·31	·03	29
30	—	X	—	—	—	—	—	·24	1·18	·29	—	·09	30
31	—	X	—	X	·02	X	·09	·09	X	—	X	—	31
Total	2·49	1·88	3·14	·10	·47	2·96	1·16	5·08	2·13	2·75	1·63	2·08	TOTAL for year 25·87 ✓
No. of Rain Days.	18	17	18	3	9	12	13	23	6	13	13	17	162 ✓

W. 8,000, X. '11.

cord by B thy sum: stats 23.1.14 & by dor. 3.IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

wrote re Aug 31 & ? Dec 23.1.14

Kept at Sandgate
in the County of Kent
by Chas J Conquest, Engineer & Surveyor

Lat. 51° 4' 30" Long. 1' 9" E
Time of Observation 9 a.m
Nearest Railway Station Sandgate
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 52 ft.

Sandgate Urban District Council.

CHAS. J. CONQUEST,
ENGINEER & SURVEYOR.
INSPECTOR OF NUISANCES.
TELEPHONE Nº 26.

Council Offices,
51, High Street,
Sandgate, Kent.

4th March 1914

Dr H. R. Mill,
62 Camden Square,
London. N.W.

Dear Sir,

In reply to your letter of the 23rd ulto., the 1.45 should have been entered to August 30th and .99 to August 31st, the rainfall for December was as follows:-

Dec 5	.15
9	.05
17	.04
23	.39
26	.20
27	.31
29	.55
30	.65
Total	2.34 ✓

Yours faithfully,

Chas J Conquest
Engineer & Surveyor.

Regret delay in answering which is due to illness
C.J.C.

31	·16	X	.44	X		X		1.45 .99	X	·15	X	·	31
Total	2.94	·52	2.14	2.76	·65	·60✓	1.96✓	~~1.89~~ 2.88* ✓	1.88✓	4.44✓	3.49✓	2.34 ~~.20~~	YEAR'S TOTAL ~~23.47~~
Rain Days.	20	5	20	21	9	6✓	15✓	11✓	10✓	17✓	14✓	8 ~~2~~	~~145~~

26·60 156

W.7,000, XI. 13

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·07		·17				·14	·51		1
2	·04	·40	·05								·05		2
3				1·03	·11		·25			·07			3
4			·04		·02						·11		4
5	·02	·02	·02				·03		·26	·02	·16	·15	5
6		·04	·02	·03	·01		·05			·48	·33		6
7	·16	~~·07~~	·08	·03		·07	·15	·14		·36			7
8			·03	·05	·13	·03	(·04)	(·03)	~~·12~~	(·62)	(·13)	·05	8
9		·01		·01	·13	~~·03~~			·12				9
10	·02			·14			·02	·02			·45		10
11	·16			·39			·20	·01		·41			11
12				·03				·01			·36		12
13	·27							·03	·03		·25		13
14	·05		·01	·02				·05	·02	·19	·20		14
15			·04	·06			·53						15
16	·09		·31	·07			·18		·27				16
17	·29	·05	·34	·14					·74		·06	·04	17
18				·07			·26		·17		·10		18
19	·11		·13	·05	·03		·04		·20				19
20	·65		·02			·01	·11	·05		·55			20
21	·04		·02		·04	·19				·60	·75		21
22	·18		·05	·01					·05	·14			22
23	·02		·05				·05		·02	·02		·39	23
24	·04			·15			·03	·02			·03		24
25	·19			·02									25
26	·04		·04			·13	·02			·44		·20	26
27			·12							·09		·31	27
28			·22	·08						·15			28
29	·09	X	·11	·11	·07							·55	29
30	·32	X		·10	·11			·08		·06		·65	30
31	·16	X	·44	X		X		1·45 ·49	X	·15	X		31
Total	2·94	·52	2·14	2·76	·65	·60 ✓	1·96 ✓	~~1·89~~ ✓	1·88 ✓	4·44 ✓	3·49 ✓	2·34 ~~·20~~	YEAR'S TOTAL ~~23·47~~
Rain Days.	20	5	20	21	9	6 ✓	15 ✓	2·88* 11 ✓	10 ✓	17 ✓	14 ✓	8~~2~~	~~115~~
												26·60	156

W.7,000, XI. 13

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

1 MAR 20

Kept at Sandgate
in the County of Kent
by H. Evans

Lat. 51' 5' Long. 1' 9' E
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. – in.
" " " " Sea Level 176 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·06			·07		·06			·13	·01	·61	1
2	·12		·04		·18		·06	·02			·24	·24	2
3	·20		·54		·06	·02		·07	·05		·12	·25	3
4	·15		·36				·30	·16			·02	·06	4
5	·11	·39	·98									·31	5
6	·24										·01	·05	6
7	·01		·22								·06		7
8	·20		·07							·01			8
9	·15		·03	·15							·37		9
10	·32		·01	·04	·02						·15		10
11	·14		·04	·34	·03							·06	11
12	·03			·01	·01		·39			·04	·12		12
13				·11			·01				·04	·03	13
14	·29			·55			·13		·02	·03		·02	14
15	·11	·04		·10						·03	·44	·01	15
16	·07	·64		·04							·18	·06	16
17		·45		·07							·22	·05	17
18		·08					·06				·08	·05	18
19		·10	·36				·09	·02	·07		·11	·01	19
20	·18	·04	·20				·34	·09				·02	20
21		·44	·03			·46	·19				·01	·04	21
22		·04	·01			·04	·24		·67		·05	·35	22
23	·02			·12			·15		·20		·02	·05	23
24		·15		·22		·10		·06			·46	·04	24
25	·14				·03			·33		·04			25
26	·05	·13	·13	·17		·08		·01	·05		·22	·28	26
27	·59		·12	·60				·11	·01	·08	·05	·04	27
28	·12	·01	·25	·20				·27	·14	·02	1·00	·32	28
29	·17			·30				·03		·27	·16	·17	29
30	·01			·22				·31		·08	·07	·25	30
31	·18						·11	·03		·44		·01	31
Total	3·96	2·57	3·39	3·24	·40	·70	2·13	1·51	1·21	1·17	4·21	3·38	Year's Total 27·87
Days with ·01 in. or more	24	13	16	16	7	5	13	13	8	11	24	25	175

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Sandgate

in the County of Kent

by H. Evans, C. Law-Green

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·12	·02		·06			·35		·32	1
2	·08			·01	·02			·68	11	·12		·10	2
3									·11			·11	3
4		·04		·04			·30	·03				·22	4
5			·01	·05	·02		·35	·02	·05			·20	5
6			·04		·17		·12		·01			·01	6
7	·02			·10	·08		·08			·01		·02	7
8				·11	·01		·11						8
9	·37			·02	·12		·15						9
10	·36	·12	·07	·56							·01	·10	10
11	·24		·14	·27		·02	·18					·06	11
12	·13	·02	·07	·14		·15	·41				·03		12
13	·42	·02	·15			·03			·02		·03		13
14	·02	·02	·32	·14		·04			·01	·35	·22		14
15	·04		·02						·33	·20	·13	·06	15
16						·17			·20		·01	·23	16
17	·01			·03	·06	·14	·07	·63	·48			·02	17
18	·06			·01	·14			27	·47			·03	18
19	·08			·23					·15			·02	19
20	·10	·15		·02		·65			·60				20
21		·02		·02			·02		·20			·38	21
22				·13				10				·28	22
23							·37	·17				·33	23
24			·02				·03		·04			·06	24
25				·04			·15		·01				25
26	·06		·07	·03			·03					·01	26
27	·20	·06	·05	·12		·11	·30				·12	·26	27
28	·17		·01	·07	·83		·17				·38	·06	28
29	·60		·06	·08	·02						·18	·07	29
30	·03	✕	·01	·02	·03		·05		·19		(·08)	·10	30
31	·04	✕		✕		✕			✕	·08	✕	·22	31
TOTAL	3·03	·45	1·04	2·36	1·52	1·31	2·95	1·90	2·98	1·11	1·19	3·27	YEAR'S TOTAL 23·11
Days with ·01 in. or more	19	8	14	23	12	8	18	7	16	6	10	24	165
	15	4	9	15	6	6	15	5	12	5	6	18	116

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SANDLING PARK

KENT

1912-18, 20

REGI IN 1912

BRITISH RAINFALL. FORM A.

6 JAN 1913

Kept at Sa .0 a.m

in the County of Sandling

by L. Hard 8 in.

Ground 1 ft. 6 in.

Sea Level 260 ft.

IMPORTANT NO the result entered to the
previous day. If an O versal rule, he is earnestly
requested to add the rea ar in the space provided
for it at the end of th ment of rain,
the selection and placin ritish Rainfall
Organization are given application to
Dr. H. R. Mill, 62, C

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.					Oct.	Nov.	Dec.	Date.
1			22			46	·4	·	10	51		18	1
2		·8	12			20	11	·12		2			2
3	11	·5	2			47	15	5				3	3
4	19	·	54			48		13	2				4
5	·7	20	10			15		18			41		5
6	54	15	8					76				3	6
7	·8	23	2		25	14		25				4	7
8	35		12			10		12	·2				8
9	14		5	·5			15	15				3	9
10	16	6						21				42	10
11		26				41		18	8			9	11
12		13						38			6	4	12
13		10	3				23				28		13
14			10		10		11	3			6		14
15		2	8		9	80						25	15
16			9			·4		7					16
17	30		53			·4		6		8	3		17
18	·4		30				·2	18		8	3	60	18
19	·2	22	28				30	18					19
20			70					15		56			20
21	·3	12	28					10		27	11		21
22		30	5				·9	11					22
23	32	22	30					59		16	22		23
24	14	6	2			45	·5	32		3		20	24
25	·5							1.25		35	28	45	25
26	·6							39		5	30	41	26
27							·9					24	27
28							·7			56	32	3	28
29				15			·6	21	84		15		29
30		x						12	1.96	65	13		30
31	·2	x		x	·7	x	13	8	x		x		31
Total	2.62	2.20	4.03	·20	·51	3.74	1.60	6.37	3.02	3.32	2.38	3.04	YEAR'S TOTAL 33.03
Rain Days.	17	15	21	2	4	12	14	26	6	12	13	15	157

W. 7,500, XI. ·12

REGI

FORM A.
BRITISH RAINFALL.
6 JAN 1913

Kept at Sandling Pk

in the County of Kent

by L. Hardy, M.P.

Lat. Long.

Time of Observation 9.0 a.m.

Nearest Railway Station Sandling

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			22			46	·4	·	10	51		18	1
2		·8	12			20	11	·12		2			2
3	11	·5	2			47	15	5				3	3
4	19	·	54			48		13	2				4
5	·7	20	10			15		18			41		5
6	54	15	8					76				3	6
7	·8	23	2		25	14		25				4	7
8	35		12			10		12	·2				8
9	14		5	·5			15	15				3	9
10	16	6						21				42	10
11		26				41		18	8			9	11
12		13						38			6	4	12
13		10	3				23				28		13
14			10		10		11	3			6		14
15		2	8		9	80						25	15
16			9			·4		7					16
17	30		53			·4		6		8	3		17
18	·4		30				·2	18		8	3	60	18
19	·2	22	28				30	18					19
20			70					15		56			20
21	·3	12	28					10		27	11		21
22		30	5				·9	11					22
23	32	22	30					59		16	22		23
24	14	6	2			45	·5	32		3		20	24
25	·5							1.25		35	28	45	25
26	·6							39		5	30	41	26
27							·9					24	27
28							·7			56	32	3	28
29				15			·6	21	84		15		29
30		×						12	1.96	65	13		30
31	·2	×		×	·7	×	13	8	×		×		31
Total	2.62	2.20	4.03	·20	·51	3.74	1.60	6.37	3.02	3.32	2.38	3.04	YEAR'S TOTAL 33.03
Rain Days.	17	15	21	2	4	12	14	26	6	12	13	15	157

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A1.
BRITISH RAINFALL.

3 JAN 1914

Exd. D.J.

Kept at Sandling Pk Hythe

in the County of Kent

by L. Hardy

Rain Gauge { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		44	5	7		22				18	52	4	1
2	3	17					31				11		2
3			4	95	23					20		10	3
4	23		4				4			2	21		4
5	4	2	2				12		23		9	4	5
6	8		4		3	19	23	31	3	21	31		6
7		12	6	5		3				59			7
8				3	14					23	14	3	8
9		5		2	19			15	12		4	3	9
10				13			37				47		10
11	61			49						54	20		11
12				2				3			41		12
13	20		3					7			15	2	13
14			10	6			28		11	19	33		14
15	29		22	7									15
16	34		43	19					21				16
17	13	5	4	9			21	3	41			15	17
18	2		2	15			8		13		18		18
19	8		18				15	5	5				19
20	23		2	8	2	25				28			20
21	7		6	5	6					80	1.17		21
22	21		5				5						22
23			2				6			4		52	23
24	4		4					5	4		4		24
25				26		21							25
26	4	22	20							63		25	26
27			2							15			27
28	11	2	22							22			28
29	39	x	7	12	3			4				30	29
30	42	x		26				47		6		24	30
31		x	43	x	5	x		1.22	x	5	x		31
Total	3.56	1.09	2.40	3.09	.75	.90	1.90	2.42	1.33	4.39	4.37	1.62	TOTAL for year 27.82
No. of Rain Days	19	8	23	18	8	5	11	10	9	16	15	11	153

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Sandling Park
in the County of Hythe Kent
by The Right Honᵗˡᵉ Laurence Hardy M.P.

Lat. ______ Long. ______
Time of Observation 9.0 a m
Nearest Railway Station Sandling Junction
Diameter of Rain Gauge 8 (eight inches)
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								5			7	12	1
2	2						10				6	18	2
3		~~12~~	12		21		7						3
4		~~7~~	4	27				37			30	45	4
5	21	~~15~~	15	33			19	31			3		5
6		4		24	5	20						38	6
7		29	17	5		20		2				24	7
8	10	15	38	2		3		5				15	8
9	31		68	7								89	9
10	8				15							11	10
11		33	30	16					19		6	35	11
12		3	10			7	40		29			31	12
13	5	25	20			7			23	16		45	13
14		14	26							36	2	70	14
15		2	35				45	2			1·48	6	15
16		31	2								11		16
17	3	14	2				2		25	9	3	3	17
18		12	22							26	4	50	18
19		13	55							18	33	45	19
20		14	57							29		29	20
21		59	7					13		4		13	21
22		2	2	3	15		47	3		13		2	22
23			62		7	56				2			23
24			3	15	5					9	24		24
25	4		14		3					47			25
26	16				3			39			3	29	26
27	2									3	10	55	27
28	2				3					26	37	35	28
29	3	×								83	2		29
30	2	×	4							11	57		30
31		×3		×	25	×			×		×	12	31
Total	1-09	2-73	5-05	1·32	1-02	1·13	1-70	1-37	·96	3·32	3·86	7·12	YEAR'S TOTAL 30·67
Rain Days.	13	16	22	9	10	6	7	9	4	15	17	23	151

[illegible] 336

FORM A. BRITISH RAINFALL.
10. JAN. 191

REGISTER OF RAINFALL IN 1915

Kept at Sandling Park

in the County of Kent

by The Right Honble Laurence Hardy M.P.

Lat. .... Long. ....

Time of Observation 9.0 a.m.

Nearest Railway Station Sandling Junct

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	38	11	9						67		27	18	1
2	37	20	26	9	2				16	2	3	6	2
3	27		12	21	7			39	61			63	3
4	2							62		13	8	28	4
5		14		17				5		41	14	37	5
6	44	19		50			6			3		26	6
7	40	21	4	4			6					25	7
8	2		20				12						8
9		25	6				15			~~55~~	55	82	9
10	27	14				4						58	10
11	6	4									67	15	11
12	5			38	9					11	79		12
13	14	69		15	1.49								13
14	10	5					35		12			29	14
15					8		5	23			81	20	15
16		24		11			97	8			3	2	16
17	2	70			92			20			3	25	17
18		20	4		24							21	18
19										5		4	19
20	31	2								3		18	20
21	21	8		3						32		5	21
22			8			2	71					25	22
23		10	5									65	23
24	10	4	6	20			5		16	12		47	24
25	2			14		3	26					23	25
26						5					6	70	26
27		2	3			2				21		4	27
28		4	2						1-011	85			28
29		x				3	2		13	67	41	6	29
30	11	X				5	3			23	31		30
31	14	X		X		X			X	39	X	40	31
Total	3·43	3.46	1·05	2 02	2.91	0·24	2.83	1·57	2.96	3.57	4.18	7.62	YEAR'S TOTAL 35·84
Rain Days.	19	19	12	11	7	7	12	6	7	14	13	26	153

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
15. JAN 19

Kept at Sandling Park
in the County of Hythe Kent
by Right Honᵈ L Hardy

Lat. Long.
Time of Observation 9-0 a m
Nearest Railway Station Sandling
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	5				3				0.6		13		1
2	29	6	67		5					33	43		2
3		24	22			5					13		3
4	15	7				23					[illegible]		4
5	5		3	7	4	20	44			19	30		5
6		6	2	27		25	40			14	38		6
7	2		20		49	5	4				53		7
8			3		10						50		8
9					35	21						28	9
10		8		2		29						21	10
11	4	59		17		4			0.6			35	11
12	11	6		19	56	28						24	12
13		15	42	2	39	24			0.3	16		14	13
14		45		~~2~~	6	~~[illegible]~~	57			0.5		[illegible]	14
15		10						0.29		0.4		[illegible]	15
16			12	19			0.9						16
17	23			15			0.8					4	17
18	11	24		6			.12	0.4		68			18
19	14		2	19		5		~~0.4~~		31	1.32	6	19
20	4		37	5							65	49	20
21				21				0.25			23	51	21
22		46	18	36	4			0.27	0.6		13	53	22
23	3	38	13			9							23
24					6					0.8	10	28	24
25		48	16					0.23		50	16		25
26	4	12	3			20					0.6		26
27	2	33	64			16			0.7	25	14	3	27
28		65	15							67			28
29		14				29		0.51		31		14	29
30		X						0.6		44	1		30
31		X		X		X		0.52	X	45	X		31
Total	1.32	4.08	4.09	1.95	2.17	2.63	1.66	2.25	.26	4.46	5.63 5.63	3.58	YEAR'S TOTAL 34.68
Rain Days.	14	18	16	13	11	15	7	9	5	15	16	15	154.

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

313

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

8 JAN 1918

Kept at Sandling Park
in the County of Hythe
by Right Honᵇˡᵉ Laurence Kent Hardy

Lat. Long.
Time of Observation 8.0 a.m.
Nearest Railway Station Sandling Jn
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.18		0.5	08				78					1
2				14				105	0.5		17	02	2
3	0.3			30				60		02	07		3
4				10				38		24			4
5	0.3						18	4	10	06			5
6	28								24	30			6
7		4	34	20					07		07	0.5	7
8	38						11					07	8
9	36			14			9	34		36	34	100	9
10	23	34	04	14							03	02	10
11	24			13				38					11
12	11		07	15				4	11	46			12
13	0.3		14					4	02	16			13
14						02		2	05	24		05	14
15			25		04			8		05			15
16	0.4				[illegible]			29		02			16
17	17			34	51						03	27	17
18	0.6	14		15	25		36		38	25		14	18
19	0.5			14	15		20	14	8				19
20			05		56				18		05	09	20
21		34	05		5	31		06	~~42~~		08	05	21
22					[illegible]	14				02		07	22
23			15		[illegible]	30		09	02	25	02		23
24		17						06		04		06	24
25			07					07		14	25	0.6	25
26			11					02			05		26
27								07	05		140		27
28								130				24	28
29			16			42		48				07	29
30		X	04			15	88			30		10	30
31		X	14	X		X	60	28	X	18	X	02	31
Total	~~2.19~~	.05 ~~1.03~~	.08 ~~1.60~~	~~1.91~~	~~1.89~~	~~1.36~~	.78 ~~2.42~~	~~7.42~~	~~1.36~~	~~3.95~~	~~2.54~~	(.02) ~~.67~~	YEAR'S TOTAL ~~29.6~~
Rain Days.	2.01 3	1.08 6	1.63 14	1.83 12	1.89 9	1.36 6	3.20 8	6.64 21	1.36 12	3.15 17	2.54 12	2.69 8	29

W. 8,000, VIII. 16

WD end

REGISTER OF RAINFALL IN 1918

4. 1. 19
FORM A. BRITISH RAINFALL.

Kept at Sandling Park
in the County of Hythe Kent
by Rt Hon Laurance Hardy

Lat. Long.
Time of Observation 9 A M
Nearest Railway Station Sandling Junction
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				01				78?			05	07	1
2	04		05	04				95		02	06	14	2
3				30					04	10	54	05	3
4			15	10				96?			74	03	4
5	04	04		11	11			07	05	07	34	06	5
6		06		02	39			17		03		04	6
7	16	10		27	19			10	02	06	26		7
8		16			30			14	60	02		07	8
9		14		10	21			02	38		08	27	9
10	11					08	15	04	40	29		10	10
11	02						12		29	08		05	11
12				02	02				29		09		12
13		10		11	27				20	44		03	13
14		07		05	17		04		03	38		07	14
15	28					10	12		08	24		14	15
16	1·76			02			72		20	03			16
17	16			14			06		01				17
18	03			08		06	06		02			28	18
19	25			05				04	59	15		02	19
20	13		38	07		20	44	02	18	140		05	20
21	36	10	02				54			07		04	21
22	10	01					41					15	22
23	12	02					66	02	36				23
24	11				06		06		38				24
25		30		05	10			06	13	03	08	05	25
26		09			07	07	06		02		02	09	26
27							07?	06	08	03	11	08	27
28			25					29			03	14	28
29				12		60		24			33	09	29
30		X		03	27		07	60?	148	20	09	08	30
31		X	45	X		X			X		X	15	31
Total	367	~~159~~ 1·19	~~130~~ 01	~~169~~ 7	2·16	~~1·89~~	~~412~~ 78	~~472~~	~~614~~	~~331~~ 05	~~288~~	~~236~~	YEAR'S TOTAL ~~31.83~~
Rain Days.	15	12	6 7	19 6	12	6	15	15	22	18 9	14	25 4	~~142~~ 181
			1·31	1·68		1.11	~~4.64~~ 5.42?	~~4.56~~ 3.78?	5.83	~~3.34~~ 3.39	~~2.82~~ 2.79	~~2.36~~ 2.32	34.65

W. 8,000, IX. 17.

March 10/19

STATION, SANDLING-JUNCTION.
TELEPHONE 27 HYTHE.

Sandling Park,
Hythe, Kent.

Dear Sir

Referring to your letter of the 8th inst, I cannot verify the entries that you refer to, but I am aware that my gardener, who is a temporary "war" servant, has not been always accurate in putting down the amounts of rain on the correct date, as he noted the amounts, but filled up the actual sheet later. I think the actual records must be correct. With regard to your

quotation of readings at Hythe
I looked back at my diary and
found that Augt. 2 there was
very heavy wet & yet Hythe
only records $\overset{00}{\underline{.03}}$, so that other
returns may not be correct.
I will see about the amounts
being entered as you suggest.

Yours truly
Laurence Hardy

Carle Salter Esq

and fr auth

274

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Sandling Park
in the County of Kent
by Right Hon. Laurence Hardy

Lat. .... Long. ....
Time of Observation 9.0 am
Nearest Railway Station Sandling Jn
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10			18	3		5			37		25	1
2					4			75	9	3		13	2
3									11			12	3
4		6	2	15			33	6				47	4
5			1	7	4		44	7	5			13	5
6	3		5		20		19						6
7				11	4		5		~~3~~	5		3	7
8				21	2		14						8
9	38			2	11		11						9
10	46	11	8	33			3				5	7	10
11	27		9	34			42					2	11
12	11	6	4	17		28	25						12
13	45	3	12			2			2		5		13
14			31	20		4			2	20	25		14
15	7		2						47	20	19	12	15
16		3			15	4			44			26	16
17				5	8	8	6		34				17
18	9		2		19			68	40		2	5	18
19	19			20				8	16				19
20	9	21		5		83			77			3	20
21		3					13	2	22			31	21
22									4			28	22
23							70	2				37	23
24	3		4				2		9			7	24
25				4			18		2				25
26	4		8	4			7				2	2	26
27	18	7	3	13		7	12				12	26	27
28	24	2		2	72		21				49	10	28
29	46		4	4	2						12	11	29
30	3	✕		9			7		25		21	10	30
31		✕		✕		✕			✕	11	✕	27	31
TOTAL	3.22	0.62	0.95	2.44	~~1.44~~ 1.64	1.36	3.57	1.68	3.49	.96	1.52	3.57	YEAR'S TOTAL 25.02
Days with ·01 in. or more	17	9	14	19	12	7	19	7	16	6	10	22	158
	14	3	9	17	9	6	17	5	13	5	8	18	12[illegible]

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

9 - JAN 19

REG

SANDWICH
(GOLF COURSE)
KENT

1911 - 1913

Kept at Sandwich
in the County of Ke
by THE ROYAL ST. GEORGE'S GO

in.
und ft. in.
Level ft.
ne
ance Direction

IMPORTANT NOTE.— daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.10	–	0.10	0.19	–	–	0.01	0.09	–	0.03	–		1
2	0.07	–	–	0.01	0.01	–	–	–	–	–	–	0.03	2
3	0.08	0.01	0.04	0.06	0.04	–	–	–	–	0.26	0.02	–	3
4	0.02	–	0.01	0.01	–	–	–	–	–	0.24	0.18	0.18	4
5	0.11	0.01	–	0.01	–	–	–	0.07	–	0.13	–	0.05	5
6	0.20	–	–	–	–	–	–	–	–	–	–	0.02	6
7	–	–	–	–	–	–	–	–	–	0.67	0.15	0.53	7
8	0.03	–	–	–	–	–	–	–	–	–	0.21	0.04	8
9	0.13	–	0.12	0.02	–	–	–	–	–	0.07	0.47	0.05	9
10	–	0.03	–	0.03	–	–	–	–	–	–	0.10	0.38	10
11	0.35	–	0.01	–	–	–	–	–	–	–	–	–	11
12	0.11	–	0.62	–	–	0.09	–	–	–	–	0.05	–	12
13	–	–	0.04	.	0.20	0.40	.	.	0.30	0.81	0.04	0.13	13
14	–	0.11	0.07	–	–	–	.	–	0.03	0.01	–	–	14
15	–	–	0.17	–	–	–	–	–	–	–	0.01	–	15
16	–	–	–	–	–	0.27	–	–	–	–	–	0.03	16
17	–	0.07	–	–	–	–	–	–	–	–	0.13	0.05	17
18	–	0.11	0.01	–	–	–	–	–	–	–	0.47	0.09	18
19	–	0.01	–	–	0.02	–	–	.	0.02	–	0.23	0.07	19
20	–	–	–	–	0.01	.	.	0.60	0.04	0.10	0.01	0.41	20
21	0.01	0.01	–	–	–	–	–	0.10	0.26	0.40	–	0.20	21
22	–	–	1.45	–	–	–	–	–	0.06	0.25	–	0.33	22
23	–	0.08	0.09	–	–	0.65	0.12	–	–	0.01	0.05	0.04	23
24	–	0.01	–	–	–	0.10	~~0.12~~	0.03	–	–	0.13	0.14	24
25	–	–	0.25	0.02	–	0.01	–	0.48	–	0.30	0.07	–	25
26	–	–	0.15	0.10	–	0.02	–	–	–	0.15	0.43	0.12	26
27	–	0.07	0.05	0.27	–	0.09	–	–	0.06	0.37	–	0.04	27
28	–	0.09	–	0.09	–	0.02	0.04	–	–	–	–	0.01	28
29	–	–	–	–	–	0.05	0.25	–	0.10	0.14	.	0.02	29
30	–	–	–	0.08	0.05	0.04	–	–	0.05	0.18	.	–	30
31	–	–	–	–	–	–	–	–	–	–		–	31
Total	1.21	0.61	3.~~08~~18	~~1.73~~	~~0.60~~ ~~1.65~~	~~1.65~~ ~~0.42~~	0.42 ~~1.37~~	1.37 ~~0.92~~	0.92 ~~4.12~~	4.12 ~~2.75~~	2.75	2.93	TOTAL for year ? 20.47
No. of Rain Days.	11	12	3.18 15	.89 12	.33 6	1.74 11	4.	6	9	17	17	22	142

W. 8,000, X. '11.

/

REG

FORM A2.
BRITISH RAINFALL.

9 JAN 1912

Kept at Sandwich

in the County of Kent 2

by THE ROYAL ST. GEORGE'S GOLF CLUB.

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station
Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.10	—	0.10	0.19	—	—	0.01	0.09	—	0.03	—		1
2	0.07	—	—	0.01	0.01	—	—	—	—	—	—	0.03	2
3	0.08	0.01	0.04	0.06	0.04	—	—	—	—	0.26	0.02	—	3
4	0.02	-	0.01	0.01	—	—	—	—	—	0.24	0.18	0.18	4
5	0.11	0.01	—	0.01	—	—	—	0.07	—	0.13	—	0.05	5
6	0.20	-	—	—	—	—	—	—	—	—	—	0.02	6
7	—	—	—	—	—	—	—	—	—	0.67	0.15	0.53	7
8	0.03	-	-	-	-	—	—	—	—	—	0.21	0.04	8
9	0.13	—	0.12	0.02	—	—	—	—	—	0.07	0.47	0.05	9
10	—	0.03	—	0.03	—	—	—	—	—	-	0.10	0.38	10
11	0.35	—	0.01	—	—	—	—	—	—	—	—	—	11
12	0.11	—	0.62	—	-	0.09	—	—	—	—	0.05	—	12
13	—	—	0.04	.	0.20	0.40	.	.	0.30	0.81	0.04	0.13	13
14	—	0.11	0.07	—	—	—	.	—	0.03	0.01	—	—	14
15	—	—	0.17	—	—	—	—	—	—	—	0.01	—	15
16	—	—	—	—	—	0.27	—	—	—	—	-	0.03	16
17	—	0.07	—	—	—	—	—	—	—	—	0.13	0.05	17
18	—	0.11	0.01	—	—	—	—	—	—	-	0.47	0.09	18
19	—	0.01	—	—	0.02	—	—	.	0.02	—	0.23	0.07	19
20	—	—	—	—	0.01	.	.	0.60	0.04	0.10	0.01	0.41	20
21	0.01	0.01	—	—	—	—	—	0.10	0.26	0.40	—	0.20	21
22	—	—	1.45	—	—	—	—	-	0.06	0.25	—	0.33	22
23	—	0.08	0.09	—	—	0.65	0.12	-	—	0.01	0.05	0.04	23
24	—	0.01	—	—	—	0.10	~~0.12~~	0.03	—	—	0.13	0.14	24
25	—	—	0.25	0.02	—	0.01	—	0.48	-	0.30	0.07	—	25
26	—	—	0.15	0.10	—	0.02	—	—	-	0.15	0.43	0.12	26
27	—	0.07	0.05	0.27	—	0.09	—	-	0.06	0.37	-	0.04	27
28	—	0.09	—	0.09	—	0.02	0.04	—	—	—	-	0.01	28
29	—	—	—	—	-	0.05	0.25	—	0.10	0.14	.	0.02	29
30	—	—	—	0.08	0.05	0.04	-	-	0.05	0.18	.	—	30
31	—	—	—	—	—	—	—	—	—	—		—	31
Total	1.21	0.61	3.08 3.18	~~1.73~~ .89	~~0.80~~ ~~1.65~~ .33	~~1.65~~ ~~0.42~~ 1.74	0.42 ~~1.37~~	1.37 ~~0.92~~	0.92 ~~4.12~~	4.12 ~~2.75~~	2.75	2.93	TOTAL for year ? 20.47
No. of Rain Days.	11	12	15	12	6	11	4	6	9	17	17	22	142

W. 8,000, X. '11.

made

cod for auth 4.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

9 - JAN 1913

Kept at THE ROYAL ST. GEORGE'S GOLF CLUB. Sandwich
in the County of Kent ~~Hon. Treasurer~~ Secretary
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	—	·04	0.01	–	0.31	0.21	0.10	0.11	0.53	—	0.10	1
2	–	0.07	–	–	0.04	0.15	0.07	–	0.01	0.16	–	—	2
3	0.07	0.01	0.02	–	0.04	0.21	0.19	0.04	0.02	–	–	0.01 ~~[illegible]~~	3
4	–	–	0.51	–	0.07	0.51	–	0.01	–	–	0.04	–	4
5	–	0.10	0.07	–	–	0.06	–	0.16	–	–	0.23	–	5
6	0.31	0.07	–	–	–	–	0.15	0.32	–	–	–	0.01 ~~[illegible]~~	6
7	0.10	–	0.04	–	–	0.14	–	0.01	–	–	–	—	7
8	0.15	0.35	0.13	–	0.02	0.10	–	0.22	0.33	–	–	–	8
9	0.01	–	–	0.03	0.04	–	0.14	0.06	0.02	–	–	–	9
10	0.02	0.02	–	–	–	–	–	0.01	0.01	–	0.07	0.23	10
11	–	0.10	–	–	–	0.04	–	0.09	0.17	–	0.01	0.04	11
12	–	0.15	0.02	–	0.05	–	–	0.12	–	–	0.02	0.01	12
13	–	0.05	–	–	–	0.21	0.04	0.07	–	–	0.15	0.01	13
14	–	–	0.02	–	0.15	–	–	0.02	–	0.04	0.05	0.02	14
15	0.13	0.01	0.05	–	0.08	0.51	–	0.01	0.05	–	0.03	0.17	15
16	–	–	0.03	–	0.02	0.30	–	0.06	–	0.02	0.01	–	16
17	0.30	–	0.19	–	–	0.01	–	0.02	–	–	0.07	0.01	17
18	–	–	0.10	–	–	–	0.21	0.25	–	0.07	–	0.27	18
19	–	0.08	0.05	–	–	–	0.57	0.14	–	–	0.01	–	19
20	–	–	0.33	–	0.01	–	–	0.07	–	0.80	0.02	0.01	20
21	0.02	–	0.17	–	–	–	–	0.04	–	0.23	0.07	–	21
22	0.03	0.09	0.05	–	0.01	–	0.11	0.04	–	–	0.01	–	22
23	0.15	0.07	0.10	–	0.77	–	–	0.52	–	–	0.07	0.02	23
24	0.05	–	–	–	–	–	0.13	0.15	–	0.10	–	0.03	24
25	–	–	–	–	–	0.14	–	0.71	–	0.08	0.14	0.15	25
26	–	0.01	–	–	–	–	0.08	0.87	–	0.19	0.15	0.33	26
27	–	–	–	–	–	–	0.26	–	–	0.01	0.01	0.08	27
28	–	–	–	–	–	–	0.03	–	–	0.35	0.14	0.05	28
29	–	0.01	–	0.17	–	–	0.03	0.08	0.83	–	0.10	0.02	29
30	–	–	–	–	–	–	0.01	0.37	1.45	0.36	0.09	–	30
31	–	–	0.01	–	0.01	–	0.14	0.05	–	–	–	–	31
Total	1.34	1.19	1.93	0.21	1.31	2.69	2.37	4.61	3.00	2.9~~7~~4	1.49	1.57	YEAR'S TOTAL 24.68? 24.65.
Rain Days.	12	15	18	3	13	13	16	28	10	13	21	19	181

W. 7,500, XI. 12

[illegible] 2.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
-5 FEB 1914

Kept at THE ROYAL ST. GEORGE'S GOLF CLUB.

in the County of Kent 2 Hon. Treasurer.

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.35		0.04	0.15	0.22					0.07		1
2	0.02	0.08					0.27				0.04		2
3	0.01	.	.	0.53	.	.	.	.	.	0·10	0.03	0.06	3
4	0.02	.	0.03	.	.	.	.	.	0.05	0.02		0.07	4
5	0.03	.	.	.	0.13	.	0.05	0.04	0.34	–	0.02	.	5
6	0.04	.	0.05	.	.	0.15	0.26	.	.	0.30	0.10	.	6
7	0.02	0.25	0.08	0.04	–	–	–	0.10	–	0.74	–	–	7
8	–	–	–	0.09	0.14	0.03	0.03	–	–	0.37	0.04	–	8
9	–	0.01	0.05	0.02	0.31	–	–	0.66	0.06	–	0.10	–	9
10	–	–	–	0.05	–	–	0.01	–	–	–	0.35	–	10
11	0.50	0.02	–	0.40	–	–	–	0.02	–	0.36	0.25	–	11
12	–	–	–	0.02	–	–	–	0.01	–	–	0.42	–	12
13	0.35	–	0.01	–	–	–	–	–	–	–	0.28		13
14	0.02	–	0.03	–	–	–	0.40	–	1.22	0.16	0.21		14
15	0.17	0.02	0.09	0.01	–	–	0.08	–	–	–	–	0.01	15
16	0.19	–	–	0.15	–	–	–	–	0.75	–	0.01	–	16
17	0.08	0.03	0.17	0.02	0.02	–	0.07	0.01	0.05	–	0.03	0.07	17
18	0.04	–	0.01	–	–	–	0.09	0.02	0.54	–	–	–	18
19	0.05	–	0.07	0.03	–	–	0.06	–	0.31	–	–	–	19
20	0.50	–	0.01	–	–	0.65	–	0.10	0.04	0.02	–	–	20
21	0.16	–	–	0.06	0.18	–	–	–	0.01	0.95	0.85	–	21
22	0.27	–	0.08	–	–	–	0.08	–	0.02	–	–	–	22
23	–	–	–	–	–	0.02	0.13	–	–	–	0.02	0.44	23
24	0.01	–	–	–	–	–	.	0.36	–	–	–	–	24
25	–	–	–	0.20	–	0.17	–	–	–	–	–	–	25
26	–	0.01	0.17	–	–	–	–	–	–	0.39	–	0.11	26
27	–	–	0.01	–	–	–	–	–	–	0.13	–	–	27
28	0.12	–	0.05	–	–	–	–	–	–	–	–	–	28
29	0.35	–	0.05	–	0.07	–	–	0.03	–	0.05	–	0.27	29
30	0.18	–	–	0.32	0.13	–	–	0.02	–	0.16	–	0.35	30
31	–	–	0.46	–	–	–	–	0.01	–	0.04			31
Total	3.13	0.77	1.52	1.98	1.13 ~~1.24~~	1.24 ~~1.53~~	1.53 ~~1.38~~	1.38 ~~3.39~~	3.39 ~~3.79~~	3.79 ~~3.02~~	~~3.02~~ ~~1.38~~	1.38	YEAR'S TOTAL 24.06
Rain Days.	21	8	17	15	8	6	12	12	11	14	16	8	148

282

W.7,000, XI. 13

Card for

REGI

SANDWICH
THE DUNES
KENT
1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at The Dunes

in the County of

by Sir [illegible] B Lonsa[illegible]

a.m.,

in.

Ground ft. in.

Sea Level ft.

NOTE.—Rain should be measured … instructions for the measurement of rain and particulars as to the Britis… Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13	3	16				4		30		32	16	1
2	41	12	6						~~30~~3		17		2
3	20	17	15	3				4	inch 1 ~~3~~7			61	3
4	12		8	21	6			4		23	14	30	4
5	5									56	21	39	5
6	1	12		10			18					19	6
7	22	19		39			3					30	7
8	16	14	14										8
9		9	10				3			8	40	45	9
10		41	12				1					68	10
11	15										55	9	11
12										5	69		12
13	2			21	19								13
14	8	95		6	91							14	14
15		2					24	·6			47	10	15
16	14				3		26	5			3		16
17		19		5			76	8				39	17
18	2	57			90		1	9		11	8	6	18
19		27	4		38								19
20	1											19	20
21	20									7		5	21
22	3	21										14	22
23							30					32	23
24	16	16	4			2			7	4		21	24
25	14		5	13								13	25
26			5	2		14	36				9	23	26
27	7									22		4	27
28		1							83	83			28
29			·1						5	9	21	5	29
30							17	28			24		30
31	6							–		31		37	31
Total	·03 2 in ¼ 13th	·16 3 in ½ 15th	¾ in 2 3rd	1 in 20th	2 in ¼ 22nd	·04 16th	2 inch ¼ 17	(–) ½ inch 14	2 inch ¼ 10	2 in ½ 9	inch 3 ½ 10	5 inch ½ 9	TOTAL for year 28 in. 3
No. of Rain Days	2.28 20	2.78 16	1.28 12 11	1.20 9	2.47 6	·46 2.20 2	2.38 12	·64 7	2.35 6	2.59 11	3.60 13	5.59 23	27.90 137 136

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REG

FORM A.
BRITISH RAINFALL.
3 JAN 1913

Kept at The Dunes Sandwich

in the County of Kent

by Sir John B Lonsdale Bart M.P.

Nearest Railway Station Sandwich

Time of Observation 9 o'c a.m.,

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " Sea Level ______ ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13	3	16				4		30		32	16	1
2	41	12	6						~~30~~ 3		17		2
3	20	17	13	3				4	inch 1 ~~3~~ 7			61	3
4	12		8	21	6			4		23	14	30	4
5	5									56	21	39	5
6	1	12		10			18					19	6
7	22	19		39			3					30	7
8	16	14	14										8
9		9	10				3			8	40	45	9
10		41	12				1					68	10
11	15										55	9	11
12										5	69		12
13	2			21	19								13
14	8	95		6	91							14	14
15		2					24	6			47	10	15
16	14				3		26	5			3		16
17		19		5			76	8				39	17
18	2	57			90		1	9		11	8	6	18
19		27	4		38								19
20	1											19	20
21	20									7		5	21
22	3	21										14	22
23							30					32	23
24	16	16	4			2			4	4		21	24
25	14		5	13								13	25
26			5	2		14	36				9	23	26
27	7									22		4	27
28		1							83	83			28
29			1						5	9	21	5	29
30							17	28			24		30
31	6							–		31		37	31
Total	.03 2 in ¼ 13th	.16 3 in ½ 15th	¾ in 23rd	1 in 20th	2 in ¼ 22nd	.04 16th	2 inch ¼ 17	(–) ½ inch 14	2 inch ¼ 10	2 in ½ 9	3 ½ inch 10	5 inch ½ 9	TOTAL for year 28 in .3
No. of Rain Days	2.28 20	3.78 16	1.82 ~~12~~ 11	1.20 9	2.47 6	.46 .20 ~~2~~ 3	2.68 2.28 ~~12~~ 11	.64 7	2.35 6	2.59 11	3.60 13	5.57 23	27.90 ~~137~~ 136

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

✓

REG

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

SCOTNEY CASTLE

KENT

1911-20

Kept at Scotney Cas

in the County of Ke

by E W Hus

in.

ound 3 ft. 9 in.

Level 203 ft.

A.M.

me Goudhurst

tance 1 7/8 Direction NE

IMPORTANT NOTE.- he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this t of rain, the selection and placing h Rainfall Organization are given in " lication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·79				·24					1
2	·08										·22	·20	2
3										—	·10		3
4	·24										·25		4
5		·07								1·24			5
6	·30			snow ·28									6
7										·45	·68	1·48	7
8											·75		8
9	·29				·47						·23	·24	9
10		·10								·03		·76	10
11											1·17		11
12	·51			·15					—		·08		12
13									·83	·25	·03		13
14					·43							·69	14
15		·06				—				·01			15
16						·55		—					16
17		—				·01							17
18		·19					—				2·16		18
19								—	·17		·20	·86	19
20		—						·38	·14			·73	20
21		·15								·89		·13	21
22								·37				·53	22
23				—	—		—		·22	·69	·06	·14	23
24	·07					1·26	·11					·33	24
25									·10	·27	·03	—	25
26							—			·31		·21	26
27				·50						·34		·05	27
28		·65	2·04				—				·18	—	28
29				·15		·36	·45			·30			29
30								·10	·34	·38	·02		30
31	—		—	·25	—	·02	—	—		—		—	31
Total	1·49	1·22	2·04	2·12	·90	2·20	·56	1·09	1·80	5·16	6·16	6·35	TOTAL for year 31·09
No. of Rain Days													

9,000, IX. '10.

√

REG

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Scotney Castle, Lamberhurst

in the County of Kent 4

by E W Hussey

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 9 in.
" " " Sea Level 203 ft.

Time of Observation 9·0 A.M.

Nearest Railway Station
Name Goudhurst
Distance 1 7/8 Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·79				·24					1
2	·08										·22	·20	2
3										—	·10		3
4	·24										·25		4
5		·07								1·24			5
6	·30			snow ·28									6
7										·45	·68	1·48	7
8											·75		8
9	·29				·47						·23	·24	9
10		·10								·03		·76	10
11		—									1·17		11
12	·51			·15					—		·08		12
13									·83	·25	·03		13
14					·43							·69	14
15		·06				—				·01			15
16						·55		—					16
17		—				·01							17
18		·19					—				2·16		18
19								—	·17		·20	·86	19
20		—						·38	·14			·73	20
21		·15								·89		·13	21
22								·37				·53	22
23				—	—		—		·22	·69	·06	·14	23
24	·07					1·26	·11					·33	24
25									·10	·27	·03	—	25
26							—			·31		·21	26
27				·50						·34		·05	27
28		·65	2·04				—				·18	—	28
29				·15		·36	·45			·30			29
30								·10	·34	·38	·02		30
31	—		—	·25	—	·02	—	—		—		—	31
Total	1·49	1·22	2·04	2·12	·90	2·20	·56	1·09	1·80	5·16	6·16	6·35	TOTAL for year 31·09
No. of Rain Days													

9,000, IX. '10.

Ex JC.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Scotney Castle, Lamberhurst

in the County of Kent 4

by E W Hussey

Rain Gauge { Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 9 in.
" " " Sea Level 203 ft.

Time of Observation 9.0 AM

Nearest Railway Station { Name Goudhurst
Distance 1 7/8 Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·14				·94		·26	1
2			·50	·06				—		·03	—		2
3	·02				—	·30					·02	·03	3
4	·27		·85		·13	·45							4
5	·10	snow ·30	·26			·43					·26	—	5
6	·53					—						·17	6
7			—		·13	·44		1·78?				·12	7
8		·38	·28				·28	~~·73~~					8
9		·03					~~·28~~ ·11	·23					9
10		·05						·11			·05	·45	10
11								·12				·26	11
12	·37	·54			·07			·28				·03	12
13			·05				·01			—	·23	·05	13
14						·11		·16		·06			14
15			·06		·15	·65		·01				·29	15
16			·15		·05	·03				·06			16
17		·03	·61			·03							17
18	·53		·37					·30		·04		·73	18
19	·05		·38					·54					19
20			·71					·04		·64	·18		20
21		·31	·48		·16					·30	·09		21
22		·54	·10				·38						22
23	·61	·26	·33							·12		·03	23
24	·04					·01						·13	24
25						·28					·25	·56	25
26						·07			·10	·32	·38	·50	26
27							·10					·29	27
28							·19		·09	1·24	·70	·34	28
29					—		·25		1·58	·17		—	29
30				—	·08		·05		1·37	·31	—		30
31	—		—		—	—	·31	2·47		·02		—	31
Total	2·52	2·44	5·13	·06	·77	2·94	1·68	6·19	3·14	4·25	2·16	4·24	TOTAL for year
No. of Rain Days.	9	9	14	1	7	12	9	12	4	13	9	16	35·52

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Scotney Castle, Lamberhurst

in the County of Kent

by E W Hussey

4

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 9 in.
" " " Sea Level 203 ft.

Time of Observation 9·0 A M

Nearest Railway Station
Name Goudhurst
Distance 1 7/8 mi Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·31	·08		·02		—				·13		1
2	·07	·23					·18						2
3			·02		·20	—						·20	3
4	·22	—	·03			·11	·03						4
5	·18	·07				·08				·11			5
6			·12							·38	·52	·10	6
7		·24	·03		·08			—					7
8						·13				·44			8
9	—	·06			·09								9
10	·03			·54									10
11	·63		·03	·45			·44			·50	1·24	—	11
12											1·52		12
13	·57										·23		13
14	·25						1·42			·11	·14		14
15	·15						·22						15
16	·32			·65									16
17	·10			·09			·29		1·67				17
18	·03	·06											18
19	·25			·12					·20	—	·09		19
20	·98												20
21	—						·11			1·12	·92		21
22	·31									·08		—	22
23						·09	·03					·68	23
24	·05								·08				24
25				·38									25
26				·01								·31	26
27	—				·07								27
28	·23	—								1·45			28
29	·16				·18						·02		29
30	·45			·44		—			·05	·10	—		30
31	—		2·30		·08		·01	1·60		·09		·01	31
Total	4·98	·97	2·61	2·68	·72	·41	2·73	1·60	2·00	4·38	4·81	1·30	TOTAL for year 29·19
No. of Rain Days.													

W. 8,000, X. '11.

82 [illegible] 16.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Scotney Castle, Lamberhurst
in the County of Kent 4
by E W Hussey

Lat. Long.
Time of Observation 9·0 A.M.
Nearest Railway Station Goudhurst
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 9 in.
" " " " Sea Level 203 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·03				·38	1
2			—		—			·02				·22	2
3			·23		·23							—	3
4	—				·02						·30	·31	4
5	·09		·09	·77		—						—	5
6		·06		·20		·12						·43	6
7			·29	·32	·09	·06						·33	7
8		1·00	·35	·03		·05	·50					·10	8
9	·30		·93	·12				·20		—		1·35	9
10				·09						·02		·11	10
11		·45	·48	·04							·08	·40	11
12		·05	·09				·04			—		·70	12
13		·45	·36			·06						·70	13
14		·25								·46	·98	·44	14
15		·02	·62					·01				·10	15
16		·12					·31					—	16
17									·95			·15	17
18		·56										·47	18
19		·15				—	·12			·17	·36	·23	19
20		·26	1·77					—					20
21		·94			—			·14				·20	21
22		·05			·25		·19	·02		·31		—	22
23		·02				·35						·09	23
24	·07				·14		·05			·01	·15	—	24
25	·11										·05	·02	25
26			·77					·31			·26	·40	26
27											·12	·61	27
28	·04	—									·21	·45	28
29										1·47	·25	—	29
30				—	—	—			—	·12	1·10	·22	30
31	·09		·09		·27		·01	—		—		·05	31
Total	·64	4·38	6·07	1·57	1·00	·64	1·22 1·22	·73	·95	2·56	3·86	8·46	YEAR'S TOTAL 32·08
Rain Days.	6	14	12	7	6	5	7	7	1	7	11	24	207

W.7,000, XI. 13

/

Mr E [illegible]

REGISTER OF RAINFALL IN 1915

394

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Scotney Castle Lamberhurst
in the County of Kent 4
by E W Hussey

Lat. Long.
Time of Observation 9. 0 A. M.
Nearest Railway Station Goudhurst
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 9 in.
„ „ „ „ Sea Level 203 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·64	·12						·03			·14	·60	1
2	·37	·15		·13				·25		·03		·15	2
3	·30			·23	·14							·56	3
4	·09							·58				·54	4
5	—	·35		·06			—	·12				·57	5
6	·48	·13		·54	·06		·19			·02		·11	6
7	·26	·40					·03		·78			·37	7
8	·02	·55				—	·26	—			—	—	8
9		·28				·03		·05			·73	·74	9
10	·36		·31	·09		·22						·57	10
11					—	~~·01~~						·04	11
12		·13		·24	·40						1·50		12
13		1·06		·01	1·69		—					—	13
14	·05						·13					·42	14
15	·21				·06		·23	·03				·41	15
16		·57		·02			1·53	·05			·23	·05	16
17		·60			1·65		·02	·90				·21	17
18		·26			·24							·01	18
19		·17								·08		—	19
20				·09	·10							·17	20
21							—					·08	21
22			·03			—	1·00			·02		·22	22
23	·38					·05	·09		—			·37	23
24			·17			·01	·10		·30	·45		·52	24
25				·08			·56					·31	25
26		·24	·04			·03		—				·62	26
27						·07			—		—	·05	27
28		·16							1·60	·60			28
29							·21					—	29
30	·20	X		—		·03			—	—	1·25	·02	30
31	—	X	·07	X	—	X	—	·32	X	·69	X	·34	31
Total	3·36	5·17	·56	1·49	4·34	·44	4·35	2·33	2·68	1·89	3·85	7·93	YEAR'S TOTAL 38·39
Rain Days.	12	15	5	10	8	7	12	9	3	7	5	25	118

W. 8,000. X. 14.

376

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Scotney Castle, Lamberhurst
in the County of Kent
by E W Hussey

Lat. . Long.
Time of Observation 9·0 A.M.
Nearest Railway Station Goudhurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 9 in.
" " " " Sea Level 203 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11								·15		·08		1
2	·34	·09	·43		·62								2
3	—	·85	·12			—				·66			3
4	·22	·13							·23	·03			4
5					·18	·60				·14			5
6	·01	·13				·30	·24			·03	2·16		6
7			snow ·72	·40	·28	·07	·03			·02	·42	—	7
8					·13								8
9					·37	—						·65	9
10	—					·38						·36	10
11		·50			—	·40	·10						11
12	·11	·09		·24	·25	·15	·12	—					12
13		·20	·25		·12	·19	·17			·11			13
14		·48			·11							·20	14
15			·21										15
16		·09	·13	·21			·16		—				16
17							·07		·38		—		17
18		·20								1·50	·60		18
19	·38		·06	·46					·22		·86	·19	19
20	·11			·20		·05					·12	·54	20
21			·25	·07								·40	21
22	·02		·18			·02						·58	22
23					—	·25						·04	23
24			·07		·06						·12	·33	24
25		snow ·70	·20								·03	·01	25
26		snow ·38											26
27		—				·65				1·25		—	27
28		·50				·10			·18				28
29		·21	·80			·33				·65		·46	29
30		✕		—		—			·05	·41	·05	—	30
31	·02	✕	—	✕	—	✕	—	1·85	✕	·28	✕	·03	31
Total	1·32	4·55	3·42	1·58	2·12	3·49	·89	1·85	1·21	5·08	4·44	3·79	YEAR'S TOTAL 33·74
Rain Days.													

W. 8,000. X. 15.

Exd C7E

366

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

2 JAN

Kept at Scotney Castle, Lamberhurst

in the County of Kent

by E. W. Hussey

Lat. Long.

Time of Observation 9·0 A.M.

Nearest Railway Station Goudhurst

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 9 in.

„ „ „ „ Sea Level 203 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				·28				1·28	·33		·05	·03	1
2				·10			—	·24			·02		2
3							·24	·58		·15	·02		3
4	—			·12			·21	·07					4
5	·23	Snow ·11		·19		—		·01	·58			—	5
6	—			·05		·23			·06				6
7	·39						·55	—		1·11	·19	·03	7
8				·12			·33	·02		·32	·34	·19	8
9				·13			·11	·01				·77	9
10	·15			·18				·11			·02		10
11	·19							·03					11
12	·16			·21				·20		·75			12
13	·02							·03					13
14	·10			·19						·31			14
15					—		·01					·05	15
16	Snow ·11			·28	·28		—		·03	·30		Snow ·37	16
17					·53		·19			·20			17
18		—		·16	·09	—	·14		·38		—		18
19		·35	·85		·13	·06			·17				19
20					·84	·01	·05						20
21		·05	Snow ·10		·01	—				—			21
22			Snow ·04		—	·32				·16		Snow ·11	22
23		·14			·23	·01				·08	·03		23
24						·03				·19	·06	·01	24
25											—		25
26						·01		1·40			·85		26
27							—	1·07					27
28		·10	·08			1·60	·10	·57		—		—	28
29		X					·42	·06		·52		·24	29
30		X	·30	—		·04	·40		·06	·10	—	·03	30
31	Snow ·12	X		X	·02	X	·47	·21	X	·02	X	Snow ·05	31
Total	1·47	·75	1·37	2·01	2·13	2·31	3·22	5·89	1·61	4·21	1·58	2·08	YEAR'S TOTAL 28·63
Rain Days.	9	5	5	12	8	9	13	16	7	13	9	11	117

W. 8,000, VIII. 16

63

FORM A.
BRITISH RAINFALL.
9. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Scotney Castle, Lamberhurst

in the County of Kent

by E W Hussey

Lat. Long. —

Time of Observation 9. 0 A. M.

Nearest Railway Station Goudhurst

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 9 in.

" " " " Sea Level 203 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02					—			·18	·02	1
2				·02				·37			·39	·18	2
3		·03	·07		·55					·05	·47	·02	3
4		·07		·07	·08			·02	·29		·66		4
5	—	·18						·24		·12		·03	5
6	·14	·10		·24	·36			·10		·03	·06		6
7	Snow ·05	·10		·31	·09					·02		·03	7
8		·01					—					·10	8
9				·20			·14		·97	·19		·18	9
10				·08			·36	—		·20		·23	10
11		—		·01	—		·24			1·07	·20	·07	11
12		·07			·25		·09		·84	·15		·02	12
13					·04		·11					·01	13
14	Snow ·32			—		·11	·04			·26		·03	14
15	1·47		·03	·27		·11	·02		·26			·19	15
16	·23			·08		·05	·07						16
17	·23			·16		·02	·52					·33	17
18	·41					·20	—		·56			·10	18
19	·10	—		·03		·02	—			·14			19
20	·05	·12		·64		·01	1·01		·20			·05	20
21	·19	·01		·36			·21		·33	·54	·03	·02	21
22	·11				·01		·36		·58			·15	22
23				·02	·06		·40		·12			·04	23
24		·22		·06	·03		·22		·14				24
25							·10	·35			·04		25
26							·52		·05		·03	·15	26
27		·12		·28			·12					·05	27
28		·02					—		—		·27	·03	28
29		X							1·20	·02		—	29
30		X				—			·06	·06	·03	·17	30
31	·02	X	·78	X	·02	X	—	·20	X	·03	X	·01	31
Total	3·32	1·05	·90	2·83	1·49	·52	4·53	1·28	5·60	2·88	2·36	2·21	YEAR'S TOTAL 28·97
Rain Days.	12	12	4	16	10	7	17	6	13	14	11	24	146

W. 8,000, IX. 17.

345

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

11 JAN 20

Kept at Scotney Castle, Lamberhurst
in the County of Kent
by E W Hussey

Lat. Long.
Time of Observation 9. 0 A. M.
Nearest Railway Station Goudhurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 9 in.
" " " " Sea Level 203 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·43				·02		·54				·05		1
2	·37				·17		·23			·11	·25	·85	2
3	·29		·38		·01	—	·37				·04		3
4	·26		·45			·04	·02				·12	·35	4
5	·03	snow ·45	·89		·01						·15		5
6	·09		·04								·02		6
7	·10		·56								·11		7
8	·36		·05					·03			·01		8
9	·52		·05								·34		9
10	·72		·03								·02		10
11	·25		·14				—					·45	11
12	·16		·01				·67			·02			12
13	·01						·06						13
14	·54									·05		·05	14
15	·16											·13	15
16	·16	·40									—	·02	16
17	·01										·25		17
18			·06					·03				·06	18
19	—		·52	1·38		—					·16		19
20	·19	·50	·16			·68	·57	·31					20
21		·47					·04					·02	21
22			·06								·05	·19	22
23							·23		1·16				23
24				·11	—				·01		·24	·11	24
25					·24	·03							25
26			·12	·10			·43				·24	·48	26
27	·28		·07	some snow 1·28							·08	·01	27
28		·16	snow ·24							—	·49	·24	28
29	·09	X		·03						·29		·16	29
30		X		·20		—	·02		·18	·12	·33	·54	30
31	·15	X	·04	X	—	X		3·20	X	·08	X	·02	31
Total	5·17	1·98	3·87	3·10	·45	·75	3·18	3·57	1·35	·67	2·95	3·68	YEAR'S TOTAL 30·72
Rain Days.													

W. 8,000, IX. 17.

6 X 92 L

322

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Scotney Castle, Lamberhurst

in the County of Kent

by E W Hussey

Lat. Long.

Time of Observation 9.0 A.M.

Nearest Railway Station Goudhurst

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft 9 in.

" " " " Sea Level 203 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.14	.03		.17	—		1.05		.27	1
2			.25		.01	—		.19		.10		.12	2
3	.03			.02			—					.02	3
4		.10		.10	.01			.10				.03	4
5							.86					.06	5
6			.43		.13		.25	.05				.02	6
7					.15		.07			.09			7
8	.06				.06		.26						8
9	~~.96~~	.03		.07	.15								9
10	.96		.05	.16			.31	—					10
11	.30	.11			.03		.50						11
12			.05								.02		12
13	.43	.04		.29			—			—	.08		13
14						.53	.04					—	14
15				.58	—					.42	.42		15
16					.14						~~.42~~	.10	16
17				.14					1.86		—	.09	17
18					.33				.37			.09	18
19	.18	—				—		1.03					19
20		.25		.42		.49	—		.52				20
21							.55		.12			.29	21
22				.26			.01		.02				22
23							.43					.62	23
24	.07						—					.08	24
25							.53		.03		.01		25
26							—					.07	26
27				.18	—		.08				—	.21	27
28	.85	.07		.02	.18	.01	.10				.64		28
29	.95	—		.17	.01						—	.18	29
30	.02	X		.02		—	.05		.10	—	40	.25	30
31	.03	X	.85	X	—	X	—	—	X	.29	X	.25	31
TOTAL	3.88	.60	1.63	2.57	1.23	1.03	4.21	1.37	3.02	1.95	1.57	2.75	YEAR'S TOTAL 25.81
Days with ·01 in. or more	11	6	5	14	12	3	15	4	7	5	6	17	106
	8	3	5	11	7	2	14	4	5	5	4	14	84

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SE~~LL~~ING
HAREFIELD
KENT
1911-15

R… 11

FORM A2.
BRITISH RAINFALL.

2 JAN 6 1912

Kept at Harefi… …atti & Zambra 5 in.

…ve Ground 4 ft.

in the County of… Sea Level 217 ft.

by Sidney &… 9 a.m.

Name Selling

Distance 1 Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12			·50				·11			·05	·01	1
2	·09		·03	·02	·30						·13	·18	2
3	·13	·07			·11						·07	·17	3
4	·16	·03		·37						1·00	·30	·18	4
5	·05	·02	·08	·05						37		·36	5
6	·29	·02								02		·35	6
7	·05		·01							1·10	·36	·52	7
8	·12		·07							01	·45	·21	8
9	·18		·08	·02						13	·19	·07	9
10	·01	·09	·02	·10							·01	1·10	10
11	·56		·04							·01	·92	·01	11
12	·03		·71			·08					·07	·01	12
13			·09		·42	·03			·83	·21	·04	·28	13
14		·09			·32	·05				·01		·34	14
15	·02	·05	·38		·01					·01	·06	·03	15
16			·01			·42					·30	·07	16
17			·05			·01				·01	·25	·12	17
18		·20	·04								1·17	·15	18
19			·03			·05			·10	·03	·20	·16	19
20	·03	·10						·27	·05	·19		·75	20
21	·03		·01					·38		·56		·25	21
22	·04		·24			·01		·81		·47	·05	·58	22
23	·01	·20	·13			1·25			·17	·10		·11	23
24		·10				·09	·18	·03		·84		·31	24
25		·04	·15	·12		·11		·05	·03	·02	·12	·01	25
26			·27	·33		·08	·01			·23	·11	·21	26
27		·23	·07	·19					·12	·35		·05	27
28		·21		·21						·01	·01	·01	28
29			·01	·08		·17	·08		·24	·23	·01		29
30					·02	·01			·02	·27		·01	30
31			·01										31
Total	1·92	1·45	2·53	1·99	1·18	2·36	·27	1·65	1·56	6·18	4·87	6·61	TOTAL for year 32·57
No. of Rain Days.	17	14	22	11	6	13	3	6	8	23	21	29	173

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

8 JAN 1912

Kept at Harefield, Selling

in the County of Kent 3

by Sidney Neame

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 4 ft. 6
„ „ „ Sea Level 217 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Selling
Distance 1 Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.12			.50				.11			.05	.01	1
2	.09		.03	.02	.30						.13	.18	2
3	.13	.07			.11						.07	.17	3
4	.16	.03		.37						1.00	.30	.18	4
5	.05	.02	.08	.05						37		.36	5
6	.29	.02								02		.35	6
7	.05		.01							1.10	.36	.52	7
8	.12		.07							01	.45	.21	8
9	.18		.08	.02						13	.19	.07	9
10	.01	.09	.02	.10							.01	1.10	10
11	.56		.04							.01	.92	.01	11
12	.03		.71			.08					.07	.01	12
13			.09		.42	.03			.83	.21	.04	.28	13
14		.09			.32	.05				.01		.34	14
15	.02	.05	.38		.01					.01	.06	.03	15
16			.01			.42					.30	.07	16
17			.05			.01				.01	.25	.12	17
18		.20	.04								1.17	.15	18
19			.03			.05			.10	.03	.20	.16	19
20	.03	.10						.27	.05	.19		.75	20
21	.03		.01					.38		.56		.25	21
22	.04		.24			.01		.81		.47	.05	.58	22
23	.01	.20	.13			1.25			.17	.10		.11	23
24		.10				.09	.18	.03		.84		.31	24
25		.04	.15	.12		.11		.05	.03	.02	.12	.01	25
26			.27	.33		.08	.01			.23	.11	.21	26
27		.23	.07	.19					.12	.35		.05	27
28		.21		.21						.01	.01	.01	28
29			.01	.08		.17	.08		.24	.23	.01		29
30					.02	.01			.02	.27		.01	30
31			.01										31
Total	1.92	1.45	2.53	1.99	1.18	2.36	.27	1.65	1.56	6.18	4.87	6.61	TOTAL for year 32.57
No. of Rain Days.	17	14	22	11	6	13	3	6	8	23	21	29	173

W. 8,000. X. '11.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.

21 JAN 1913

Kept at Harefield, Selling

in the County of Kent 3

by Sidney Meares

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Selling

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.10			.28	.09		.04	.82		.26	1
2		.11	.17			.01	.12	.15	.01	.15			2
3	.07	.08	.08		.05	.27	.01	.15				.02	3
4	.24	.02	.75		.12	.64		.03			.19		4
5	.09	.05	.17			.21		.30			.20	.01	5
6	.50	.04			.04	.42		.89				.01	6
7	.04		.02		.07	.15		.67		.01		.04	7
8	.29	.23	.28			.06		.14	.11			.02	8
9	.01		.01	.02			.04	.08				.10	9
10	.02	.05	.01					.05	.02	.01	.08	.30	10
11		.26				.08		.02	.06	.01		.17	11
12		44	.01		.05		.01	.13		.01		.06	12
13		.07	.02			.08	.02	.16			.34		13
14		.01	.06		.09			.12	.04	.05	.06		14
15			.10		.14	.70		.01			.07	.29	15
16	.22		.09		.15	.04		.03		.03			16
17	.72		.75			.02		.06			.06	.16	17
18	.07		.29				.19	.31	.01	.11	.10	.36	18
19	.03	.14	.27				.30	.31				.01	19
20	.02	.03	.49	.01			.01	.01		.77		.01	20
21	.01	.05	.45				.01	.10		.43	.15		21
22	.06	29	.06				.04	.04		.02		.01	22
23	.42	28	.21		.10	.01		.41			.17	.05	23
24	.27				.01	.03		.16		.03		.10	24
25	.10					.29		1.14		01	.29	.38	25
26		.01				.11	.01	.56		25	.32	.50	26
27			.01				.06	.01		08	.01		27
28		.03					.30	.04	.05	48	.53	.15	28
29				.05			.05	.11		23	.13	.20	29
30					.01	.04	.03	.29	1.24	27	.01	.01	30
31	.03		.01		.03		.24	.14	1.97			.01	31
Total	3.22	2.19	4.41	.08	.86	3.44	1.53	6.62	3.55	3.77	2.71	3.23	YEAR'S TOTAL 35.61
Rain Days.	20	18	23	3	12	18	17	30	10	19	16	24	210

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 FEB 1914

Kept at Harefield, Selling
in the County of Kent 3 4 RM
by Sidney Neame

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Selling
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01	·30	·06			·09			·01	·27	·05	·05	1
2	·05	·22	·01	·06			·45				·14		2
3	·20		·05	·71	·34		·01		·06	·01		·12	3
4	·24		·01				·16		·60	·01	·04	·01	4
5	·01	·02					·34		·01	·05	·19	·03	5
6			·07	·06	·02	·08	·02	·01		·46	·14		6
7		·11	·06		·11		·06	·35		·37	·05		7
8		·01		·02	·19	·04		·04		·25	·01	·02	8
9		·04		·02			·05	·03	·10	·01	·02		9
10			·04	·17			·04	·02			·46		10
11	·43	·01		·41						·40	·14	·02	11
12					·01			·01	·02	·61	·60	·01	12
13	·45	·01	·03					·06		16	·44		13
14	·12	·02	·09	·04			·33		·12		·19		14
15	·14	·02	·22	·08			·41		·01				15
16	·58		·52	·24			·01		·47				16
17	·02	·17	·04	·06			·17	·04	·04			·14	17
18	·03		·11	·15			·01		·10		·07		18
19	·11		·16	·04			·12	·11	·06				19
20	·65		·09	·02		·50	·04		·03	·30			20
21	·15		·04		·11		·16			·68	·88		21
22	·22		·33				·01		·06	·02	·02	·03	22
23			·13			·04		·03				·51	23
24	·01		·04					·02			·03		24
25			·01	·30		·27				·01			25
26			·14			·02	·01	·03		66	·02	·18	26
27		·02	·03		·10					20			27
28	29		·27			·02		·04		17	·01	·02	28
29	29		·08	·36	·06			·03		01		·03	29
30	49		·11	·31	·11			·42	·01	16		·19	30
31			·18					·15		17			31
Total	4.49 ✓	·95 ✓	2.92 ✓	3.05 ✓	1.05 ✓	1.06 ✓	2.40 ✓	1.39 ✓	1.70 ✓	4.38 ✓	3.50 ✓	1.36 ✓	YEAR'S TOTAL 28.25 ✓
Rain Days.	20	12	26	17	9	8	18	16	15	21	19	14	195 ✓

W. 7,500, XI. 12

Ex 8L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
2 - JAN 1915

Kept at Harefield, Selling

in the County of Kent 3

by Sidney Neame

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Selling

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.03				.04			.05	.08	1
2	.01			.05			.21				.14	.18	2
3			.11	.07	.15		.20				.01	.01	3
4			.02	.19	.03			.31			.22	.14	4
5	.13		.05	.36	.18		.14	.07			.01		5
6		.02		.22	.02	.31		.02			.01	.24	6
7		.52	.22	.17	.05	.27	.02					.21	7
8	.09	.38	.35	.03			.03	.03				.05	8
9	.22		1.70	.12					.02			1.20	9
10	.05	.02		.02	.02					.09		.10	10
11		.39	.38	.04		.08			.22		.18	.31	11
12	.03	.05	.04		.04		.72		.19	.01		.60	12
13	.04	.27	.28		.02				.17	.07	.09	.54	13
14		.40	.29						.01	.36	.06	.41	14
15		.04	.35				.90				1.17	.07	15
16		.11	.03				.57		.05		.01		16
17	.01	.32	.11						.18	.05		.06	17
18		.28	.13							.43	.01	.40	18
19		.08	.83				.02			.33	.35	.17	19
20		.20	.25					.03		.25		.42	20
21		.95	.[illegible]7	.02						.01		.14	21
22		.03		.05	.01		.31	.03		.15	.01	.01	22
23			65	01	.49	.36	.01	.09				.09	23
24		.01	02	.34	.02		.01	.10		.01	.09		24
25	.11		23		.02		.02			.41	.03	.01	25
26	.02		04								.24	.38	26
27	.02		02		.03					.10	.04	.60	27
28	.03						.01			.20	.28	54	28
29	.03									81	.16	02	29
30			.03							15	.90	05	30
31					.28								31
Total	.79	4.07	6.$\overset{2}{3}$0	1.72	1.36	1.02	3.17	.72	.84	3.43	4.06	7.03	YEAR'S TOTAL 34.41
Rain Days.	13	17	23	15	14	4	14	9	7	16	21	27	180

W. 8,000. X. 14.

378

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Harefield, Selling
in the County of Kent
by Sidney Neame

3

Lat. .... Long. —
Time of Observation 9 a.m.
Nearest Railway Station Selling
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 219 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.74	.09	.05					.12	.71		.33	45	1
2	.30	.20	.15	.04	.01			.15	.20		.01	02	2
3	.36	.01	.05	.09	.03			.13	.47		.03	51	3
4	.01		.01					1.07		.21	.04	42	4
5	.02	.24		.21				.15		.08	.17	42	5
6	.27	.13	.02	.39			.08			.01	.01	17	6
7	.36	.27	.06				.04					30	7
8	.04	.53	.08	.09			.05	.04			.02	01	8
9	.02	.38		.03		.11		.07		.06	.48	50	9
10	.34	.01				.01				.01		59	10
11	.01	.02								.01	.60	01	11
12	.04	.08		.55	.27			1.46			.43		12
13	.09	1.11		.05	1.46			.01					13
14	.07	.04		.01			.09	.50	.03	.02		.47	14
15	.34				.05						.68	.24	15
16	.02	.50		.05	.02		1.16	.04		.01		.02	16
17	.03	.79		.01	1.48		.01	.03			.02	.43	17
18		.23	.05		.73					03	.03	.07	18
19	.01	.05								08	.01		19
20	.28	.05		.01	.01					03		.29	20
21	.12	.01								06		.02	21
22	.06		.03			.01	.79			01		.25	22
23	.06	.16	.03			.10	.20			07	.01	.31	23
24	.01		.09	.17		.01	.17		.22	06		.57	24
25	.02		.11	.07			.17		.01			.22	25
26	.06	.06	.01	.01			.04			02	.03	.46	26
27			.02			.08	.13		02	20		.01	27
28		.05	.04			.11	.04		1.40	30	.02		28
29			.02		.05	.11	.10	.34	.01	01	.60	.04	29
30	.11	✕				.11	.02				.66	.01	30
31	.07	✕		✕		✕			✕	.56	✕	.37	31
Total	3.86	5.01	.82	1.78	4.11	.65	3.09	4.11	3.07	1.84	4.18	7.18	YEAR'S TOTAL 39.70 ✓
Rain Days.	27	22	16	15	10	9	15	13	9	20	19	27	202 ✓

W. 8,000. X. 15.

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REC

SELLING

{LUTON}

KENT

1911-20

Kept at Luton, Se

in the County of Kent

by Fr Ivo Neam

ard

in.

round 4 ft. 9 in.

a Level 263 ft. 310

, a.m

ame Selling

istance 1M Direction NE

IMPORTANT NOTE. he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readi r in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11		·01	·48				·10			·05	·02	1
2	·09		·02	·03	·29						·12	·18	2
3	·09	·06			·10						·07	·13	3
4	·18	·03	·04							·76	·30	·17	4
5	·07			·23						·69	·02	·43	5
6	·32	·04										·18	6
7	·05									1·05	·17	·65	7
8	·09		·05								·49	·21	8
9	·21		·12	·05						·12	·17	·04	9
10		·09	·02	·08						·01	·01	1·16	10
11	·48		·05								·88		11
12			·62			·07					·11	·01	12
13			·08		·33	·02			·85	·23	·04	·26	13
14		·09			·40	·03	·14			·01		·34	14
15		·05	·36							·01	·05	·03	15
16						·47					·23	·06	16
17			·09			·01					·23	·12	17
18		·18	·04									·16	18
19		·01	·03			·06			·08	·03	1·10	·11	19
20	·05							·20	·05	·21	·20	·76	20
21	·05	·12						·41		·28		·26	21
22	·02		·19					·77		·70		·56	22
23	·02	·20	·14			1·11			·16	·03	·04	·11	23
24		·11				·26		·03		·87		·32	24
25		·04	·04	·11		·20		·05	·04		·03	·02	25
26			·25	·25		·13				·25	·14	22 ·22	26
27		·22	·08	·27					·12	·34		·04	27
28		·22		·21							·02	·02	28
29				·09		·11	·07		·22	·22	·01		29
30			·02		·01	·01			·03	·28			30
31													31
Total	1·83	1·46	2·25	1·80	1·13	2·48	·21	1·56	1·55	6·09	4·48	6.57	TOTAL for year 31·41
No. of Rain Days.	14	14	19	10	5	12	2	6	8	18	22	27	157

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Luton, Selling

in the County of Kent

by Fr Ivo Neame

3

RAIN GAUGE	Pattern	Howard
	Diameter of top	5 in.
	Height of top above Ground	4 ft. 9 in.
	" " " Sea Level	263 ft. 310

Time of Observation 7.30. a. m

Nearest Railway Station: Name Selling

Distance 1 m Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11		·01	·48				·10			·05	·02	1
2	·09		·02	·03	·29						·12	·18	2
3	·09	·06			·10						·07	·13	3
4	·18	·03	·04							·76	·30	·17	4
5	·07			·23						·69	·02	·43	5
6	·32	·04										·18	6
7	·05									1·05	·17	·65	7
8	·09		·05								·49	·21	8
9	·21		·12	·05						·12	·17	·04	9
10		·09	·02	·08						·01	·01	1·16	10
11	·48		·05								·88		11
12			·62			·07					·11	·01	12
13			·08		·33	·02			·85	·23	·04	·26	13
14		·09			·40	·03	·14			·01		·34	14
15		·05	·36							·01	·05	·03	15
16						·47					·23	·06	16
17			·09			·01					·23	·12	17
18		·18	·04									·16	18
19		·01	·03			·06			·08	·03	1·10	·11	19
20	·05							·20	·05	·21	·20	·76	20
21	·05	·12						·41		·28		·26	21
22	·02		·19					·77		·70		·56	22
23	·02	·20	·14			1·11			·16	·03	·04	·11	23
24		·11				·26		·03		·87		·32	24
25		·04	·04	·11		·20		·05	·04		·03	·02	25
26			·25	·25		·13				·25	·14	22 ·22	26
27		·22	·08	·27					·12	·34		·04	27
28		·22		·21							·02	·02	28
29				·09		·11	·07		·22	·22	·01		29
30			·02		·01	·01			·03	·28			30
31													31
Total	1·83	1·46	2·25	1·80	1·13	2·48	·21	1·56	1·55	6·09	4·48	6.57	TOTAL for year 31·41
No. of Rain Days.	14	14	19	10	5	12	2	6	8	18	22	27	157

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
16 JAN 1913
310

Kept at Luton . Selling
in the County of Kent 3
by F. No Keane

Lat. – Long.
Time of Observation 7.30. a m
Nearest Railway Station Selling
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·11			·24	·05		·14	·79		·27	1
2			·16			·05	·19	·16	·02	·14			2
3	·07		·06		·02	·21	·01	·07				·03	3
4	·19	? SNOW ·25	·68		·11	·76		·10			·08		4
5	·09	·09	·17			·21		·21			·31	·02	5
6	·55	·04	·01		·04			·82				·02	6
7	·03		·02		·06	·37		·77				·03	7
8	·27	·23	·25			·17		·11	·10			·03	8
9			·02	·02		·03	·04			·02		·06	9
10	·02	·05	·01					·16	·01	·02	·09	·34	10
11	·02	·20	·01			·07		·03	·06	·02		·17	11
12		·40			·04			·10	·01	·02		·05	12
13		·06	·03			·08	·04	·19			·33	·01	13
14		·02	·02		·07			·11	·04	·04	·06		14
15		·01	·13		·13	·61		·03	·01	·01	·06	·27	15
16	·17		·07		·14	·11		·03		·04	·02		16
17	·27		·80			·03		·06			·05	·03	17
18	·23		·28				·17	·34		·11	·09	·47	18
19	·03	·12	·26				·27	·24	·02		·02	·02	19
20	·04	·05	·37				·07	·19		·81			20
21	·01	·05	·55					·10		·38	·13		21
22	·06	·23	·07				·03	·04		·02	·01	·02	22
23	·38	·30	·23		·13			·39		·03	·15	·05	23
24	·31		·01		·07	·04		·18		·03	·04	·10	24
25	·11					·25	~~·03~~	1·04		·01	·21	·28	25
26		·02				·10	·03	·69			·35	·61	26
27			·02				·06	·02		·05		·15	27
28							20 ·20	·02	·04	·56	·50	·18	28
29		·03		·04			·07	·14	·92	·01	·12		29
30					·02		·03	·31	2·37	·53			30
31	·02				·03		·24	·05		·01			31
Total	2·87	2·15	4·34	·06	·81	3·33	1·50	6·70	3·74	3·65	2·62	3·21	YEAR'S TOTAL 34·98
Rain Days.	19	17	24	2	12	16	15	29	12	21	18	22	207

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
20 JAN 1914
310

Kept at Lorton. Selling
in the County of Kent
by F. Ivo Neame

3

Lat. Long.
Time of Observation 7.30 a.m
Nearest Railway Station Selling
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·31	·01	·06	·01	·11				·27	·03	·05	1
2	·05	·21					·45				·14	·01	2
3			·05	·57	·33					·02		·10	3
4	·26		·02				·14		·06	·03	·04	·02	4
5	·28					·10	·33		·57	·07	·02	·04	5
6	·03	·02	·06	·05	·04		·03	·02		·17	·30		6
7		·12	·06				·10	·28		·65		·02	7
8			·02	·02	·07	·05		·04		·28	·07	·02	8
9		·06		·03	·22		·05	·04	·09		·03	·02	9
10			·03	·16			·05				·25		10
11	·34			·41				·02		·42	·41		11
12		·02		~~·07~~	·02			·01			1·12	·01	12
13	·41	·02	·03					·06		·02	·28		13
14	·09	·03	·08	·06			·21		·06	·16	·33		14
15	·22		·20	·03			·69		·01		·02		15
16	·51	·01	·49	·30			·02		·47				16
17	·03	·11		·06			·12	·04	·02			·12	17
18	·01		·10	·16			·07		·11	·14	·06		18
19	·13		·23	·04	·02		·12	·09	·07				19
20	·67		·07	·03		·49			·04		·02		20
21	·12		·04	·07	·07					·74	·89		21
22	·22		·06				·08		·05	·11	·03		22
23	·02		·41	·02		·05	·14	·03	·03			·52	23
24	·02		·04			·01		·03			·03		24
25			·03	·28		·24	·01			·03			25
26			·14	·01		·03	·02	·03		·67	·02	·18	26
27		·02	·03	~~·09~~	·09					·05			27
28	·27		·26			·03	·01	·03		·30			28
29	·24		·08	·36	·05			·04				·03	29
30	·47			·30	·10			·42		·09			30
31			·25					·14		·10		·07	31
Total	4·39	·93	2·79	2·99	1·02	1·11	2·64	1·32	1·58	4·32	4·09	1·21	YEAR'S TOTAL 28·39
Rain Days.	20	11	24	20	11	9	18	16	12	19	19	14	193

W.7,000, XI. 13

Ex LMcC.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
-3 FEB 1915
310

Kept at Luton. Selling

in the County of Kent 3

by F. [illegible] Neame

Lat. Long.

Time of Observation 7.30 a.m.

Nearest Railway Station Selling

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.03							.05	.07	1
2				.07			.04	.04			.11	.18	2
3			.10	.02	.14		.35				.04	.02	3
4			.03	.28				.21			.23		4
5	.134		.05	.37	.16		.12	.26			.02		5
6		.02		.22	.03	.30	.04	.03				.24	6
7		.53	.21	.19	.05	.27						.18	7
8	.08	.38	.30	.04			.05	.04				.04	8
9	.25		1.70	.13					.02			1.18	9
10	.07				.03					.12		.11	10
11		.40	.37	.07		.08			.27		.20	.29	11
12		.07	.04		.06		.76		.16			.40	12
13	.02		.16		.03				.17	.06	.09	.72	13
14		.61	.43						.02	.35	.02	.37	14
15		.07	.34				.95			.02	1.12	.07	15
16	.02	.11	.05				.70						16
17		.19							.22	.03		.04	17
18		.38	.23							.24	.03	.44	18
19		.07	.77						.01	.66	.36	.19	19
20		.22	.31				.02			.33		.36	20
21		.91	.07	.02				.03		.02		.15	21
22		.04		.07			.30	.03		.15	.03	.02	22
23			.65	.02	.45	.35	.02					.08	23
24			.03	.32	.02		.02			.02	.08		24
25	.28		.18				.02			.41	.04		25
26	.05		.04					.15			.21	.30	26
27	.02							.02		.10	.05	.69	27
28	.04				.03		.02			.20	.35	.52	28
29	.03									.84	.10		29
30		X	.04							.15	.93	.04	30
31		X		X	.25	X			X		X	.04	31
Total	.79	4.00	6.12	1.85	1.25	1.00	3.41	.81	.87	3.70	4.06	6.74	YEAR'S TOTAL 34.60
Rain Days.	11	14	22	14	11	4	14	9	7	16	19	25	166

W. 8,000. X. 14.

[illegible] 377

FORM A.
BRITISH RAINFALL
17 JAN 1916

310

REGISTER OF RAINFALL IN 1915

Kept at Luton. Selling

in the County of Kent 3

by Fr Ivo Neame

Lat. 51. 16. 15 Long. 55' 30" E

Time of Observation 7.30 a.m.

Nearest Railway Station Selling

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·72	·08	·05					·15	·75		·28	·43	1
2	·38	·22	·13	·04	·02			·15	·19		·02	·02	2
3	·34	·02	·07	·10	·03			·14	·48		·04	·55	3
4	·02							1·27		·21	·05	·45	4
5	·03	·20		·16				·11		·08	·14	·41	5
6	·19	·16	·04	·39			·04				·02	·25	6
7	·41	·29	·03				·05					·32	7
8	·02	·44	·09	·09			·05				·01		8
9	·05	·44	·01	·04		·10	·01	·09		·07	·48	·50	9
10	·34	·04				·02						·47	10
11		·02								·02	·54	·14	11
12	·04			·50	·10			1·68		·01	·44		12
13	·10	1·14		·06	1·64								13
14	·07	·06					·10	·03	·04	·02		·45	14
15	·34	·35			·01		·02	·04			Snow ·75	·24	15
16				·05	·05		1·17	·03		·03		·04	16
17	·03	·94			1·25		·03	·05				·42	17
18		·21	·04		·90					·06		·07	18
19	·02	·07								·08			19
20	·25	·06		·02	·02					·04	·05	·36	20
21	·11									·06		·04	21
22		·02	·03			·01	·70			·02		·25	22
23	·05	·16	·05			·09	·31			·08		·24	23
24	·12		·07	·09		·02	·32	~~·26~~	·26	·05		·62	24
25	·03		·06	·12		·01	·18	~~[illegible]~~	·01	·02		·22	25
26	·02	·04	·06				·06			·01	·02	·49	26
27	·05	·05	·02	·01		·05	·15		·01	·13		·02	27
28		·05				·12	·04		1·25	·35			28
29			·05		·05	·10	·10	·35	·14	·02	·54	·04	29
30	·11	X				·22					·71	·01	30
31	·07	X		X		X			X	·49	X	·37	31
Total	3·92	5·06	·80	1·67	4·07	·74	3·33	4·09	3·13	1·85	4·09	7·22	YEAR'S TOTAL 39·96
Rain Days.	25	22	15	13	10	10	16	12	9	20	15	26	193

W. 500, X. 14.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exd C F E

FORM A. BRITISH RAINFALL.

15. FEB 1917

3/0

REGISTER OF RAINFALL IN 1916

Kept at Luton, Selling

in the County of Kent

by Fr Iva Neame

Lat. 51. 16. 15 Long. 55' 30" E

Time of Observation 7. 30. a. m

Nearest Railway Station Selling

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11							~~·21~~	·09	·	·48		1
2	·30	·07	·38					~~·03~~	·03	·40	·02		2
3		·52	·25				·11			·06	·55		3
4	·17	·10	~~·10~~			·37	·12			·15	·50		4
5	·03	·02	·02	·07		·13	·56			·05	·48	·01	5
6		·06	~~·04~~	·50	·02	·21	·05	~~·01~~	·01	·04	·34		6
7	·09	·11	snow 1·23	·02	·41	·09	·23			·03	·68	·01	7
8					·11						·04	·23	8
9	·02		·02		·51	·08		~~·02~~	·02			·26	9
10		·03	·05	·03		·47	·13	~~·04~~	·04	·02	·01	·56	10
11	·03	·29	·03"	·10		·04			·04		·01	·19	11
12	·04	·04	~~·04~~	·13	·72	·28	·04			·08	·02	·05	12
13		·26	·15	·08	·29	·22	·40			·08			13
14		·50	·02	·07	·03	·02	·05	·04		·04		·13	14
15		·15	·10	·04				·01					15
16		·11	·05	·16			·07	·04					16
17	·12		·03	·08			·06	·07	·29	·70			17
18	·06	·04	~~·19~~	·08			·02		·06	·09	·77		18
19	·17	·03	~~·21~~	·13				·01	·11	·02	1·25	·11	19
20	·14		·15	·08		·03		·25			·04	·29	20
21	·01		·83	·18							·02	·30	21
22		·08	·28	·16		·03				·02		·46	22
23		snow ·75	·04			·10		·07			·05	·09	23
24	·02					·05				·25	·02	·30	24
25		" ·31	·19					·54		·12	·06	·02	25
26		" ·24				·05		·06		·16	·24		26
27	·03	·40	·60			·06		·23	·03	·61			27
28		·51	·07			·07			·11	·07		·17	28
29		·17	·02			·19	·03	·51	·12	·37		·21	29
30		X						·49	·02	·62			30
31		X		X		X			X	·02	X	·04	31
Total	1·34	4·79	4·51	1·91	2·09	2·49	1·87	2·32	·97	4·00	5·58	3·43	YEAR'S TOTAL 35·38
Rain Days.	15	22	20	16	7	18	13	12	13	22	19	18	195

W. 8,000. X. 15.

C.4.11 C.Q.E

REGISTER OF RAINFALL IN 1917

29.12.16

FORM A.
BRITISH RAINFALL.

310

Kept at Luton, Selling
in the County of Kent
by F. Sir Neame

Lat. 51° 16' 15" Long. 55' 20" E
Time of Observation 7. 30. a. m
Nearest Railway Station Selling
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								2.36	·13		·07	·04	1
2				·75				·44		·05	·04		2
3				·15				1·44		·07	·02		3
4	·04		Snow ·07				·14	·02		·47			4
5	·18	Snow ·25	·03	·05					·08	·05			5
6				·28		·20			·06	·07	·17		6
7	·35		~~Snow~~ ·07				·06			·78		·03	7
8	·14		~~·03~~	·13			·29	·21		·40	·23	·22	8
9	·05		·04	·15			·04	·03			·05	1.50	9
10			·13	·11				·08					10
11	·26	·05	·38	·26				·01	·09	·31		·05	11
12	·06		·08					·08		·21			12
13	·02	·07	·05		·08			·02	·02	·32	·02	·02	13
14	Snow ·25		·03	·21	·04								14
15					·22			·07					15
16	Snow ·25	·02		·10	·23		·06	·01		·06		·27	16
17				·06	·32		·07		·13	·24			17
18	·06	·02		·13		·04	·12	·03	·13	·02			18
19		·05	·21	·03		·01			·10				19
20		·07	·14		·55	·03	·05	·04	·08				20
21		·03			·06	·26					·03	·13	21
22			Snow ·20		·02	·04		·13		·24	·01		22
23		·02			32	~~·07~~		·13		·05		·08	23
24						·01	·03	·16		·13	·03		24
25			·05								·03		25
26								·20	·03		·80		26
27			·07			·03		1·64					27
28			·06			·76		·43					28
29			·15			·19	·80	·03		·36		·32	29
30		X	·16			·06	2.60	·13		·36		·02	30
31		X		X		X	1·25		X		X	·02	31
Total	1·66	·58	1·85	2·41	1·84	1·63	5·51	7·69	·85	4·19	1·50	2·70	YEAR'S TOTAL 32·41
Rain Days.	11	9	16	13	9	11	12	22	10	18	12	12	155

W. 8,000, VIII. 16

Exd. E.F.R.

52

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

17. 1. 19 3/0

Kept at Luton. Selling

in the County of Kent

by F. Ivo Neame

Lat. 51°.16'.15" Long. 55'30"E

Time of Observation 7.30. a.m

Nearest Railway Station Selling

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02									.10	.07	1
2		.01	.03					.41			.25	.13	2
3				.06	.15						.97	.06	3
4		.06		.10					.22	.04	.64		4
5		.07		.02	.67			.09	.30			.03	5
6	.13	.12		.13	.22			.15	.05	.05	.08	.02	6
7		.05		.08	.40				.51	.06	.01		7
8	.03	.05		.02		.09			.43		.14	.02	8
9		.01		.03		.02			.53	.11		.03	9
10			.03	.06			.07		.11	.07		.35	10
11				.03	.07		.05		.26	.58	.12	.18	11
12		.09			.17		.17		.03	.42	.02	.04	12
13	.09	.12		.02	.20	.08							13
14	.15		.01				.09			.25		.09	14
15	1.31			.34		.12				.09		.15	15
16	.05			.26		.06	.11						16
17	.41			.15			.12					.35	17
18	.31					.22			.21	.02		.06	18
19	.17		.27	.15		.09			.03	.37			19
20	.07	.07		.13		.02	.95		.14	.83		.02	20
21	.14						.15		.08	.11			21
22	.11	.01					.05		.84	.02		.10	22
23	.05			.02	.05		.77	.03			.03	.07	23
24		.18		.37	.16	.07			.17		.02		24
25		.02				.03	.13	.02					25
26		.01					.43	.12			.04	.08	26
27				.17			.20	.11				.12	27
28		.07	.28	.17	.04	.22					.26	.07	28
29	.03	×	.02	.23					1.05		.06		29
30		×	.38						.13	.09			30
31		×	.02	×		×			×	.04	×	.10	31
Total	3.05 ✓	.96 ✓	1.04 ✓	2.54 ✓	2.13 ✓	1.02 ✓	3.29 ✓	.93 ✓	5.09 ✓	3.15 ✓	2.74 ✓	2.14 ✓	YEAR'S TOTAL 28.08 ✓
Rain Days.	14 ✓	16 ✓	8 ✓	20 ✓	10 ✓	11 ✓	13 ✓	7 ✓	17 ✓	16 ✓	14 ✓	21 ✓	167 ✓

W. 8,000, IX. 17.

Ken. 152 33

REGISTER OF RAINFALL IN 1919

BRITISH RAINFALL FORM A.
20 JAN 20

Kept at Luton. Selling
in the County of Kent
by F. Ivo Neame

Lat. 51°.16.15 Long. 55' 30" E
Time of Observation 7. 30. a. m
Nearest Railway Station Selling
Diameter of Funnel of Rain Gauge 5 in. 310
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
					·15								
1	·48	Snow ·20			·07		·14			·18	·07	·43	1
2	·27		·02		·01		·13	·02			·22	·40	2
3	·25		·24				·43		·07		·03	·20	3
4	·17		·31			·04	·11	·01	·02	·05	·09	·12	4
5	·09	Snow ·44	1·35				·02				·04	·29	5
6	·06		·02								·04	·10	6
7	·05		·47							·03	·05		7
8	·35		·03				·03				·02	·01	8
9	·27		·05	·20							·04		9
10	·86		·08	·02							·20		10
11	·76		·14	·27								·04	11
12	·13		·02	·08		·05	·48			·07	Snow ·13		12
13	·02			·14			·08			·02		·04	13
14	·33	·02		·81					·14			·02	14
15	·20	·02		·21			·20		·01	·05	Snow ·12	·02	15
16	·25	·35		·06	·02		·02				·13		16
17		·51		·07							·18	·10	17
18		·29							·08		·15	·11	18
19		·07	·30				·02	·03	·16				19
20		·14	·10			·71	·80	·12				·02	20
21		·41	·04				·12					·08	21
22		·07					·21		·37		·05	·19	22
23				·14		·06	·14		·48		·02	·10	23
24	·07			·13		·03	·04	·06			·16	·02	24
25					·10			·36		·06			25
26		·20	·02	·11			·01	·06	·05			·50	26
27	·37	·02	·17	·87							·14	·04	27
28	·08		Snow ·75	·27				1·11			·43	·22	28
29	·04			·14			·01	·67		·35	·15	·19	29
30		✕		·09				·21		·24	·05	·60	30
31		✕	·05	✕		✕	·08	·03	✕	·76	✕	·04	31
Total	5·10	2·74	4·16	3·61	·35	·89	2·97	3·28	1·24	1·91	2·51	2·88	YEAR'S TOTAL 32·74
Rain Days.	20	13	18	16	5	5	19	11	9	10	22	24	172

W, 6,500, VII. 18. w w c

311

2 MAR 1921

310

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Luton, Selling

in the County of Kent

by J. Ivo Neame

Lat. 51° 16' 15" Long. 55' 30" E

Time of Observation 7 30 am

Nearest Railway Station Selling

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 263 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·11			·04			·45		·14	1
2			·19		·03			·13	·04	·26		·13	2
3					·15	·18			·02			·07	3
4		·05		·30			·23	·03	·02	·03		·18	4
5				·05			·45	·26	·01			·35	5
6			·13		·18		·10	·02	·03			·02	6
7	·02		·01	·08	·05		·11			·03		·04	7
8	·02			·02	·05		·11						8
9	·27	·13		·03	·11		·12						9
10	·40	·01	·03	·17			·04			·02	·02		10
11	·13		·02	·26			·14					·05	11
12	·08	·02	·08	·20	·03		·46			·02			12
13	·25	·02	·11	·01		·17			·05		·09		13
14		·02	·37	·20		·05			·04		·28		14
15	·01			·11		·05	·01		·72	·24	·10		15
16			·02	·13	·11	·11			·40	·02		·31	16
17				·23	·03	·16			·52				17
18	·08			·10	·21			1·26	·27		·01	·07	18
19	·18			·20				·22				·06	19
20	·04	·24		·21		·33			·62				20
21		·06		·04			·47	·03	·14			·22	21
22		·02		·16				·12	·68			·33	22
23	·03			·02			·36	·42				·20	23
24			·02		·08		·16		·05			·02	24
25	·01		·02	·03	·01		·09		·05				25
26	·05		·08	·02			·35						26
27	·29	·04	·05	·17		·06	·01	·02	·02		·01	·30	27
28	·35		·01	·03	·14		·06			·03	·22	·12	28
29	·81		·05		·02						·07	·09	29
30		X	·03		·04		·08		·14	·13	·31		30
31	·03	X		X		X			X	·02	X	·25	31
TOTAL	3·07	·61	1·22	3·00	1·24	1·11	3·39	2·21	2·82	1·25	1·11	2·95	YEAR'S TOTAL 24·98
Days with ·01 in. or more	19	10	16	24	15	8	19	10	18	11	9	19	178 178
	12	5	8	17	10	8	17	6	13	4	6	17	123

(44283). Wt.21,958—218—7500. 10/19. Gp.132. A.&E.W.

✓

R

1

FORM A2.
BRITISH RAINFALL.
3 APR 1912

SEVEN~~OAKS~~
ST - JOHNS HILL
1911

Kept at Sevenoaks,
in the County of Kent
by F. C. Bayard

5 in.
ve Ground 1 ft. 10 in.
Sea Level 404 ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02			1·02									1
2	·10			·24	·31						·22	·27	2
3		·05			·19					·05	·15	·20	3
4	·10	·05	·13	·05					·03	·70	·30	·31	4
5	·11			·03						·14	·03	·05	5
6	·20		·08							·02		·54	6
7										·31	·40	·28	7
8	·25		·19								·34	·26	8
9	·23			·04							·09	·24	9
10	·03	·09	·13	·06							·03	·60	10
11	·42		·04		·12						1·17		11
12			·60			·07					·18		12
13			·08		·38				·48	·13	·02	·14	13
14		·09										·55	14
15		·04	·26							·01	·14		15
16						·25					·68	·10	16
17			·06			·02					1·18	·13	17
18		·21	·04			·15				·04	1·65	·26	18
19						·21			·10	·24	1·16	·16	19
20	·03	·03	·02					·27	·08	·02	·01	·90	20
21	·03	·26				·05		·06		·74		·20	21
22	·03		·41			·08		·02	·06	·32		·60	22
23		·27	·39			·88			·24	·03	·04	·31	23
24		·26				·11	·04	·01		·58		·33	24
25		·05		·07		·21	·02		·04	·10			25
26		·21	·28	·46	·12	·03				·17	·02	·28	26
27		·39	·15						·14	1·02	·07	·07	27
28		·02		·48				·03			·01		28
29				·10		·14	·29		·23	·31	·06		29
30								·06	·02	·29	·01		30
31					1·60								31
Total	1·55	2·02	2·86	2·55	2·72	2·20	·35	·45	1·42	5·22	7·96	6·78	TOTAL for Year 36·08
No. of Rain Days.	12	14	15	10	6	12	3	6	10	19	23	22	152

W. 8,000, X. '11.

R 1

FORM A2. BRITISH RAINFALL. 3 APR 1912

Kept at Sevenoaks, St John's Hill

in the County of Kent

by F. C. Bayard Mrs Wagstaffe

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 10 in.
" " " Sea Level 404 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02			1·02									1
2	·10			·24	·31						·22	·27	2
3		·05			·19					·05	·15	·20	3
4	·10	·05	·13	·05					·03	·70	·30	·31	4
5	·11			·03						·14	·03	·05	5
6	·20		·08							·02		·54	6
7										·31	·40	·28	7
8	·25		·19								·34	·26	8
9	·23			·04							·09	·24	9
10	·03	09	·13	·06							·03	·60	10
11	·42		·04		·12						1·17		11
12			·60			07					·18		12
13			·08		·38				·48	·13	·02	·14	13
14		·09										·55	14
15		·04	·26							·01	·14		15
16						·25					·68	·10	16
17			·06			·02					1·18	·13	17
18		·21	·04			·15				·04	1·65	·26	18
19						·21			·10	·24	1·16	·16	19
20	·03	·03	·02					·27	·08	·02	·01	·90	20
21	·03	·26				·05		·06		·74		·20	21
22	·03		·41			·08		·02	·06	·32		·60	22
23		·27	·39			·88			·24	·03	·04	·31	23
24		·26				·11	·04	·01		·58		·33	24
25		·05		·07		·21	·02		·04	·10			25
26		·21	·28	·46	·12	·03				·17	·02	·28	26
27		·39	·15						·14	1·02	·07	·07	27
28		·02		·48				·03			·01		28
29				·10		·14	·29		·23	·31	·06		29
30								·06	·02	·29	·01		30
31					1·60								31
Total	1·55	2·02	2·86	2·55	2·72	2·20	·35	·45	1·42	5·22	7·96	6·78	TOTAL for Year 36·08
No. of Rain Days.	12	14	15	10	6	12	3	6	10	19	23	22	152

W. 8,000, X. '11.

SEVENOAKS

KENT

1911 - 1920

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REC

Kept at Sevenoak

in the County of Ken

by William Tatt

al Office

in.

Ground 1 ft. in.

Sea Level 510 ft.

n.

Name Tubs Hill. Sevenoaks

Distance 1 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.05	0.01	0.00	0.77	0.00	0.00	0.00	0.10	0.00	0.00	0.05	0.01	1
2	0.13	0.00	0.02	0.22	0.25	0.00	0.00	0.00	0.00	0.00	0.18	0.30	2
3	0.01	0.04	0.00	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.13	0.08	3
4	0.13	0.03	0.06	0.11	0.00	0.00	0.00	0.00	0.03	0.49	0.42	0.34	4
5	0.03	0.01	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.34	0.02	0.16	5
6	0.32	0.00	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	6
7	0.09	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.42	0.34	7
8	0.11	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.20	8
9	0.20	0.00	0.04	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.05	9
10	0.00	0.08	0.06	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.76	10
11	0.50	0.00	0.05	0.00	0.09	0.00	0.00	0.00	0.00	0.00	1.09	0.00	11
12	0.00	0.00	0.65	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.13	0.00	12
13	0.00	0.00	0.07	0.00	0.18	0.00	0.00	0.00	0.52	0.12	0.05	0.14	13
14	0.00	0.07	0.00	0.00	0.52	0.00	0.00	0.00	0.00	0.00	0.00	0.51	14
15	0.01	0.04	0.32	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.13	0.02	15
16	0.00	0.00	0.00	0.00	0.00	0.32	0.00	0.00	0.00	0.00	0.64	0.10	16
17	0.00	0.00	0.05	0.00	0.00	0.02	0.00	0.00	0.00	0.00	1.06	0.14	17
18	0.00	0.23	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	1.20	0.24	18
19	0.00	0.05	0.00	0.00	0.00	0.21	0.00	0.00	0.14	0.20	0.27	0.21	19
20	0.02	0.00	0.02	0.00	0.00	0.00	0.00	0.18	0.03	0.11	0.01	0.79	20
21	0.03	0.25	0.00	0.00	0.00	0.00	0.00	0.18	0.04	0.48	0.00	0.20	21
22	0.03	0.00	0.39	0.00	0.00	0.11	0.00	0.05	0.00	0.33	0.01	0.50	22
23	0.00	0.29	0.01	0.00	0.00	0.83	0.00	0.00	0.29	0.04	0.06	0.15	23
24	0.00	0.22	0.00	0.00	0.00	0.04	0.04	0.00	0.00	0.54	0.00	0.31	24
25	0.00	0.06	0.32	0.05	0.00	0.18	0.02	0.00	0.03	0.03	0.03	0.01	25
26	0.00	0.01	0.19	0.34	0.09	0.14	0.00	0.00	0.00	0.19	0.07	0.31	26
27	0.00	0.36	0.17	0.11	0.00	0.00	0.00	0.00	0.13	0.43	0.01	0.07	27
28	0.00	0.20	0.00	0.27	0.00	0.00	0.00	0.05	0.00	0.00	0.07	0.00	28
29	0.00		0.00	0.29	0.00	0.14	0.41	0.00	0.23	0.35	0.00	0.00	29
30	0.00		0.00	0.00	0.00	0.01	0.00	0.05	0.02	0.30	0.00	0.00	30
31	0.00		0.00		0.86		0.00	0.00		0.02			31
Total	1.66	1.95	2.69	2.41	2.16	2.10	0.47	0.61	1.46	4.32	6.52	6.24	TOTAL for year
No. of Rain Days.	14.	16.	19.	12.	7.	12.	3.	6.	10.	17.	24.	25	32.59 165

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 191

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Sevenoaks.

in the County of Kent

by William Tattersall

RAIN GAUGE
- Pattern Meteorological Office
- Diameter of top 8 in.
- Height of top above Ground 1 ft.
- ,, ,, ,, Sea Level 510 ft.

Time of Observation 9 A.M.

Nearest Railway Station
- Name Tubs Hill. Sevenoaks
- Distance 1 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.05	0.01	0.00	0.77	0.00	0.00	0.00	0.10	0.00	0.00	0.05	0.01	1
2	0.13	0.00	0.02	0.22	0.25	0.00	0.00	0.00	0.00	0.00	0.18	0.30	2
3	0.01	0.04	0.00	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.13	0.08	3
4	0.13	0.03	0.06	0.11	0.00	0.00	0.00	0.00	0.03	0.49	0.42	0.34	4
5	0.03	0.01	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.34	0.02	0.16	5
6	0.32	0.00	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	6
7	0.09	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.42	0.34	7
8	0.11	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.20	8
9	0.20	0.00	0.04	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.05	9
10	0.00	0.08	0.06	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.76	10
11	0.50	0.00	0.05	0.00	0.09	0.00	0.00	0.00	0.00	0.00	1.09	0.00	11
12	0.00	0.00	0.65	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.13	0.00	12
13	0.00	0.00	0.07	0.00	0.18	0.00	0.00	0.00	0.52	0.12	0.05	0.14	13
14	0.00	0.07	0.00	0.00	0.52	0.00	0.00	0.00	0.00	0.00	0.00	0.51	14
15	0.01	0.04	0.32	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.13	0.02	15
16	0.00	0.00	0.00	0.00	0.00	0.32	0.00	0.00	0.00	0.00	0.64	0.10	16
17	0.00	0.00	0.05	0.00	0.00	0.02	0.00	0.00	0.00	0.00	1.06	0.14	17
18	0.00	0.23	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	1.20	0.24	18
19	0.00	0.05	0.00	0.00	0.00	0.21	0.00	0.00	0.14	0.20	0.27	0.21	19
20	0.02	0.00	0.02	0.00	0.00	0.00	0.00	0.18	0.03	0.11	0.01	0.79	20
21	0.03	0.25	0.00	0.00	0.00	0.00	0.00	0.18	0.04	0.48	0.00	0.20	21
22	0.03	0.00	0.39	0.00	0.00	0.11	0.00	0.05	0.00	0.33	0.01	0.50	22
23	0.00	0.29	0.01	0.00	0.00	0.83	0.00	0.00	0.29	0.04	0.06	0.15	23
24	0.00	0.22	0.00	0.00	0.00	0.04	0.04	0.00	0.00	0.54	0.00	0.31	24
25	0.00	0.06	0.32	0.05	0.00	0.18	0.02	0.00	0.03	0.03	0.03	0.01	25
26	0.00	0.01	0.19	0.34	0.09	0.14	0.00	0.00	0.00	0.19	0.07	0.31	26
27	0.00	0.36	0.17	0.11	0.00	0.00	0.00	0.00	0.13	0.43	0.01	0.07	27
28	0.00	0.20	0.00	0.27	0.00	0.00	0.00	0.05	0.00	0.00	0.07	0.00	28
29	0.00		0.00	0.29	0.00	0.14	0.41	0.00	0.23	0.35	0.00	0.00	29
30	0.00		0.00	0.00	0.00	0.01	0.00	0.05	0.02	0.30	0.00	0.00	30
31	0.00		0.00		0.86		0.00	0.00		0.02			31
Total	1.66	1.95	2.69	2.41	2.16	2.10	0.47	0.61	1.46	4.32	6.52	6.24	TOTAL for year
No. of Rain Days.	14.	16.	19.	12.	7.	12.	3.	6.	10.	17.	24.	25	32.59 165

W. 8,000, X. '11.

cod by Bayard 5.11.13

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.

2- JAN 1913

Kept at Sevenoaks
in the County of Kent 5
by W. Tattersall

Lat. 51°16′N Long. 0.12 E
Time of Observation 9 A.M
Nearest Railway Station Tubs Hill. Sevenoaks
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01	—	0.16	0.03	—	0.17	0.12	—	0.04	0.59	—	0.18	1
2	—	0.02	0.46	0.02	—	—	0.19	0.13	0.01	0.07	—	—	2
3	0.07	0.09	0.03	—	0.02	0.12	0.08	0.20	0.02	0.02	0.01	0.09	3
4	0.22	—	0.63	—	0.18	0.26	—	0.01	—	—	0.16	0.01	4
5	0.14	0.07	0.33	—	—	—	—	0.26	—	—	0.15	0.04	5
6	0.48	0.06	—	—	0.03	—	—	0.09	—	—	0.03	0.08	6
7	0.01	0.01	0.02	—	0.11	0.62	0.03	0.18	—	—	—	0.08	7
8	0.33	0.43	0.21	—	—	0.05	—	[illegible]8	0.01	—	0.01	0.03	8
9	0.01	0.15	—	0.07	—	0.03	04 0.0[illegible]	—	—	—	0.02	0.18	9
10	0.01	0.06	—	—	—	—	—	0.38	0.01	—	0.08	0.21	10
11	0.02	0.34	0.01	—	—	0.07	—	0.18	0.03	—	—	0.26	11
12	0.01	0.12	0.04	—	0.20	0.01	—	0.13	—	0.02	0.01	0.02	12
13	0.01	—	0.03	—	—	—	—	—	—	—	0.17	0.05	13
14	~~0.02~~	—	0.04	—	0.05	—	—	0.09	—	0.06	—	0.01	14
15	0.02	0.02	0.11		0.17	0.74	—	0.01	—	—	0.04	0.35	15
16	0.21	0.01	X.10	—	—	0.06	—	0.15	—	0.11	0.10	—	16
17	0.36	—	0.42	—	—	0.04	—	0.05	—	—	0.05	0.07	17
18	0.18	—	0.31	—	—	—	0.03	0.11	—	0.05	—	0.19	18
19	0.07	0.13	0.19	—	—	0.02	0.07	0.41	—	—	—	—	19
20	0.01	0.03	0.46	0.09	0.01	—	0.22	0.25	—	0.48	0.01	—	20
21	0.01	0.05	0.63	—	0.02	—	—	0.11	—	0.20	0.06	—	21
22	0.13	0.40	0.04	—	0.03	—	·09	0.17	—	—	—	0.02	22
23	0.43	0.32	0.43	—	—	—	—	0.56	—	0.14	0.17	0.05	23
24	0.03	0.02	0.02	—	—	0.13	—	0.33	—	—	—	0.11	24
25	0.05	0.03	—	—	—	0.20	—	1.04	—	—	0.40	0.51	25
26	0.04	0.02	—	—	—	—	—	0.34	—	0.50	0.42	0.43	26
27	—	—	0.02	—	—	—	0.01	—	—	0.15	—	0.23	27
28	—	0.05	—	—	—	—	0.24	0.05	0.05	0.67	0.47	0.19	28
29	—	0.02	—	—	—	0.04	0.12	0.33	1.52	0.16	0.03	—	29
30	—		—	—	0.21	0.02	0.02	0.02	1.76	0.30	—	—	30
31	0.02		0.08	—	0.01		0.18	0.12	—	0.03	—	—	31
Total	2.88	2.45	4.77 4.77	0.21	1.04	2.58	1.44	6.18	3.45	3.54	2.39	3.39	YEAR'S TOTAL 34.32 34.32
Rain Days.	25	22	23	4	12	16	14	27	9	16	19	23	2[illegible]0

W. 7,500, XI. 12

E made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 JAN 1914

Kept at Sevenoaks

in the County of Kent

by W. Tattersall

5

Lat. 51. 16 N Long. 0. 12 E.
Time of Observation 9 A.M.
Nearest Railway Station Tubs Hill · Sevenoaks
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	0.33	0.04	0.49		trace			0.03	0.14	0.05	0.06	1
2	0.17	0.18					0.18			0.64	0.16	0.01	2
3	0.01		0.08	0.30	0.32			0.01		0.01		0.09	3
4	0.20		0.06	0.02	0.01	trace	0.03			0.09	0.03	0.03	4
5	0.20	0.02	0.02			0.02	0.11		0.38	0.26	0.07	0.03	5
6	0.15	0.04	0.10			0.10	0.11		0.09	0.34	0.06	0.06	6
7		0.17	0.01		0.02	0.05	0.01	0.04		0.49	0.03	trace	7
8		0.05	0.04	0.01	0.14	0.10				0.10	0.06	0.02	8
9		0.09		0.02	0.06	0.02	trace		0.09		0.02	0.01	9
10	0.02		0.04	0.04		0.01	1.12	0.04			0.45		10
11	0.41			0.43						0.62	0.49	trace	11
12					0.02						0.58	0.02	12
13	0.18		0.04					0.05	0.02		0.28		13
14	0.14		0.10	0.09			0.94	0.03	0.12	0.14	0.15		14
15	0.17	0.01	0.20	0.24			0.24		0.14		0.01		15
16	0.21	0.01	0.48	0.25					0.54				16
17	0.10	0.05	0.02	0.08			0.23	0.02	0.02		0.01	trace	17
18			0.10	0.16		0.07	0.01		trace		0.09		18
19	0.25		0.19		0.01	0.12	0.10		0.33			trace	19
20	0.43		0.19	0.12	0.01					0.42	0.02		20
21	0.02		0.19	0.09	0.01		0.03			0.39	0.82		21
22	0.34		0.24	0.03	0.01		0.03	0.04	0.10	0.01			22
23			0.26	0.01		0.02	0.07	0.12	0.02			0.52	23
24	0.06		trace	0.03		trace		0.05			0.07		24
25			0.03	0.15		trace					trace	0.01	25
26		trace	0.16	0.01			0.01	0.18		1.00		0.38	26
27		0.02	0.03	0.02	0.32		trace			0.06			27
28	0.17		0.26	0.06						0.24		trace snow	28
29	0.09		0.03	0.26	0.46			0.19		0.05		trace snow	29
30	0.44			0.29				0.16		0.23		trace snow	30
31			0.02					0.47		0.10			31
Total	3.78	0.97	2.93	3.20	1.39	0.51	3.22	1.40	1.88	5.33	3.45	1.24	YEAR'S TOTAL 29.30
Rain Days.	21	11	25	23	12	9	15	13	~~11~~ 12	19	19	12	190 191

W.7,000, XI. 13

Slip completes 2/3/15

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
2 - JAN 1915

Kept at Sevenoaks

in the County of Kent

5

by W. Tattersall

Lat. 51.16 N Long. 0.12 E

Time of Observation 9 A.M.

Nearest Railway Station Tubs Hill · Sevenoaks

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1				0.04			Trace	0.25			0.02	0.05	1
2	0.01					0.01	0.10	0.05			0.10	0.12	2
3			0.25		0.23		0.01	0.01					3
4	0.03	0.01	0.02	0.28	0.04			0.17			0.31	0.32	4
5	0.10		0.06	0.40	0.32	0.03	0.19	0.36			Trace		5
6		0.13		0.20	0.03	0.25	Trace	0.03			0.01	0.28	6
7		0.45	0.35	0.19	0.03	0.25	0.09					0.32	7
8	0.09	0.60	0.41	0.01	0.03	0.07	0.09	0.13				0.13	8
9	0.17		1.11	0.20				0.01	0.10		0.01	1.46	9
10	0.02	0.03	0.01	0.08	0.15					Trace		0.14	10
11	Trace	0.52	0.44	0.03	0.02	Trace			0.32		0.16	0.36	11
12	0.07	0.08	0.08		0.02		0.09		0.34	Trace	0.03	0.54	12
13	0.02	0.36	0.21			0.02			0.18	0.05	0.12	0.74	13
14		0.28	0.23				Trace		0.01	0.31	0.05	0.54	14
15	0.03	0.06	0.29				0.30	0.05			0.84	0.10	15
16	0.03	0.01	0.07						0.05				16
17		0.40	0.16						0.10			0.11	17
18		0.18	0.15									0.41	18
19		0.08	0.66				0.18	0.01	0.02	0.02	0.24	0.20	19
20		0.21	0.28			0.04	0.01	0.63	0.03	0.06		0.10	20
21		0.90	0.07	Trace				0.02		0.02	0.01	0.03	21
22		0.01		0.01	0.23	0.20	0.19			0.23			22
23			0.21		0.38	0.01	0.04					0.08	23
24			0.04	0.02						0.09	0.18		24
25	0.08		0.39				0.03	0.07		0.36	0.01	0.01	25
26			0.02				0.04	0.43		0.08	0.41	0.51	26
27	0.03		Trace		Trace			0.08			0.05	0.43	27
28	0.02	0.03		0.01	0.01					0.04	0.44	0.76	28
29	0.10		0.03							0.64	0.22		29
30	0.01	X	0.09		0.03					0.10	0.99	0.13	30
31	0.03	X		X	0.22	X	0.02		X	Trace	X	0.02	31
Total	0.84	4.34	5.63	1.47	1.74	0.88	1.38	2.30	1.15	2.00	4.20	7.91	YEAR'S TOTAL 33.84
Rain Days.	16	7, 8	24	11 12	14	9	14	15	9	12	19	25	18~~5~~ 187

W. 8,000. X. 14.

1

Duration Ind. gs.

458.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
3 JAN 1916

Kept at Sevenoaks

in the County of Kent 5

by W. Tattersall

Lat. 51.16 N Long. 0.12 E

Time of Observation 9 A.M.

Nearest Railway Station Tubs Hill Sevenoaks

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.55	0.18	0.02	—	0.01	—	—	0.03	0.32	trace	0.23	0.42	1
2	0.10	0.14	0.37	0.14	0.02	trace	—	0.75	trace	0.04	trace	0.03	2
3	0.33	trace	0.06	0.22	0.06	—	—	0.22	0.11	trace	—	0.47	3
4	0.07	—	—	—	—	—	—	0.02	trace	0.04	—	0.57	4
5	0.04	0.30	trace	trace	0.06	—	—	0.08	—	0.07	0.06	0.40	5
6	0.48	0.09	0.04	0.53	—	—	0.40	0.08	—	—	trace	0.09	6
7	0.41	0.37	0.03	—	—	trace	0.14	0.01	—	—	—	0.29	7
8	0.03	0.72	0.01	0.05	—	—	0.12	0.06	—	—	—	—	8
9	0.05	0.08	—	0.10	—	0.06	—	0.17	—	0.02	0.30	0.66	9
10	0.38	—	—	—	—	0.11	—	—	—	—	—	0.51	10
11	0.02	trace	trace	—	—	—	—	—	—	—	0.57	0.02	11
12	0.09	0.05	—	0.32	0.45	—	—	0.02	—	0.12	0.73	0.01	12
13	0.03	0.82	—	0.03	1.32	—	—	—	trace	—	—	—	13
14	0.03	0.03	trace	—	—	—	0.10	0.04	0.06	—	—	0.44	14
15	0.17	—	—	—	0.06	—	0.09	0.04	—	—	0.28	0.18	15
16	trace	0.39	—	0.01	0.02	—	0.91	0.04	—		—	0.09	16
17	—	0.42	—	—	1.09	—	0.08	trace	—	—	—	0.04	17
18	0.01	0.21	0.05	—	0.20	—	—	—	—	—	0.04	0.02	18
19	trace	0.12	trace	—	—	—	0.04	—	—	0.17	trace	—	19
20	0.35	—	trace	0.02	0.06	—	—	—	—	—	—	0.24	20
21	0.10	0.03	—	—	—	—	—	—	—	0.01	—	0.10	21
22	0.33	0.12	0.07	0.04	—	—	0.83	—	—	—	—	0.10	22
23	0.01	0.37	0.05	—	—	0.04	0.24	—	0.09	0.33	trace	0.39	23
24	0.01	0.02	0.02	0.03	—	trace	0.28	—	0.22	0.24	—	0.57	24
25	—	—	0.02	0.17	—	—	0.09	—	trace	0.04	—	0.34	25
26	0.01	0.06	—	—		0.04	0.02	—	—	trace	—	0.51	26
27	trace	0.07	0.01	—	—	0.06	0.13	—	—	0.38	—	0.07	27
28	0.01	0.06	trace	—	—	0.14	—	—	1.81	0.29	trace	—	28
29	trace		trace	—	0.06	0.07	0.22	0.08	0.02	~~0.01~~	0.35	0.02	29
30	0.09	✕	—	—	—	0.18	—	trace	trace	0.01	0.71	0.04	30
31	0.02	✕	—	✕	—	✕	—	0.19	✕	0.83	✕	0.28	31
Total	3.72	4.65	0.75	1.66	3.41	0.70	3.69	1.83	2.63	2.59	3.47	6.90	YEAR'S TOTAL 36.00
Rain Days.	25	2~~2~~1	~~13~~ 12	12	12	8	15	15	7	14	~~[illegible]~~ 9	27	~~186~~ 177
Hours	115.4	~~118.8~~ 121.0	44.6	58.5	~~66.6~~ 66.8	14.8	56.0	32.~~3~~ 32.8	30.5	75.5	76.5	153.7	~~822.6~~ 846.1

W. 8,000. X. 15.

443

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 17

Kept at The Old House. Sevenoaks.
in the County of Kent
by William Tattersall

Lat. 51. 16 N Long. 0.12 E
Time of Observation 9 A.M
Nearest Railway Station Tubs Hill. Sevenoaks
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2.9	0.3	0.3	—	14.3	trace	—	—	3.0	1.6	8.2	0.1	1
2	16.3	2.5	3.7	—	7.5	—	0.4	—	3.2	8.1	0.1	—	2
3	—	15.5	13.5	—	—	—	2.4	—	4.5	6.4	16.7	—	3
4	6.4	4.0	—	—	0.1	9.3	—	—	1.7	0.5	14.7	—	4
5	trace	trace	0.1	0.4	4.8	2.3	0.2	—	trace	3.5	16.5	0.2	5
6	0.7	3.5		10.9	0.2	4.0	5.8	—	—	2.1	14.9	—	6
7	1.1	—	28.5	—	7.1	0.7	2.3	—	—	0.9	26.4	0.5	7
8	—	—	0.3	—	7.3	1.7	—	—	—	—	—	10.0	8
9	—	~~5.3~~	0.5	—	9.4	trace	—	—	—	0.4	—	6.0	9
10	—	5.2	2.4	1.6	—	9.0	2.7	—	—	0.8	0.1	4.5	10
11	1.0	5.3	0.7	3.2	—	12.7	—	—	—	—	—	0.1	11
12	0.7	2.7 ~~10.3~~	—	3.0	7.8	5.0	2.0	trace	—	2.1	—	0.1	12
13	—	10.5	4.9	4.1	3.0	0.7	2.7	1.2	0.1	1.8	—	—	13
14	—	13.7	0.1	0.2	2.4	—	~~0.6~~	0.1	—	0.8	—	2.9	14
15	—	4.8	4.0	0.1	—	—	0.6	20.5	trace	0.2	—	2.1	15
16	0.5	2.8	3.5	4.5	—	—	3.8	1.7		—	—	0.2	16
17	5.2	1.8	—	1.1	—	—	0.2	0.6	8.5	21.0	0.1	0.1	17
18	0.1	3.0	0.3	3.5	—	—	—	2.4	1.3	8.9	19.9	trace	18
19	5.0	1.4	2.6	4.1	—	2.3	—	—	4.2	—	16.7	1.8	19
20	4.0	0.1	3.3	2.8	—	—	—	—	—	—	0.3	11.3	20
21	0.9	—	7.1	—	—	—	9.2	—	—	—	0.5	6.5	21
22	0.3	10.2	1.9	—	—	0.2	trace	—	—	0.5	0.1	12.0	22
23	0.7		2.5	—	—	4.5	0.4	0.1	—	1.7	1.2	2.6	23
24	0.2		0.4	—	2.1	0.6	—	0.3	—	6.8	2.0	7.5	24
25	—	19.6	4.8	—	—	—	—	5.5	—	3.6	1.5	—	25
26	—	8.2	1.4	—	—	2.3	—	0.2	—	4.2	0.4	—	26
27	0.7	0.2	17.6	—	—	20.9	—	6.3	1.8	4.9	—	0.5	27
28	—	10.4	6.1	—	—	—	—	1.1	2.2	0.3	0.4	6.2	28
29	0.1	3.9	0.1	—	2.9	6.5	—	13.6	1.3	9.7	—	6.3	29
30	—	×	—	—	—	—	—	4.4	—	10.8	—	—	30
31	—	×	—	×	—	×	—	0.7	×	4.5	×	0.5	31
Total	46.8	129.1	110.6	39.5	68.9	82.7	32.7	58.7	31.8	108.1	140.7	82.0	YEAR'S TOTAL 931.6
Rain Days.	16	23	23	12	12	16	~~9~~ 13	15	10	25	15	~~22~~ 18	~~209~~ ~~210~~ 196

W. 8,000, VIII. 16

425

FORM A
BRITISH RAINFALL

2. JAN

REGISTER OF RAINFALL IN 1917

Kept at Sevenoaks
in the County of Kent
by W. Tattersall

Lat. 51.16 N Long. 0.12 E.
Time of Observation 9 A.M G.M.T.
Nearest Railway Station Tub Hill. Sevenoaks
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 570 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.4	trace	8.4				37.4	3.1		2.0	0.9	1
2		trace		9.4				12.5			4.2		2
3	0.8			3.9			3.0	20.5		2.8	2.2		3
4		5.1	5.8	~~7.2~~			4.9	0.6		12.1			4
5	8.2	0.7	0.6	7.2	~~trace~~	trace		0.1	11.1	3.9	1.7		5
6	trace		1.3	4.7		3.6			10.9	0.3	2.5	trace	6
7	6.3						3.8			27.6		1.8	7
8	3.2			2.5			17.1	7.8	0.3	11.3	10.8	2.7	8
9	0.5		1.3	2.5			6.3	4.8	0.1		1.7	29.6	9
10			4.9	3.5		0.5		4.7			0.2	0.3	10
11	10.9		7.2	9.0				0.3	7.8	7.1			11
12	4.0	0.5	3.8	0.5	trace			1.9		12.9	trace	0.2	12
13	2.3	0.3	4.2	3.3	0.3			0.6	0.4	6.5		0.1	13
14	0.1	0.1	0.7	4.8				0.6			trace	0.1	14
15	2.4	0.2		0.1	0.1		2.4	1.9		1.6		1.0	15
16	1.0			5.2	7.0		0.9			12.6	trace	17.5	16
17		2.0		2.2	13.2		6.1	1.7	15.9	7.6		trace	17
18	1.6	0.3		5.1	2.5	0.4	3.8	2.1	9.4	0.2			18
19	0.1	0.5	2.2	trace	5.0	13.0		0.8	5.3		trace		19
20	0.5	3.1	2.0		19.7		3.3	1.7	1.4		1.5		20
21	trace	4.3	0.8	0.5	0.4	0.2				0.4	0.3		21
22	trace	0.3	3.1			0.4		2.5		5.4		trace	22
23	trace		0.4		5.2	0.3		2.4		3.2		1.0	23
24		4.0				4.4	0.3	0.2	trace	5.3	0.5	0.3	24
25		0.6	1.1	trace		2.9			trace		0.9		25
26		1.0	0.6					4.7	0.5	0.6	20.1	0.7	26
27			0.5			trace		26.6				trace	27
28		0.2	2.0			43.0	0.5	4.6				~~trace~~ 2.1	28
29	trace		4.1		3.1	6.5	2.4	1.4		12.8		~~2.1~~ 4.5	29
30	1.1	✕	5.0			0.5	39.3	4.3		0.8		0.9	30
31	2.1	✕	5.1	✕		✕	13.3		✕	0.6	✕	1.4	31
Total	45.1	23.6	56.7	72.8	56.5	75.7	107.4	146.7	66.2	135.6	48.6	155.1	YEAR'S TOTAL 900.0
Rain Days.	~~17~~ 15	~~17~~ 16	21	~~17~~ 16	~~10~~ 9	12	15	~~25~~ ~~24~~	~~12~~ 11	~~15~~ 21	13	~~17~~ 15	~~191~~

188

W. 8,000, IX. 17.

122

FORM A. BRITISH RAINFALL.
7.1.19

REGISTER OF RAINFALL IN 1918.

Kept at Sevenoaks
in the County of Kent
by W. Tattersall

Lat. 51.16 N Long. 0.12 E
Time of Observation 9 AM GMT
Nearest Railway Station Tubs Hill
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
										—		~~2.6~~	
1	0.1	0.1	trace	0.0	trace	0.0	0.0	0.5	0.0	—	4.6	2.6	1
2	trace	2.0	0.2	2.9	0.0	0.0	0.0	6.9	0.1	~~0.5~~	3.4	7.2	2
3	0.0	0.4	2.5	1.1	14.1	0.0	0.0	4.6	0.0	0.5	11.1	0.6	3
4	0.2	3.5	1.0	0.7	0.5	0.0	0.0	3.0	5.7	~~1.0~~	16.7	1.1	4
5	0.0	1.3	0.2	0.0	3.7	0.0	0.0	3.6	2.5	~~2.0~~ ~~0.3~~ 1.3	0.0	0.6	5
6	5.8	6.0	0.0	5.0	4.3	0.0	0.0	8.2	5.2	0.8	0.0	2.5	6
7	1.6	3.1	0.0	2.7	8.0	0.2	0.0	0.8	3.4	2.6	0.5	0.2	7
8	0.0	5.6	0.0	0.1	0.0	0.0	0.0	trace	7.0	0.7	3.7	2.5	8
9	1.0	0.4	0.0	2.8	0.0	1.8	0.5	0.0	13.1	6.3	trace	5.5	9
10	0.0	0.0	0.0	3.0	0.0	3.7	11.0	0.0	6.4	5.0	0.0	16.0	10
11	0.3	0.0	0.0	0.3	0.1	0.0	13.1	0.0	2.3	8.3	2.6	1.3	11
12	0.0	3.0	0.1	0.0	8.4	0.0	2.6	0.0	1.7	1.2	0.0	0.1	12
13	2.5	0.4	0.0	0.3	1.9	0.0	1.8	0.0	2.6	0.0	0.0	0.5	13
14	2.9	0.0	0.2	0.1	0.2	4.1	1.6	0.0	5.4	5.5	0.0	4.1	14
15	31.5	1.0	0.0	21.2	0.0	2.0	9.0	0.0	0.1	0.0	0.0	4.9	15
16	15.3	0.0	0.0	6.8	0.0	2.3	0.4	0.0	1.3	0.0	0.0	0.0	16
17		0.0	0.0	3.0	6.2	0.0	26.7	1.5	0.0	0.0	0.2	9.2	17
18	10.3	0.0	0.0	0.3	0.0	5.4	0.0	0.0	10.5	2.6	0.0	2.6 2.0	18
19	2.8	0.2	1.2	2.6	0.0	0.3	2.2	0.0	0.2	4.0	0.2	1.5	19
20	1.0	4.9	0.0	19.8	0.0	0.5	14.1	0.0	4.6	9.7	0.1	0.6	20
21	4.5	0.9	0.0	13.5	0.0	0.1	2.3	0.0	7.7	0.8	0.0	0.4	21
22	1.8	0.1	0.0	0.5	3.0	0.0	7.4	0.0	15.1	0.0	0.3	4.4	22
23	2.2	0.0	0.0	0.1	3.3	trace	15.3	0.6	0.6	0.0	0.3	0.4	23
24	0.0	6.1	0.0	0.0	0.4	1.9	0.0	0.0	9.3	0.0	0.7	0.0	24
25	0.2	0.0	0.0	0.0	0.0	1.4	3.0	6.0	0.0	0.4	1.8	0.0	25
26	trace	0.0	~~0.3~~	4.1	0.0	0.0	22.1	3.5	0.3	1.0	2.1	4.2	26
27	0.1	0.7	0.5	3.9	0.0	0.0	3.4	4.2	~~1.0~~ 1.5	0.1	2.3	1.4	27
28	0.1	0.3	~~4.5~~	1.0	0.0	0.0	0.0	3.1	0.0	0.3	7.2	2.1	28
29	0.1		trace	0.7	0.0	0.0	0.0	0.0	26.8	0.0	1.0	trace	29
30	0.0	X	12.6	0.0	0.0	0.0	0.0	0.0	1.6	1.4	0.0	1.4	30
31	0.2	X	0.9	X	0.0	X	0.0	0.3	X	2.0	X	trace	31
Total	ins. 3.33 ✓ 84.5	1.53 ✓ 39.0	.94 ✓ 23.7	3.80 ✓ 96.5	2.13 ✓ 54.1	.94 ✓ 23.7	5.38 ✓ 136.5	1.84 ✓ 46.8	5.32 ✓ 135.0	2.10 ✓ 53.4	2.32 ✓ 58.8	2.81 71.3 ✓	YEAR'S TOTAL 32.94 823.3 ✓
Rain Days.	~~17~~ 18	~~18~~ 16	~~11~~ 10	~~24~~ 21	~~13~~ 12	~~12~~ 11	17 ✓	~~14~~ 14	~~25~~ 23	~~20~~ 18	~~18~~ 17	~~26~~ 25	~~217~~ 202

Ex. [illegible]

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Sevenoaks

in the County of Kent

by W. Tattersall

Lat. 51. 16 N Long. 0.12 E

Time of Observation 9 A.M G.M.T.

Nearest Railway Station Tubs Hill Sevenoaks.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7.4	2.8	0.1		0.3		1.5			3.6	3.9	21.2	1
2	5.4		0.6		0.8		2.3	trace	0.2	0.2	2.7	5.9	2
3	5.2		7.9		0.3		5.8		3.5		1.5	9.5	3
4	5.2		16.0			1.2	2.2	1.0	0.2		1.9	2.1	4
5	1.0	10.9	24.5				trace	0.5	0.6		1.3	10.5	5
6	1.3		1.4							trace	0.4	3.3	6
7	1.2		11.3								2.1		7
8	9.3		1.4	0.4							1.0		8
9	14.0		1.5	1.8						trace ~~2.7~~	4.4		9
10	7.1		2.9	0.4							0.3	0.8	10
11	4.5		8.0	7.5	0.3		6.9					1.8	11
12	2.5		0.7	1.4		trace	8.0			2.1	0.2	0.3	12
13	0.3		0.4	12.4						0.6		1.3	13
14	10.1			10.9			2.9		11.3	trace		1.0	14
15	9.3	1.0	0.6	3.1						trace	0.1	5.0	15
16	3.7	14.2		0.3			trace				3.0	1.0	16
17		6.6	0.6	0.4			trace				5.8	1.7	17
18		6.0	1.6					0.4	1.1		3.5	1.8	18
19	0.5	4.2	10.9	trace		4.1	9.5	4.9	1.5		5.0	0.1	19
20	3.6	2.3	3.1			17.7	2.1	4.1		0.1		0.8	20
21	3.1	9.6	0.6			2.2	2.4			0.1	0.6	0.4	21
22		2.2	0.2				4.8		8.9	0.1	2.0	5.9	22
23						1.2	2.3	0.4	5.5		0.9	2.3	23
24			trace	3.9		0.3	0.2	0.5		1.8	5.4	0.5	24
25	0.7	0.1		trace	0.2	trace	trace	6.1				0.5	25
26	1.0	6.4	3.9	2.1			6.9	0.1	3.2		0.4	10.0	26
27	18.6	1.1	0.7	37.1			0.3	9.6			1.0	0.5	27
28			2.3	2.7		trace	0.5	18.2		0.1	7.9	13.1	28
29	1.6			2.6		trace		15.7		6.4	2.7	3.1	29
30	trace	☒	0.8	6.2		0.6		9.9		1.4	5.4	17.3	30
31	0.7	☒	1.8	☒		☒	1.1	trace	☒	1.3	☒	1.8	31
TOTAL	117.3	67.4	103.8	93.2	1.9	27.3	59.7	71.4	36.0	17.8	63.4	123.5	YEAR'S TOTAL 782.7✓
Days with 0·2 mm. or more	24	12	24	16	5	7	17	12	10	8	24	27	186✓

30.82

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

402

BRR

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Sevenoaks [M.O.]
in the County of Kent
by W. Tattersall

Lat 51° 16′ Long 0° 12′ E
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft 0 in.
„ „ „ „ Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7·4	2·8	0·1	-	0·3	-	1·5	-	-	3·6	3·9	21·2	1
2	5·4	-	0·6	-	0·8	-	2·3	-	0·2	0·2	2·7	5·9	2
3	5·2	-	7·9	-	0·3	-	5·8	-	3·5	-	1·5	9·5	3
4	5·2	-	16·0	-	-	1·2	2·2	1·0	0·2	-	1·9	2·1	4
5	1·0	10·9	24·5	-	-	-	-	0·5	0·6	-	1·3	10·5	5
6	1·3	-	1·4	-	-	-	-	-	-	-	0·4	3·3	6
7	1·2	-	11·3	-	-	-	-	-	-	-	2·1	-	7
8	9·3	-	1·4	0·4	-	-	-	-	-	-	1·0	-	8
9	14·0	-	1·5	1·8	-	-	-	-	-	-	4·4	-	9
10	7·1	-	2·9	0·4	-	-	-	-	-	-	0·3	0·8	10
11	4·5	-	8·0	7·5	0·3	-	6·9	-	-	-	-	1·8	11
12	2·5	-	0·7	1·4	-	-	8·0	-	-	2·1	0·2	0·3	12
13	0·3	-	0·4	12·4	-	-	-	-	-	0·6	-	1·3	13
14	10·1	-	-	10·9	-	-	2·9	-	11·3	-	-	1·0	14
15	9·3	1·0	0·6	3·1	-	-	-	-	-	-	0·1	5·6	15
16	3·7	14·2	-	0·3	-	-	-	-	-	-	3·0	1·0	16
17	-	6·6	0·6	0·4	-	-	-	-	-	-	5·8	1·7	17
18	-	6·0	1·6	-	-	-	-	0·4	1·1	-	3·5	1·8	18
19	0·5	4·2	10·9	-	-	4·1	9·5	4·9	1·5	-	5·0	0·1	19
20	3·6	2·3	3·1	-	-	17·7	2·1	4·1	-	0·1	-	0·8	20
21	3·1	9·6	0·6	-	-	2·2	2·4	-	-	0·1	0·6	0·4	21
22	-	2·2	0·2	-	-	-	4·8	-	8·9	0·1	2·0	5·9	22
23	-	-	-	-	-	1·2	2·3	0·4	5·5	-	0·9	2·3	23
24	-	-	-	3·9	-	0·3	0·2	0·5	-	1·8	5·4	0·5	24
25	0·7	0·1	-	-	0·2	-	-	6·1	-	-	-	0·5	25
26	1·0	6·4	3·9	2·1	-	-	6·9	0·1	3·2	-	0·4	10·0	26
27	18·6	1·1	0·7	37·1	-	-	0·3	9·6	-	-	1·0	0·5	27
28	-	-	2·3	2·7	-	-	0·5	18·2	-	0·1	~~7·9~~	13·1	28
29	1·6		-	2·6	-	-	-	15·7	-	6·4	2·7	3·1	29
30	-		0·8	6·2	-	0·6	-	9·9	-	1·4	5·4	17·3	30
31	0·7		1·8		-		1·1	-		1·3		1·8	31
TOTAL	117·3	67·4	103·8	93·2	1·9	27·3	59·7	71·4	36·0	17·8	63·4	123·5	YEAR'S TOTAL 782·7
Days with 0·2 mm. or more	24	12	24	16	5	7	17	12	10	8	24	27	186

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203

FORM A/2. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.** 378

REGISTER OF RAINFALL IN 1920.

Kept at Sevenoaks
in the County of Kent
by W. Tattersall

Lat. 51.16 N Long. 0 - 12 E
Time of Observation 9 A.M. G.M.T.
Nearest Railway Station Tubs Hill : Sevenoaks
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
„ „ „ „ Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.4			4.1	0.6		8.2			8.1		6.2	1
2	0.1		4.4		0.3	trace	trace	9.6	2.9	4.6		3.2	2
3		0.2		4.3	5.0	0.6			0.3	0.4	0.1	1.6	3
4		2.5		5.4	trace		20.8	2.5	trace	0.4		1.2	4
5		0.1	0.9		1.1		11.5	6.2	1.8	trace		0.7	5
6			3.1		3.0		7.4			trace		0.9	6
7	1.1	0.2	0.5	3.7	2.0		3.0			0.2		0.6	7
8		0.3		1.1	2.4		5.4	trace		0.1			8
9	11.6	1.1	trace	0.9	0.3	trace	0.4	0.1		trace			9
10	17.5	4.7	2.0	2.8		2.7	7.9			trace	0.3	1.1	10
11	14.3	trace	2.5	5.2	0.2	1.8	8.6			trace		3.4	11
12	3.8	0.2	0.2	5.2	0.1	12.5					trace		12
13	7.4	0.2	3.4	trace					0.6		1.4	trace	13
14		0.2	8.6	8.0		3.6	trace		2.5	1.5	8.6	0.2	14
15	1.6	0.6	0.7	4.5		trace			24.6	1.6	3.8	trace	15
16	0.1	trace	1.0	4.0	0.6	0.7			3.7			0.3	16
17	0.3			1.5	4.4	trace			33.6		trace	3.5	17
18	0.5		0.9	0.4	1.4			29.5	10.1		8.1	2.3	18
19	3.1			9.0		0.5			trace		0.1	2.4	19
20	1.1	6.8		10.5		11.4			5.0			0.2	20
21				trace			23.0	trace	6.5		0.1	2.8	21
22	1.0			8.9			trace	trace	3.9			8.2	22
23	0.3						9.0		0.1			12.0	23
24	0.2	0.1	1.1	trace			trace ~~5.4~~		0.2			1.0	24
25		0.1	0.2	0.8	0.1		5.4 ~~trace~~		0.4		0.2		25
26	1.2		1.9	0.9		0.5	trace		trace		0.2	1.1	26
27	8.7	1.3	trace	6.1		2.3	0.1		trace		8.9	5.5	27
28	13.1	0.2	3.2	0.6	2.9	trace	4.7		trace		1.1	0.7	28
29	12.0		1.0	1.7							2.3	7.9	29
30	1.0	╳				0.8	3.5		5.8		8.7	3.1	30
31	0.7	╳		╳	0.6	╳			╳	7.9	╳	6.8	31
TOTAL	102.1	18.8	35.6	89.6	25.0	37.4	118.9	47.9	102.0	24.8	35.9	76.9 ~~122.0~~	714.9 YEAR'S TOTAL
Days with 0·2 mm. or more	21	13	17	22	14	11	14	4	15	8	10	25	174
Days with 1·0 mm. or more	16	5	11	17	8	6	13	4	11	5	7	18	121

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

M970 cordly A 378

Form A. 2. METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sevenoaks (M.O)
in the County of Kent
by W. Tattersall

Lat. 51° 16′ Long. 0° 12′ E
Time of Observation 9h G.M.T
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.4	-	-	4.1	0.6	-	8.2	-	-	8.1	-	6.2	1
2	0.1	-	4.4	-	0.3	-	-	9.6	2.9	4.6	-	3.2	2
3	-	0.2	-	4.3	5.0	0.6	-	-	0.3	0.4	0.1	1.6	3
4	-	2.5	-	5.4	-	-	20.8	2.5	-	0.4	-	1.2	4
5	-	0.1	0.9	-	1.1	-	11.5	6.2	1.8	-	-	0.7	5
6	-	-	3.1	-	3.0	-	7.4	-	-	-	-	0.9	6
7	1.1	0.2	0.5	3.7	2.0	-	3.0	-	-	0.2	-	0.6	7
8	-	0.3	-	1.1	2.4	-	5.4	-	-	0.1	-	-	8
9	11.6	1.1	-	0.9	0.3	-	0.4	0.1	-	-	-	-	9
10	17.5	4.7	2.0	2.8	-	2.7	7.9	-	-	-	0.3	1.1	10
11	14.3	-	2.5	5.2	0.2	1.8	8.6	-	-	-	-	3.4	11
12	3.8	0.2	0.2	5.2	0.1	12.5	-	-	-	-	-	-	12
13	7.4	0.2	3.4	-	-	-	-	-	0.6	-	1.4	-	13
14	-	0.2	8.6	8.0	-	3.6	-	-	2.5	1.5	8.6	0.2	14
15	1.6	0.6	0.7	4.5	-	-	-	-	24.6	1.6	3.8	-	15
16	0.1	-	1.0	4.0	0.6	0.7	-	-	3.7	-	-	0.3	16
17	0.3	-	-	1.5	4.4	-	-	-	33.6	-	-	3.5	17
18	0.5	-	0.9	0.4	1.4	-	-	29.5	10.1	-	0.1	2.3	18
19	3.1	-	-	9.0	-	0.5	-	-	-	-	0.1	2.4	19
20	1.1	6.8	-	10.5	-	11.4	-	-	5.0	-	-	0.2	20
21	-	-	-	-	-	-	23.0	-	6.5	-	0.1	2.8	21
22	1.0	-	-	8.9	-	-	-	-	3.9	-	-	8.2	22
23	0.3	-	-	-	-	-	9.0	-	0.1	-	-	12.0	23
24	0.2	0.1	1.1	-	-	-	-	-	0.2	-	-	1.0	24
25	-	0.1	0.2	0.8	0.1	-	5.4	-	0.4	-	0.2	-	25
26	1.2	-	1.9	0.9	-	0.5	-	-	-	-	0.2	1.1	26
27	8.7	1.3	-	6.1	-	2.3	0.1	-	-	-	8.9	5.5	27
28	13.1	0.2	3.2	0.6	2.9	-	4.7	-	-	-	1.1	0.7	28
29	12.0	-	1.0	1.7	-	-	-	-	-	-	2.3	7.9	29
30	1.0	X	-	-	-	0.8	3.5	-	5.8	-	8.7	3.1	30
31	0.7	X	-	X	0.6	X	-	-	X	7.9	X	6.8	31
TOTAL	102.1	18.8	35.6	89.6	25.0	37.4	118.9	47.9	102.0	24.8	35.9	76.9	YEAR'S TOTAL ~~874.9~~ 714.9
Days with 0·2 mm. or more	21	13	17	22	14	11	14	4	15	8	10	25	174
	16	5	11	7	8	6	13	4	11	5	7	16	121

(44,284). W. 958—21 500. 10/19. Gp.132. A.&E.W.

copied from M.O form 3203

SEVENOAKS

{CHEVENING PARK GARDENS}

KENT

1911-20

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

19*11*.

Snowdon

Kept at *Cheven*

in the County of

by *Charle*

f top *5* in.

op above Ground *1* ft. *—* in.

„ Sea Level *360* ft. *385*

9. a.m.

ation { Name *Chevening Halt*.
Distance *1 mile* Direction *S.*

IMPORTANT … , and the result entered to the previous day. If … universal rule, he is earnestly requested to add th … ing year in the space provided for it at the end … asurement of rain, the selection and … he British Rainfall Organization are gi … e on application to Dr. H. R. Mill, 62, … Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	..	..	1.17	..	..	..	..	..	..	.05	..	1
2	.12	..	.01	.21	.36	..	..	..	..	..	.17	.25	2
3	.01	.04	..	..	.19	..	..	..	..	..	.14	..	3
4	.12	.01	.11	.15	..	.25	..	..	..	.24	.37	.35	4
5	.04	..	..	.16	..	..	..	..	..	.44	.04	.20	5
6	.37	..	.09	.02	..	..	..	..	..	..	..	.46	6
7	.14	..	.05	.01	..	..	..	..	..	.37	.37	.46	7
8	.13	..	.16	..	..	..	..	..	..	..	.37	.42	8
9	.25	..	.02	.05	..	..	..	..	..	..	.09	.09	9
10	..	.12	.12	.03	..	..	..	..	..	..	.04	.82	10
11	.49	.01	.02	..	.22	..	..	..	..	..	1.12	..	11
12	.01	..	.63	..	.06	..	..	..	..	..	.15	..	12
13	..	..	.05	..	.19	.06	..	..	.56	.15	.02	.16	13
14	..	.09	..	..	.15	..	..	..	..	..	..	.72	14
15	..	..	.44	..	..	..	..	..	..	..	.19	.02	15
16	..	..	..	..	..	.31	..	..	..	..	.67	.13	16
17	..	..	.03	..	..	.03	..	..	..	..	1.16	.21	17
18	..	.25	.04	..	..	..	..	..	..	..	1.13	.34	18
19	..	.04	..	..	..	.19	..	..	.11	.25	.29	.16	19
20	..	..	..	..	..	..	..	.41	.03	.15	.02	.81	20
21	..	.17	..	..	..	..	..	.04	.31	.74	..	.21	21
22	.06	..	.37	..	..	.14	..	..	..	.51	..	.58	22
23	..	.28	.02	..	..	.78	..	..	.26	.02	.03	.19	23
24	..	.07	..	..	..	..	.04	..	..	.74	..	.33	24
25	..	.19	.13	.06	..	.25	.08	..	.02	.09	..	..	25
26	..	..	.24	.37	.12	.25	..	..	..	.15	.10	.25	26
27	..	.41	.19	.09	..	..	..	..	..	.25	.03	.07	27
28	..	.23	..	.18	..	..	..	.05	..	..	.08	..	28
29	..	X	..	.25	..	.17	.35	..	.27	.14	..	..	29
30	..	X	..	..	..	.02	..	.09	.01	.29	..	..	30
31	..	X	..	X	.81	X	..		X	.02	X	..	31
Total	1.79	1.91	2.72	2.75	2.10	2.45	.47	.59	1.57	4.55	6.63	7.23	TOTAL for year 34.76
No. of Rain Days.	12	13	18	13	8	11	3	4	8	16	22	22	150 days

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER OF RAINFALL ~~IN~~ 1911.

Kept at Chevening Park Gardens
in the County of Kent. 5
by Charles Sutton.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 360 ft. 385
Time of Observation 9. a. m.
Nearest Railway Station
Name Chevening Halt.
Distance 1 mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	..	..	1.17	..	..	..	..	..	..	.05	..	1
2	.12	..	.01	.21	.36	..	..	..	..	..	.17	.25	2
3	.01	.04	..	..	.19	..	..	..	..	..	.14	..	3
4	.12	.01	.11	.15	..	.25	..	..	..	.24	.37	.35	4
5	.04	..	..	.16	..	..	..	..	..	.44	.04	.20	5
6	.37	..	.09	.02	..	..	..	..	..	..	..	.46	6
7	.14	..	.05	.01	..	..	..	..	..	.37	.37	.46	7
8	.13	..	.16	..	..	..	..	..	..	..	.37	.42	8
9	.25	..	.02	.05	..	..	..	..	..	..	.09	.09	9
10	..	.12	.12	.03	..	..	..	..	..	..	.04	.82	10
11	.49	.01	.02	..	.22	..	..	..	..	..	1.12	..	11
12	.01	..	.63	..	.06	..	..	..	..	..	.15	..	12
13	..	..	.05	..	.19	.06	..	..	.56	.15	.02	.16	13
14	..	.09	..	..	.15	..	..	..	..	..	..	.72	14
15	..	..	.44	..	..	..	..	..	..	..	.19	.02	15
16	..	..	..	..	..	.31	..	..	..	..	.67	.13	16
17	..	..	.03	..	..	.03	..	..	..	..	1.16	.21	17
18	..	.25	.04	..	..	..	..	..	..	..	1.13	.34	18
19	..	.04	..	..	..	.19	..	..	.11	.25	.29	.16	19
20	..	..	..	..	..	..	..	.41	.03	.15	.02	.81	20
21	..	.17	..	..	..	..	..	.04	.31	.74	..	.21	21
22	.06	..	.37	..	..	.14	..	..	..	.51	..	.58	22
23	..	.28	.02	..	..	.78	..	..	.26	.02	.03	.19	23
24	..	.07	..	..	..	..	.04	..	..	.74	..	.33	24
25	..	.19	.13	.06	..	.25	.08	..	.02	.09	..	..	25
26	..	..	.24	.37	.12	.25	..	..	..	.15	.10	.25	26
27	..	.41	.19	.09	..	..	..	..	..	.25	.03	.07	27
28	..	.23	..	.18	..	..	..	.05	..	..	.08	..	28
29	..	X	..	.25	..	.17	.35	..	.27	.14	..	..	29
30	..	X	..	..	..	.02	..	.09	.01	.29	..	..	30
31	..	X	..	X	.81	X	..	..	X	.02	X	..	31
Total	1.79	1.91	2.72	2.75	2.10	2.45	.47	.59	1.57	4.55	6.63	7.23	TOTAL for year 34.76
No. of Rain Days.	12	13	18	13	8	11	3	4	8	16	22	22	150 days

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 3 - JAN 1913

385

Kept at Chevening Park Gardens

in the County of Kent - 5

by C. Sutton -

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Chevening Halt

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	~~Jan.~~ October	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	~~Oct.~~ January	Nov.	Dec.	*Date.*
1	·59	..	·14	..	..	·13	·11	..	·03	..	..	·24	1
2	·10	·03	·47	..	..	..	·25	..	·02	..	..	..	2
3	..	·12	·22	..	·02	·20	·01	·27	·02	·07	..	·12	3
4	..	..	·50	..	·22	·21	..	·06	..	·26	..	..	4
5	..	·04	·19	..	·01	..	..	·25	..	·15	·36	·02	5
6	..	·06	..	..	·03	..	..	·11	·01	·53	·04	·17	6
7	..	..	..	..	..	·48	·08	·06	..	..	..	·08	7
8	..	·45	·28	·02	..	·11	..	·44	..	·31	·01	·01	8
9	..	·18	..	·07	..	·37	..	·02	..	..	·02	·19	9
10	..	·04	..	..	..	..	..	·41	..	..	·07	·26	10
11	..	·37	..	..	..	·04	..	·09	·06	·04	..	·25	11
12	..	·14	·05	..	·05	..	..	·12	..	..	·02	..	12
13	..	·01	·03	..	..	..	..	·01	..	·02	·20	·01	13
14	·09	·01	·02	..	·05	..	..	·21	..	..	·01	·05	14
15	..	..	·12	..	·17	·77	..	·01	..	..	·06	·39	15
16	·12	..	·07	..	·02	·08	..	·11	..	·14	·09	..	16
17	..	..	·49	..	..	·03	..	·07	..	·45	·04	·11	17
18	·04	..	·11	..	..	..	..	·14	..	·11	..	·23	18
19	..	·17	·13	..	..	·02	·13	·26	..	·12	·01	·01	19
20	·42	·02	·63	..	..	·05	..	·05	..	·02	·02	..	20
21	·14	·03	·53	..	·02	..	..	·09	..	..	·06	..	21
22	..	·37	·07	..	·05	..	·05	·24	..	·09	·01	·05	22
23	·07	·36	·34	..	..	..	..	·52	..	·36	·22	·02	23
24	..	·01	..	..	..	·14	..	·35	..	·07	..	·13	24
25	..	..	..	..	..	·35	..	·97	..	·11	·39	·32	25
26	·42	·03	..	..	..	..	..	·42	..	·04	·75	·75	26
27	·18	..	·01	..	..	..	·06	..	..	..	..	·21	27
28	·72	·05	..	..	..	..	·12	·13	·04	..	·72	·09	28
29	·26	·04	..	..	..	·12	·14	·57	1·56	..	·06	..	29
30	·22	X	..	..	·29	·15	·04	·01	1·65	·02	..	..	30
31	·03	X	·10	—	·01	—	·17	·15	—	..	—	..	31
Total	3·40	2·53	4·50	·09	·94	3·25	1·16	6·14	3·39	2·91	3·16	3·71	YEAR'S TOTAL 35·18
Rain Days.	14	20	20	2	12	16	11	28	8	18	20	22	191

Oct. Jany

W. 7,500, XI. 12

Section **A** for the entry of Daily Observations

Station No. 385

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~12

Kept at Chevening Park Gardens

in the County of Kent

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			14			13	11		03	59		24		1
2		03	47				25		02	10				2
3	07	12	22		02	20	01	27	02			12		3
4	26		50		22	21		06						4
5	15	04	19		01			25			36	02		5
6	53	06			03			11	01		04	17		6
7						48	08	06				08		7
8	31	45	28	02		11		44			01	01		8
9		18		07		37		02			02	19		9
10		04						41			07	26		10
11	04	37				04		09	06			25		11
12		14	05		05			12			02			12
13	02	01	03					01			20	01		13
14		01	02		05			21		09	01	05		14
15			12		17	77		01			06	39		15
16	14		07		02	08		11		12	09			16
17	45		49			03		07			04	11		17
18	11		11					14		04		23		18
19	12	17	13			02	13	26			01	01		19
20	02	02	63			05		05		42	02			20
21		03	53		02			09		14	06			21
22	09	37	07		05		05	24			01	05		22
23	36	36	34					52		07	22	02		23
24	07	01				14		35				13		24
25	11					35		97			39	32		25
26	04	03						42		42	75	75		26
27			01				06			18		21		27
28		05					12	13	04	72	72	09		28
29		04				12	14	57	156	26	06			29
30	02	X			29	15	04	01	165	22				30
31		X	10	X	01	X	17	15	X	03	X			31
TOTAL	2·91	2·53	4·50	0·09	0·94	3·25	1·16	6·14	339	340	3·16	3·71	Year's Total 35·18	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

FORM A.
BRITISH RAINFALL.

6 - JAN

REGISTER OF RAINFALL IN 1913

Kept at Chevening Park Gardens

in the County of Kent

by C. Sutton

5

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Chevening Halt (Passengers only)

Diameter of Rain Gauge 5 in. 385

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.34	.07	.42	..	..	..	..	.07	.21	.09	.02	1
2	.10	.16	..	..	..	..	.18	..	.01	.41	.23	.05	2
3	.01	..	.07	.51	.37	..	..	..	..	..	..	..	3
4	.27	..	.09	.05	.05	.03	.05	..	..	.04	.02	.20	4
5	.31	.02	.01	..	..	.04	.13	..	.41	.09	.09	.04	5
6	.11	.13	.17	..	.01	.09	.16	..	.01	.18	.11	.07	6
7	..	.22	.01	..	.03	.04	.02	.06	..	.85	.08	.01	7
8	..	.03	.04	..	.13	.07	..	..	..	.17	.06	.02	8
9	..	.11	..	..	.11	.02	..	..	.09	..	.03	.02	9
10	..	..	.06	.02	..	..	.18	.04	..	..	.54	..	10
11	.63	..	..	.22	..	..	..	..	..	.69	.35	..	11
12	..	..	..	..	.05	..	..	..	..	..	.74	.02	12
13	.14	..	.05	..	..	..	..	..	.06	..	.32	..	13
14	.15	..	.13	.12	..	..	1.26	.08	.09	.18	.11	..	14
15	.17	..	.18	.16	..	..	.41	..	.04	..	.02	..	15
16	.24	..	.54	.42	..	..	..	..	.28	..	..	..	16
17	.08	.06	.04	.06	..	..	.22	.03	..	..	.01	..	17
18	..	..	.07	.21	..	..	..	..	..	..	.12	..	18
19	.28	..	.25	..	..	.12	.12	..	.29	..	..	.01	19
20	.44	..	.29	.05	..	.29	..	..	..	.47	.02	..	20
21	.03	..	.21	.09	..	..	..	..	..	.29	.81	..	21
22	.32	..	.19	.11	..	..	..	.02	.12	..	..	.01	22
23	..	..	.15	..	..	..	.08	.18	..	..	..	.45	23
24	.06	..	.02	.06	..	..	..	..	..	..	.05	..	24
25	..	..	..	.14	..	..	..	..	..	..	.01	..	25
26	..	..	.17	..	..	..	..	.22	..	.96	..	.50	26
27	..	..	.12	..	.03	..	..	..	..	.17	..	..	27
28	.15	..	.24	.06	..	..	..	..	..	.18	..	.01	28
29	.14	X	.02	.34	.25	..	..	.16	..	.04	..	.01	29
30	.46	X	..	.23	..	..	..	.17	..	.23	..	..	30
31	..	X	.02	X	..	X	..	.52	X	.15	X	..	31
Total	4.11	1.07	3.21	3.27	1.03	.70	2.81	1.48	1.47	5.31	3.81	1.44	YEAR'S TOTAL 29.71
Rain Days.	20	8	25	18	9	8	11	10	11	17	20	15	172

W. 7,500, XI. 12

Ex LMC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

335

Kept at Chevening Park Gardens
in the County of Kent 5
by Charles Sutton.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Chevening Halt
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	..	..	..	..	..	.01	.22	..	..	.03	..	1
2	.07	..	..	..	..	..	.14	..	..	..	.07	.16	2
3	..	..	.21	..	.21	..	..	..	..	..	.30	.01	3
4	..	..	.02	.23	.07	..	..	..	..	..	..	.30	4
5	.06	..	.07	.40	.45	.06	.22	.44	..	..	..	..	5
6	..	.15	..	.14	.01	.14	..	.02	..	..	..	.36	6
7	..	.52	.35	.21	..	.44	.14	..	..	..	..	.22	7
8	.12	.76	.62	.01	..	.02	.03	.17	..	..	..	.16	8
9	.21	..	1.34	.20	..	..	..	.02	.13	..	..	1.75	9
10	..	.03	.03	.09	.13	..	..	..	..	..	..	.07	10
11	..	.64	.55	.02	.03	..	..	..	.29	..	.18	.33	11
12	.06	.07	.07	..	..	..	.05	..	.31	..	..	.74	12
13	.01	.38	.26	..	..	..	..	..	.20	.06	.15	1.16	13
14	..	.27	.25	..	..	..	.04	..	..	.48	.11	.75	14
15	.03	..	.22	..	..	..	.26	.04	..	.01	1.18	.04	15
16	..	..	.19	..	..	..	..	..	..	..	..	..	16
17	..	.59	.19	..	..	..	..	..	.14	..	..	.20	17
18	..	.11	.21	..	..	..	..	..	..	..	..	.45	18
19	..	.07	.61	..	..	..	.15	..	..	.02	.31	.26	19
20	.02	.18	.26	..	..	.10	..	..	.09	..	..	.11	20
21	..	.75	.11	..	..	..	..	1.84	..	..	..	..	21
22	..	.03	..	..	.33	..	.17	.02	..	.30	..	.04	22
23	..	..	.16	..	.21	.05	..	..	..	.01	..	.05	23
24	..	..	.06	..	..	..	..	..	..	..	.16	..	24
25	.06	..	.45	..	..	..	.04	.03	..	.47	.01	..	25
26	..	..	.02	..	..	..	.04	.31	..	.09	.32	.68	26
27	.02	..	..	..	..	..	..	..	..	..	.11	.41	27
28	.01	.03	..	..	.02	..	..	..	..	.04	.47	.85	28
29	.14		.02	..	..	..	..	..	..	.52	.30	.01	29
30	.02		.11	..	..	..	..	..	..	.09	.89	.23	30
31	.05		..		.27		..	..		..		.02	31
Total	.88	4.58	6.38	1.30	1.73	.81	1.29	3.11	1.16	2.09	4.59	9.36	YEAR'S TOTAL 37.28
Rain Days.	14	15	24	8	10	6	12	10	6	11	15	25	156

W. 8,000. X. 14.

465

BRITISH RAINFALL. FORM A.

385

20 JAN

REGISTER OF RAINFALL IN 1915

Kept at Chevening Park Gardens

in the County of Kent 5

by J. C. Sutton.

Lat. .... Long. ....

Time of Observation 9. a. m.

Nearest Railway Station Dunton Green S. E. & C. – & (Chevening Halt for passengers only)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·59	·17	·03	..	..	..	..	·09	·65	·01	·37	·48	1
2	·15	·19	·32	·17	..	..	..	·54	..	·04	..	..	2
3	·37	..	·08	·20	·07	..	..	·49	·42	..	..	·52	3
4	·08	..	..	..	·02	..	..	·02	..	·02	..	·53	4
5	·03	·51	..	..	..	..	..	·11	..	·09	..	·36	5
6	·48	·13	·04	·47	..	..	·71	·03	..	·01	..	·15	6
7	·65	·37	·07	..	..	..	·37	·02	..	..	..	·30	7
8	·09	·76	..	·08	..	..	·16	·07	..	..	..	..	8
9	·02	·04	..	·19	..	·09	..	·11	..	·04	·42	·67	9
10	·38	..	..	..	..	·13	..	..	..	..	..	·51	10
11	·02	..	..	..	..	..	..	..	..	..	·71	·03	11
12	·11	·03	..	·42	·52	..	..	·91	..	·07	·66	..	12
13	·02	·84	..	·02	1·32	..	..	..	..	..	·01	..	13
14	·03	·04	·02	..	..	..	·08	..	·05	..	..	·57	14
15	·22	..	..	..	·07	..	·16	·20	..	..	..	·22	15
16	·01	·46	..	..	..	..	·87	·09	..	..	..	·10	16
17	..	·48	..	..	·86	..	·17	..	..	..	..	..	17
18	..	..	·07	..	·28	..	..	..	..	..	..	..	18
19	..	·10	..	..	..	..	·04	..	..	·11	..	..	19
20	·38	..	..	..	·03	..	..	..	..	..	..	·29	20
21	·12	..	..	..	..	..	·02	..	..	·02	..	·09	21
22	·67	·09	·07	..	..	..	·78	..	..	..	..	·21	22
23	·02	..	·04	..	..	·03	·59	..	..	·37	·01	·36	23
24	..	·34	·03	·02	..	..	·35	..	·21	·15	..	·44	24
25	..	·09	..	·21	..	..	·14	..	..	·01	..	·28	25
26	..	..	..	..	..	..	·03	..	..	..	..	·73	26
27	..	·06	·05	..	..	·12	·25	..	..	·39	..	·04	27
28	..	·05	..	..	..	..	..	..	2·04	·37	..	..	28
29	..		..	..	..	·31	·20	·13	·02	..	·33	·01	29
30	·08		..	..	..	·18	..	·20	..	..	·67	·04	30
31	·01		..		..		..	..		·77		·34	31
Total	4·53	4·75	·82	1·78	3·17	·86	4·92	3·01	3·39	2·47	3·18	7·27	YEAR'S TOTAL 40·15
Rain Days.	22	18	11	9	8	6	16	14	6	15	8	23	156

W. 8,000. X. 15.

Exd C J S

451

FORM 95
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Chevening Park Gardens
in the County of Kent.
by Charles Sutton

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Chevening Halt (passengers only) or Dunton Green - S. E & C Rly -
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	.01	.02	..	.54	..	..	..	.19	.11	.36	..	1
2	.57	.11	.19	..	.33	..	..	..	.03	.25	.05	..	2
3	..	.79	.56	..	..	..	..	..	.18	.37	.65	..	3
4	.29	.06	..	..	..	.43	..	..	.06	.01	.54	..	4
5	.02	.03	.01	.01	.19	.12	..	..	.03	.15	.63	..	5
6	.03	.18	.23	.46	..	.15	.22	..	..	.11	.58	..	6
7	..	..	.86	.01	.07	.04	..	..	..	.04	.91	.02	7
8	..	..	.05	..	.23	..	..	..	..	..	..	.45	8
9	..	..	.03	..	.44	..	..	..	..	..	..	.29	9
10	..	.25	.14	.09	..	.38	..	..	..	..	..	.14	10
11	.07	.13	.05	.18	..	.31	..	..	..	..	..	..	11
12	.02	.15	.09	.09	.26	.23	.14	.02	..	.12	..	..	12
13	..	.45	.22	.16	.16	..	.06	..	..	.09	..	..	13
14	..	.62	..	.02	.13	..	..	.02	..	.04	..	.12	14
15	..	.19	.23	.01	..	..	..	.87	..	..	..	..	15
16	..	..	.17	.21	..	..	.17	.46	..	..	..	..	16
17	.21	.12	..	.05	..	..	..	.04	.41	.91	.02	..	17
18	.01	.11	.02	.24	..	..	..	.16	.06	.32	.73	..	18
19	.37	.10	.11	.20	..	.08	..	.01	.14	..	.61	.16	19
20	.18	..	.21	.06	..	..	..	..	..	..	.03	.54	20
21	.04	..	.41	..	..	..	.15	..	..	..	..	.22	21
22	.02	.06	.14	..	..	..	..	..	..	.08	..	.56	22
23	.03	.64	.08	..	..	.12	..	..	..	.16	.01	.10	23
24	.01	.59	.01	..	.11	.03	..	..	..	.32	.06	.32	24
25	..	.47	.27	..	.03	..	..	.35	..	.20	.07	..	25
26	..	.25	.05	..	.11	.29	..	.07	..	.22	.02	..	26
27	.05	.01	.91	..	.06	.48	..	.51	.07	.31	..	..	27
28	.01	.41	.31	..	..	..	..	..	.09	.02	.04	.24	28
29	..	.16	.01	..	..	.28	..	1.04	.03	.34	..	.29	29
30	..		..	..	..	..	..	.22	..	.46	..	..	30
31	..		..		..		..	..		.16		.02	31
Total	2.09	5.89	5.38	1.79	2.66	2.94	0.74	3.77	1.29	4.79	5.31	3.47	YEAR'S TOTAL 40.12
Rain Days.	17	23	26	14	13	13	5	12	11	22	16	14	186

W. 8,000, VIII. 16

BRITISH RAINFALL
FORM A.
18 JAN 19
385
432

REGISTER OF RAINFALL IN 1917.

Kept at Chevening Park Gardens

in the County of Kent

by Charles Sutton.

Lat. ________ Long. ________

Time of Observation 9 a.m.

Nearest Railway Station { Chevening Halt (Passengers only) Dunton Green - S. E + C. Rly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	·03	·03	·23	..	..	..	1·57	·09	..	·05	·04	1
2	..	..	..	·25	..	..	..	·41	..	..	·09	..	2
3	·02	..	–	·14	–	..	·21	·86	..	·12	·19	..	3
4	..	·17	·19	..	..	..	·17	·07	..	·48	..	..	4
5	·20	·01	·03	·61	..	..	..	..	·31	·15	·12	..	5
6	..	..	..	·09	–	·13	..	..	·28	·06	·09	..	6
7	·35	..	..	..	..	..	·25	..	..	·47	..	·11	7
8	·13	..	..	·13	..	..	·68	·91	·02	·40	·38	·26	8
9	·04	..	·12	·09	..	..	·31	·07	·01	..	·07	1·29	9
10	·19	..	·19	·14	–	..	..	·13	..	..	·01	·04	10
11	·14	·02	·40	·44	..	..	–	..	·28	·38	..	..	11
12	·18	..	·16	·03	–	..	..	..	..	·49	..	..	12
13	·09	..	·11	·09	..	..	..	·04	·02	·29	..	..	13
14	·02	–	·03	·23	..	..	..	·02	..	..	..	..	14
15	·04	..	..	..	..	..	·09	·14	..	·14	..	·05	15
16	·07	·11	..	·20	·15	..	..	..	..	·54	..	1·14	16
17	·01	..	..	·11	·64	..	·12	..	·45	·17	..	..	17
18	·07	·07	..	·22	·07	..	·29	·11	·38	·03	..	..	18
19	·02	·11	·09	·01	·10	·12	·02	..	·14	..	..	..	19
20	·01	·13	·11	..	·89	..	·27	·08	..	..	·06	..	20
21	..	..	·06	·01	·01	·03	..	..	..	·06	·02	..	21
22	·03	..	·05	..	..	·02	..	·13	–	·17	..	·06	22
23	..	·20	..	..	·24	·01	..	·19	..	·19	..	..	23
24	..	·03	..	–	..	·02	..	..	..	·06	..	..	24
25	..	·02	·11	..	..	..	..	..	..	·01	·03	..	25
26	..	..	·07	..	..	..	..	·24	..	·01	·79	·05	26
27	..	..	·03	..	..	..	..	1·12	..	..	..	..	27
28	..	..	·02	..	..	1·12	..	·24	..	..	..	·09	28
29	..	×	·06	..	·11	·34	·20	·03	..	·36	..	·15	29
30	·03	×	·23	..	..	·02	1·93	·10	..	·03	..	·04	30
31	·14	×	·07	×	..	×	·71	·02	×	·02	×	·01	31
Total	1·78	·90	2·16	3·02	2·21	1·81	5·25	6·48	1·98	4·63	1·90	3·33	YEAR'S TOTAL 35·45
Rain Days.	19	11	20	17	8	9	13	20	10	22	12	13	174

5·68

W. 8,000, IX. 17.

Exd. E.F.R.

Kg

BRITISH RAINFALL FORM 385

10

9

REGISTER OF RAINFALL IN 19

Kept at Chevening Park Gardens

in the County of Kent

by C. Sutton

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Dunton Green (Chevening Halt- (Passengers only)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 360. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	..	..	·01	..	..	..	..	·02	..	..	·19	·09	1
2	..	·09	·01	·06	..	..	..	·24	..	..	·19	·27	2
3	..	·01	·15	..	·66	..	..	·07	..	·01	·12	·02	3
4	..	·17	·09	·07	..	..	..	·04	·16	..	·61	·03	4
5	..	·04	..	..	·17	..	..	·23	·16	·10	..	·02	5
6	·25	·27	..	·26	·25	..	..	·15	·29	·03	..	·09	6
7	·07	·13	..	..	·29	..	..	·03	·13	·12	..	..	7
8	·04	·15	..	..	..	..	..	..	·18	·02	·24	·07	8
9	..	..	..	·07	..	·02	·05	..	·53	·26	..	·03	9
10	·02	..	..	·12	..	·05	·78	..	·26	·21	..	·31	10
11	..	..	..	..	·04	..	·29	..	·01	·34	·09	·15	11
12	..	·12	..	·01	·27	..	·31	..	·03	·05	..	·03	12
13	·08	·02	..	·02	·09	..	..	..	·09	..	..	·01	13
14	·14	..	..	..	..	·23	·11	..	·21	·23	..	·14	14
15	1·44	..	..	1·17	..	·18	·09	..	·01	..	..	·23	15
16	·17	..	..	·21	..	·13	·02	..	·11	..	..	·01	16
17	·48	..	..	·06	·11	·01	1·16	·08	..	..	..	·34	17
18	·49	..	..	·03	..	·19	·01	..	·48	·09	..	..	18
19	·12	..	·13	·08	..	·04	·08	..	·04	·19	..	·15	19
20	·02	·26	..	·69	..	·02	·54	..	·21	·58	..	·07	20
21	·17	·03	..	·41	..	·01	..	..	·24	·07	..	·04	21
22	·06	..	..	..	·14	..	·37	..	·45	..	..	·22	22
23	·08	..	..	..	·16	..	..	·05	·03	..	..	·05	23
24	..	·31	..	..	·02	·05	..	..	·30	..	·07	·04	24
25	..	..	..	·11	..	·15	·04	·19	..	·02	·08	·01	25
26	..	..	..	..	..	..	·67	..	..	·05	·11	·18	26
27	..	·03	·05	·12	..	..	·05	·21	·11	..	·13	·05	27
28	..	..	·19	·09	..	..	..	·03	..	..	·13	·11	28
29	..		·14	·01	..	..	..	..	1·26	..	·02	..	29
30	..		·35	..	..	..	..	..	·12	·06	..	..	30
31	..		·04		..		..	..		·12		·08	31
Total	3·63	1·63	1·16	3·59	2·20	1·08	4·57	1·34	5·41	2·55	1·98	2·84	YEAR'S TOTAL 31·98
Rain Days	15	13	10	18	11	12	15	12	23	18	12	27	186

W, 6,500, VII. 18. w w c

Ex. [illegible]

40'9

385

16 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Chevening Park Gardens

in the County of Kent

by J. C. Sutton.

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Chevening Halt (Passengers) 1 mile. S. E. & C. Rly. Dunton Green 2½ miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ „ „ „ Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·41	·04	·01	..	·12	..	·04	..	..	·11	·11	·92	1
2	·31	·01	·02	..	·05	..	·26	..	·03	..	·15	·15	2
3	·32	..	·43	..	·02	..	·28	..	·09	..	·08	·43	3
4	·19	·03	·52	..	..	·02	·11	·03	·05	..	·06	·11	4
5	·04	·34	·84	..	..	..	..	..	·01	..	·09	·84	5
6	·07	·03	·09	..	..	..	..	..	..	..	·03	·17	6
7	·09	..	·50	..	..	..	..	..	..	..	·10	..	7
8	·36	..	·08	·06	..	..	..	..	..	..	·03	..	8
9	·51	..	·02	..	..	..	..	..	..	..	·14	..	9
10	·29	..	·14	·06	..	..	..	..	..	..	·02	..	10
11	·09	..	·31	·30	..	..	·29	..	..	..	..	·07	11
12	·07	..	·07	·07	..	..	·31	..	..	·11	·01	..	12
13	·02	..	-	·68	..	..	..	..	..	..	..	·03	13
14	·52	·02	·01	·59	..	..	·09	..	·44	..	..	·04	14
15	·23	·06	·09	·22	..	..	..	..	..	·01	·01	·25	15
16	·08	·67	..	·02	..	..	..	..	..	..	·12	·03	16
17	·01	·38	·02	·01	..	..	..	..	..	..	·21	·06	17
18	..	·29	·07	..	..	..	..	·01	·07	..	·16	·08	18
19	·02	·18	·49	..	..	..	·17	·29	·09	..	·15	·01	19
20	·23	·14	·13	..	..	·71	·25	·15	..	..	·12	·03	20
21	·15	·38	·03	..	..	..	·09	..	..	..	·04	·04	21
22	..	·09	·01	..	..	·05	·10	..	·32	..	·05	·26	22
23	..	..	..	..	..	..	·08	..	·13	..	·05	·06	23
24	..	..	..	·19	..	..	..	·02	..	·09	·17	·01	24
25	·04	..	..	..	..	·02	..	·04	..	..	·01	·04	25
26	·02	·21	·18	·11	..	..	..	..	·12	..	..	53 ·53	26
27	·75	·12	·02	1·12	..	..	..	·42	..	..	·04	·06	27
28	·08	..	·26	·25	..	..	·11	·74	..	·01	·08	·44	28
29	·01	7	..	·07	..	..	..	·47	..	·41	·06	·18	29
30	..		..	·14	..	·03	..	·36	..	·09	·20	·74	30
31	..		·15		..		·06	..		·02		·11	31
TOTAL	4·91	2·99	4·49	3·89	·19	·83	2·24	2·53	1·35	·85	2·29	5·69	YEAR'S TOTAL 32·25
Days with ·01 in. or more	25	16	24	15	3	5	14	10	10	8	26	26	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

385

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Chevening Park Gardens
in the County of Kent.
by J. C. Sutton

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Chevening Halt. Passengers only Dunton Green. S.E. re.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..	..	..	·25	·06	·03	·34	..	..	·29	..	·29	1
2	·02	..	..	..	·03	..	..	·27	·07	·21	..	·12	2
3	·07	..	..	·12	·09	..	..	..	·01	·04	..	·02	3
4	..	·11	·04	·32	..	..	1·12	·10	..	·03	..	·06	4
5	..	..	·08	·01	·04	..	·41	·24	·08	·02	..	·02	5
6	..	..	·15	..	·14	..	·39	..	..	..	..	·03	6
7	·12	..	·02	·17	·01	..	·29	..	..	..	..	·03	7
8	..	..	..	·11	·16	..	·34	·02	..	..	..	..	8
9	·42	·02	..	..	·01	..	·10	·01	..	..	..	..	9
10	·67	·15	·08	..	..	·16	·21	..	..	..	·03	·01	10
11	·44	..	·08	·27	..	·05	·28	·06	..	..	..	·15	11
12	·16	·01	·02	·22	..	1·02	..	..	..	..	·03	..	12
13	·26	·03	·17	·07	..	..	..	..	..	..	·25	·01	13
14	..	..	..	·30	..	·06	..	..	·12	·11	·05	..	14
15	·06	..	..	·15	..	..	..	..	1·34	·03	·18	..	15
16	·01	..	..	·01	..	..	..	..	·32	..	..	·01	16
17	·02	..	..	·02	·14	..	..	..	1·51	..	..	·12	17
18	·02	..	..	·02	·03	..	..	1·15	·50	..	..	·12	18
19	·17	..	..	..	..	·03	..	·03	..	..	..	·07	19
20	·05	·32	..	·52	..	·49	..	..	·19	..	..	..	20
21	..	..	..	·03	..	..	·76	·01	·40	..	..	·13	21
22	..	..	..	·34	..	..	..	..	·05	..	..	·29	22
23	..	..	..	..	..	..	·31	..	..	..	..	·53	23
24	·06	..	·02	·01	..	..	·02	..	..	..	..	·05	24
25	..	..	·05	·03	..	..	·21	..	·04	..	..	·01	25
26	·04	..	·01	·02	..	·02	..	..	..	..	..	·06	26
27	·29	·11	..	·20	..	..	·06	..	..	..	·35	·19	27
28	·56	..	·17	·09	·08	..	·13	..	..	..	·06	·04	28
29	·59	..	·04	·07	..	..	..	..	..	..	·08	·33	29
30	·04		..	·06	·16	·04	·18	..	·25	..	·37	·19	30
31	·03		..		·05		..	..		·36		·26	31
TOTAL	4·10	·75	·93	3·41	1·00	1·90	5·15	1·89	4·88	1·09	1·40	3·14	YEAR'S TOTAL 29·64
Days with ·01 in. or more	~~5~~ 21	~~3~~ 7	~~4~~ 13	~~8~~ 24	~~4~~ 13	~~3~~ 9	~~7~~ 16	~~4~~ 9	~~7~~ 13	~~3~~ 8	~~2~~ 9	~~8~~ 25	~~46~~ 167
Days with ·04 in. or more	16	4	9	16	9	6	15	5	12	5	7	17	121

M 66

FORM A2. BRITISH RAINFALL.

16 NOV 1911

SEVENOAKS
IDE HILL
KENT
1911

19 11.

Kept at Ide

in the County of

by Miss A

top 5 in.

above Ground ft. 9 in.

„ Sea Level 700 ft.

9 A M

Name Sevenoaks
Distance 4½ m Direction E NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

November only taken till 14th

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·75	—	—	—	·03	—	—	·07		1
2	·11	·01	—	·21	·22	—	—	—	—	—	·16		2
3	—	·05	—	—	·08	—	—	—	—	—	·10		3
4	·13	·02	·05	·14	—	·04	—	—	—	·47	·29		4
5	not taken	—	—	—	—	—	—	—	—	·34	·03		5
6	·26	—	·07	·05	—	—	—	—	—	—	—		6
7	·04	—	·02	T	—	—	—	—	—	·32	·33		7
8	·14	—	·43	—	—	—	—	—	—	—	·46		8
9	·19	—	·03	·04	—	—	—	—	—	—	·09		9
10	—	·10	·04	·03	—	—	—	—	—	—	—		10
11	·28	—	·04	—	·04	—	—	—	—	—	·90		11
12	·01	—	s·46	—	·04	·06	—	—	—	—	·05		12
13	—	—	s·09	—	·20	—	—	—	·42	·19	·01		13
14	—	·11	—	—	·15	—	—	—	—	—	—		14
15	—	·03	s·39	—	—	—	—	—	—	·05			15
16	—	—	—	—	—	·25	—	—	—	—			16
17	—	—	s·06	—	—	·03	—	—	—	—			17
18	—	·14	·04	—	—	·03	—	—	—	—			18
19	—	·01	—	—	—	·27	—	—	·10	·22			19
20	·01	·01	·03	—	—	·01	—	·35	·10	·03			20
21	·03	·12	—	—	—	—	—	·11	·20	·57			21
22	·04	—	·22	—	—	·09	—	·04	—	·25			22
23	—	·13	·03	—	—	·82	—	—	·32	·05			23
24	·01	·14	—	—	—	·05	·05	—	—	·44			24
25	—	·04	·15	·05	—	·18	—	—	·03	—			25
26	—	·01	·17	·24	·11	·22	—	—	—	·18			26
27	—	·31	·13	·10	—	—	—	—	·13	·34			27
28	—	·03	·01	·19	—	—	—	·05	—	—			28
29	—		·01	·36	—	·15	·35	—	·17	·29			29
30	—		—	—	—	·02	—	·04	·05	·19			30
31	—		—		·09		—	—		·02			31
Total	1·29in	1·26in	2·17in	2·16in	·93in	2·22in	·40in	·62in	1·52in	3·95in	~~2·49in~~		TOTAL for year 18·61in
No. of Rain Days	14	16	20	11	~~7~~8	14	2	6	9	16	~~11~~		126 days

9,000, IX. '10.

M 66

9 11.

FORM A2.
BRITISH RAINFALL.

16 NOV 1911

Kept at Ide Hill Sevenoaks

in the County of Kent 4

by Miss A. C. M. Raikes

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 700 ft.

Time of Observation 9 A M

Nearest Railway Station
Name Sevenoaks
Distance 4½m Direction E NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. November only taken till 14th

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·75	—	—	—	·03	—	—	·07		1
2	·11	·01	—	·21	·22	—	—	—	—	—	·16		2
3	—	·05	—	—	·08	—	—	—	—	—	·10		3
4	·13	·02	·05	·14	—	·04	—	—	—	·47	·29		4
5	not taken	—	—	—	—	—	—	—	—	·34	·03		5
6	·26	—	·07	·05	—	—	—	—	—	—	—		6
7	·04	—	·02	—	—	—	—	—	—	·32	·33		7
8	·14	—	·43	—	—	—	—	—	—	—	·46		8
9	·19	—	·03	·04	—	—	—	—	—	—	·09		9
10	—	·10	·04	·03	—	—	—	—	—	—	—		10
11	·28	—	·04	—	·04	—	—	—	—	—	·90		11
12	·01	—	s·46	—	·04	·06	—	—	—	—	·05	—	12
13	—	—	s·09	—	·20	—	—	—	·42	·19	·01		13
14	—	·11	—	—	·15	—	—	—	—	—	—		14
15	—	·03	s·39	—	—	—	—	—	—	·05			15
16	—	—	—	—	—	·25	—	—	—	—			16
17	—	—	s·06	—	—	·03	—	—	—	—			17
18	—	·14	·04	—	—	·03	—	—	—	—			18
19	—	·01	—	—	—	·27	—	—	·10	·22			19
20	·01	·01	·03	—	—	·01	—	·35	·10	·03			20
21	·03	·12	—	—	—	—	—	·11	·20	·57			21
22	·04	—	·22	—	—	·09	—	·04	—	·25			22
23	—	·13	·03	—	—	·82	—	—	·32	·05			23
24	·01	·14	—	—	—	·05	·05	—	—	·44			24
25	—	·04	·15	·05	—	·18	—	—	·03	—			25
26	—	·01	·17	·24	·11	·22	—	—	—	·18			26
27	—	·31	·13	·10	—	—	—	—	·13	·34			27
28	—	·03	·01	·19	—	—	—	·05	—	—			28
29	—		·01	·36	—	·15	·35	—	·17	·29			29
30	—		—	—	—	·02	—	·04	·05	·19			30
31	—		—		·09		—	—		·02			31
Total	1·29in	1·26in	2·17in	2·16in	·93in	2·22in	·40in	·62in	1·52in	3·95in	~~2·49in~~		TOTAL for year 18·61in
No. of Rain Days	14	16	20	11	~~7~~8	14	2	6	9	16	~~11~~		126days

9,000, IX. '10.

SEVENOAKS

{RIVERHILL}

KENT

1911-20

REGIS

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Riverhill

in the County of Kent

by T. Usher. bailiff to

l 4 ft. in.

vel 5·3 5 ft.

Sevenoaks

nce 2½ Direction NW

IMPORTANT NOTE.—
previous day. If an Observe
requested to add the reading
for it at the end of this pa
the selection and placing o
Organization are given in " R
Dr. H. R. Mill, 62, Camden Square, London, N.W.

result entered to the
rule, he is earnestly
n the space provided
of rain,
Rainfall
ication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	004	—	—	074	—	—	—	013	—	—	003	—	1
2	010	—	—	020	025	—	—	—	—	—	019	019	2
3	002	003	002	—	014	—	—	—	—	—	008	018	3
4	018	—	007	Snow 025	—	—	—	—	002	086	024	020	4
5	002	002	—	Snow 020	—	—	—	—	—	036	—	012	5
6	022	—	009	—	—	—	—	—	—	—	—	028	6
7	—	—	—	—	—	—	—	—	—	030	038	025	7
8	018	—	013	—	—	—	—	—	—	—	046	017	8
9	020	—	005	006	—	—	—	—	—	—	006	005	9
10	—	007	005	007	—	—	—	—	—	—	002	066	10
11	043	—	006	—	006	—	—	—	—	—	091	—	11
12	—	—	061	—	—	006	—	—	—	—	011	—	12
13	—	—	006	—	021	—	—	—	069	015	004	015	13
14	—	005	—	—	043	—	—	—	—	—	—	048	14
15	—	002	031	—	—	—	—	—	—	002	007	—	15
16	—	—	—	—	—	031	—	—	—	—	072	011	16
17	—	—	004	—	—	004	—	—	—	—	101	012	17
18	—	021	002	—	—	001	—	—	—	—	119	022	18
19	—	—	—	—	—	018	—	—	014	027	022	013	19
20	002	—	—	—	—	003	—	024	—	004	001	070	20
21	—	020	—	—	—	—	—	015	002	044	—	015	21
22	004	—	040	—	—	008	—	002	—	012	001	044	22
23	—	025	—	—	—	083	—	—	030	005	007	010	23
24	—	017	—	—	—	006	005	002		057	—	028	24
25	—	006	035	004	—	019	009	—		—	005	001	25
26	—	—	021	027	—	018	—	—		018	010	027	26
27	—	034	013	013	—	—	—	—	011	040	002	007	27
28	—	016	—	016	—	—	—	004	—	—	006	—	28
29	—		—	044	—	018	042	—	019	027	—	—	29
30	—		—	—	—	002	—	003	003	026	—	—	30
31	—		—		042		—		—	—		—	31
Total	145	158	260	256	151	217	056	063	150	429	605	533	TOTAL for year 30·23
No. of Rain Days.	11	12	16	11	6	13	3	7	8	15	23	23	148

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Riverhill Sevenoaks

in the County of Kent 4

by T. Usher. bailiff to Col Rogers

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 4 ft. in.
" " " Sea Level 535 ft.

Time of Observation 9 am

Nearest Railway Station
Name Sevenoaks
Distance 2½ Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	004	—	—	074	—	—	—	013	—	—	003	—	1
2	010	—	—	020	025	—	—	—	—	—	019	019	2
3	002	003	002	—	014	—	—	—	—	—	008	018	3
4	018	—	007	Snow 025	—	—	—	—	002	086	024	020	4
5	002	002	—	Snow 020	—	—	—	—	—	036	—	012	5
6	022	—	009	—	—	—	—	—	—	—	—	028	6
7	—	—	—	—	—	—	—	—	—	030	038	025	7
8	018	—	013	—	—	—	—	—	—	—	046	017	8
9	020	—	005	006	—	—	—	—	—	—	006	005	9
10	—	007	005	007	—	—	—	—	—	—	002	066	10
11	043	—	006	—	006	—	—	—	—	—	091	—	11
12	—	—	061	—	—	006	—	—	—	—	011	—	12
13	—	—	006	—	021	—	—	—	069	015	004	015	13
14	—	005	—	—	043	—	—	—	—	—	—	048	14
15	—	002	031	—	—	—	—	—	—	002	007	—	15
16	—	—	—	—	—	031	—	—	—	—	072	011	16
17	—	—	004	—	—	004	—	—	—	—	101	012	17
18	—	021	002	—	—	001	—	—	—	—	119	022	18
19	—	—	—	—	—	018	—	—	014	027	022	013	19
20	002	—	—	—	—	003	—	024	—	004	001	070	20
21	—	020	—	—	—	—	—	015	002	044	—	015	21
22	004	—	040	—	—	008	—	002	—	012	001	044	22
23	—	025	—	—	—	083	—	—	030	005	007	010	23
24	—	017	—	—	—	006	005	002		057	—	028	24
25	—	006	035	004	—	019	009	—		—	005	001	25
26	—	—	021	027	—	018	—	—		018	010	027	26
27	—	034	013	013	—	—	—	—	011	040	002	007	27
28	—	016	—	016	—	—	—	004	—	—	006	—	28
29	—		—	044	—	018	042	—	019	027	—	—	29
30	—		—	—	—	002	—	003	003	026	—	—	30
31	—		—		042		—		—	—		—	31
Total	145	158	260	256	151	217	056	063	150	429	605	533	TOTAL for year 3023
No. of Rain Days.	11	12	16	11	6	13	3	7	8	15	23	23	148

W. 8,000, X. '11.

Exe DL

REGISTER OF RAINFALL IN. 1912

FORM A.
BRITISH RAINFALL.
3 JAN 1913

Kept at Riverhill Sevenoaks
in the County of Kent 4
by Col Rogers

Lat. ______ Long. ______
Nearest Railway Station Sevenoaks
Time of Observation 9 am.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. ______ in.
" " " Sea Level 535 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	002		011	003		014	021	—	007	062		017	1
2	—	Snow 003	054	—	—	003	021	019	0·01	006		—	2
3	005	Snow 011	003	—	—	010	003	020	→	002		010	3
4	020	—	053	—	016	025	—	002	002		012	—	4
5	012	005	025	—	—	—	—	018	→		021	014	5
6	043	004	—	—	003	—	—	020	—		004	007	6
7	—	—	002	—	013	075	005	018	—		—	004	7
8	025	037	019	—	—	010	—	023	—		001	003	8
9	—	011	—	007	—	002	005	003	—		—	010	9
10	—	004	—	—	—	—		020	001		008	028	10
11	004	029	—	—	—	005		016	006		—	022	11
12	—	009	005	—	022	004		0.19	—		—	003	12
13	—	—	002	—	—			—	—	002	021	003	13
14	001	—	002	—	001			010	—	008	001	001	14
15	001	001	009	—	021	073		003	—	—	003	032	15
16	022	—	005	—	001	005		011	—	009	007	—	16
17	023	—	030	—	—	005		003	—	—	008	005	17
18	024	—	037	—	—	—	007	012	—	004	—	011	18
19	006	010	014	—	—	—	008	038	—	—	—		19
20	001	001	036	—	004	002	007	008	—	047	002		20
21	001	005	032	—	004	—	—	007	—	022	006		21
22	012	025	002	—	—	—	007	022	—	—	—	002	22
23	040	023	043	—	—	—	—	055	—	014	018	004	23
24	002	001	001	—	002	023	—	031	—		—	010	24
25	003	005		—		017	—	096	—	—	032	033	25
26	002	—		—			—	0·27	—	048	031	031	26
27	— —			—			—	—	—	014	—	021	27
28	—	003		—		001	027	0.04	005	057	044	015	28
29	—	003		—		—	003	0·20	1.23	006			29
30	—			—	020	—	006	0.06	1.55	035			30
31	001		010	—		—	022	0.11	—	003			31
Total	250	1.90	3.95	0.10	1.07	2.74	1.42	5.42	3.00	3.39	2.19	2.86	TOTAL for Year 30.54
No. of Rain Days	21	19	21	2	11	16	13	28	8	16	16	22	193

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ext B11

REGISTER OF RAINFALL IN 1913

FORM A.

BRITISH RAINFALL. 3 JAN 1914

Kept at Riverhill . Sevenoaks

in the County of Kent

by Col I. M. Rogers

4

Lat. 51·14·43 N. Long. 0·12·46 E

Nearest Railway Station Sevenoaks

Time of Observation 9 am

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. in.

" " " Sea Level 535 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	003	029	003	024		001			002	019	002	008	1
2	022	0·19					017			005	021	001	2
3			008	036	030					002		009	3
4	018		002	003	002		003		039	008	003	003	4
5	022	002				015	018			026	007	003	5
6	007	002	011		001	014	011		004	035	005	006	6
7		013	~~004~~		005	002		011		046	004		7
8		002	004	001	012	007			010	010	006	002	8
9		010		003	005	001					002	001	9
10	002		003	004			063	022			053		10
11	033			039						074	036		11
12											077	001	12
13	019		003		002			004	002		025		13
14	0 11		008	008			1.19	002	010	014	015		14
15	0 13		012	020			0·16		025		001		15
16	020	001	× 0·55	024					032				16
17	012	Snow 007	002	006			022		003		001	002	17
18			008	015	005						007		18
19	019		011		001	006	013		028				19
20	052		015	012	002	002				039			20
21	003		018	009			005			039	077		21
22	034		035	008	002		001	006	009	·		001	22
23	001		027			002	010	011	002			055	23
24	004			003		001		014			007		24
25				014								003	25
26			017					020		100		031	26
27	001	002	003		078					007			27
28	017		021	005						025			28
29	010		003	023	066			018		006		Snow 003	29
30	034			0.33				025		018	001		30
31	—		001					046		016			31
Total	3·57	0.87	(2.70)	2·90	2·11	0·51	2·98	1·79	1·66	4·89	3·50	1·29	TOTAL for year
No. of Rain Days	22	10	22	20	13	10	12	11	12	18	19	15	(28.77)

× guage blown over in night this reading is from Knole 1 mile away.

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

184

Exc 8L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Riverhill Sevenoaks

in the County of Kent 4

by Lt Col J. M. Rogers

Lat. 51° 14' 43 N. Long. 0. 12. 46 E

Time of Observation 9 am

Nearest Railway Station Sevenoaks

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. in.

" " " " Sea Level 535 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				003				016			002	005	1
2						001	011	003			008	013	2
3	001		022		019		001	001			001		3
4	003		002	018	002			002			027	022	4
5	007		006	032	022	004	017	021					5
6		0.11	001	015	002	015	001	003			002	020	6
7		041	031	027	003	020	015					019	7
8	009	050	028			007	009	007				007	8
9	018		099	013					006			1.58	9
10	002	003	001	008	015				004			013 ~~035~~	10
11		036	032	002					024		018	035	11
12	Snow 008	003	009				011		031	001	001	039	12
13	002	026	017						019	005	012	066	13
14		019	023							029	002	050	14
15	004	006	022				055	002			080	007	15
16	002	002	007						004		001		16
17		025	014						006			012	17
18		016	012									035	18
19		008	060				018			004	025	024	19
20		016	012			004				005		009	20
21		072	006					055		003		005	21
22		002			018	009	018	002		017			22
23			016		030	002	005					016	23
24			003							003	018		24
25	011		033					008		023			25
26			002				005	031		008	026	038	26
27	003							005			003	047	27
28	002	003								003	030	057	28
29	007		003							057	020		29
30	001		006		002					010	083	012	30
31	001				022		002					002	31
Total	0.81	3.39	4.67	1.18	1.35	0.62	1.68	1.56	0.94	1.68	3.59	7.11	YEAR'S TOTAL 28.58
Rain Days.	16	17	25	8	10	8	13	13	7	13	18	~~711~~ 24	172

W.7,000, XI. 13

432

FORM A.
BRITISH RAINFALL.

JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Riverhill Sevenoaks

in the County of Kent 4

by Col Rogers.

Lat. 51·14·43 Long. 0 12·46 E 3

Nearest Railway Station Sevenoaks

Time of Observation 9 am

Diameter of Rain Gauge 8 in in.

Height of top of Gauge above Ground 4 ft. – in.

" " " Sea Level 515 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.45	0.14	0.02	–		–	–	0 0 3	0.24	0 02	0·24	0 39	1
2	0 10	0.10	0 31	0·16	0.04	–	–	0.56	–	0·08	–	0 04	2
3	0 22	–	0 06	0·21	0.08	–	–	0·23	0.10		–	0·51	3
4	0·08	–	–	–	–	–	–	0·07	–		–	0.54	4
5	0·05	0 29	–	–	–	–	–	0·11	–	0·10	0·06	0 38	5
6	0.46	0 10	0·03	0·49	–	–	0·30	0·10	–		–	0·10	6
7	0 31	0 33	0·03	–	–	–	0·11	–	–		–	0·31	7
8	0·05	0.58	–	0·07	–	–	0.16	0.09	–		–		8
9	0.04	0·06	–	0·11	–	0.09	–	0·10	–	0·01	0·39	0.70	9
10	0.27	–	–	–	–	0·07	–	–	–	–		0·54	10
11	0·01	0 01	–	–	–	–	–	–	–	–	0·50	0·02	11
12	0.07	0·06	–	0·26	0.42	–	–	0.02	–	0·04	0.56		12
13	0·03	0.65	–	0·03	1.18	–	–	–	–		–		13
14	0·01	0·03	–	–	–	–	0 13	–	0.08		–	0·33	14
15	0 10	–	–	–	0·05	–	0 18	0.34			Snow 0·24	0·15	15
16	–	0·43	–	0·02	0·04	–	0·71	0·08				0·09	16
17	–	0·32	–	–	1.15	–	0 08	0·42				0·04	17
18	0·02	0·13	0·04	–	0·17	–	–	–			0·06		18
19	–	0.12	–	–	–	–	0.05	–		0·13			19
20	0 36	–	–	0·03	0·08	–	–	–		–		0·25	20
21	0 13	0 03	–	–	–	–	–	–		0·02		0·10	21
22	Snow 0 26	0.14	0 03	–	–	–	0 65	–				0·08	22
23	0 01	Snow 0 29	0 06	–	–	0·03	0 03	–	0·10	0 34		0 32	23
24	–	0·02	0·03	0·10	–	–	0·19	–	0·20	0·22		0·60	24
25	–	–	0·03	0 09	–	–	0·10	–		0 06		0 20	25
26	0·01	0.03	–		–	–	–	–				0 45	26
27	–	0 02	0·02		–	0.10	0.11	–		0·34		0·03	27
28	0·01	0·09	–		–	0·20		–	1.60	0·25			28
29	–		–		0·06		0·40	0.06			0 30	0·02	29
30	0 07		–		–	0·07	–	–			0.71	0·02	30
31	0 01		–		–		–	0.41		0·72		0 22	31
Total	3·13	4·00	0 66	1 57	3.27	0.56	3·20	2 62	2-32	2·33	3·06	6·43	TOTAL for year 33·15
No. of Rain Days	24	22	11	11	10	6	14	14	6	13	9	25	165

6,000, XI. '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

419

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Riverhill Sevenoaks

in the County of Kent

by Lt Col J. M. Rogers

Lat. 51·14·43 N. Long. 0·12·46 E

Time of Observation 9 am 10 during Summer time 1917

Nearest Railway Station Sevenoaks

Diameter of Rain Gauge 8 in.

Height of top of Gauge above ~~Ground~~ ~~5 30~~ ft. in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	(·11)	0 01	–	–	0·77	–	–	–	0·10	0 06	0 32		1
2	0 50	0·09	0·23		0·50		–	–	0 63	0 42	0 02	–	2
3		0 54	Snow 0 49	–	–	–	0 10	–	0 13	0 28	0 56	–	3
4	0 15	0·12			–	0 35	–	–	0·09	0 03	0 51	–	4
5			0 01	0 04	0·19	0 05		–	–	0 09	0 50	–	5
6	0 02	0 10	Snow 0 15	0 51	–	0 08	0·23	–	–	0 06	0 50		6
7	0 04		Snow 0 85	–	0 23	0 05	0 01	–	–	0 63	0 68	0 03	7
8	–		0 03	–	0·29	0·07	–	–	–	0 01	–	0 35	8
9	–		–	–	0·39	0 06	–	–	–	0 03	–	0 16	9
10	–	0·30	0·15	0 06	–	0·48	0·10	–	–	–	–	0 15	10
11	0 05	0·18	0 02	0 15	–	0·49	–	–	–	–	–	–	11
12	0·03	0 08	–	0 07	0 38	0 21	0·07	–	–	0 09	–	–	12
13	–	0 31	0 18	0 14	0·10	0 02	0·05	0·12	–	0 09	–	–	13
14	–	0 40	0·01	–	0·10	–		–	–	–	–	0 12	14
15	–	0·18	0 15	–	–	–	0·04	0·72	–	–	–	–	15
16	0·02	0·05	0 13	0·15	–		0·13	–	–	0 02	–	0·07	16
17	0 20	0·09	–	0·05	–	–	0·01	0·06	0 39	0 73	–	–	17
18	–	0 12	0 01	0·10	–	–	–	0 08	0 06	0 37	0 76	–	18
19	0 14	0·09	0 09	0 20	–	0 14	–	–	0 15		0 50	0 04	19
20	0 13		0 16	0·10	–	–	–	–	–		–	0 48	20
21	0·02		0 31	–	taken 10 o'Clock	–	0.53	–	–		0 03	0.20	21
22	0·01	Snow 0 05	0·04	–	–	–	–	–	–	0 03	–	0 42	22
23	0·03	S 0 36	0 05	–	–	0·18	0·02	–	–		0 05	0 08	23
24		S 0 03	0 04	–	0 07	0·02	–	0·01	–	0 29	0.05	S+R 0 23	24
25		S 0 80	0 18	–		–	–	0·30	–	0 17	0 05	–	25
26	–	S 0 28	0 02	–		0·06	–	–		0 18	0 03		26
27	0·02	–	0 60	–		0·71	–	0·65	0 06	0 22	–		27
28		S 0 38	0 23	–		–	–	0 10	0 09	0 03	–	0 28	28
29		0 15		–		0·22	–	0 43	0 04	0 28	–	0 25	29
30				–	0·06	–	–	0 18		0 30	–	–	30
31				–			–	0·02		0 24		0 03	31
Total	1·47	4 71	4 13	1·57	3 08	3 19	1·29	2 67	1 14	4 05	4 56	2 89	YEAR'S TOTAL 34·75
Rain Days.	15	22	23	11	11	16	11	11	10	23	14	15	182

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

401

FORM A.
BRITISH RAINFALL.

9 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Riverhill Sevenoaks

in the County of Kent

by Lt Col J. M. Rogers

Lat. 51.14.43 N Long. 0.12.46 E.

Time of Observation 9 am

Nearest Railway Station Sevenoaks

Diameter of Funnel of Rain Gauge 8 in. in.

Height of top of Gauge above Ground 4 ft. — in.

" " " " Sea Level 5305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		Sn. 0.01		Sn 0.32				1.37	008	0.02	0.08		1
2				Sn 0.21				0.45	---		0.19		2
3	001			Sn 0.06			009	0.66		0.07	0.12		3
4		Sn 0.20	Sn 0.15	—			0.14	0.11		0.42	0.03	—	4
5	027	Sn 0.03	0.03	0.32					0.41	0.16	0.11		5
6			0.04	Sn 0.03		0.16	—		0.42	0.03	—	0.02	6
7	0.20						0.11		0.01	0.55		0.04	7
8	0.10			0.06			0.67	0.24	—	0.37	0.31	Sn 0.14	8
9	0.03		0.03	Sn 0.11			0.24	0.13	002		0.06	1.04	9
10	Sn 0.20		0.17	0.08		0.08		0.11				0.01	10
11	Sn 0.13		0.29	Sn 0.30				0.03	0.13	0.25			11
12	Sn 0.12	Sn 0.04	0.06	0.03				0.07		0.63	0.01	0.01	12
13	Sn 007		0.15	0.09				0.01	0.02	0.21		0.01	13
14			0.03	0.17	003			0.05					14
15	Sn 0.11			0.01	0.01		004	0.09		0.07		0.02	15
16	Sn 0.07	0.09		0.11	0.16		0.15			0.44	0.02	Sn 0.81	16
17				0.08	0.65		0.24	0.01	0.32	0.27		Sn 0.02	17
18	0.07	0.06		0.19	0.10	003	0.12	0.13	0.23	002			18
19		0.15	006		0.24	0.53		0.04	0.17				19
20	0.02	0.19	0.08		0.66		005	0.06	0.04		0.05		20
21			Sn 0.04	0.03	002	0.03			—	0.02	0.01		21
22	0.02		Sn 0.10			0.05		0.15		0.20		0.03	22
23		0.17	Sn 0.04		0.21	0.03		007		0.11		0.04	23
24		0.02				005	0.01			0.19	0.02	0.02	24
25	—	0.04	005			0.23			0.01		Sn 0.03	0.02	25
26			Sn 004					0.14	0.03	0.05	0.78		26
27			003					1.04				0.02	27
28			0.10			1.55		0.25				Sn 0.13	28
29			0.11		0.18	0.26	0.09	0.06		0.55		0.18	29
30	Sn 0.05	X	Sn 0.32			0.03	1.35	0.13		0.04		0.05	30
31	0.07	X	0.05	X		X	0.57	0.01	X	0.02	X	Sn 0.06	31
Total	1.54	1.00	1.97	2.20	2.26	3.03	3.87	5.41	1.89	4.69	1.82	2.67	YEAR'S TOTAL 32.35
Rain Days.	16	11	21	17	10	12	14	24	13	22	14	19	195

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Used Cfd.

97

FORM A.
BRITISH RAINFALL.

4. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Riverhill Sevenoaks

in the County of Kent

by Lt Col J. M. Rogers

Lat. 51·14·43N Long. 0·12·46 E

Time of Observation 9 am

Nearest Railway Station Sevenoaks

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2ft 6 ft. in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·21.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.02	0.04	0.04	0.02			0.04			0.16	0.10	1
2		0.08	0.02	0.11				0.27			0.19	0.19	2
3	0.01	0.01	0.15	0.04	0.52			0.32		0.04	0.36	0.02	3
4		0.10	0.05	0.03				0.10	0.18		0.61	0.02	4
5		0.09	0.01		0.15			0.08	0.07	0.03		0.02	5
6	0.24	0.16		0.14	0.19			0.12	0.71	0.01		0.10	6
7	0.07 S	0.07		0.10	0.34	0.02		0.04	0.13	0.09	0.03	0.02	7
8		0.12		0.01				0.02	0.24	0.01	0.12	0.05	8
9	0.03 S	0.02		0.10		0.10			0.44	0.20		0.17	9
10				0.11		0.06	0.36		0.34	0.23		0.41	10
11	0.02			0.02			0.47		0.12	0.40	0.08	0.12	11
12		0.11			0.16		0.40		0.10	0.06		0.03	12
13	0.10 S	0.02		0.04	0.11		0.06		0.10			0.01	13
14	0.08		0.02	0.02		0.14	0.06		0.19	0.27		0.14	14
15	1.13			0.78 S		0.08	0.75		0.01			0.15	15
16	0.30 S			0.17		0.17	0.03		0.04	0.01			16
17	0.20			0.15	0.77		0.53	0.05				0.20	17
18	0.31		0.01	0.03		0.16	~~0.02~~		0.45	0.08		0.05	18
19	0.11		0.04	0.10 S		0.03	0.03		0.02	0.12	0.01	0.05	19
20	0.03	0.14		0.57		0.02	0.58		0.12	0.39	0.02	0.03	20
21	0.14	0.04		0.43		0.01	0.02		0.23	0.04	0.01	0.01	21
22	0.06	0.01			0.10		0.14		0.53	0.01	0.01	0.20	22
23	0.08			0.03	0.10		0.80	0.04	0.04		0.01	0.02	23
24		0.25			0.02	0.06	0.01	~~0.25~~	0.36		0.02		24
25	0.01					0.03	0.05	0.25		0.02	0.08		25
26		0.01		0.04			1.12	0.11	0.01	0.04	0.08	0.16	26
27	0.01	0.05	0.01	0.09			0.09	0.17	0.04	0.01	0.11	0.06	27
28	0.01	0.02 S	0.19	0.05				0.11		0.02	0.24	0.09	28
29	0.01		0.01	0.03					1.03		0.02	0.07	29
30		X	0.40						0.06	0.04		0.07	30
31		X	0.01	X		X			X	0.05	X	0.02	31
Total	2.95	1.32	0.96	3.23	2.48	0.88	5.50	1.72	5.56	2.17	2.16	2.58	YEAR'S TOTAL 31.51
Rain Days.	20	18	13	24	11	12	17	14	24	22	18	28	221

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

B made

378

JAN 20

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Kept at Riverhill Sevenoaks

in the County of Kent

by Lt Col J. M. Rogers

Lat. 51.14 43 Long. 0.12.46
Time of Observation 9 am [illegible]
Nearest Railway Station Sevenoaks
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 006

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.21	0.05 S			0.01		0.05			013	013	073	1
2	0.13		001		0.02		0.11			006	010	018	2
3	0.18		034		0.01		0.42		009		008 S	033	3
4	0.16		062			0.05	0.07	002			007	009	4
5	0.03	0.35 S	0.89						002		004	040	5
6	0.04		0.05							001	001	015	6
7	0.05		0.32								006		7
8	0.31		0.05	0.04							004		8
9	0.41		0.06	0.03							017		9
10	0.26		0.08	0.03							002 S	003	10
11	0.09		025	0.30			0.15					004	11
12	0.12		0.02	0.03	0.02		0.41			010	001 S	001	12
13	0.01			0.31						005		002	13
14	0.30			0.31			012		047			003	14
15	0.28	004	0.02	0.11								023	15
16	009	0.52		0.01							013 S	005	16
17	0.02	0.31 S	0.02	0.02	0.01						023	006	17
18	0.01	0.22 S	0.07						005		013	0.05	18
19		0.15	0.30			0.11	0.32	0.08	0		014		19
20	0.08	0.08	015			0.64	010	014			001	0.05	20
21	0.08	0.27	0.05 S				009				002		21
22		0.5				0.03	019		048		009	023	22
23	0.01 S					0.03	010		012		002	008	23
24				0.15						009	034	0.02	24
25	0.04							016				0.02	25
26	0.05	021	0.14	0.04			018	001	009		003	028	26
27	0.67 S	004	005	1.01 S			001	026			004 S	001	27
28			0.25 S	0.12			001	071			030 S	049	28
29	0.09			0.10				054		027	009	009	29
30	0.02 S	╳	0.03 S	0.23		0.02		047		007	015	052	30
31	0.11 S	╳	0.05 S	╳		╳	006		╳	005	╳	004	31
Total	3.85	2.29	3.82	2.84	0.07	0.88	2.39	2.39	1.32	0.83	2.45	4.21	YEAR'S TOTAL 27.34
Rain Days	27	12	22	16	5	6	16	9	7	9	25	26	180

W. 6,500. VII. 18. W W C

255

FORM A.
BRITISH RAINFALL

8 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Riverhill Sevenoaks
in the County of Kent
by H. J. M. Rogers

Lat. 51·14·43 N Long. 0.12.46 E
Time of Observation 9 am
Nearest Railway Station Sevenoaks
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·28

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06			·16	·02		·21			·29		·22	1
2			·14					·23	·27	·14		·09	2
3				·02	·23	·02			·01	·01		·03	3
4		·12		·21			1.06	·05		·02		·04	4
5			·03	–	·03		·44	·06	·08			·05	5
6			·10	–	·12		·18					·04	6
7	·02		·02	·13			·15			·01		·04	7
8				·05	·11		·32						8
9	·37	·05		·02	·03			·01					9
10	·45	·15	·07	·13		·10	·30					·05 S	10
11	·39		·07	·18		·07	·39					·11 S	11
12	·11			·13	·01	·49					·02		12
13	·33		·12								·04		13
14		·02	·26	·20		·12			·14	·04	·22		14
15	·05		·02	·12					·67	·09	·10	·01 S	15
16			·02	·18	·02	·03			·21			·03 S	16
17	·02			·10	·16				·88			·13	17
18	·01		·03	·02	·07			1·08	·71			·13	18
19	·10			·36								·08	19
20	·06	·22		·30		·53			·14			·01	20
21							·88		·41			·09	21
22				·33					·08			·29	22
23	·01						·34					·47	23
24			·03									·02	24
25				·03			·13						25
26	·04		·05	·04		·19						·08	26
27	·28	·08		·25		·08	·01				·30	·20	27
28	·40		·15	·03	·12		·13				·05	·02	28
29	·50		·05	·08							·06	·19	29
30	·03	X				·02	·22		·23		·27	·07	30
31	·01	X		X	·02	X			X	·32	X	·18	31
Total	3·24	·64	1·16	3·07	·94	1·65	4 76	1·43	3.83	·92	1·06	2·62	YEAR'S TOTAL 25·32
Rain Days.	19	6	15	22	12	10	14	5	12	8	8	25	156
2·04	13	5	9	19	6	7	13	4	11	5	7	18	115

W. 6,500, VII-18. W W C

82

3·5

FORM A2.
BRITISH RAINFALL.

22 JAN 1913

SEVENOAKS

{SPELDHURST CLOSE}

KENT

1912-20

1912

Kept at Speld

in the County of

by D. D. Macc

top .... in.
above Ground .... ft. .... in.
" Sea Level .... ft.

tion { Name
Distance .... Direction

IMPORTANT and the result entered to the previous day. If a universal rule, he is earnestly requested to add th ng year in the space provided for it at the end asurement of rain, the selection and e British Rainfall Organization are giv e on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·15	·03		·15	·15		·05	·60		·15	1
2		·06	·48				·22	·11	·01	·07			2
3	·06	·10	·03		·01	·12	·09	·17	·02	·04		·09	3
4	·24		·72		·16	·25					·17	·01	4
5	·16	·05	·30					·30			·12	·03	5
6	·45	·05			·02			·11			·03	·07	6
7	·01				·12	·64	·03	·16				·06	7
8	·33	·38	·22	·01		·03		·52				·02	8
9		·16		·07		·07	·04	·03				·15	9
10		·05						·31			·08	·25	10
11	·04	·37				·06		·15	·01			·22	11
12	·01	·14	·06		·19			·13				·02	12
13			·02							·01	·13	·03	13
14			·02		·05			·09		·04			14
15	·02	·01	·11		·17	·76		·01			·02	·27	15
16	·21	·01	·11		·02	·05		·15		·11	·13		16
17	·28		·39			·04		·04			·01	·03	17
18	·26		·28					·13		·05		·15	18
19	·28	·11	·19			·01	·07	·35					19
20	·01	·03	·57	·02			·37	·22		·50	·02		20
21		·04	·56		·02			·11		·18	·05		21
22	·12	·41	·04		·02		·06	·18		·01		·02	22
23	·38	·35	·45					·54		·13	·15	·03	23
24	·02	·02	·01			·07		·33				·10	24
25	·05	·03				·20		·98		·01	·35	·60	25
26		·03						·35		·47	·36	·31	26
27			·01							·16		·20	27
28		·04				·05	·24	·05	·04	·71	·57	·15	28
29		·03					·14	·45	1·65	·16	·03		29
30					·22	·06	·04	·02	1·70	·30			30
31			·08				·19	·13		·03			31
Total	2·93	2·47	4·80	·13	1·00	2·56	1·64	6·12	3·48	3·58	2·16	2·96	TOTAL for year 3383
No. of Rain Days.	18	21	21	4	11	15	12	27	7	18	15	22	191

W. 8,000, X. '11.

82

5·5

FORM A2.
BRITISH RAINFALL.

22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Speldhurst Close, Sevenoaks

in the County of Kent #5

by D. D. MacKinnon

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·15	·03		·15	·15		·05	·60		·15	1
2		·06	·48				·22	·11	·01	·07			2
3	·06	·10	·03		·01	·12	·09	·17	·02	·04		·09	3
4	·24		·72		·16	·25					·17	·01	4
5	·16	·05	·30					·30			·12	·03	5
6	·45	·05			·02			·11			·03	·07	6
7	·01				·12	·64	·03	·16				·06	7
8	·33	·38	·22	·01		·03		·52				·02	8
9		·16		·07		·07	·04	·03				·15	9
10		·05						·31			·08	·25	10
11	·04	·37				·06		·15	·01			·22	11
12	·01	·14	·06		·19			·13				·02	12
13			·02							·01	·13	·03	13
14			·02		·05			·09		·04			14
15	·02	·01	·11		·17	·76		·01			·02	·27	15
16	·21	·01	·11		·02	·05		·15		·11	·13		16
17	·28		·39			·04		·04			·01	·03	17
18	·26		·28					·13		·05		·15	18
19	·28	·11	·19			·01	·07	·35					19
20	·01	·03	·57	·02			·37	·22		·50	·02		20
21		·04	·56		·02			·11		·18	·05		21
22	·12	·41	·04		·02		·06	·18		·01		·02	22
23	·38	·35	·45					·54		·13	·15	·03	23
24	·02	·02	·01			·07		·33				·10	24
25	·05	·03				·20		·98	—	·01	·35	·60	25
26		·03						·35		·47	·36	·31	26
27			·01							·16		·20	27
28		·04				·05	·24	·05	·04	·71	·51	·15	28
29		·03					·14	·45	1·65	·16	·03		29
30					·22	·06	·04	·02	1·70	·30			30
31			·08				·19	·13		·03			31
Total	2·93	2·47	4·80	·13	1·00	2·56	1·64	6·12	3·48	3·58	2·16	2·96	TOTAL for year 33·83
No. of Rain Days.	18	21	21	4	11	15	12	27	7	18	15	22	191

W. 8,000, X. '11.

81

64

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at *Speldhurst Close, Sevenoaks*

in the County of *Kent* 5

by *Rev. D. D. MacKinnon*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·33	·02	·50					·03	·13	·05	·06	1
2	·13	·14					·18			·45	·14	·01	2
3			·04	·32	·31					·02		·05	3
4	·22		·04	·03	·02		·03			·15	·03	·04	4
5	·18		·01			·03	·11		·38	·22	·08	·01	5
6	·15	·04	·08			·13	·13		·07	·36	·07	·07	6
7		·14			·02	·05		·02		·68	·08	·01	7
8		·05	·02	·01	·14	·05				·10		·02	8
9		·08		·02	·06	·02	·02		·09		·03	·01	9
10	·01		·03	·07			·83	·03			·45		10
11	·50			·38				·01		·61	·44		11
12		·01			·02						·58		12
13	·21		·03					·04	·03	·01	·28	·01	13
14	·13		·07	·08			1·11	·03	·14	·12	·11		14
15	·17		·19	·24			·22		·07		·01		15
16	·20	·01	·40	·21					·48				16
17	·09	·05	·02	·07			·22	·02	·02		·02		17
18	·01		·09	·13	·01						·07		18
19	·22		·14		·01	·12	·11		·36				19
20	·36		·12	·12	·01	·17				·46	·01		20
21	·01		·14	·07						·36	·77		21
22	·34		·26	·02			·09	·04	·10	·02			22
23			·18			·02	·01	·11	·01	·01		·51	23
24	·04		·01	·02				·04			·08		24
25			·02	·10									25
26		·01	·15				·01	·20		·96		·31	26
27		·01	·06	·03	·31					·10			27
28	·16		·26	·05				·02		·21			28
29	·08		·03	·29	·57			·30		·05		·01	29
30	·38			·25				·15		·24			30
31			·03					·45		·11			31
Total	3·60	·87	2·44	3·01	1·48	·59	3·07	1·46	1·78	5·37	3·30	1·12	YEAR'S TOTAL 2800
Rain Days.	21	11	25	21	11	8	13	14	12	21	18	13	188

W. 7,500, XI. 12

8l

57

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Speldhurst Close, Sevenoaks

in the County of Kent 5

by Rev. D. D. Mackinnon

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02				·31			·06	·04	1
2						·01	·14	·01			·06	·09	2
3	·02		·20		·22								3
4	·03		·01	·25	·03			·05			·30	·28	4
5	·06		·04	·33	·32	·04	·17	·41					5
6		·11	·03	·17	·01	·20	·02	·03			·01	·24	6
7		·46	·28	·14	·02	·19	·14					·24	7
8	·09	·53	·35		·02	·05	·01	·13				·09	8
9	·16		1·14	·15					·12			1·20	9
10		·03	·01	·10	·15				·10			·10	10
11	·02	·50	·41		·01				·20		·12	·38	11
12	·09	·07	·08		·01		·09		·32		·01	·69	12
13		·31	·18			·02			·17	·05	·09	·71	13
14	·04	·26	·17				·02			·30	·10	·57	14
15		·03	·25				·33	·04			·78	·07	15
16	·03		·05				·01		·06				16
17		·40	·20						·07			·11	17
18		·14	·15									·34	18
19		·07	·60				·20		·03	·03	·21	·19	19
20		·19	·26			·05			·02	·03		·11	20
21		·86	·07					·37		·02		·05	21
22		·02			·30	·19	·17	·02		·17			22
23			·19		·29	·01	·04					·05	23
24			·05							·08	·17	·01	24
25	·07		·41					·10		·36			25
26	·01		·03				·05	·39		·07	·37	·52	26
27								·05			·03	·36	27
28	·02	·02			·01					·03	·41	·63	28
29	·08		·03		—					·56	·18		29
30	·01		·08		·02					·08	·80	·14	30
31	·02				·18		·01		—	·01		·01	31
Total	·75	4·00	5·27	1·16	1·59	·76	1·40	1·91	1·09	1·79	3·70	7·22	YEAR'S TOTAL 30·64
Rain Days.	15	16	25	7	14	9	14	12	9	13	16	25	175

W.7,000, XI. 13

81

459
54

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Speldhurst Close, Sevenoaks
in the County of Kent 5 [illegible]
by Rev. D. D. MacKinnon

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·53	·16	·01		·01			·08	·30	·02	·24	·38	1
2	·11	·12	·36	·14	·01	·01		·64		·04	·01	·04	2
3	·31		·04	·20	·06			·20	·10			·52	3
4	·06							·02		·05		·52	4
5	·04	·32			·30			·08		·08	·04	·37	5
6	·55	·07	·03	·47			·44	·06		—	·01	·07	6
7	·23	·32	·03				·10	·10				·27	7
8	·03	·69		·03			·28	·14					8
9	·03	·05		·09		·09				·03	·45	·70	9
10	·32					·08						·43	10
11	·02										·59	·02	11
12	·11	·09		·27	·49			·02		·15	·65	·01	12
13	·02	·73		·01	1·29					·02			13
14	·02	·02					·11	·06	·06			·38	14
15	·12				·05		·16	·10			·25	·18	15
16	·01	·40		·01	·03		·92	·04			—	·09	16
17		·36			1·24		·06	·05				·03	17
18	·01	·19	·02		·17						·04	·02	18
19		·10					·03			·15	·02		19
20	·32	·02		·01	·05							·23	20
21	·07	·01								·02		·08	21
22	·38	·09	·06	·05			·79					·10	22
23	·03	·28	·04	·01		·04	·18		·08	·36	·01	·38	23
24	·01		·01			·01	·31		·24	·23		·40	24
25		·02	·02	·20			·07			·05		·34	25
26	·01	·05				·06	·02					·52	26
27		·05	·02			·08	·14			·40		·07	27
28	·01	·04				·13			1·80	·25			28
29					·04	·05	·26	·08	·01	·01	·34	·02	29
30	·07	✕				·14		·01		·01	·66	·04	30
31	·02	✕		✕		✕		·22	✕	·90	✕	·28	31
													YEAR'S TOTAL
Total	3·44	4·18	·64	1·49	3·74	·69	3·87	1·90	2·59	2·77	3·31	6·49	35·11
Rain Days.	26	22	11	12	12	10	15	16	7	17	13	27	188

W. 8,000. X. 14.

8L ✓ Ex 8L

444
~~33~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Speldhurst Close, Sevenoaks
in the County of Kent
by D. D. MacKinnon

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.01	.01		.65		—		.14	.06	.34		1
2	.57	.08	.14		.32		.02		.22	.35			2
3		.70	.49				.03		.05	.33	.65		3
4	.21	.13				.32			.07	.02	.60		4
5		.01	.01	.02	.19	.07				.12	.67		5
6	.02	.11	.15	.41	.01		.22			.07	.58		6
7	.03		.86		.24	.10	.07			.03	1.03	.03	7
8					.27	.13						.42	8
9			.02		.34							.31	9
10		.24	.10	.06		.38	.11			.03	.01	.18	10
11	.04	.19	.04	.13		.32							11
12	.02	.10	.03	.06	.31	.19	.06			.09			12
13		.36	.30	.12	.07	.04	.11	.03	.01	.05			13
14		.53	.01	.01	.08			.02				.11	14
15		.15	.17				.03	.75		.03		.06	15
16	.02		.14	.16			.14	.09					16
17	.20	.09		.03			.01	.04	.28	.81			17
18		.10	.01	.10				.10	.06	.35	.81		18
19	.18	.08	.10	.15		.08			.12		.65	.06	19
20	.15		.18	.08							.05	.55	20
21	.03		.32				.29					.16	21
22	.02	.04	.09							.02		.49	22
23	.01	.45	.09			.15	.02			.04	.04	.08	23
24			.01		.10	.03		.02		.29	.07	.25	24
25		.82	.14		.02			.18		.20	.06		25
26		.37	.04			.10		.01		.18	.01	.05	26
27	.02		.75			.56		.27	.06	.29		.02	27
28		.43	.15					.02	.09	.13		.25	28
29	.01	.16	.01			.22		.54	.05	.24		.24	29
30		X			.10			.10		.36			30
31		X		X		X		.02	X	.14	X	.02	31
Total	1.63	5.15	4.36	1.33	2.70	2.69	1.11	2.19	1.15	4.23	5.57	3.28	YEAR'S TOTAL 35.39
Rain Days.	16	21	26	12	13	14	12	14	11	23	14	17	193

W. 8,000. X. 15.

Dl

~~Co D7~~

426

~~47~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Speldhurst Close

in the County of Kent

by D. D. Mackinnon

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·35				1·17	·10		·08	·02	1
2				·20				·34			·16		2
3	·02			·12			·10	·67		·11	·09		3
4		20	·27				·30	·02		·39			4
5	·33	·01	·04	·38					·33	·17	·06		5
6			·05	·04		·15			·39	·02	·10		6
7	·23						·11			1·14		·04	7
8	·10			·09			·66	·28	·02	·40	·39	·14	8
9	·03		·05	·05			·30	·32	·01		·06	1·05	9
10	·24		·20	·08		·03		·06			·01	·01	10
11	·17	·02	·30	·36					·12				11
12	·11	·01	·16	·01				·06		·75			12
13	·04		·16	·14	·03				·01	·24		·01	13
14			·03	·18				·05					14
15	·06			·01	·02		·15	·09		·06		·05	15
16	·06	·08		·14	·13		·04			·46		1·10	16
17	·02	·01		·08	·70		·25		·54	·19			17
18	·05	·03		·16	·14	·01	·14	·15	·33	·01	·01		18
19	·01	·12	·06	·01	·27	·22		·02	·16				19
20	·02	·16	·01		·69		·11	·05	·04		·04		20
21		·02	·10	·03	·03	·01				·02	·01		21
22	·01		·05			·02		·11		·19			22
23		·16	·06		·19	·01		·08		·15		·04	23
24		·02				·03				·19			24
25		·04	·04			·18	·01				·04		25
26			·04					·23	·02	·02	·70	·02	26
27			·02					1·00					27
28		·01	·07			1·63		·13				·09	28
29			·14		·08	·27	·14	·05		·44		·21	29
30	·04	X	·39			·02	1·42	·14		·04		·07	30
31	·06	X	·05	X		X	·54	·01	X	·03	X	·06	31
Total	1·60	·91	2·29	2·43	2·28	2·58	4·27	5·03	2·07	5·02	1·75	2·91	YEAR'S TOTAL 33·14
Rain Days.	18	15	21	18	10	12	14	21	12	20	13	14	188

W. 8,000, VIII. 16

4.28

Dl

Ea Dl

123

~~49~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27. 1. 19

Kept at Speldhurst Close, Sevenoaks

in the County of Kent

by D. D. MacKinnon

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.03			.19	.09	1
2		.08	.02	.10				.24			.25	.25	2
3			.13	.06	.58			.33		.01	.33	.02	3
4		.12	.04	.04				.10	.20		.54	.04	4
5		.04	.01		.18			.14	.07	.05		.02	5
6	.23	.19		.18	.17			.24	.11			.09	6
7	.01	.09		.06	.32	.01		.05	.08	.09	.02		7
8		.17							.24	.01	.14	.11	8
9	.03	.01		.11		.09			.48	.24		.22	9
10				.12		.13	.33		.24	.17		.34	10
11	.01			.02			.45		.08	.31	.10	.08	11
12		.09	.01		.27		.21		.05	.04		.05	12
13	.10	.01			.13		.09		.12			.01	13
14	.10		.01	.03	.01	.14	.06		.19	.23		.13	14
15	1.17			.65		.16	.35		.01			.19	15
16	.35			.15		.03	.04		.07				16
17	.22			.15	.12		.94					.31	17
18	.34			.01		.25		.05	.44	.11		.06	18
19	.10		.04	.08			.07		.02	.17		.03	19
20	.03	.17		.51		.02	.56		.17	.38		.02	20
21	.20	.02		.87			.07		.28	.07		.02	21
22	.05	.01		.02	.11		.21		.65			.16	22
23	.07				.11		.70	.03	.03			.01	23
24		.23		.01	.02	.06			.33		.05		24
25						.03	.09	.22		.02	.08		25
26				.15			.81	.12	.01	.04	.08	.14	26
27		.03	.03	.17			.08	.20	.05	.01	.09	.05	27
28		.02	.14	.07				.08			.25	.07	28
29	.01			.04					.94		.01		29
30	.01	X	.50						.06	.05		.07	30
31		X	.03	X		X			X	.08	X	.01	31
Total	3.03	1.28	.96	3.60	2.02	.92	5.06	1.83	4.92	2.08	2.13	2.59	YEAR'S TOTAL 30.42
Rain Days.	17	15	11 12	22	11	10	16	13	24	18	13	26	196

W. 8,000, VIII. 16

DL ✓ #DL and for with

~~2/1~~ 403/48

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Speldhurst Close, Sevenoaks
in the County of Kent
by D. D. Mackinnon

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.27	.04		.01	.01		.06			.15	.17	.76	1
2	.23		.02		.03		.12			.04	.12	.23	2
3	.22		.31		.02		.20		.10		.06	.31	3
4	.22		.67			.04	.09	.04			.06	.06	4
5	.03	.47	.86								.06	.37	5
6	.05		.04							.01	.03	.12	6
7	.04		.37								.09		7
8	.32		.05								.05		8
9	.46		.05	.07							.18		9
10	.29		.11	.03								.02	10
11	.16		.30	.27	.01		.21				.01	.07	11
12	.10		.02	.05			.38			.08		.01	12
13	.01		.02	.46						.03		.04	13
14	.34			.38			.11		.49			.03	14
15	.34	.05	.05	.10								.23	15
16	.11	.61		.03							.13	.02	16
17	.01	.27	.02								.19	.06	17
18		.19	.05					.01	.04		.16	.05	18
19	.01	.17	.48			.15	.37	.15	.08		.14		19
20	.14	.08	.14			.70	.05	.16			.01	.03	20
21	.13	.36	.03			.06	.09				.03	.02	21
22		.07					.16		.41		.07	.24	22
23						.04	.07		.14		.03	.05	23
24				.16		.01	.01	.03		.10	.15	.05	24
25	.03	.01	.01		.01			.21				.01	25
26	.04	.25	.13	.08			12		.11		.01	.38	26
27	.78	.04	.03	1.11			.01	36			.04	.02	27
28			.27	.08			.04	.77			.35	.51	28
29	.06			.08				.52		.23	.02	.12	29
30	.01	X		.23		.03		.40		.05	.22	.63	30
31	.10	X	.07	X		X	.05		X	.06	X	.08	31
Total	4.50	2.61	~~4.20~~ 4.16	3.14	.08	1.03	2.14	2.65	1.37	.75	2.38	4.52	YEAR'S TOTAL 29.27 ~~29.37~~
Rain Days.	26	13	23	15	5	7	17	10	7	9	24	26	183

2/66 379

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sevenoaks, Speldhurst Close

in the County of Kent

by D. D. Mackinnon

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·18	·02		·31			·31		28	1
2			·15		·01			·32	·10	·13		·11	2
3				·25	·20	·02	·79		·02	·02		·05	3
4		·10		·22			·45	·09		·03		·06	4
5		·01	·04		·04		·22	·22	·05			·02	5
6			·12		·11		·22					·03	6
7	·03		·02	·14	·06		·25			·01		·02	7
8				·05	·09		·02						8
9	·41	·03		·04	·02		·27	·01					9
10	·56	·14	·06	·05		·12	·40				·02	·03	10
11	·41		·10	·21		·10		·01				·14	11
12	·12		·01	·19	·01	·67							12
13	·28	·01	·12						·05	·08	·06		13
14		·01	·31	·30		·06			·09	·05	·29		14
15	·05	·02	·02	·14					·91		·15		15
16			·03	·12	·03	·03			·23			·04	16
17	·01			·07	·15				1·25			·11	17
18	·02		·03	·01	·04			1·15	·32			·10	18
19	·08			·34								·09	19
20	·04	·20		·35		·47			·23				20
21							·88		·28			·09	21
22	·04			·35					·19			·33	22
23	·01	·01					·32					·47	23
24			·04						·01		·01	·04	24
25			·01	·03	·02		·22		·01				25
26	·03		·07	·02		·03	·01					·04	26
27	·30	·05		·23		·08	·04				·37	·22	27
28	·47		·17	·03	·12		·18				·04	·04	28
29	·42		·05	·06							·07	·25	29
30	·04				·01	·03	·12		·22		·34	·11	30
31	·02				·03					·31		·24	31
TOTAL	3·40	·58	1·35	3·38	·96	1·61	4·70	1·80	3·96	·94	1·35	2·91	YEAR'S TOTAL 26·94
Days with ·01 in. or more	20	10	17	22	16	10	16	6	15	8	9	23	172
04	14	4	11	18	8	6	14 .	4	12	5	7	19	124

(44,283). Wt. 21958—218. 7500. 10/19. Gp.132. A.&E.W.

RE 11

~~1911~~
SEVENOAKS.
WILDERNESS GDNS
KENT
1911-13, 15-16, 18-20

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Wildernesse G rowdon
5 in.
Ground 1 ft. in.
in the County of
Sea Level ft.
by J. Shel
a.m
Name Bat & Ball
Distance 1 mile Direction W.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							–	·12	–	–	·05	–	1
2							–	–	–	–	·15	·25	2
3							–	–	–	–	·12	·02	3
4							–	–	·04	·44	·30	·22	4
5							–	–	–	·36	·03	·21	5
6							–	–	–	–	–	·30	6
7							–	–	–	·33	·33	·32	7
8							–	–	–	–	·32	·14	8
9							–	–	–	–	·09	·13	9
10							–	–	–	–	·04	·48	10
11							–	–	–	–	1·05	–	11
12							–	–	–	–	·08	–	12
13							–	–	·53	·11	·07	·14	13
14							–	–	–	–	–	·49	14
15							–	–	–	·2	·11	·07	15
16							–	–	–	–	·51	·10	16
17							–	–	–	–	1·07	·10	17
18							–	–	–	–	1·20	·15	18
19							–	–	·10	·09	·26	·17	19
20							–	·12	·04	·23	–	·74	20
21							–	·20	·03	·25	–	·17	21
22							–	–	–	·53	·06	·53	22
23							–	–	·21	·02	–	·10	23
24							·05	·07	–	·50	–	·26	24
25							·04	–	·03	·05	·04	–	25
26							–	–	–	·14	·06	·25	26
27							–	–	·13	·36	·05	·06	27
28							–	·03	–	–	–	–	28
29							·26	–	·19	·27	–	–	29
30							–	·06	~~·01~~	·25	–	–	30
31							–	–		·07		–	31
Total							·35	·54	1·30	3·96	5·93	5·34	TOTAL for ~~year~~ 17·42
No. of Rain Days.							3	6	9	17	21	23	

79

RE 11

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Wildernesse Gardens, Sevenoaks

in the County of Kent

by J. Shelton

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Bat & Ball
Distance 1 mile Direction W.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							–	·12	–	–	·05	–	1
2							–	–	–	–	·15	·25	2
3							–	–	–	–	·12	·02	3
4							–	–	·04	·44	·30	·22	4
5							–	–	–	·36	·03	·21	5
6							–	–	–	–	–	·30	6
7							–	–	–	·33	·33	·32	7
8							–	–	–	–	·32	·14	8
9							–	–	–	–	·09	·13	9
10							–	–	–	–	·04	·48	10
11							–	–	–	–	1·05	–	11
12							–	–	–	–	·08	–	12
13							–	–	·53	·11	·07	·14	13
14							–	–	–	–	–	·49	14
15							–	–	–	·2	·11	·07	15
16							–	–	–	–	·51	·10	16
17							–	–	–	–	1·07	·10	17
18							–	–	–	–	1·20	·15	18
19							–	–	·10	·09	·26	·17	19
20							–	·12	·04	·23	–	·74	20
21							–	·20	·03	·25	–	·17	21
22							–	–	–	·53	·06	·53	22
23							–	–	·21	·02	–	·10	23
24							·05	·07	–	·50	–	·26	24
25							·04	–	·03	·05	·04	–	25
26							–	–	–	·14	·06	·25	26
27							–	–	·13	·36	·05	·06	27
28							–	·03	–	–	–	–	28
29							·26	–	·19	·27	–	–	29
30							–	·06	~~[illegible]~~	·25	–	–	30
31							–	–		·07		–	31
Total							·35	·54	1·30	3·96	5·93	5·34	TOTAL for ← 17·42
No. of Rain Days.							3	6	9	17	21	23	79

W. 8,000, X. '11.

Eoc D L

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Wildernesse Gardens Sevenoaks

in the County of Kent

by J. Shelton

RAIN GAUGE
Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bat & Ball
Distance 1 mile Direction W.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	—	1·07	—	—	—	·13	—	—	·06	—	1
2	·10	—	·02	·27	·39	—	—	—	—	—	·22	·36	2
3	·09	·05	—	—	·22	—	—	—	—	—	·16	·02	3
4	·20	·07	·12	·10	—	—	—	—	·05	·56	·37	·31	4
5	·03	·07	—	·09	—	—	—	—	—	·44	·03	·32	5
6	·48	—	·06	·02	—	—	—	—	—	·43	—	·53	6
7	·12	—	·04	—	—	—	—	—	—	—	·51	·43	7
8	·10	—	·16	—	—	—	—	—	—	—	·45	·23	8
9	·26	—	·12	·05	—	—	—	—	—	—	·13	·19	9
10	—	·10	·10	·07	—	—	—	—	—	—	·05	·82	10
11	·61	—	·07	—	·18	—	—	—	—	—	1·30	—	11
12	—	—	·62	—	—	·08	—	—	—	—	·12	—	12
13	—	—	·13	—	·16	—	—	—	·63	·14	·10	·19	13
14	—	·10	·07	—	·56	—	—	—	—	—	—	·68	14
15	—	·02	·38	—	—	—	—	—	—	·02	·17	·01	15
16	—	—	—	—	—	·40	—	—	—	—	·84	·14	16
17	—	—	·04	—	—	·02	—	—	—	—	1·41	·26	17
18	—	·29	·07	—	—	—	—	—	—	—	1·43	·26	18
19	—	·04	—	—	—	·34	—	—	·14	·11	·38	·28	19
20	—	—	—	—	—	—	—	·13	·04	·33	—	1·10	20
21	·04	·24	—	—	—	—	—	·24	·04	·36	—	·23	21
22	·04	—	·63	—	—	·12	—	—	—	·74	·07	·72	22
23	—	·36	·06	—	—	1·08	—	—	·32	·03	—	·17	23
24	—	·27	—	—	—	·05	·05	·07	—	·75	—	·40	24
25	—	·10	·29	·05	—	·18	·04	—	·04	·06	·05	—	25
26	—	—	·20	·45	·14	·15	—	—	—	·23	·07	·36	26
27	—	·47	·24	·14	—	—	—	—	·18	·48	·06	·07	27
28	—	·19	—	·36	—	—	—	·04	—	—	—	—	28
29	—		—	·30	—	·19	·33	—	·28	·40	—	—	29
30	—		—	—	—	·07	—	·08	—	·39	—	—	30
31	—		—		·70		—	—		·01		—	31
Total	2·11	2·25	3·30	2·85	2·35	262	·42	·63	1·72	548	7·98	8·08	TOTAL for year 39·79
No. of Rain Days.	12	14	19	12	7	11	3	6	9	17	21	23	154

W. 8,000, X. '11.

Exc Dl

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Wildernesse Gardens Sevenoaks
in the County of Kent 5
by J. Shelton

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 9 a.m.
Nearest Railway Station Name Bat + Ball
Distance 1 mile Direction W.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·07	·03	—	·12	·18	—	·11	·58	—	·21	1
2	—	—	·32	—	—	·02	·21	·09	·02	·08	—	—	2
3	·06	·10	·04	—	·01	·12	·04	·24	·02	·05	·01	·06	3
4	·22	—	·60	—	·21	·23	—	·02	—	—	·05	—	4
5	·11	—	·33	—	·01	—	—	·23	—	—	·31	·05	5
6	·41	·08	—	—	·03	—	—	·10	—	—	·03	·09	6
7	·01	—	—	—	·10	·70	·06	·17	—	—	—	·06	7
8	·29	·35	·20	—	—	·05	—	·31	·02	—	·01	·03	8
9	—	·11	—	·04	—	·04	·03	—	—	—	—	·18	9
10	—	·05	—	—	—	·01	—	·31	·01	—	·08	·25	10
11	·02	·32	—	—	—	·07	—	·05	·02	—	—	·24	11
12	—	·11	·04	—	·17	·02	—	·10	—	—	·02	·02	12
13	·01	·01	·03	—	—	—	—	—	—	—	·20	·04	13
14	—	—	·03	—	·04	—	—	·11	—	·05	·01	·02	14
15	·01	—	·09	—	·15	·66	—	·02	—	—	·04	·32	15
16	·23	—	·07	—	·01	·06	—	·10	—	·08	·07	—	16
17	·31	—	·37	—	—	·03	—	·07	—	—	·05	·04	17
18	·19	—	·24	—	—	—	·03	·07	—	·04	—	·15	18
19	·07	·12	·22	—	—	—	·09	·32	—	—	—	—	19
20	—	·02	·38	·05	·01	—	·16	·22	—	·44	—	—	20
21	—	·03	·61	—	·04	—	—	·10	—	·17	·05	—	21
22	·16	·27	·03	—	·02	—	·06	·08	—	·02	—	·01	22
23	·40	·25	·36	—	—	—	—	·48	—	·12	·14	·06	23
24	·03	·04	—	—	—	·07	—	·30	—	—	—	·12	24
25	·05	—	—	—	—	·20	—	·77	—	—	·31	·45	25
26	—	·02	—	—	—	—	—	·53	—	·45	·44	·55	26
27	—	—	·02	—	—	—	·03	—	—	·14	—	·20	27
28	—	·05	—	—	—	·02	·20	·04	·11	·66	·52	·20	28
29	—	·01	—	—	—	·01	·13	·38	·95	·06	·02	—	29
30	—		—	—	·15	·05	·09	·02	1·80	·40	—	—	30
31	—		·04		—		·19	·05	—	·12		—	31
Total	2·58	1·94	4·09	·12	·95	2·48	1·50	5·28	3·06	3·46	2·36	3·35	TOTAL for year 31·17
No. of Rain Days.	17	17	20	3	13	18	14	27	9	16	18	22	194

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 6 JAN 1914

Kept at Wildernesse Gardens

in the County of Kent 5

by J. Shelton

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bat & Ball

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·30	·05	·46	—	—	—	—	·05	·17	·05	·04	1
2	·20	·17	—	—	—	—	·13	—	—	·40	·27	—	2
3	—	—	·10	·26	·42	—	—	—	—	·02	—	·09	3
4	·16	—	·05	·03	·02	—	·02	—	—	·07	·03	·04	4
5	·16	·02	·03	—	—	·03	·18	—	·33	·22	·05	·06	5
6	·15	·06	·12	—	·02	·07	·22	—	·10	·11	·06	·05	6
7	—	·10	·01	—	·01	·05	—	·05	—	·57	·03	—	7
8	—	·05	·04	—	·14	·09	—	—	—	—	·07	·01	8
9	—	·06	—	·02	·06	—	—	—	·06	—	·02	·02	9
10	·02	—	·04	·03	—	·02	·98	·04	—	—	·14	—	10
11	·50	—	—	·40	—	—	—	·04	·02	·51	·81	—	11
12	—	—	—	—	·03	—	—	—	—	—	·53	—	12
13	·20	—	·04	—	—	—	—	·05	·01	—	·15	—	13
14	·16	—	·10	·09	—	—	·63	·02	·12	·14	·20	—	14
15	·15	—	·19	·14	—	—	·19	—	·26	—	·01	—	15
16	·20	—	·42	·29	—	—	—	—	·41	—	—	—	16
17	·10	·02	·02	·08	—	—	·20	—	·01	—	—	—	17
18	—	—	·05	·19	—	—	·02	—	·01	—	·12	—	18
19	·18	—	·23	—	—	·10	·09	—	·30	—	—	·02	19
20	·40	—	·20	·14	—	·19	—	—	—	·36	·02	—	20
21	·02	—	·18	·10	—	—	·02	—	—	·45	·77	—	21
22	·36	—	·19	·05	·01	—	—	·01	·08	—	—	—	22
23	·06	—	·25	—	—	·01	·07	·13	·02	—	—	·47	23
24	—	—	—	·03	—	—	—	·08	—	—	·05	—	24
25	—	—	—	·17	—	—	—	—	—	—	—	—	25
26	—	—	·19	—	—	—	—	·16	—	·91	—	·33	26
27	—	·06	·02	·02	·41	—	—	—	—	·04	—	—	27
28	·09	—	·20	·04	—	—	—	—	—	·29	—	—	28
29	·06		·03	·22	·60	—	—	·58	—	·03	—	—	29
30	·35		—	·31	—	—	—	·10	—	·27	—	—	30
31	—		—		—		—	·34		·09		—	31
Total	3·52	·84	2·75	3·07	1·72	·56	2·65	1·59	1·78	4·65	3·38	1·13	YEAR'S TOTAL 27·64
Rain Days.	19	9	23	20	10	8	12	12	14	17	18	10	172

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Wildernesse Gardens, Sevenoaks

in the County of Kent

by J. Shelton, Head Gardener

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Bat & Ball, Sevenoaks

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·14	·02	—	·01	—	—	·03	·50	—	·19	·49	1
2	·10	·14	·17	·08	·01	—	—	·78	—	·04	·01	·01	2
3	·33	—	·05	·22	·06	—	—	·29	·09	—	—	·44	3
4	·12	—	—	—	—	—	—	—	—	·05	·02	·54	4
5	·03	·30	—	—	·06	—	—	·06	—	·05	·06	·40	5
6	·33	·08	—	·50	—	—	·31	·05	—	·03	—	·08	6
7	·56	·36	·02	—	—	—	·15	·01	—	—	—	·25	7
8	·03	·75	—	·04	—	—	·31	·01	—	—	—	—	8
9	—	·07	—	·06	—	·07	—	·19	—	·02	·50	·61	9
10	·45	—	—	—	—	·12	—	—	—	—	—	·50	10
11	·01	·02	—	—	—	—	—	—	—	—	·52	·03	11
12	·06	—	—	·22	·36	—	—	·02	—	·08	·66	—	12
13	·05	·94	—	·03	1·19	—	—	—	·04	—	—	—	13
14	·02	·05	—	—	—	—	·08	·10	—	—	—	·47	14
15	·18	—	—	—	·06	—	·11	·05	—	—	·17	·15	15
16	·01	·28	—	—	—	—	·93	—	—	—	—	·12	16
17	—	·53	—	—	·65	—	·08	—	—	—	—	·04	17
18	·01	·24	·04	—	·17	—	—	—	—	—	·06	·02	18
19	·01	·13	—	—	—	—	·03	—	—	·16	—	—	19
20	·30	—	—	·01	·06	—	—	—	—	—	—	·09	20
21	·08	·07	—	—	—	—	—	—	—	·01	—	·23	21
22	·35	·13	·06	·02	—	—	·81	—	—	—	—	·18	22
23	—	·30	·05	—	—	·03	·32	—	·08	·33	·05	·33	23
24	—	·02	·06	·03	—	·01	·28	—	·25	·27	—	·44	24
25	—	—	·03	·13	—	—	·09	—	—	·04	—	·30	25
26	—	·08	—	—	—	—	·03	—	—	—	—	·54	26
27	—	·11	—	—	—	·12	·11	—	—	·33	—	·06	27
28	—	·04	—	—	—	·20	—	—	1·82	·35	—	—	28
29	—		—	—	·02	·01	·15	·06	·01	—	·33	·02	29
30	·10	X	—	—	—	·20	—	—	—	—	·81	·02	30
31	·01	X	—	X	—	X	—	·02	X	·77	X	·25	31
Total	3·74	4·78	·50	1·34	2·65	·76	3·79	1·67	2·79	2·53	3·38	6·61	YEAR'S TOTAL 34·54
Rain Days.	22	21	9	11	11	8	15	13	7	14	12	26	169

W. 8,000. X. 15.

Exd C J E

449

FORM A.
BRITISH RAINFALL.

5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Wildernesse Gardens, Sevenoaks

in the County of Kent

by J. Shelton, (Gardener)

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bat & Ball
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	—	—	—	·32	·07	—	—	·14	—	·30	—	1
2	·42	·10	·12	—	·27	—	·07	—	·06	·32	·07	—	2
3	—	·52	·40	—	—	—	·17	—	·15	·18	·65	—	3
4	·23	·20	—	—	—	·39	—	—	·04	·14	·60	—	4
5	—	—	—	·02	·16	·06	·05	—	·03	·02	·59	—	5
6	·02	·11	·16	·46	·07	·25	·11	—	—	·20	·54	—	6
7	·05	·02	·72	—	·28	·03	·18	—	—	·03	1·07	·02	7
8	—	—	—	—	·26	·04	—	—	—	—	—	·46	8
9	—	—	·03	—	·40	—	—	—	—	·07	—	·19	9
10	—	·14	·07	·11	—	·32	·11	—	—	·07	—	·16	10
11	·05	·23	·02	·04	—	·50	—	—	—	—	—	—	11
12	·03	·10	—	·18	·32	·16	·07	—	—	·03	—	·02	12
13	—	·33	·10	·15	·10	·02	·09	—	—	·12	—	—	13
14	—	·55	—	·02	·10	—	—	·05	—	—	—	·03	14
15	—	·12	·13	—	—	—	—	·73	—	·06	—	·14	15
16	—	·15	·12	·15	—	—	·19	·06	—	—	—	—	16
17	·16	·05	—	·07	—	—	·07	·03	·25	·80	·07	—	17
18	—	·13	·07	·21	—	—	—	·10	·10	·27	·75	—	18
19	·17	·03	·09	·16	—	·08	—	—	·12	—	·67	·06	19
20	·15	—	·13	·15	—	—	—	—	—	—	—	·45	20
21	·04	—	·22	—	—	—	·35	—	—	—	—	·23	21
22	—	·05	·05	—	—	·07	—	—	—	·04	—	·50	22
23	·02	·36	·08	—	—	·14	—	·07	—	·03	·05	·10	23
24	·02	—	·07	—	—	·05	—	·02	—	·17	·03	·25	24
25	—	·62	·20	—	·06	—	—	·20	—	·26	·09	—	25
26	—	·12	·07	—	—	—	—	—	—	·15	·02	—	26
27	·02	·02	·60	—	—	·73	—	·23	·08	·27	—	—	27
28	—	·51	·24	—	—	·02	—	·02	·04	·02	—	·29	28
29	—	·10	·03	—	—	·25	—	·45	·06	·51	—	·28	29
30	—	×	—	—	·14	—	—	·11	—	·26	—	—	30
31	—	×	—	×	—	×	—	—	×	·15	×	·03	31
Total	1·50	4·56	3·60	1·72	2·42	3·06	1·34	2·07	1·07	4·05	5·32	3·21	YEAR'S TOTAL 33·86
Rain Days.	14	22	22	12	12	17	11	12	11	23	14	16	186

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL

4. I. 19

REGISTER OF RAINFALL IN 1918

Kept at Wildernesse Gardens, Sevenoaks

in the County of Kent

by J. Shelton Head Gardener

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Bat & Ball

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	—	—	—	·14	·08	1
2	—	·09	—	·13	—	—	—	·30	—	—	·12	·23	2
3	—	·07	·08	·03	·56	—	—	·14	—	—	·65	·02	3
4	—	·05	·05	·03	—	—	—	·06	·31	—	·36	—	4
5	—	·10	·07	—	·15	—	—	·09	·06	·07	—	·06	5
6	·19	·25	—	·22	·19	—	—	·29	·08	—	—	·08	6
7	·06	·12	—	·10	·33	—	—	·05	·10	·11	—	—	7
8	—	·19	—	—	—	—	—	—	·26	—	·17	·10	8
9	—	—	—	·15	—	·04	—	—	·45	·22	—	·16	9
10	—	—	—	·10	—	·17	·30	—	·12	·17	—	·46	10
11	—	—	—	·03	·02	—	·37	—	·13	·27	·07	·07	11
12	—	·11	—	—	·24	—	·35	—	·09	·02	—	·04	12
13	·10	·02	—	—	·15	—	·05	—	·02	—	—	·07	13
14	·07	—	·07	·03	·07	·13	·13	—	·19	·19	—	·03	14
15	1·17	—	—	·91	—	·14	·30	—	—	—	—	·30	15
16	·21	—	—	·10	—	·07	·02	—	·05	—	—	—	16
17	·48	—	—	·05	·33	—	·92	·05	—	—	—	·35	17
18	·44	—	—	·02	—	·20	·02	—	·42	·19	—	·08	18
19	·11	—	·05	·14	—	·07	·05	—	·08	·11	—	·02	19
20	·03	·18	—	·96	—	·03	·52	—	·18	·41	—	·05	20
21	·17	·03	—	·38	—	—	·05	—	·33	·04	—	·07	21
22	·09	·07	—	—	·09	—	·13	—	·68	—	—	·17	22
23	·05	—	—	·02	·11	—	·74	·02	·02	—	·02	·03	23
24	—	·25	—	—	·02	·08	—	—	·25	—	·05	—	24
25	—	—	—	—	—	·04	·04	·24	—	—	·02	·03	25
26	—	—	—	·02	—	—	·67	·05	·02	·08	·07	·12	26
27	—	—	·07	·13	—	—	·15	·16	·05	—	·06	·04	27
28	—	·03	·17	·10	—	—	—	·02	—	—	·29	·07	28
29	—		·03	·03	—	—	—	—	1·04	—	·03	—	29
30	—	X	·41	—	—	—	—	—	·06	·05	—	·05	30
31	—	X	—	X	—	X	—	—	X	·07	X	—	31
Total	3·17 ✓	1·44 ✓	·82 ✓	3·68 ✓	2·20 ✓	·97 ✓	4·81 ✓	1·47 ✓	4·99 ✓	2·00 ✓	2·05 ✓	2·66 ✓	YEAR'S TOTAL 30·26 ✓
Rain Days	13 ✓	14 ✓	9 ✓	21 ✓	12 ✓	10 ✓	17 ✓	12 ✓	23 ✓	14 ✓	13 ✓	25 ✓	183 ✓

W, 6,500, VII. 18. W W C

Exd.

407

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wildernesse Gardens, Sevenoaks

in the County of Kent

by J. Shelton Head Gardener

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Bat & Ball

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	—	—	—	·14	—	·06	—	—	·10	·15	·58	1
2	·23	—	·05	—	·04	—	·06	·01	—	—	·09	·32	2
3	·21	—	·25	—	—	—	·35	—	·21	—	·05	·39	3
4	·14	—	·39	—	—	·05	·06	·04	—	—	·16	·10	4
5	·03	·45	·96	—	—	—	—	·01	—	—	·05	·30	5
6	·04	—	·05	—	—	—	—	—	—	—	·02	·12	6
7	·07	—	·54	—	—	—	—	—	—	—	·08	—	7
8	·34	—	·06	—	—	—	—	—	—	—	·04	—	8
9	·60	—	·03	·10	—	—	—	—	—	·02	·02	—	9
10	·27	—	·11	·05	—	—	—	—	—	—	—	·03	10
11	·14	—	·29	·26	—	—	·15	—	—	—	—	·05	11
12	·07	—	·03	·09	—	—	·48	—	—	·10	—	·01	12
13	·01	—	—	·44	—	—	—	—	—	·03	—	·03	13
14	·30	—	—	·44	—	—	·08	—	·39	—	—	—	14
15	·30	—	—	·17	—	—	—	—	—	·01	—	·15	15
16	·13	·63	—	·02	—	—	—	—	—	—	·10	·05	16
17	—	·16	·05	·02	—	—	—	—	—	—	·21	·04	17
18	—	·19	·06	—	—	—	—	—	·04	—	·14	·05	18
19	—	—	·46	—	—	—	·38	·15	·09	—	·11	—	19
20	·15	·09	·10	—	—	·88	·12	·19	—	—	·01	—	20
21	·10	·48	·03	—	—	·09	·08	—	—	—	·01	·03	21
22	—	·08	·01	—	—	—	·20	—	·40	—	·07	·24	22
23	—	—	—	—	—	·06	·14	—	·10	—	·02	·04	23
24	—	—	—	·11	—	·02	—	·04	—	·05	·18	·01	24
25	—	—	—	—	·05	—	—	·20	—	—	—	—	25
26	·05	·18	·14	·05	—	—	·14	—	·10	—	—	·46	26
27	·69	·04	·03	·74	—	—	·01	·14	—	—	·06	·04	27
28	—	—	·23	·20	—	—	·02	·98	—	—	·36	·43	28
29	·04		—	·11	—	—	—	·65	—	·22	·09	·12	29
30	—		·04	·21	—	·03	—	·40	—	·07	·09	·59	30
31	·04		—		—		·03	—		·03		·06	31
TOTAL	4·29	2·30	3·91	3·01	·23	1·13	2·36	2·81	1·33	·63	2·11	4·24	YEAR'S TOTAL 28·35
Days with ·01 in. or more	22	9	21	15	3	6	16	11	7	9	22	24	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Wildernesse Sevenoaks

in the County of Kent

by J. Shelton Gardener.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Bat & Ball

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	·19	·02	—	·34	—	—	·19	—	·19	1
2	—	—	·15	—	·01	—	—	·38	·08	·15	—	·10	2
3	—	—	—	·30	·17	·03	—	—	—	·02	—	·04	3
4	—	·08	—	·16	—	—	·77	·04	—	·03	—	·03	4
5	—	—	·05	—	·05	—	·49	·34	·08	—	—	·03	5
6	—	—	·10	—	·13	—	·22	—	—	—	—	·02	6
7	·03	—	·03	·12	·02	—	·17	—	—	—	—	·02	7
8	—	·02	—	·05	·09	—	·28	·01	—	—	—	—	8
9	·38	·04	—	·03	·01	—	·03	·02	—	—	—	—	9
10	·65	·13	·05	·11	—	·09	·26	—	—	—	·03	·02	10
11	·37	—	·09	·20	—	·03	·30	—	—	—	—	·13	11
12	·12	—	·02	·21	—	·33	—	—	—	—	—	·02	12
13	·28	·01	·16	·01	—	—	—	—	·04	—	·08	—	13
14	—	·02	·33	·25	—	·12	—	—	·08	·06	·35	—	14
15	·03	·02	·04	·20	—	—	—	—	·92	·05	·16	—	15
16	—	—	·03	·15	·03	·03	—	—	·14 ·14	—	—	·03	16
17	·01	—	—	·05	·12	—	—	—	1·31 1·37	—	—	·08	17
18	·01	—	·03	·02	·11	—	—	·95	·37	—	—	·06	18
19	·10	—	—	·45	—	·02	—	—	—	—	—	·07	19
20	·05	·22	—	·36	—	·38	—	—	·12	—	—	—	20
21	—	—	—	—	—	—	·81	—	·23	—	—	·12	21
22	·03	—	—	·37	—	—	—	—	·07	—	—	·30	22
23	—	—	—	—	—	—	·25	—	—	—	—	·42	23
24	·01	—	·05	—	—	—	—	—	—	—	—	·03	24
25	—	—	·01	—	—	—	·20	—	·02	—	·02	—	25
26	·04	—	·07	·09	—	—	—	—	—	—	—	·04	26
27	·31	·08	·01	·16	—	·11	·02	—	—	—	·20	·23	27
28	·50	—	·15	·06	·09	—	·15	—	—	—	·05	·02	28
29	·42	—	·04	·09	—	—	—	—	—	—	·07	·28	29
30	·03		—	—	·02	·03	·12	—	·19	—	·31	·10	30
31	·03		—		—		—	—		·29		·26	31
TOTAL	3·43	·62	1·41	3·63	·87	1·17	4·41	1·74	3·65	·79	1·27	2·64	YEAR'S TOTAL 25·63
Days with ·01 in. or more	20	9	18	22	13	10	15	6	13	7	9	24	166
Days with ·04 in. or more	10	5	12	19	7	5	13	4	12	5	7	15	115

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

wrong Day – cor. 26

REGI

SHARS~~TED~~ COURT

KENT

1911 - 14, 17

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

Kept at Sharsted

in the County of Kent

by Henry Corn

in.

und 1 ft. 6 in.

Level 287 ft.

o am

ne Teynham

ance 4 Mile Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.7		.1								1
2	.10			.53									2
3					.21						.14	.16	3
4	.8				.4							.8	4
5	.14		.5	.11						.84	.13		5
6													6
7	.21			.39								.37	7
8	.2									1.0	.30	.37	8
9	.6										.40	.10	9
10	.12		.12			.25					.23	.2	10
11	.12	.21	.1	.5								.61	11
12	.24										.58		12
13			.54							.23			13
14			.4		.32				.50			.34	14
15			.5		.40							.27	15
16			.24								.4		16
17											.13	.4	17
18											.36	.8	18
19		.13									.88	.9	19
20									.15	.4	.13		20
21						.5		.19	.17	.14		.58	21
22								.84		30 .20		.19	22
23						.2		.57		.28		.41	23
24		.7	.11			.89			.21	.6		.9	24
25		.8				.26	.13			.25		.24	25
26			.17	.5		.10				.2			26
27			.6	.17		.5				.6		.20	27
28		.19		.15		.15			.12	.39	.10		28
29													29
30			.5	.13			.9		.15	.11			30
31	–	.07		.01	–	–	–	–			–	(–)	31
Total	1.09	~~.68~~ .75	~~1.51~~ 1.44	~~1.58~~ 1.59	~~.98~~ .97	1.77	.22	1.60	1.30	3.72	3.42	4.24	TOTAL for year
No. of Rain Days.	9	~~5~~ 6	~~12~~ 11	~~8~~ 9	~~5~~ 4	8	2	3	6	13	12	18	22.11 101

W. 8,000, X. '11.

✓ . wrong day – cord 26

REGI

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

Kept at Sharsted Court - H

in the County of Kent - 3

by Henry Court -

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 287 ft.

Time of Observation 8-30 am

Nearest Railway Station
Name Teynham
Distance 4 Mile Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.7		.1								1
2	.10			.53									2
3					.21						.14	.16	3
4	.8				.4							.8	4
5	.14		.5	.11						.84	.13		5
6													6
7	.21			.39								.37	7
8	.2									1.0	.30	.37	8
9	.6										.40	.10	9
10	.12		.12			.25					.23	.2	10
11	.12	.21	.1	.5								.61	11
12	.24										.58		12
13			.54							.23			13
14			.4		.32				.50			.34	14
15			.5		.40							.27	15
16			.24								.4		16
17											.13	.4	17
18											.36	.8	18
19		.13									.88	.9	19
20									.15	.4	.13		20
21						.5		.19	.17	.14		.58	21
22								.84	30	.20		.19	22
23						.2		.57		.28		.41	23
24		.7	.11			.89			.21	.6		.9	24
25		.8				.26	.13			.25		.24	25
26			.17	.5		.10				.2			26
27			.6	.17		.5				.6		.20	27
28		.19		.15		.15			.12	.39	.10		28
29													29
30			.5	.13			.9		.15	.11			30
31	–	.07		.01	–	–	–	–		–	–	(–)	31
Total	1.09	~~.68~~ .75	~~1.51~~ 1.44	~~1.58~~ 1.59	~~.98~~ .97	1.77	.22	1.60	1.30	3.72	3.42	4.24	TOTAL for year
No. of Rain Days.	9	~~5~~ 6	~~12~~ 11	~~8~~ 9	~~5~~ 4	8	2	3	6	13	12	18	22.11 101

W. 8,000, X. '11.

WD

Cor. for W.D. 28.III.13.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
22 JAN 1913

Kept at Sharsted Court

in the County of Kent 3

by Henry Court

Rain Gauge { Pattern Round
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " "a Sea Level 287 ft.

Time of Observation 8-30

Nearest Railway Station { Name Teynham
Distance 4 Miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)
estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.2			.4			.12	1.35			1
2						.22			.2	.54		.20	2
3			.17				.20	.20		.13			3
4	.3				.4	.14	.3	.12					4
5	.15		.50	.2	.15	.45							5
6	.7		.15			.13		.37				.3	6
7	.37							.40			.20	.9	7
8	.9	.24	.5					.22				.3	8
9	.17	.9 ~~24~~	.12			.10		.13	.9				9
10						.7	.5	.6				.4	10
11		.4						.3			.8	.24	11
12		.22				.8							12
13		.10						.14					13
14		.15	.8					.11			.20	.4	14
15								.4	.6	.6		.6	15
16			.4		.11	.56							16
17	.12		.5		.13								17
18	.30		.36			.5		.5			.15	.10	18
19	.10		.20					.12		.5		.11	19
20	.2	.14	.22				.20	.32					20
21			.30							.50			21
22	.2		.33					.5		.30	.7		22
23		.15	.4				.10	.5				.1	23
24	.40	.21	.18		.31			.24			.15		24
25	.9							.10		.4			25
26						.27		.93			.10	.20	26
27						.22		.35		.19	.15	.35	27
28										.2		.10	28
29		.4								.35	.25	.23	29
30				.1		.3		.7	.87	.19	.10		30
31							.15	.28		.24			31
Total	— ~~1.93~~ 1.93	.02 ~~1.38~~ 1.40	— ~~2.81~~ 2.79	— ~~0.03~~ .03	.04 ~~0.74~~ .78	— ~~2.36~~ 2.32	— ~~0.83~~ .83	.12 ~~4.38~~ 4.50	1.35 ~~1.16~~ 2.39	— ~~3.96~~ 2.61	— ~~1.45~~ 1.45	— ~~1.83~~ 1.83	TOTAL for year 22.86
No. of Rain Days.	13.	~~10.~~ 11	~~16~~ 15	2.	~~5.~~ 6	~~13.~~ 12	6.	~~22~~ 23	5.	~~13.~~ 12	10.	15	130

W. 8,000, X. '11.

WD Cor. for WD. 16.III.14

FORM A. BRITISH RAINFALL.

10 FEB 1914

REGISTER OF RAINFALL IN 1913

~~Box. HBL~~

Kept at Shanstead Court near Sittingbourne

in the County of Kent 3

by Henry Court

Lat. 51 0 Long. 18 N

Time of Observation 8-30 am

Nearest Railway Station Teynham

Diameter of Rain Gauge 5 inch in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 287 feet ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.11	.18				.15		.8		1
2		.22	.1	.8		.3				.10	.3		2
3		.9	.3				.28				.1		3
4	.1		.1	.19	.23							.6	4
5							.9		.2		.4		5
6	.20				.18		.28		.64	.57	.10		6
7	.2			.2			.3			.27	.12		7
8		.4	.5				.8	.32		.23	.7		8
9			.3			.6		.11		.16	.5		9
10		.3					.10	.18	.8				10
11			.2				.6	.1			.15	.5	11
12	.25			.40	.4					.37	.43		12
13								.5			1.25		13
14	.35										.18		14
15			.3	.4			.50			.10	.22		15
16	.26		.15				.21						16
17	.47		.24	.15			.4		.45				17
18		.6	.3	.8			.12					.6	18
19				.15			.2		.15				19
20	.23		.6				.13	.2	.8	.5			20
21	.42		.6	.3		.10			.7	.30			21
22	.10		.7		.10					.64	.66		22
23	.10		.8	.8			.12		.5				23
24			.10			.5	.4					.7	24
25	.2		.2					.6					25
26			.3	.16		.11							26
27			.14					.5		.60		.48	27
28	.21		.4		.9	.2							28
29	.18		.22							.50			29
30	.22		.3	.15	.7			.4					30
31					.9			.38		.6			31
Total	– ~~3.04~~ 3.04	– ~~.44~~ .44	.11 ~~1.45~~ 1.56	.18 ~~1.64~~ 1.71	– ~~.98~~ 1.80	– ~~.37~~ .37	– ~~2.10~~ 2.10	.15 ~~1.22~~ 1.37	– ~~1.69~~ 1.54	.08 ~~3.95~~ 4.03	– ~~3.39~~ 3.31	– ~~.72~~ .72	YEAR'S TOTAL ~~20.99~~ 20.99
Rain Days.	15.	5.	~~21~~.22	13.	~~8~~ 9	6.	15.	~~10~~ 11	~~9~~ 8	~~13~~ 14	~~14~~ 13	5.	134

W.7,000, XI. 13

Cnd for W.D. 9.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
26 JAN 1915

Kept at Sharsted Court Doddington

in the County of Kent 3 for RR

by H Jury Court

Lat. 51° 18' N. Long. 45 E.

Time of Observation 8.30 am.

Nearest Railway Station Teynham 4 Miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 287 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (.05)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												.25	1
2				.10		.21		.4			.2	.8	2
3				.9							.13	.15	3
4	.2		.8	.3									4
5			.2	.11	.6						.25	.12	5
6	.10			.20	.9		.10						6
7				.8	.3	.55		.20				.9	7
8		.30	.10	.17	.4	.27						.7	8
9		.23	.21	.5				.4				.4	9
10	.14		1.10									.65	10
11										.10		.11	11
12		.23	.28	.6		.10			.12		.8	.15	12
13			.10		.5		1.0		.15			.53	13
14		.11	.15						.10	.8	.7	.25	14
15		.5	.18									.24	15
16			.20				1.16			.2	.90	.3	16
17			.5										17
18		.21	.3						.5			.3	18
19		.20	.21									.25	19
20		.6	.80							.10	.25	.15	20
21		.14	.50				.10			.12		.32	21
22		.65	.6	.2						.2		.8	22
23		.5	.50	.6	.15	.25	.30			.8		.2	23
24			.4		.24			.10				.10	24
25			.20	.20							.8		25
26	.13		.8					.4		.30			26
27							.5	.8			.12	.28	27
28											.2	.23	28
29					.4						.30	.32	29
30		✕								x.85	.4		30
31	.3	✕		✕		✕			✕	.10	✕	.2	31
											.25	(.05)	YEAR'S TOTAL
Total	.42	2.23	4.89	1.17	.70	1.38	2.71	.50	.42	1.67	~~2.26~~ 2.51	~~4.56~~ 4.36	~~22.91~~ 22.96
Rain Days.	5.	11.	20.	12	8	5	6	6	4	10	12	25	124

W. 8,000. X. 14.

✓

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
1918

Kept at Shandon Court, Tunbridge Wells
in the County of Kent
by Chas. R. Pratt

Lat. .... Long. ....
Time of Observation 9 a.m Greenwich time
Nearest Railway Station Tunbridge Wells S.E.&C.R.
Diameter of Funnel of Rain Gauge 5 ins.
Height of top of Gauge above Ground 1 ft. 8 ins.
" " " " Sea Level 427 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·23	—	—	—	1·72	·21	—	·07	·03	1
2	—	—	—	·19	—	—	—	·20	—	·01	·03	—	2
3	·01	—	—	·25	—	—	·21	·76	—	·11	·18	—	3
4	—	·13	·15	—	—	—	·37	—	—	·44	—	—	4
5	·25	·01	·04	·22	—	—	—	·02	·39	·16	·06	—	5
6	—	—	·04	·06	—	·21	—	—	·15	·01	·24	—	6
7	·38	—	—	—	—	—	·26	—	—	·42	—	·04	7
8	·09	—	—	·08	—	—	·57	·09	—	·28	·29	·16	8
9	·02	—	·03	·14	—	—	·19	·05	—	—	·05	·83	9
10	·14	—	·13	·15	—	—	—	·12	—	—	—	·07	10
11	·10	·06	·17	·37	—	—	—	·10	·08	·42	—	—	11
12	·11	—	·04	—	—	—	—	·13	—	·19	·01	—	12
13	·04	—	·12	—	·01	—	—	·01	·03	·30	—	—	13
14	·04	—	·05	·18	—	—	—	·16	—	—	—	—	14
15	·07	—	—	—	·08	·01	—	·16	—	·16	—	·08	15
16	·10	·13	—	·21	·28	—	·09	—	—	·63	—	·76	16
17	—	—	—	·08	·60	—	·19	·02	·25	·27	—	—	17
18	·06	—	—	·13	·04	·01	·21	·13	·22	·03	—	—	18
19	·02	·18	·14	—	·66	·19	—	·22	·18	—	—	—	19
20	·03	·12	·05	—	1·11	—	·09	·04	·02	—	·04	—	20
21	—	·01	·01	·03	—	·03	—	—	—	·03	·01	·04	21
22	—	—	·11	—	—	·36	—	·13	—	·18	—	·01	22
23	—	·14	—	—	·31	·01	—	·19	—	·11	—	·03	23
24	—	—	—	—	—	·03	·01	·07	—	·15	·05	·02	24
25	—	·09	·03	—	—	·05	—	—	—	—	·04	—	25
26	—	—	·02	—	—	—	—	·27	·03	—	·89	—	26
27	—	—	—	—	—	·03	—	1·29	—	—	—	—	27
28	—	—	·03	—	—	1·76	·07	·46	—	—	—	·10	28
29	—	X	·04	—	·32	·05	·36	·07	—	·83	—	·26	29
30	·03	X	·31	—	—	·02	·96	·15	—	·06	—	·08	30
31	·03	X	·06	X	—	X	·65	·02	X	·02	X	·11	31
Total	1·52	·88	1·57	2·32	3·41	2·76	4·23	6·58	1·56	4·81	1·96	2·56	YEAR'S TOTAL 34·16
Rain Days.	17	10	19	14	9	13	14	25	10	21	13	15	180

W. 8,000, IX. 17.

DL

75-a

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGI

SHEERNESS
KENT
1911 - 1915

Kept at Sheerness

in the County of E. Ke

by A. H. Bell

....in.

....ound ....ft. ....in.

Level ....ft.

....e

....ance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·42				·10				·003	1
2	·02			·01	·10	·005					·096		2
3	·01	·01			·04		—						3
4	·02	·02	·04	·05					·005	·415	·145	·11	4
5	·01			·018						·358		·03	5
6	·12											·16	6
7	·03		·03							·410	·148	·105	7
8	·05		·09								·27	·065	8
9	·03	·03	·04	·013							·015	·235	9
10			·005									·03	10
11	·03	—	·02								·425		11
12			·32			·04					·02	·50	12
13		·06	·03		·32	·035			·400	·335	·076		13
14		·01			·21	·01							14
15			·25							·005	·01	·125	15
16			·02			·33					·335	·185	16
17		·07				·005				·003	·95		17
18		·01	·015								·55	·005	18
19						·035			·035	·020	·16	·06	19
20		·01						·23	·055	·110		·058	20
21	·04			—		·002		1·13	·055	·295		·03	21
22	·02	·075	·20			·002		·43		·130		·488	22
23		·03	·18			1·06			·290			·08	23
24	·01	·035				·085	·07			·140		·357	24
25			·01	·025		·160		·22		·003	·025	·02	25
26		·025	·02	·19	·075	·03	·005			·085	·09	·366	26
27		·03	·02	·015					·060	·177			27
28		·01	·01	·075				·005				·214	28
29			·005	·07		·15	·37		·115	·130	·003	·055	29
30				·005	·025	·001			·030	·095			30
31			·01										31
Total	·43	·425	1·315 ~~1·395~~	·891	·77	1·950	·445	2·115	1·045	2·711	3·318	3·281	TOTAL for year 18·696
No. of Rain Days	13	14	18	11	6	11 ~~15~~	2 ~~4~~	6 ~~8~~	8 ~~9~~	14 ~~16~~	15 ~~16~~	20 ~~22~~	138

9,000, IX. '10.

DL J

75a

REGI

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Sheerness

in the County of E. Kent

by A. H. Bell

Rain Gauge: Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
„ „ „ Sea Level .... ft.

Time of Observation

Nearest Railway Station: Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·42				·10				·003	1
2	·02			·01	·10	·005					·096		2
3	·01	·01			·04								3
4	·02	·02	·04	·05					·005	·415	·145	·11	4
5	·01			·018						·358		·03	5
6	·12											·16	6
7	·03		·03							·410	·148	·105	7
8	·05		·09								·27	·065	8
9	·03	·03	·04	·013							·015	·235	9
10			·005									·03	10
11	·03		·02								·425		11
12			·32			·04					·02	·50	12
13		·06	·03		·32	·035			·400	·335	·076		13
14		·01			·21	·01							14
15			·25							·005	·01	·125	15
16			·02			·33					·335	·185	16
17		·07				·005				·003	·95		17
18		·01	·015								·55	·005	18
19						·035			·035	·020	·16	·06	19
20		·01						·23	·055	·110		·058	20
21	·04					·002		1·13	·055	·295		·03	21
22	·02	·075	·20			·002		·43		·130		·488	22
23		·03	·18			1·06			·290			·08	23
24	·01	·035				·085	·07			·140		·357	24
25			·01	·025		·160		·22		·003	·025	·02	25
26		·025	·02	·19	·075	·03	·005			·085	·09	·366	26
27		·03	·02	·015					·060	·177			27
28		·01	·01	·075				·005				·214	28
29			·005	·07		·15	·37		·115	·130	·003	·055	29
30				·005	·025	·001			·030	·095			30
31			·01										31
Total	·43	·425	~~1·305~~ 1·315	·891	·77	1·950	·445	2·115	1·045	2·711	3·318	3·281	TOTAL for year 18·696
No. of Rain Days	13	14	~~18~~ 19	11	6	~~15~~ 11	~~4~~ 2	~~8~~ 6	~~9~~ 8	~~16~~ 14	~~16~~ 15	~~22~~ 20	138

9,000, IX. '10.

cord for arith 4.11.13 ~~W. 1826~~

56

FORM A2. BRITISH RAINFALL. 25 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Sheerness

in the County of Kent 3

by A. H. Bell

RAIN GAUGE	Pattern
	Diameter of top .... in.
	Height of top above Ground .... ft. .... in.
	„ „ „ Sea Level .... ft.
Time of Observation	
Nearest Railway Station	Name
	Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~.0057~~		.032			.924	.07		.115	.29		.092	1
2		.050	.308			.032	.15	.120			.311	.002	2
3	.04	.100	.008		.088	.154		.070				.022	3
4	.324		.052		.120	.360		.010			.088		4
5	.168	.085	.220					.200			.085		5
6	.336	.100			.076		.01	.215				.01	6
7			.028			.708		.180					7
8	.268	.184	.084			.060		.045	.114				8
9				.058		.260	.285					.03	9
10		.025	.008					.018				.19	10
11		.110			.016				.007			.138	11
12		.048	.016		.128	.070							12
13	.02	.005						.068			.09		13
14					.028			.008		.03			14
15			.092		.332	.503						.30	15
16			.006		.008	.050		.029		.06	.005	.12	16
17			.232	.001		.025		.020				.015	17
18	.236		.260				.05			.005	.03	.065	18
19	.856	.060	.112			.01	.155	.215			.01		19
20	.02	.002	.152					.008		.365			20
21	.02	.002	.344				.01	.012		.126			21
22	.01	.038					.08	.055				.03	22
23	.095	.180	.260			.005		.490		.046	.018	.05	23
24	.588	.048			.006	.03	.01	.105				.06	24
25	.025					.09		1.088			.14	.165	25
26	.156							.200		.311	.48	.40	26
27			.008				.04			.021		.055	27
28		.028							.025	.396	.223	.03	28
29			.002	.001			.035	.050	.620	.085			29
30					.016	.005		.085	1.140	.155	.01		30
31			.006		.008		.10	.169					31
Total	3.162	1.065	2.230	.060	.826	3.286	.995	3.460	2.021	1.940	1.490	1.774 1.374	TOTAL for year 22.309
No. of Rain Days.	~~19~~ 16	~~17~~ 13	~~21~~ 19	~~3~~ 1	~~12~~ 11	~~19~~ 15	12	~~27~~ 23	~~7~~ 6	11	12	~~16~~ 1	156

W. 8,000, X. '11.

82

cor^d. for arith 6.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

22 JAN 1914

62

Kept at Sheerness

in the County of Kent 3

by A. H. Bell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·19		·001	·14					·04		·06	1
2				·02	·13		·16				·07		2
3		·16	·001	·13						·01		·01	3
4	·03	·12											4
5	·10			·09	·24		·22		·20	·28	·03	·01	5
6	·115		·01			·07	·26			·39	·12		6
7							·22	·115		·15	·04		7
8		·03	·07		·02					·08			8
9			·02				·02	·14			·01	·02	9
10			·013		·07		·04	·045			·35		10
11	·33	·095			·08					·37	·25		11
12			·06	·16						·01	67		12
13	·23	·01		·42							·50		13
14	·03						·47		·01	·17	·06		14
15	·023		·02										15
16	·31		·023	·03					·18				16
17			·14	·03			·20						17
18	·01		·24	·11					·01		·01		18
19	·09			·05			·08		·18				19
20			·04	·04					·03	·32			20
21	·09		·115							·58	·55		21
22	·31		·05	·02			·02		·06	·006		·01	22
23		·025	·255	·12				·08		·055		·37	23
24			·26			·02					·01		24
25			·16			·01							25
26			·02					·025		1·015		·06	26
27				·09	1·135					·03			27
28	·22		·10							·28			28
29	·18		·02		·08			·032		·08		·07	29
30	·29		·13		·06			·039					30
31		·001	·015					·11		·05			31
Total	2·358	·631	1·762	1·311	1·955	·10	1·69	·586	·67	3·916 ~~4·016~~	2·67	·61	YEAR'S TOTAL 18·59
Rain Days.	15		20	13	10		10		4	18		8	
	17	7	23	17	12	3	13	8	13	~~19~~	13	10	~~121~~

131

W. 7,500, XI. 12

Ex LMC

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
-3 FEB 1915

Kept at Sheerness

in the County of Kent 3

by F. D. Stallon.

Lat. 51 26 N. Long. 0.47' E

Time of Observation 9.30 a.m.

Nearest Railway Station Sheerness

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 8.5ft O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.02				.01			.02		1
2								.01			.03	.11	2
3			.09	.06			.26						3
4			.01	007				.05			.27	.15	4
5	.11		.01	.18	.12		.09	.15					5
6		.03		.10	.01	.33		.01				.03	6
7		.15	.11	.15	.20	.12	.14					.06	7
8	.02	.13	.19	.02			.03	.05				.01	8
9	.24		.93	.04		.01			.01			.87	9
10				.03	.02	.01						.01	10
11		.21	.13	.02		.02			.12		.17	.26	11
12	.09	.04	.06		.02		.12		.14			.41	12
13		.06	.06						.02	.03	.04	.14	13
14			.23							.21		.19	14
15	.03	.01	.10				.88	.02			.72	.04	15
16	.05	.01	.01				.49				.01		16
17		.03	.04						.04			.01	17
18		.11	.17									.12	18
19		.03	.58				.02			.09	.25	.06	19
20		.05	.09			.02	.01		.01	.11		.29	20
21		.54	.04	.01							.01	.09	21
22				.03	.13		.18			.13			22
23			.31	.12	.73	.18						.08	23
24			.06		.01		.08			.07	.05	.01	24
25	.03		.29		.02		.01			.27	.01		25
26			.05		.01		.01	.20		.07	.19	.30	26
27			.01								.01	.08	27
28					.01		.01			.10	.15	.54	28
29			.01							.47	.06		29
30		╳	.01							.09	.46		30
31		╳		╳	.17	╳	.01		╳		╳	.01	31
Total	.57	1.40	3.59	.85	1.45	.69	2.34	.50	.34	1.64	2.45	3.87	YEAR'S TOTAL 19.69
Rain Days.	7	13	24	13	12	7	15	8	6	11	16	23	155

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Sheerness
in the County of Kent 3
by J. D Stallon

Lat. 51°30' N Long. 0°47' E
Time of Observation 9 a.m.
Nearest Railway Station Sheerness
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 8.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	07	·05		·01			·10	·06		·23	·24	1
2	·13	·05	·15	·02	·01			·21				·06	2
3	·27		·04	·03	·01			·11	·14			·50	3
4	·01					[illegible]	·22			·01		·27	4
5	·02	·07						·04		·01	·02	·23	5
6	·32	·63	·01	·21		[illegible]	·29	·01				·02	6
7	·31	·12	·05				·03					·12	7
8	·04	·30	·01				·13	·05				·01	8
9	·01	·15				·01		·08		·08	·19	·43	9
10	·11					·03						·46	10
11	·02	·01									·62		11
12		·04		·24	·24			·12	·07		·46		12
13	·06	·51		·03	·44				·02				13
14	·01	·03					·13	·04				·14	14
15	·07				·05		·01	·01			·52	·04	15
16	·01	·16		·03			·32	·39				·01	16
17		·16			·54		·03	·01				·28	17
18		·07	·06		·44						·05		18
19	?	·04					·01			·40			19
20	·18			·01								·13	20
21	·16											·03	21
22		·01	·06				·42					·08	22
23		·12	·06			02	·15			·04	·01	·22	23
24			·11	·14			·14		08	·04		·19	24
25			·06	·05			·19			·02		·15	25
26	·01	·01				·07						·33	26
27			·02			·01	·17		·02	·21		·02	27
28	·03	·05	·03			·06			1·04	·05			28
29		X	·07		·01	·47	·25	·09			·18	·06	29
30	·02	X				·16					·16	·01	30
31	·01	X		X		X		·11	X	·52	X	·15	31
Total	2·06	2·00	·78	·76	1·75	·83	2·49	1·37	1·43	1·38	2·44	4·18	YEAR'S TOTAL 21·47
Rain Days.	21	19	14	9	9	8	15	14	7	10	10	25	161

W. 8,000. X. 15.

cnd for W.D. 16.11.15

REGIS

SHOREHAM
{"HIGHFIELD"}
KENT
1914-16

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at "Highfield" Gdns

in the County of Kent.

by Mr. H. Woodg

rcham & Otford equal

in.

ound 1 ft. 3 in.

Level about 700 ft.

IMPORTANT NOTE.– result entered to the previous day. If an Observ l rule, he is earnestly requested to add the reading the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in "R cation to Dr. H. R. Mill, 62, Camden

Jan. 1, following.
0·08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·05	0·03			0·33		0·03				0·96	1
2								0·20			0·03	0·05	2
3	0·04					0·03	0·14	0·06			0·11	0·16	3
4			0·21		0·22		0·03	0 —					4
5				0·24	0·05			0·14			0·30	0·33	5
6	0·10		0·07	0·31	0·35		0·20	0·28					6
7		0·11		0·15	0·03	0·22		0·03				0·33	7
8		0·55	0·29	0·17		0·39	0·04					0·21	8
9	0·10	0·75	0·52		0·08	0·02	0·13	0·15				0·17	9
10	0·20		1·27	0·17					0·05			1·75	10
11	0·05		0·06	0·06	0·04							0·20	11
12		0·50	0·38	0·05	0·10	0·02			0·28		0·17	0·38	12
13		0·03	0·08				0·08		0·31			0·53	13
14		0·35	0·21			0·16			0·18	0·06	0·13	0·99	14
15		0·23	0·28				0·05			0·53	0·02	0·65	15
16	0·08	0·05	0·31				0·14	0·05			1·10	0·33	16
17		0·04	0·05										17
18		0·32							0·15	~~0·15~~		0·17	18
19												0·55	19
20		0·21	0·73				0·20		0·04	0·07	0·22	0·21	20
21		0·21	0·37			0·04			0·04	0·07		0·06	21
22		0·89	0·07					0·76		0·05			22
23		0·04			0·35	0·04	0·15			0·11			23
24			0·16	0·03	0·30	0·22	0·03			0·03		0·10	24
25			0·04								0·09		25
26			0·38				0·07			0·45			26
27	0·08		0·08					0·19			0·39	0·56	27
28								0·07		0·09		0·44	28
29	0·05									0·05	0·51	0·70	29
30	0·10	╳	0·04							0·63	0·23		30
31		╳	~~0·08~~	╳	0·09	╳			╳	0·09	╳	0·10	31
Total	·05 0·80	·03 4·33	— 5·71	— 1·18	·33 1·61	— 1·47	·03 1·26	— 1·96	— 1·05	— 2·23	·96 3·30	·08 9·93	YEAR'S TOTAL 34·83
Rain Days.	·85 ~~9~~ 10	4·31 15	5·68 ~~22~~ 21	1·18 8	1·94 ~~10~~ 11	1·44 ~~10~~ 9	1·29 ~~12~~ 13	1·93 ~~11~~ 10	1·05 7	2·23 12	4·26 ~~12~~ 13	9·05 23	34·91 152

W. 8,000. X. 14.

All records have been dated same day as taken. Not to the day previous. H.W.

cnd fr W.D. 16.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at "Highfield" Gdns. Shoreham

in the County of Kent.

by Mr. H. Woodgate.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Shoreham & Otford equal
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level about 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·05	0·03			0·33		0·03				0·96	1
2								0·20			0·03	0·05	2
3	0·04					0·03	0·14	0·06			0·11	0·16	3
4			0·21		0·22		0·03	0 —					4
5				0·24	0·05			0·14			0·30	0·33	5
6	0·10		0·07	0·31	0·35		0·20	0·28					6
7		0·11		0·15	0·03	0·22		0·03				0·33	7
8		0·55	0·29	0·17		0·39	0·04					0·21	8
9	0·10	0·75	0·52		0·08	0·02	0·13	0·15				0·17	9
10	0·20		1·27	0·17					0·05			1·75	10
11	0·05		0·06	0·06	0·04							0·20	11
12		0·50	0·38	0·05	0·10	0·02			0·28		0·17	0·38	12
13		0·03	0·08				0·08		0·31			0·53	13
14		0·35	0·21			0·16			0·18	0·06	0·13	0·99	14
15		0·23	0·28				0·05			0·53	0·02	0·65	15
16	0·08	0·05	0·31				0·14	0·05			1·10	0·33	16
17		0·04	0·05										17
18		0·32							0·15	~~0·15~~		0·17	18
19												0·55	19
20		0·21	0·73				0·20		0·04	0·07	0·22	0·21	20
21		0·21	0·37			0·04			0·04	0·07		0·06	21
22		0·89	0·07					0·76		0·05			22
23		0·04			0·35	0·04	0·15			0·11			23
24			0·16	0·03	0·30	0·22	0·03			0·03		0·10	24
25			0·04								0·09		25
26			0·38				0·07			0·45			26
27	0·08		0·08					0·19			0·39	0·56	27
28								0·07		0·09		0·44	28
29	0·05									0·05	0·51	0·70	29
30	0·10	✕	0·04							0·63	0·23		30
31		✕	~~0·08~~	✕	0·09	✕			✕	0·09	✕	0·10	31
	·05	·03	–	–	·33	–	·03	–	–	–	·96	·08	YEAR'S TOTAL
Total	0·80 ·85	4·33 4·31	5·71 5·68	1·18 1·18	1·61 1·94	1·47 1·14	1·26 1·29	1·96 1·93	1·05 1·05	2·23 2·23	3·30 4·26	9·93 9·05	34·83 34·91
Rain Days.	~~9~~ 10	15	~~22~~ 21	8	~~10~~ 11	~~10~~ 9	~~12~~ 13	~~11~~ 10	7	12	~~12~~ 13	23	152

W. 8,000. X. 14.

All records have been dated same day as taken. Not to the day previous. H.W.

Corrected for W.D. 24.11.16. Edd. W 468

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4 JAN 1916

Kept at "Highfield" Shoreham

in the County of Kent. 5

by H. Woodgate.

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Shoreham. Kent
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.37

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.08						0.26				0.70	0.56	1
2	0.55	0.11							0.37		0.47	0.59	2
3	0.10	0.18	0.30	0.11				0.65	0.04	0.08			3
4	0.25		0.05	0.19	0.09			0.45	0.16			0.49	4
5	0.15									0.02		0.47	5
6	0.03	0.38			0.36			0.11		0.14	0.05	0.34	6
7	0.35	0.08		0.39			0.43					0.09	7
8	0.68	0.32					0.34					0.24	8
9	0.03	0.64	0.05	0.07			0.16	0.11			0.43		9
10		0.08		0.07		0.10		0.13		0.06		0.45	10
11	0.35					0.13						0.49	11
12											0.51		12
13	0.09			0.43	0.41			0.44		0.05	0.60		13
14	0.03	0.74		0.05	1.41			0.17				0.05	14
15	0.05	0.07					0.09	0.12	0.04			0.45	15
16	0.23				0.08		0.04	0.04				0.19	16
17		0.50		0.03			0.84	0.02				0.10	17
18		0.47			1.17		0.10					0.09	18
19		0.15	0.10		0.35								19
20		0.08					0.04			0.17	0.39		20
21	0.33			0.02	0.06							0.29	21
22										0.03		0.10	22
23	0.60	0.13	0.06	0.09			0.71					0.19	23
24	0.03	0.45	0.04			0.06	0.74		0.07	0.32	0.02	0.32	24
25	0.02		0.05				0.20		0.29	0.19		0.31	25
26				0.32			0.31					0.25	26
27		0.09				0.06						0.52	27
28		0.08				0.06	0.17			0.37		0.11	28
29			0.16						1.97	0.24			29
30						0.13	0.27	0.11			0.24	0.03	30
31	0.05											0.05	31
Total	~~4.00~~ 3.92	4.55	0.81	1.77	3.93	0.26 ~~0.54~~ .80	~~4.70~~ 4.44	2.35	2.94	0.70 ~~1.67~~ 2.37	0.56 ~~3.41~~ 3.27	0.37 ~~6.7[illegible]~~ 6.58	YEAR'S TOTAL ~~37.44~~ 37.73 ✓
Rain Days.	~~19~~ 18	17	8	11	8	~~6~~ 7	15	11	7	~~11~~ 12	9	24	~~146~~ 147 ✓

W.7,000, XI. 13

455

FORM A.
BRITISH RAINFALL.

3 JAN 1917

cd for WD

REGISTER OF RAINFALL IN 1916

Kept at Highfield Gardens, Shoreham

in the County of Kent.

Nr Sevenoaks.

by

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Shoreham, S. E. & C. Rly

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 670 about.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.37		0.12						0.05		0.15		1
2	0.13				0.36				0.19		0.33		2
3	0.50	0.09	0.10		0.27				0.04	0.39	0.09		3
4		0.80	0.53				0.08		0.19	0.30	0.63		4
5	0.29	0.15				0.35			0.09	0.03	0.65		5
6	~~0.08~~		0.02		0.17	0.30	0.07			0.13	0.62		6
7	0.38	0.15	0.67	0.43	0.02		0.21			0.10	0.53		7
8	0.07		0.65	0.06	0.22		0.04			0.05	0.75		8
9					0.26							0.49	9
10					0.35					0.05		0.15	10
11		0.20	0.22			0.37						0.20	11
12	0.06	0.17	0.09	0.20		0.37							12
13	0.03	0.08		0.10	0.40	0.22	0.15			0.07			13
14		0.40	0.13	0.20	0.26	0.04	0.08		0.02	0.09			14
15		0.49	0.02	0.02	0.12					~~0~~	0.03		15
16		0.18	0.14				0.03	0.84					16
17			0.13	0.20			0.18	0.14					17
18	0.16	0.11		0.06			0.05	0.04	0.37	0.70			18
19		0.11		0.30				0.12	0.06	0.20	0.96		19
20	0.36	0.05	0.09	0.12		0.05			0.13		0.49	0.20	20
21	0.13		0.27	0.08				0.09				0.45	21
22	0.03		0.45				0.19					0.29	22
23	0.03	0.08	0.13							0.02	0.03	0.38	23
24		0.70	0.09			0.17		0.02		0.05	0.07	0.10	24
25	0.03		0.05		0.07	0.03		0.03		0.25	0.07	0.09	25
26		0.97	0.23					0.28		0.23	0.06	0.17	26
27		0.33	0.06			0.06		0.14		0.16	0.03		27
28	0.04		0.74	0.58		0.59		0.26	0.07	0.27			28
29		0.40	0.21			0.07			0.10			0.20	29
30		X				0.19		0.97	0.02	0.40		0.26	30
31		X		X	0.20	X		0.29	X	0.52	X		31
Total	~~2.26~~ 1.89	.12 ~~5.46~~ 5.58	~~5.14~~ 5.02	2.35	2.70	2.81	1.08	.05 ~~3.22~~ 3.27	~~1.33~~ 1.28	.15 ~~4.01~~ 4.16	~~5.49~~ 5.34	.05 ~~2.98~~ 3.03	YEAR'S TOTAL ~~38.83~~ 38.54
Rain Days.	15 14	18 19	22	12	12	13	10	12 13	12 11	20 19	16 15	12 13	173

W. 8,000, VIII. 16

wrong day

REG

SHORTLAND
THE GABLES
KENT
1911 - 1915

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at The Gables ... in.

... round 1 ft. 6 in.

in the County of Ken ... a Level 200 ft.

... rrows

by Arthur March ... me Shortlands

... stance 1/2 mile Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.04					1
2				.97			.30						2
3											.57		3
4	.21				.26								4
5			.16									.70	5
6	.05												6
7	.17		.20									.35	7
8				.18						.70			8
9	.15										.87	.40	9
10												.40	10
11		.11											11
12	.40										.70		12
13			.57						.05			.41	13
14					.40				.22	.07	.16	.14	14
15		.10										.52	15
16			.38										16
17											.55	.05	17
18						.37					.39	.30	18
19		.09									.56	.08	19
20									.22	.25		.47	20
21								.27					21
22								.44		.58		.42	22
23		.07										.40	23
24						.97						.09	24
25						.07				1.09			25
26						.24		.06		.12	.21		26
27												.35	27
28	.04	.46											28
29				.45								.05	29
30			.47	.12	.40		.18						30
31								.71					31
Total	1.02	.83	1.78	1.72	1.06	1.65	.48	1.52	.49	2.81	4.01	5.13	TOTAL for year
No. of Rain Days.	6	5	5	4	3	4	2	5	3	6	8	16	22.50

W. 8,000, X. '11.

~~67~~

✓ wrong day

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at The Gables Shortlands

5

in the County of Kent

by Arthur March Tapp

RAIN GAUGE
Pattern
Diameter of top 4 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 200 ft.

Time of Observation various

Nearest Railway Station
Name Shortlands
Distance 1/2 mile Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								,04					1
2				,97			,30						2
3											.57		3
4	,21				,26								4
5			,16									.70	5
6	,05												6
7	,17		,20									.35	7
8				,18						.70			8
9	,15										.87	.40	9
10												.40	10
11		,11											11
12	,40										.70		12
13			,57						,05			.41	13
14					,40				.22	.07	.16	.14	14
15		,10										.52	15
16			,38										16
17											.55	.05	17
18						.37					.39	.30	18
19		,09									.56	.08	19
20									.22	.25		.47	20
21								.27					21
22								.44		.58		.42	22
23		,07										'40	23
24						,97						.09	24
25						,07				1.09			25
26						,24		.06		.12	.21		26
27												.35	27
28	,04	,46											28
29				,45								.05	29
30			,47	.12	,40		.18						30
31								.71					31
Total	1,02	,83	1,78	1.72	1.06	1.65	,48	1.52	.49	2.81	4.01	5.13	TOTAL for year ✓
No. of Rain Days.	6	5	5	4	3	4	2	5	3	6	8	16	22.50

W. 8,000, X. '11.

~~67~~ ✓

Cor. for W.D. 28.III.13.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

Kept at The Gables Shortlands

in the County of Kent 5

by A M Tapp

Lat. Long.

Time of Observation about 10 o'clock

Nearest Railway Station Shortlands

Diameter of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)
estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			7							1.46			1
2						10	25	6		53		31	2
3			35						15	4			3
4			60		10		31	30					4
5	,23				10	26					18		5
6	,28							30			3	8	6
7		14				20		11				15	7
8		38	23				8	21					8
9	,50							~~27~~					9
10						70		~~38~~				9	10
11		11						65				23	11
12		30				5		7					12
13	,06					12		2					13
14											22	22	14
15								7		7			15
16						63						35	16
17			25					10			11		17
18	,57		28									10	18
19			12			8						10	19
20	,13							27					20
21								6					21
22			82					6		52			22
23		30						25				4	23
24	56	31	31					30					24
25						8		10				23	25
26	37					15		88			52	56	26
27		6						45		33	39	19	27
28							14			11			28
29							10		11		42 ~~39~~	25	29
30					61	16		20	1 10	46		–	30
31					30		31	18		20		–	31
	–	·07	–	–	–	–	–	–	1.46	–	–	(–)	YEAR'S TOTAL
Total	~~2,70~~	~~1,60~~	~~3,03~~		~~1,11~~	~~2.53~~	~~1,19~~	~~4.64~~	~~1.36~~	~~3.72~~	~~1.87~~	~~2.90~~	26,65
Rain Days.	8	7	9		4	11	6	20	3	9	7	14	98
	2.70	1.67	2.96	·00	1.11	2.53	1.19	4.64	2.82	2.26	1.87	2.90	26.65

W. 7,500, XI. 12

Cor. for wrong day. 19.II.14

made
Wrote re WD 4.I.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

31 DEC 1913

Kept at The Gables Shortlands
in the County of Kent 5
by A.M. Tapp

Lat. .... Long. ....
Time of Observation about 9 a.m.
Nearest Railway Station Shortlands
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 210 ft.

2

C.S.

British Rainfall Organization.

HUGH ROBERT MILL, D.Sc.
Chairman of Trustees and Director.

BRITISH RAINFALL.
SYMONS'S METEOROLOGICAL MAGAZINE.

Telephone: P.O. Hampstead 942.

R. C. MOSSMAN, *Acting Editor.*
CARLE SALTER, *Assistant Director.*

62, Camden Square,

London, N.W.

2nd January, 1914.

A.M. Tapp, Esq.,
The Gables,
Shortlands,
Kent.

Dear Sir,

I have to thank you for your prompt attention to our request for your rainfall returns, and I trust you will excuse my calling attention to the paragraph marked in the enclosed pamphlet as to the usual method of entering rainfall records. Since your register was received yesterday morning, it is clear that it does not contain the measurement made at 9 a.m. yesterday, and, as this is necessary in order to complete the record for the year, I should be glad if you would kindly let me know at your convenience whether any rain was measured yesterday morning.

With apologies for troubling you,

Yours sincerely,

Carle Salter

for HUGH ROBERT MILL

Enc. R.

We have had no Rain here since the 27th December
A.M. Tapp 3/1/14

31	30							23		13			31	
	–	–	–	·10	–	–	–	·75	–	–	–	–	**YEAR'S TOTAL**	
Total	3.12	.64	2.46	2.30	.92	.29	1.21	1.24	2.18	3.76	2.09	1.07	21.28	
Rain Days.	13	5	12	15	9	4	9	8	7	14	11	7	111	
	3.12	·64	2·46	2·40	·82	·29	1·21	1·99	1·43	3·76	2·09	1·07	21·28	

W.7,000, XI. 13

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					10				75				1
2		25							24	2	6	10	2
3	7	15								30	~~7~~		3
4				57	20		8					9	4
5	20			5	17		7			7		8	5
6							7		39			16	6
7			12			12	15		7	34	19	7	7
8		10						26		20	12		8
9	35				11					5			9
10		11			5				11				10
11			20	13				2			40		11
12	38			38	4					65	15		12
13											33		13
14			5								22		14
15	19						26				5		15
16	38		30	27			27			16			16
17	16		31						45				17
18	4			5			13						18
19			13	10			13						19
20	28		22			5			5				20
21	17		41			10				53	30		21
22			12	12						24	25		22
23	30		18					29	12				23
24				3								36	24
25							6	14			2		25
26				20		2							26
27		3		3				26		85		23	27
28			39	9						8			28
29	30		3	4				4		20			29
30				30	25								30
31	30							23		13			31
	–	–	–	·10	–	–	–	·75	–	–	–	–	YEAR'S TOTAL
Total	~~3.12~~	~~.64~~	~~2.46~~	~~2.30~~	~~.92~~	~~.29~~	~~1.21~~	~~1.24~~	~~2.18~~	~~3.76~~	~~2.09~~	~~1.07~~	~~21.28~~
Rain Days.	13	5	12	15	6	4	9	8	8	14	11	7	111
	3·12	·64	2·46	2·40	·82	·29	1·21	1·99	1·43	3·76	2·09	1·07	21·28

W.7,000, XI. 13

end for W.D. 16.11.15 Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 - JAN 1915

Kept at The Gables Shortlands
in the County of Kent 5
by Arthur March Tapp

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Shortlands
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		3				28						36	1
2								17			3	3	2
3								20			6	21	3
4	2		10	4	10			7					4
5				15			18	3			28	25	5
6	11			35	14	3	28	88			3		6
7			10	15		22		3			5	14	7
8		48	15	18	22	10	5	2				8	8
9	9	35	41	3	2	10	22	5				4	9
10	22		71	5					14			1.35	10
11		3			5				22			4	11
12			30			5			2		11	35	12
13		52					8		12		3	56	13
14	2	18	10						17	7	9	7	14
15		7	13			41	17			30	5	50	15
16			14				10	4			1.07	6	16
17	4		4						3				17
18		27	8						3			8	18
19		7	12									29	19
20			28				8		3		13	24	20
21		15	30			4			5	2		6	21
22		80										5	22
23			7		18	8	16	2		9			23
24			7		12	15	5			2		5	24
25			10								10		25
26			20				2	7		22		5	26
27			3	3			3	12		5	19	55	27
28								2			4	16	28
29	3									2	29	62	29
30		X								46	13	—	30
31		X	4	X		X			X	6	X	13 4	31
	.03	–	–	–	.28	0–	–	–	–	–	.36	(–)	YEAR'S TOTAL
Total	~~53~~	~~295~~	347	88	~~83~~	~~146~~	142	172	81	131	~~268~~	~~900~~	25.06
	.56	2.92			1.11	1.18					3.04	6.64	
Rain Days.	18	10	20	8	8	9	12	13	9	10	~~16~~ 17	25 ~~26~~	149

W. 8,000. X. 14.

con/ pw W D 23.11.16 ~~H~~ exa gh. 488

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
1 JAN 1916

Kent at The Gables Shortlands 5

in the County of Kent

by A M Tapp

Lat. Long.

Time of Observation 9.30 a m

Nearest Railway Station Shortlands

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			3	5							89	39	1
2	,55	9			5				3	6	40	39	2
3	9	18	22	12				86		4		3	3
4	.26		6	18				52				62	4
5	16				4							21	5
6	5	39								4		25	6
7	37	3		32			32					8	7
8	25	30	3				12	5				18	8
9	10	49		12			8	28					9
10		5		13		7				4	27	64	10
11	18											22	11
12											51		12
13	6	6		43	70			40		4	41		13
14	3	56	2		79			67			1		14
15		4					20	12				26	15
16	9				5			20			5	8	16
17	3	39					49	2				21	17
18		34			90		4	49					18
19		6			25								19
20		26					5			3	20		20
21	26											23	21
22							3			4		6	22
23		15	13				62					6	23
24	93		6			7	23			40		35	24
25			3				2		,21	23		25	25
26	6			27			40					23	26
27		20				7	18					39	27
28		2				17				19		9	28
29						4			1.70	17			29
30		X				3		8			10	1	30
31	4	X		X		X			X		X	.30	31
Total	3.51	.03 ~~3.61~~	.05 ,58	~~1.62~~	2.78	,45	2.78	3.61	1.94	.89 ~~1.28~~	.39 ~~2.84~~	5.53 ~~3.55~~	YEAR'S TOTAL 30.53 ✓
Rain Days.	17	3.64 ~~17~~ 18	.60 8	1.57 ~~8~~ 7	7	6	13	11	3	2.17 ~~11~~ 12	2.34 9	5.14 ~~13~~ 22	133 ✓

W. 8,000. X. 15.

SIDCUP

KENT

~~1915~~ 1915 - 18

5 JAN 1916

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by B. S. Darrell (Miss)

Time of Observation 9 a.m

YEAR 1915.

At Sidcup

County Kent

Rules for observing Rainfall will be found on back of this Chart.

From 3pm →

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1	·20	·05	·09	nil	·03	nil	nil	nil	·06	NM	·44	·33
2	·05	·11	·16	·14	nil	nil	nil	·49	·01	·05	nil	·03
3	·32	NM	·04	·25	·04	nil	nil	·54	·28	Nil	nil	·60
4	·08	Nil	NM	nil	nil	nil	nil	·04	nil	NM	nil	·22
5	·04	·26	nil	·01	·01	nil	nil	·02	nil	·07	·01	·17
6	·36	·06	Nil	·29	nil	nil	·90	N.M	Nil	nil	nil	·08
7	·27	·23	·04	N.M	nil	nil	·08	·03	nil	nil	nil	·17
8	·13	·32	NM	·05	nil	nil	·08	·16	nil	nil	nil	nil
9	~~NM~~	·03	Nil	·07	nil	·07	nil	·07	Nil	·07	·30	·70
10	·14	~~nil~~	·02	NM	nil	·03	nil	nil	nil	nil	nil	·32
11	·05	Nil	nil	Nil	nil	nil	Nil	·04	nil	nil	·50	·02
12	·05	·03	nil	·40	·43	nil	nil	·37	nil	·08	·34	·01
13	—	·45	nil		1·38	nil	nil	·10	N.M	nil	nil	nil
14	—	·05	nil	nil	nil	nil	·18	·10	·01	nil	nil	·17
15	·08	Nil	nil	nil	nil	nil	nil	·18	nil	nil	·27	·04
16	~~NM~~	·24	nil	·02	·05	nil	·37	·06	nil	nil	nil	·22
17	~~Nil~~	·23	nil	NM	1·03	nil	·05	nil	nil	nil	nil	nil
18	·01	·06	·09	nil	·39	nil	nil	nil	nil	nil	·08	nil
19	NM	·28	nil	Nil	·01	nil	·06	nil	nil	·05	nil	nil
20	·26	Nil	Nil	·05	nil	Nil	nil	nil	nil	·01	nil	·28
21	·17	Nil	nil	Nil	Nil	Nil	·01	nil	nil		nil	·08
22	·58	·05	·11	·08	nil	nil	·41	nil	nil	nil	nil	·06
23	nil	·49	·02	·01	nil	·02	·17	nil	nil	·37	·02	·37
24	NM		·01	·01	nil	·01	·53	nil	·23	·22	nil	·38 or ·28
25	Nil	Nil	·12	·27	nil	nil	·19	nil	nil	nil	nil	·18
26	·01	·02	nil	nil	nil	·03	NM	nil	nil	nil	nil	·38
27	Nil	·01	nil	nil	nil	·13	·09	nil	NM	·22	nil	·06
28	Nil	·08	nil	nil	nil	·12	nil	nil	1·82	·08	nil	Nil
29	Nil	—	·02	nil	NM	·02	NM	·11	nil	nil	·11	·01
30	·02	—	nil	nil		nil	nil	N.M	NM	nil	·52	·01
31	·02	—	nil	—	nil	—	nil	·01	—	·67	—	·16
Totals	2·84	3·05	·72	1·65	3·37	·43	3·12	2·32	2·41	1·89	2·59	5·05



MONTHLY TOTALS

(Jan 1st 1916 ·17)

Total 29·44

5 JAN 1917

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by B. S. Darrell (Miss) YEAR 1915. *At* Sidcup

Time of Observation 9 a.m. *County* Kent

Rules for observing Rainfall will be found on back of this Chart.

From 3pm →

Date	*Jan.*	*Feb.*	*March.*	*April.*	*May.*	*June.*	*July.*	*Aug.*	*Sept.*	*Oct.*	*Nov.*	*Dec.*
	in.	*in.*	*in*	*in*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*
1	·20	·05	·09	nil	·03	nil	nil	nil	·06	NM	·44	·33
2	·05	·11	·16	·14	nil	nil	nil	·49	·01	·05	nil	·03
3	·32	NM	·04	·25	·04	nil	nil	·54	·28	Nil	nil	·60
4	·08	Nil	NM	nil	nil	nil	nil	·04	nil	NM	nil	·22
5	·04	·26	nil	·01	·01	nil	nil	·02	nil	·07	·01	·17
6	·36	·06	NM	·29	nil	nil	·90	N.M	Nil	nil	nil	·08
7	·27	·23	·04	NM	nil	nil	·08	·03	nil	nil	nil	·17
8	·13	·32	NM	·05	nil	nil	·08	·06	nil	nil	nil	nil
9	—	·03	Nil	·07	nil	·07	nil	·07	Nil	·07	·30	·70
10	·14	nil	·02	NM	nil	·03	nil	nil	nil	nil	nil	·32
11	·05	Nil	nil	Nil	nil	nil	nil	·04	nil	nil	·50	·02
12	·05	·03	nil	·40	·43	nil	nil	·37	nil	·08	·34	·01
13	—	·45	nil	[illegible]	1·38	nil	nil	·10	N.M	nil	nil	nil
14	—	·05	nil	nil	nil	nil	·18	·10	·01	nil	nil	·17
15	·08	Nil	nil	nil	nil	nil	nil	·18	nil	nil	·27	·04
16	—	·24	nil	·02	·05	nil	·37	·06	nil	nil	nil	·22
17	~~Nil~~	·23	nil	nil	1·03	nil	·05	nil	nil	nil	nil	nil
18	·01	·06	·09	nil	·39	nil	nil	nil	nil	nil	·08	nil
19	NM	·28	nil	Nil	·01	nil	·06	nil	nil	·05	nil	nil
20	·26	Nil	nil	·05	nil	nil	nil	nil	nil	·01	nil	·28
21	·17	Nil	nil	nil	Nil	nil	·01	nil	nil		nil	·08
22	·58	·05	·11	·08	nil	nil	·41	nil	nil	nil	nil	·06
23	nil	·49	·02	·01	nil	·02	·17	nil	nil	·37	·02	·37
24	NM	Nil	·01	·01	nil	·01	·53	nil	·23	·22	nil	(·38 ·22)
25	Nil	Nil	·12	·27	nil	nil	·19	nil	nil	nil	nil	·18
26	·01	·02	nil	nil	nil	·03	NM	nil	nil	Nil	nil	·38
27	Nil	·01	nil	nil	nil	·13	·09	nil	NM	·22	nil	·06
28	Nil	·08	nil	nil	nil	·12	nil	nil	1·82	·08	nil	Nil
29	Nil	—	·02	nil	NM	·02	NM	·11	nil	nil	·11	·01
30	·02	—	nil	nil	nil	nil	nil	NM	NM	nil	·52	·01
31	·02		nil	—	nil	—	nil	·01	—	·67	—	·16
Totals	2·84	3·05	·72	1·65	3·37	·43	3·12	2·32	2·41	1·89	2·59	5·05



MONTHLY TOTALS

19 11 13 9 (Jan 1st 1916 ·17) 12 15 6 11 16 25

Total 29·44

159

Exd CJE

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at Sidcup

in the County of Kent

by (Miss) B. S. Darrell

Lat. Long.

Time of Observation 9 a.m ("Summer" & Greenwich time)

Nearest Railway Station Sidcup

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following 1917
·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	–	–	–	·17	–	–	–	·16	·09	·31	–	1
2	·23	·03	·05	–	·21	–	·03	–	·33	·35	·09	–	2
3	–	·54	·20	–	–	–	·02	–		·17	·46	–	3
4	·24	·08	–	–	–	·17	–	–	·04	·01	·43	–	4
5	–	–	–	–	·11	·12	·01	–	·02	·04	·31	–	5
6	–	·06	·22 snow	·44	·01	·30	·13	–		–	·29	–	6
7	·07	–	·62 snow	–	·30	·12	·29	–		·02	·79	–	7
8	–	–	·01	–		–	–	–		–	–	·26	8
9	–	–	–	–	·10	–	–	–		·11	–	·11	9
10	–	·17	·13	·10	–	·39	·06	–		–	–	·14	10
11	·04	·19	·08	·16	–	·38	–	–	·01	–	–	–	11
12	–	·04	–	·05	·35	·18	–	·01	–	·05	–	–	12
13	·01	·17	·27	·07	·20	·11	·07	–	·05	·04	–	–	13
14	–	·33	·04	·01	·09		–	·16	–	–	–	·10	14
15	–	·22	·20	·01	–		·02	·23	–	–	–	·22	15
16	–	·04	·20	·12	–		·19	·12	–	–	–	–	16
17	·07	·08	·03	·04	–		·04	·34	·28	·46	–	·01	17
18	–	·08	–	·35	–		–	·14	·05	·13	·81	–	18
19	·09	·02	·09	·12	–		–	–	·10	–	·68	–	19
20	·12	–	·25	–	–		–	·01		–	·04	·30	20
21	–	–	·57	–	–		·26	–		–	–	·31	21
22	–	–	·12	–	–		–	–		·01	–	·48	22
23	–	·43 Snw	·02	–	–	·06	–	–		·08	·02		23
24	–	·08	–	–	·03	·03	–	·01		·12	·02	·31	24
25	–	·56 Snw	·10	–	·03	–	–	·18		·10	·05	–	25
26	–	·19 Snw	·10	–	–	·07	–	·09		·09	–	–	26
27	·03	·01	·79	–	–	·43	–	·50		·53	–	–	27
28	–	·33	·19	–	–	·20	–	–	·06	–	–	·08	28
29	–	·07	–	–	–	·14	–	·62	·10	·16	–	·15	29
30	–	X	–	–	·31	–	–	·17	–	·25	–	~~–~~	30
31	–	X	–	X	–	X		·01	X	·09	X	·06	31
Total	1·07	3·72	4·28	1·47	1·91	2·70	1·12	2·59	1·20	2·90	4·30	2·53	YEAR'S TOTAL 29·79
Rain Days.	10	21	21	11	13	14	11	14	12	20	13	14	174

W. 8,000, VIII. 16

15 JAN 1918

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by B. S. Darrell (Miss)

Time of Observation 9 a.m

YEAR 1917.

At Sidcup

County Kent

Rules for observing Rainfall will be found on back of this Chart.

Date	*Jan.*	*Feb.*	*March.*	*April.*	*May.*	*June.*	*July.*	*Aug.*	*Sept.*	*Oct.*	*Nov.*	*Dec.*
	in.	*in.*	*in*	*in*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*	*in.*
1	·01	SNOW ·03	–	SNOW ·25	–	–	–	1·50	·01	–	·04	–
2	–	SNOW ·02	–	·19	–	–	–	·17		·	·03	–
3	–	–	–	·06	–	–	–	·45		·09	·26	–
4	–	SNOW ·19	SNOW ·16	–	–	·	·24	·12		·40	–	–
5	·21	–	·01	–	–	·	–	–	·50	·16	·04	–
6	–	–	·04	* ·30	–	·05	–	·01	·10	·01	·05	–
7	·08	–	–	·12	–	–	·04	–	–	·19	–	·02
8	·08	–	–	–	–	–	·69	·65	·05	·21	·10	·27
9	·03	–	·01	·08	–	–	·15	·22	·01	–	·03	·53
10	SNOW ·24	–	·07	·15	–	–	–	·04	–	–	–	·04
11	·09	·03	·65	·25	–	–	–	·	·31	·15	–	–
12	·07	–	·01	·04	–	–	–	·08	–	·48	–	
13	·03	–	·14	·07	–	·	–	–	·01	·09	–	–
14	–	–	·02	* ·06	–	–	–	·	–	–	–	–
15	SNOW ·07	–	·	·14	–	–	·26	·48	–	·02	–	–
16	·06	·16	–	–	·22	–	·19	–	–	·08	–	·36
17	–	–	–	·10	·69	–	·21	–	·23	·08	–	–
18	·05	·05	–	·18	·03	·04	·30	·10	·11	·05	–	–
19	·01	·11	·16	–	·13	·13	–	–	·12	–	–	–
20	·03	·19	·04	–	·73	–	·08	–	–	–	·06	–
21	–	·01	·06	·01	·04	–	–	–	–	–	·02	–
22	·03	–	·05	–	–	–	–	·12	–	·09	–	–
23	–	·12	–	–	·17	·03	–	·06	–	·03	–	·03
24	·01	–	–	–	–	·03	–	–	–	·10	–	–
25	–	–	·07	–	–	–	–	–	–	·01	·09	–
26	–	–	·05	–	–		–	·23	·01	–	·53	·04
27	–	–	–	–	–	–	–	·63	–	–	–	–
28	–	·01	–	–	–	1·90	–	·62	·	·7	–	–
29	–	–	·03	–	·16	·24	·88	·02	–	·20	–	·09
30	SNOW	–	SNOW ·25	–	–	–	2·60	·03	·	·03	–	·21
31		–	SNOW ·04	–		–	·71	–	·		–	·06
Totals	1·21	·92	1·86	2·10	2·17	2·42	6·35	4·93	1·46	2·47	1·25	1·65

28·79

18 11 18 15 8 7 12 18 11 19 11 10 — 158

5·31

Apr 6–14 = doubtful as to accuracy



152

FORM A. BRITISH RAINFALL
I. I.

Cord for auth ~~W~~

REGISTER OF RAINFALL IN 1918

Kept at Sidcup
in the County of Kent
by (Miss) B. S. Darrell

Lat. Long.
Time of Observation 8.45 a.m
Nearest Railway Station Sidcup (S.E.R)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 11 in.
" " " " Sea Level 9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·15

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	–	–	–	–	–	–	–	–	–	·10	·08	1
2	-	·08	–	·02	–	–	–	·23	–	–	·09	·11	2
3	-	·01	·12	·02	·58	–	–	·08	–	–	·49	·05	3
4	·01	·05	·13	·01	–	–	–	·05	19	–	·35	–	4
5	–	·01	·01	–	·21	–	–	·06	·45	·02	–	–	5
6	·21	·16	–	·17	·20	–	–	·04	·75	–	–	·04	6
7	·07	·04	–	·10	·23	–	–	–	·08	·08	–	–	7
8	–	·06	–	·01	–	–	–	–	·09	–	·13	·07	8
9	·02	–	–	·02	–	·03	·17	-	·21	·06	–	·09	9
10	–	–	-	·20	–	·03	·25	–	·02	·05	·03	·27	10
11	·04	–	–	·03	·02	–	·72	–	·02	·30	·12	·08	11
12	–	·05	–	–	·15	–	·47	–	·12	·01	–	·02	12
13	·07	·02	–	·01	·12	–	·05	–	·05	–	–	·01	13
14	·05	–	-	–	–	·44	·05	–	·09	·17	–	·12	14
15	1·37	–	–	·69	–	–	·12	–	–	–	–	·06	15
16	·30	–	–	·21	–	·13	·02	–	·09	–	–	–	16
17	·28	–	–	·15	·26	·04	1·13	·04	–	–	–	·06	17
18	·34	–	–	–	–	·09	·05	–	·64	·48	–	·15	18
19	·05	–	·11	·09	–	–	·08	–	–	·10	–	·08	19
20	-	·10	–	·48	–	·01	·35	–	·31	·22	·02	·06	20
21	·09	·01	–	·38	–	–	·03	–	·20	·05	–	–	21
22	·01	-	–	·03	·05	–	·07	–	·18	–	–	·12	22
23	·01	-	-	·03	·20	–	·76	·14	·05	–	·01	·08	23
24	-	·30	-	–	·01	·07	·32	–	·14	–	·01	–	24
25	-	-	–	·44	–	·01	·22	·16	–	·02	·06	–	25
26	–	–	–	–	–	–	·3 x	·18	–	–	·08	·08	26
27	-	·02	–	·15	–	–		·10	·04	–	·08	·04	27
28	-	–	·12	·06	–	–	-	·09	–	–	·28	·08	28
29	-	-	–	·01	–	–	–	–	1·05	–	·02	–	29
30	-		·40	–	–	–	–	–	·05	·01	–	·11	30
31	-		·04		–		–	·19		·03		-	31
Total	2·92	·91	·93	3·31	2·03	·85	5·20	1·36	4·82	1·60	1·87	1·80 ~~1·70~~	YEAR'S TOTAL 27·60 ~~27·50~~
Rain Days.	15	13	7	22	11	9	19	12	21	14	15	22	180

W. 6,500, VII. 18. w w c

SNAV~~E~~
POPLAR HSE
KENT
1917, 18, 20.

REGIS

— 55 E

FORM A.
BRITISH RAINFALL.
3. JAN 1918

Kept at Poplar Hou

in the County of Ken

by Thos K

…m

Hamstreet 2½ miles

…auge 8" in.

…Ground 2 ft. 3 in.

…Sea Level 10 ft.

IMPORTANT NOTE … the result entered to the previous day. If an Obse… …rsal rule, he is earnestly requested to add the readi… …January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
								Thunderstorm					
1				25				1·65	6		33	1	1
2				25				16		12			2
3		Snow water 16		9			21	90					3
4	2									12			4
5	18								8				5
6									10		20		6
7	34						40			52		3	7
8	19		15				23	1·06		24	34	18	8
9	9			10						2		80	9
10	11		9	25				5				4	10
11	25		40	19				3	17	48			11
12	6									12			12
13			15		27					26	3		13
14				21				11		3			14
15	1				8			32				4	15
16	16				45							40	16
17				9	41		24		5	23		10	17
18	5	12	3	7	9		20		8				18
19		6	11						23				19
20		20	10		55						4		20
21						8						4	21
22			18			36		16		20			22
23		14			25			4		5			23
24			~~5~~				4	4		15	7		24
25		8	5H								5		25
26			11					14	4		87	6	26
27						5		1·10				12	27
28			4			77		47				10	28
29							75	4		18		9	29
30	Snow water 37	✕	24				49	21		28			30
31		✕		✕		✕	50		✕		✕	3	31
Total	1.83	·76	1·65	1·50	2·10	1·26	3·06	6·48	81	3.00	1.93	2.04	YEAR'S TOTAL 26·42
Rain Days.	12	6	12	9	7	4	9	16	8	15	8	14	120

principally snow water

W. 8,000, IX. 17.

4·45

REGIS

FORM A. BRITISH RAINFALL. 3. JAN 1918

Kept at Poplar House, Snave Romney Marsh (was called Rose Cottage)

in the County of Kent

by Thos K Tickner

Lat. 51-3-N Long. 0-55 E

Time of Observation 9 a.m

Nearest Railway Station Hamstreet 2½ miles

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				25				Thunderstorm 1·65	6		33	1	1
2				25				16		12			2
3		Snow water 16		9			21	90					3
4	2									12			4
5	18								8				5
6									10		20		6
7	34						40			52		3	7
8	19		15				23	1·06		24	34	18	8
9	9			10						2		80	9
10	11		9	25				5				4	10
11	25		40	19				3	17	48			11
12	6									12			12
13			15		27					26	3		13
14				21				11		3			14
15	1				8			32				4	15
16	16				45							40	16
17				9	41		24		5	23		10 principally snow water	17
18	5	12	3	7	9		20		8				18
19		6	11						23				19
20		20	10		55						4		20
21						8						4	21
22			18			36		16		20			22
23		14			25			4		5			23
24			5				4	4		15	7		24
25		8	5·H								5		25
26			11					14	4		87	6	26
27						5		1·10				12	27
28			4			77		47				10	28
29							75	4		18		9	29
30	Snow water 37	✕	24				49	21		28			30
31		✕		✕		✕	50		✕		✕	3	31
Total	1.83	·76	1·65	1·50	2·10	1·26	3·06	6·48	81	3.00	1.93	2,04	YEAR'S TOTAL 26·42
Rain Days.	12	6	12	9	7	4	9	16	8	15	8	14	120

4.45

W. 8 000, IX. 17.

11

SNAVE REGISTER OF RAINFALL IN 1918 miles

FORM AP
BRITISH RAINFALL
3.1.19

Kept at Snave
in the County of Kent
by Thos. K. Tickner

Lat. 51-4 Long. -0-37 E
Time of Observation 9
Nearest Railway Station Hamstreet
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 4 in.
" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

~~Date~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			3~~4~~								6	9	1
2		1	1					26			78		2
3			3	23	16			3			40	9	3
4		3			35				56		28		4
5		7		10	19			7		6	14		5
6		3			32			8	3			5	6
7	10				10				59				7
8		6							10			2	8
9	10					15			38	22		6	9
10				8			16		30	2		18	10
11					4		5		26	12		11	11
12	~~8~~	6			12		4		16	51			12
13					20								13
14	27				1	5	21		13	17		6	14
15	145			4			30			3			15
16	13						4						16
17	25			11				1					17
18	18								Storm 1·49	1		38	18
19	10		22	6						9			19
20	1	8		6			in 4 hrs 1-23		27	52		11	20
21	16						4			21			21
22	14			3			7		59			16	22
23	7				10		91		1				23
24		20				3	15		6		6	5	24
25							3					3	25
26							16	5	2	3	14		26
27		3					19	12	11			8	27
28		13	15	10	5			10	125		26	6	28
29				5		58	2	15	10	3		5	29
30		X	40									16	30
31	6	X		X		X			X	4	X	17	31
Total	3.02 3,02	70	84	86	1,64	81	3,60	87	6,41	2,06	212	1,91	YEAR'S TOTAL 24.84
Rain Days.	13	10	6	10	11	4	15	9	18	14	8	18	136

W. 8,000, IX. 17.

Exd wrd

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Poplar House Snave
in the County of Kent
by Thos K Tickner

Lat. 51 - 5 Long. 0 - 55
Time of Observation 9 Oclock
Nearest Railway Station Hamstreet 2½ mls
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 2 ft 3 in.
" " " " Sea Level 10 ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
10

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	612			22						35		9	1
2			6		5			57	6	27		22	2
3			2									5	3
4		6	2	3			45		2			28	4
5			1				37	7	2				5
6			7		10		16					6	6
7	1			6	10		8			6		7	7
8				13	9		15						8
9				2			8						9
10	65	8	5	36			2				4		10
11	25		9	18			22					Snow 20	11
12	7		17	9	3		19						12
13	23	3		6		14				4	3		13
14		2	26	24		4			6	15	15		14
15	2								47	37	7	Snow 30	15
16			2	5	6	1			34				16
17				5	6		7		21		3		17
18	2				17			75	1,01			3	18
19	13			19				4	31			2	19
20	7	6		5		62			1,02				20
21		5					13		2			32	21
22				16					8				22
23							50		9			36	23
24	3		2						3			8	24
25							16		2		1	15	25
26	4		13	9			12					3	26
27	23			11		4	41				10	22	27
28	21		1		35		8				29	4	28
29	44		2	1					21		8	7	29
30	1				6		3				22	8	30
31	3									11		19	31
TOTAL	2,50	30	95	2,10	107	85	322	143	3,95	1,35	1,02	2,86	YEAR'S TOTAL 21,60
Days with ·01 in. or more	17	6	14	18	10	5	17	4	16	7	10	20	144
Days with ·04 in. or more	11	4	7	15	9	4	15	4	11	7	7	17	111

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SOU~~TH~~BOROUGH
BENTHAM HILL
KENT
1911- 1913

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGI

Kept at Bentham Hill, ... ew ... in.

in the County of Kent ... und 1 ft.

... Level 380 ft.

by C. Stanley Pott ... Tun. Wells.

... ce 3½ Direction S.

IMPORTANT NOTE.—R ... result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·72	—	—	—	·06	—	—	·04	—	1
2	·10	—	·01	·05	·26	—	—	—	—	—	·18	·19	2
3	·01	—	—	—	·20	—	—	—	—	—	·10	·27	3
4	·17	·03	·06	·10	—	—	—	—	—	·95	·26	·22	4
5	·02	·01	—	·04	—	—	—	—	—	·73	·02	—	5
6	·33	—	·04	—	—	—	—	—	—	·01	—	·70	6
7	—	—	—	·02	—	—	—	—	—	·34	·47	·25	7
8	·14	—	·15	—	—	—	—	—	—	—	·57	·20	8
9	·19	—	—	·03	—	—	—	—	—	—	·08	·15	9
10	—	·07	·07	·05	—	—	—	—	—	—	—	·78	10
11	·38	—	·07	—	·02	—	—	—	—	—	1·00	·01	11
12	—	—	·61	—	—	—	—	—	—	—	·09	—	12
13	—	—	·06	—	·20	—	—	—	·60	·21	—	·24	13
14	—	·05	·32	—	·24	—	—	—	—	—	—	·57	14
15	—	·03	—	—	—	—	—	—	—	—	·07	·02	15
16	—	—	—	—	—	·17	—	—	—	·01	·52	·15	16
17	—	—	·04	—	—	·02	—	—	—	—	1·04	·21	17
18	—	·17	·07	—	—	—	—	—	—	—	·85	·42	18
19	—		—	—	—	·07	—	—	·21	·02	·28	·10	19
20	·03	·01	·02	—	—	—	—	·28	·23	·41	—	·71	20
21	·03	·19	—	—	—	—	—	·04	—	·04	—	·11	21
22	—	·01	·19	—	—		—	·17	—	·98	—	·48	22
23	—	·29	·02	—	—	{1·13	—	—	·25	·34	·07	·09	23
24	·02	·12	—	—	—	·17	·06	—	—	·10	—	·41	24
25	—	·06	·11	·07	—	·15	—	·12	·06	·27	—	—	25
26	—	—	·19	·23	—	·15	—	—	—	·36	·13	·23	26
27	—	·29	·13	·28	·04	—	—	—	·03	·45	—	·07	27
28	—	·28	—	·12	—	—	—	·03	—	—	·03	—	28
29	—		—	·10	—	·12	·37	—	·17	·29	—	—	29
30	—		—	—	—	·03	—	—	·02	·39	—	·01	30
31	—		—	—	·16		—	—		—		—	31
Total	1·47	1·61	2·16	1·81	1·12	2·01	·43	·70	1·57	5·90	5·80	6·59	TOTAL for year 31·17
No. of Rain Days	12	14	17	12	7	10	2	6	8	17	18	24	147

9,000, IX. '10.

REGI

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Bentham Hill, Southborough

in the County of Kent 4

by C. Stanley Pott

Rain Gauge:
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 380 ft.

Time of Observation 9·30

Nearest Railway Station:
Name Tun. Wells.
Distance 3½ Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·72	—	—	—	·06	—	—	·04	—	1
2	·10	—	·01	·05	·26	—	—	—	—	—	·18	·19	2
3	·01	—	—	—	·20	—	—	—	—	—	·10	·27	3
4	·17	·03	·06	·10	—	—	—	—	—	·95	·26	·22	4
5	·02	·01	—	·04	—	—	—	—	—	·73	·02	—	5
6	·33	—	·04	—	—	—	—	—	—	·01	—	·70	6
7	—	—	—	·02	—	—	—	—	—	·34	·47	·25	7
8	·14	—	·15	—	—	—	—	—	—	—	·57	·20	8
9	·19	—	—	·03	—	—	—	—	—	—	·08	·15	9
10	—	·07	·07	·05	—	—	—	—	—	—	—	·78	10
11	·38	—	·07	—	·02	—	—	—	—	—	1·00	·01	11
12	—	—	·61	—	—	—	—	—	—	—	·09	—	12
13	—	—	·06	—	·20	—	—	—	·60	·21	—	·24	13
14	—	·05	·32	—	·24	—	—	—	—	—	—	·57	14
15	—	·03	—	—	—	—	—	—	—	—	·07	·02	15
16	—	—	—	—	—	·17	—	—	—	·01	·52	·15	16
17	—	—	·04	—	—	·02	—	—	—	—	1·04	·21	17
18	—	·17	·07	—	—	—	—	—	—	—	·85	·42	18
19	—	—	—	—	—	·07	—	—	·21	·02	·28	·10	19
20	·03	·01	·02	—	—	—	—	·28	·23	·41	—	·71	20
21	·03	·19	—	—	—	—	—	·04	—	·04	—	·11	21
22	—	·01	·19	—	—	} 1·13	—	·17	—	·98	—	·48	22
23	—	·29	·02	—	—		—	—	·25	·34	·07	·09	23
24	·02	·12	—		—	·17	·06	—	—	·10	—	·41	24
25	—	·06	·11	·07	—	·15	—	·12	·06	·27	—	—	25
26	—	—	·19	·23	—	·15	—	—	—	·36	·13	·23	26
27	—	·29	·13	·28	·04	—	—	—	·03	·45	—	·07	27
28	—	·28	—	·12	—	—	—	·03	—	—	·03	—	28
29	—		—	·10	—	·12	·37	—	·17	·29	—	—	29
30	—		—	—	—	·03	—	—	·02	·39	—	·01	30
31	—		—	—	·16		—	—		—		—	31
Total	1·47	1·61	2·16	1·81	1·12	2·01	·43	·70	1·57	5·90	5·80	6·59	TOTAL for year 31·77
No. of Rain Days	12	14	17	12	7	10	2	6	8	17	18	24	147

9,000, IX. '10.

Sx. 1520

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

8 - JAN 1913

Kept at Bentham Hill

in the County of Kent 4

by C. Stanley Pott

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 350 ft.

Time of Observation 9·30

Nearest Railway Station
Name Tonbridge
Distance 3mls Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·17	—	—	·12	·16	—	·05	·82	—	·26	1
2	—	·03	·52	·04	—	—	·25	·06	·01	—	—	—	2
3	·04	·03	·07	—	·06	·13	—	·26	—	—	—	·09	3
4	·23	—	·81	—	·08	·32	—	·02	—	—	·22	—	4
5	·17	—	·22	—	—	·02	—	·21	—	—	·07	—	5
6	·45	·10	—	—	·03	—	—	·39	—	—	—	—	6
7	—	—	—	—	·17	·74	—	·51	—	—	—	·20	7
8	·24	·39	·36	—		·07	—	·19	—	—	—	—	8
9	—	—	—	·06	—	—	·11	·13	·03	—	—	·13	9
10	·02	·17	—	—	—	—	—	·19	—	—	·10	·64	10
11	·04	·40	—	—	—	·05	—	·20	—	—	—		11
12	—	·13	·03	—	·18	·07	—	·26	—	—	—	—	12
13	—	—	·01	—	—	—	—	·02	—	~~·07~~	·17	·06	13
14	—	—	·01	—	·04	—	—	·20	—	·07	—	·32	14
15	—	·03	·11	—	·15	·79	—		—	~~·05~~	—		15
16	·22	—	·16	—	·04	·03	—	·08	—	·05	·06	—	16
17	·18	—	·47	—	—	·05	—	·06	—	—	·21	·17	17
18	·18	—	·47	·01	—	—	·13	·49×	—	·05	—	·10	18
19	·05	·15	·19	—	—	—	·07		—	·01	·01	—	19
20	·02	·03	·57	—	—	—	—	·14	—	·53	·04	—	20
21	—	·05	·47	—	·06	—	·02	·05	—	·20	·06	—	21
22	·07	·37	·58×	—	—	—	·04	·20	—	·11	—	—	22
23	·47	·27		—	·05	·02	—	·42	—		·16	·09	23
24	·03	·02	—	—	—	·10	—	·13	—	—	·31×	·16	24
25	·05	·03	—	—	—	·27	—	·86	—	—		·52	25
26	—	·02	—	—	—	—	—	·38	—	·27	·36	·31	26
27	—	—	—	—	—	—	—		—	·33	—	·57	27
28	—	·05	—	—	—	·04	·24	·13	·05	·91	·52		28
29	—	·06	—	—	—	—	—	·31	1·57	·16	·02	—	29
30	—		—		·27	—	·13	·25	1·28	·34	—	—	30
31	—		·03				·23	·12	—	—		—	31
Total	2·46	2·33	5·25	·11	1·13	2·82	1·38	6·26	2·99	3·85	2·31	3·62	TOTAL 34·51.
No. of Rain Days.	16	18	19×	5	11	15	10	28×	6	~~13~~ 14	15×	17	17X

172

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19*13*

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Bentham Hill, Southborough

in the County of Kent A

by C Stanley Pott

Lat. 51·9 Long. 0·16

Time of Observation 9·30

Nearest Railway Station 3 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~3~~ 1 ft. in.

" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·31	·06	·23	—	—	—	—	—	·04	·07	·12	1
2	·11	·17	—	—	—	—	·17	—	·01	·08	·08	—	2
3	—	—	·10	—	·22	·01	—	—	—	·05	—	·15	3
4	·17	—		·17	—	·02	·08	—	—	·35	·06	·02	4
5	·34	·07	·01	·02	—	·21	·18	—	·60		·70	·06	5
6	·12	·01	·10	—	·02	·12	·11	—	·04	·49	·07	·06	6
7	—	·25	·03	—	—	·07	—	—	—	·17	·05	—	7
8	—	·05	·05	—	—	·01	—	·03	—	·26	·03	·03	8
9	—	·06	—	·02	·15	—	—	—	·15	—	—	—	9
10	·02	—	—	·06	·05	—	·16	—	—	—	·68	—	10
11	·55	—	—	·40	—	—	—	—	—	·86	·38	—	11
12	—	—	—	—	·02	—	—	—	—	—	1·12	·02	12
13	·35	·01	·04	—	—	—	—	·03	·07	—	·27	—	13
14	·33	—	·11	·08	—	—	1·00	·03	·09	·14	·19	—	14
15		—	·27	·45	—	—	·33	—	—	—	—	—	15
16	·27	—	·53	·18	—	—	·01	—	·39	—	—	—	16
17	·04	·08	·05	·16	—	—	·38	—	·01	—	—	·03	17
18	·01	—	·15	·15	—	—	—	—	—	—	·08	—	18
19	·23	—	·11	—	·02	·01	·08	—	·24	—	—	—	19
20	·64	—	·07	·08	—	·28	—	—	—		—	—	20
21	·01	—	·31	·06	—	—	—	—	—	·77	·67	—	21
22	·31	—	·40	·02	—	—	·10	·04	·12	—	—	·02	22
23	·03	—	·17	—	—	—	·02	·06	—	—	—	·60	23
24	—	—	·01	·02	—	·01	—	—	—	—	·05	—	24
25	—	—	—	·23	—	—	—	—	—	—	—	—	25
26	—	—	—	—	—	—	—	·19	—	1·08	—	·29	26
27	·02	·01	·16	·01	·11	—	—	—	—	·13	—	—	27
28	·16	·01	·11	·06	—	—	—	—	—	·30	—	—	28
29	·15		·19	·28	1·17	—	—	·38	—	·24	—	—	29
30	·53		·08	·34	—	—	—	·18	—	·14	—	—	30
31	—		·03		—	—	—	·36		·21		—	31
Total	4·40	1·03	3·14	3·02	1·76	·74	2·62	1·30	1·72	5·31	3·92	1·40	YEAR'S TOTAL 30·36
Rain Days.	22	11	2~~3~~4	20	8	9	12	9	10	19	15	11	169

170

W.7,000, XI. 13

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

RE ... 1

SOUTHB~~OR~~OUGH
THE HALL
KENT
1911 - 1915

Kept at The Hall ... 5 in.

... Ground 3 ft. in.

in the County of ... Sea Level 400 ft.

... a.m.

by Rev^d G. G. ... Name Tunbridge Wells

Distance 2½ Direction South

IMPORTANT NOTI... the result entered to the previous day. If an Obs... universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.84				08			.04		1
2	S .16		.03	.06	.28						.20	.19	2
3	.02	.02			.21						.11	.23	3
4	.16		.06	S .35						.94	.30	.25	4
5	.03	.03		S .10						.89	.04	.11	5
6	.31		.02	.03								.55	6
7	.03		.02	.03						.30	.46	.31	7
8	.14		.13	.03							.64	.25	8
9	.21		.05	.06							.06	.12	9
10	.38	.09	.05		.04							.92	10
11			.08								1.03		11
12			.69							.29	.08		12
13			.06		.17						.04	.27	13
14		.06	.02		.34				.65			60	14
15		.03	.35								.10	.03	15
16						.18					.54	.14	16
17			.07			.04					.97	.18	17
18		.16	.09								.90	.43	18
19						.09			.21	.44	.27	.20	19
20	.04		.02					.28	.23	.05		.65	20
21		.21						.07		.99		.15	21
22	.04		.20			.13		.17		.43		.50	22
23		.30	.04			1.17			.27	.08	.07	.17	23
24		.12				.20	.06			.33		.45	24
25		.05	S .22	.04		.20		.07	.06	.01	.03		25
26			.16	.25	.07	.20				.30		.23	26
27		.25	.15	.31					.03	.50		.07	27
28		.35		.14				.04			.13		28
29				.12		.14	.32		.17	.29			29
30				.02		.03			.04	.38			30
31					.03								31
Total	1.54	1.67	2.51	2.38	1.14	2.38	.38	.71	1.66	6.22	6.01	7.00	TOTAL for year
No. of Rain Days.	12	12	20	14	7	10	2	6	8	15	19	23	33.60 148

8,000. X. '11.

Rain Days 148

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

RE

Kept at The Hall Southborn

in the County of Kent 4

by Rev. G. A. Robins

Rain Gauge: Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 400 ft.

Time of Observation 9. am

Nearest Railway Station: Name Tunbridge Wells
Distance 2½ Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02			.84				08			.04		1
2	s .16		.03	.06	.28						.20	.19	2
3	.02	.02			.21						.11	.23	3
4	.16		.06	s .35						.94	.30	.25	4
5	.03	.03		s .10						.89	.04	.11	5
6	.31		.02	.03								.55	6
7	.03		.02	.03						.30	.46	.31	7
8	.14		.13	.03							.64	.25	8
9	.21		.05	.06							.06	.12	9
10	.38	.09	.05		.04							.92	10
11			.08								1.03		11
12			.69							.29	.08		12
13			.06		.17						.04	.27	13
14		.06	.02		.34				.65			60	14
15		.03	.35								.10	.03	15
16						.18					.54	.14	16
17			.07			.04					.97	.18	17
18		16	.09								.90	.43	18
19						.09			.21	.44	.27	.20	19
20	.04		.02					.28	.23	.05		.65	20
21		.21						.07		.99		.15	21
22	.04		.20			.13		.17		.43		.50	22
23		.30	.04			1.17			.27	.08	.07	.17	23
24		.12				.20	.06			.33		.45	24
25		.05	s .22	.04		.20		.07	.06	.01	.03		25
26			.16	.25	.07	.20				.30		.23	26
27		.25	.15	.31					.03	.50		.07	27
28		.35		.14				.04			.13		28
29				.12		.14	.32		.17	.29			29
30				.02		.03			.04	.38			30
31					.03								31
Total	1.54	1.67	2.51	2.38	1.14	2.38	.38	.71	1.66	6.22	6.01	7.00	TOTAL for year
No. of Rain Days.	12	12	20	14	7	10	2	6	8	15	19	23	33.60 148

F. 8,000. X. '11.

Rain Days 148

REGISTER Eng No OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Southboro
in the County of Kent 4
by Revd. G. A. Robins

Lat. Long.
Time of Observation 9 Am
Nearest Railway Station Tunbridge Wells
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.09			.11	.16		.10	.85		.28	1
2		.05^{s}	.58	.05		.03	.23		.04				2
3	.06	.05^{s}	.09		.06	.16			.03			.10	3
4	.23		.82		.12	.24		.10			.21		4
5	.17	.15^{s}	.23			.04		.22			.14	.03	5
6	.48	.06			.03			.39				.11	6
7					.17	.84		.21				.10	7
8	.28	.37	.38			.06		.16			.04	.03	8
9		.12				.05	.11	.13				.11	9
10		.06						.16			.13	.35	10
11	.07	.41				.04		.26	.04			.29	11
12		.11			.18	.18		.32			.03	.04	12
13			.05							.09	.16	.08	13
14					.04			.29		.06			14
15			.12		.16	.83				.03		.34	15
16	.32		.14		.04	.09		.08					16
17	.43		.52			.08		.06			.30	.29	17
18	.07		.52				.16	.19		.06	.04	.10	18
19	.06	.17	.20				.08	.37			.05		19
20		.05	.58					.15		.53	.05		20
21		.06	.53		.05			.08		.23	.07		21
22	.12	.40	.26				.07	.18					22
23	.62	.32	.36					.50		.11	.16	.11	23
24	.07					.11		.17				.17	24
25	.06					.26		.94	—		.31	.42	25
26						.03		.54		.34	.41	.44	26
27										.32		.27	27
28		.06				.02	.21	.15		.98	.59	.31	28
29		.06						.27	2.09	.20	.03	[illegible]	29
30					.27		.16	.31	1.47	.37			30
31							.25	.16		.03			31
Total	3.04	2.50	5.47	.05	1.12	3.17	1.43	6.39	3.77	4.20	2.52	3.97	YEAR'S TOTAL 37.83
Rain Days.	14	16	16	1.	10	17	9	25	6	14	16	20	164

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A1.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Southboro

in the County of Kent

by Rev. G. A. Robins

4

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 400 ft.

Time of Observation 9. AM

Nearest Railway Station
Name Tunbridge Wells
Distance 2½ Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.3	.29	.07	.33						.08	.07	.13	1
2	.13	.18					.19			.11	.08		2
3			.04	.17	.20					.05		.19	3
4	.20		.07		.03		.08			.03	.08	.04	4
5	.35	.08				.25	.18		.63	.26	.12	.08	5
6	.10	.04	.12		.02	.12	.05		.05	.41	.10	.07	6
7		.26	.05			.02		.03		.31	.05		7
8		.05	.04		.14	.06		.32		.32	.07	.05	8
9		.07		.04	.08			.03	.18	.02	.13		9
10	.05			.05			.24				.62		10
11	.60			.43						.71	.39		11
12				.01	.04						1.26		12
13	.43		.04					.05	.10		.25		13
14	.24		.12	.08			.92		.15	.17	.23		14
15	.20	.02	.29	.34			.35						15
16	.31		.60	.28					.48				16
17	.05	.09	.05	.22			.33		.03			.03	17
18			.17	.18							.08		18
19	.25		.15				.11		.25				19
20	.64		.04	.09		.25			.01	.38	.03		20
21	.03		.39	.08						.46	.68		21
22	.32		.29	.02			.05	.05	.12				22
23			28				.06	.05	.02			.65	23
24	.05			.04				.02			.06		24
25			.03	.21									25
26			.17					.19		1.14		.27	26
27			.04		.13					.17			27
28	.21		.28	.09						.33			28
29	.15		.10	.30	1.17			.52		.28	.02		29
30	.58			.37				.17		.15			30
31								.33		.17			31
Total	4.92	1.08	3.43	3.33	1.81	.70	2.56	1.76	2.02	5.55	4.32	1.57	TOTAL for year 32.99
No. of Rain Days	20	9	22	19	8	5	11	11	11	19	18	9	162

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN 1915

Kept at Southborough

in the County of Kent 4

by Revd. G. A. Robins

Lat. .... Long. ....

Nearest Railway Station Tunbridge Wells

Time of Observation 9 A.M.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. .... in.

" " " Sea Level 400 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.10		.02		.09			.05	.06	1
2							.16	.03			.11	.28	2
3			.20	.23	.24						.02	.03	3
4				.39	.03			.06			.36	.28	4
5	.10		.05	.21	.28	.05	.23				.02		5
6		.12	.02	.23	.02			.04				.39	6
7	.03	.65	.31	.08			.14				.02	.30	7
8	.08	.64	.40	.27			.09	.08				.12	8
9	.32		1.13	.21					.06			1.39	9
10		.12	.03	.10					.02	.08	.01	.12	10
11		.46	.43		.10				.23		.20	.39	11
12	.04	.05	.11				.12		.29	.02	.02	.56	12
13	.05	.60	.33			.24			.13	.10	.15	.74	13
14		.36	.20							.43	.07	.33	14
15		.06	.29				.23				.65	.10	15
16		.06	.13						.07				16
17		.30	.22						.18			.30	17
18		.12	.34									.64	18
19		.19	.95				.18			.03	.25	.10	19
20			.23			.05				.08		.23	20
21		1.05	.10					.09		.03		.06	21
22	.06	.05	.05			.04	.22	.04		.30			22
23			.28		.09	.12				.02			23
24			.05							.03	.17		24
25	.09		.24					.08		.30	.03		25
26			.06					.37		.09	.39	.50	26
27	.04							.03				.65	27
28										.05	.70	.57	28
29	.08		.03		.03					.59	.32		29
30			.14		.26					.13	1.55	.24	30
31	.04	.04					.06			.01		.11	31
Total	.93	4.87	6.32	1.82	1.05	.52	1.43	.91	.98	2.29	5.09	8.49	TOTAL for year 34.70
No. of Rain Days	11	16	25	9	8	6	9	10	7	16	19	24	160

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

exd 78

408

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Southborough
in the County of Kent
by Rev.ᵈ G. A. Robins

4

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Tunbridge Wells
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.77	.10	.03					.14	.34		.18	.38	1
2	.22	.19	.25	.13				.25		.06		.08	2
3	.33		.03	.23	.13			.47				.67	3
4	.08							.61		.10		.55	4
5	.03	.44		.04				.07		.05	.05	.58	5
6	.48	.11	.01	.57			.15					.06	6
7	.28	.40	s .03								.03	.48	7
8	.03	.61		.03				.06			.05	.02	8
9		.16		.15		.09		.11			.38	.70	9
10	.45					.07						.54	10
11		.04									.55		11
12	.06	.11		.13	.47						.79	.02	12
13		.89		.02	1.69				.14				13
14	.05	.04					.11		.05			.41	14
15	.25				.07		.28	.08			s .43	.36	15
16	.02	.62		.03	.10		1.02	.04				.12	16
17		.50			1.91		.04	.20				.13	17
18	.02	.21	.03		.24						.05		18
19		.10								.05			19
20	.28	.01	[illegible]	.06	.26							.23	20
21	.15	.03								.04		.12	21
22	.15 s	.08	.03				.95					.15	22
23		.18 s	.05			.03	.04		20	.33		.43	23
24		.02	.08	.03			.06		.26	.19		.58	24
25		.08	.03	.03			.26		.01	.04		.18	25
26						.02	.07					.47	26
27		.03	s .05			.02	.09			34		.09	27
28		.06	s .03			.06	.73		1.53	.30			28
29							.05	.15		[illegible]	.51		29
30	.12	X				.10				.04	.40	.05	30
31		X		X		X		.39	X	.78	X	.32	31
Total	3.77	5.01	.65	1.45	4.87	.39	3.85	1.97	2.53	2.32	3.42	7.72	YEAR'S TOTAL 37.95
Rain Days.	18	23	12	12	8	7	13	12	7	12	11	25	160

W. 8,000. X. 15.

✓

RE

SOUTHBOROUGH
THE OLD HALL
KENT
1914 - 1918

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at The Old H

in the County of K

by G H Beech

ng. 0·15'30"E

9 a.m

on Southborough

ge 5 in.

ge above Ground 1 ft. in.

" Sea Level 375 ft.

IMPORTANT and the result entered to the previous day. If an t universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January g year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.09				.07			.04	.06	1
2							.17				.10	.25	2
3			.18		.22			.02				.02	3
4	.10		.01	.22	.01						.35	.28	4
5			.03	.37	.24	.02	.23	.22					5
6		.07	.01	.19	.01	.14		.04				.37	6
7		.69	.30	.16		.06	.11					.28	7
8	.09	.60	.35	.05			.10	.06				.09	8
9			1.07	.26					.35	.04		1.41	9
10	.30	.07		.08	.06							.07	10
11		.45	.40	.04					.20		.17	.39	11
12		.04	.10				.12		.28	~~.48~~		.68	12
13		.55	.30			.20			.10	.08	.12	.64	13
14		.30	.16							.46	.16	.33	14
15		.04	.25				.25				.58	.07	15
16			.10										16
17		.27	.21						.22			.32	17
18		.17	.25							.02		.55	18
19		.15	.99				.15			.09	.25	.11	19
20		.19	.16			.02						.22	20
21		1.06	.10					.05		.02		.05	21
22		.03	.05		.01		.24	.03		.30			22
23			.28		.06	.14	.04						23
24			.02								.18		24
25	.10		.24							.30	.03		25
26			.04				.04	.37		.03	.27	.60	26
27								.03			.05	.54	27
28	.05									.03	.70	.59	28
29	.06		.02							.53	.28		29
30		X	.11							.13	1.48	.20	30
31	.04	X		X	.28	X			X		X	.04	31
Total	.74	4.68	5.73	1.46	.89	.58	1.45	.89	.85	2.03	4.76	8.16	YEAR'S TOTAL 32.22 ✓
Rain Days.	7	15	25	9	8	6	10	9	5	12	15	24	146 ✓

W. 8,000. X. 14.

✓

RE

Kept at The Old Hall Southborough	ng. 0·15'30"E
in the County of Kent.	Time of Observation 9 a.m
by G H Beecheno	Nearest Railway Station Southborough
	Diameter of Rain Gauge 5 in.
	Height of top of Gauge above Ground 1 ft. in.
	„ „ „ „ Sea Level 375 ft.

FORM A. BRITISH RAINFALL.
8 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.09				.07			.04	.06	1
2							.17				.10	.25	2
3			.18		.22			.02				.02	3
4	.10		.01	.22	.01						.35	.28	4
5			.03	.37	.24	.02	.23	.22					5
6		.07	.01	.19	.01	.14		.04				.37	6
7		.69	.30	.16		.06	.11					.28	7
8	.09	.60	.35	.05			.10	.06				.09	8
9			1.07	.26					.35	.04		1.41	9
10	.30	.07		.08	.06							.07	10
11		.45	.40	.04					.20		.17	.39	11
12		.04	.10				.12		.28	~~.48~~		.68	12
13		.55	.30			.20			.10	.08	.12	.64	13
14		.30	.16							.46	.16	.33	14
15		.04	.25				.25				.58	.07	15
16			.10										16
17		.27	.21						.22			.32	17
18		.17	.25							.02		.55	18
19		.15	.99				.15			.09	.25	.11	19
20		.19	.16			.02						.22	20
21		1.06	.10					.05		.02		.05	21
22		.03	.05		.01		.24	.03		.30			22
23			.28		.06	.14	.04						23
24			.02								.18		24
25	.10		.24							.30	.03		25
26			.04				.04	.37		.03	.27	.60	26
27								.03			.05	.54	27
28	.05									.03	.70	.59	28
29	.06		.02							.53	.28		29
30		X	.11							.13	1.48	.20	30
31	.04	X		X	.28	X			X		X	.04	31
Total	.74	4.68	5.73	1.46	.89	.58	1.45	.89	.85	2.03	4.76	8.16	YEAR'S TOTAL 32.22 ✓
Rain Days.	7	15	25	9	8	6	10	9	5	12	15	24	146 ✓

W. 8,000. X. 14.

Erd Lat

407

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
8 - JAN 1916

Kept at The Old Hall, Southboro'

in the County of Kent 4

by G H Belcheno

Lat. 51° 9' 30" N Long. 0° 15' 30" E

Time of Observation 9 a.m

Nearest Railway Station 1 mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.75	.12	.08		.02			.15	.17		.18	.33	1
2	.24	.18	.10	.15				.23				.07	2
3	.32			.20		—		.46		.05		.60	3
4	.55				.10			.01		.05		.58	4
5	.02	.44		.02				.06			.04	.59	5
6	.48	.12		.60			.15	.01				.05	6
7	.27	.30				.01	.08		—			.45	7
8	.02	.57					.24	.09			.04		8
9		.15		.10		.08		.10			.40	.68	9
10	.42	—				.35						.55	10
11		.33									.54	.03	11
12	.06	.11		.15	.38						.75		12
13	.01	.75			1.61								13
14	.03	.03					.09					.37	14
15	.23				.05		.35	.05			.32	.36	15
16	.02	.65					.99	.04				.11	16
17		.52			1.94		.04	.13				.11	17
18		.20			.25								18
19		.10		.08						.02			19
20	.33				.30					.02		.22	20
21	.23											.10	21
22		.08	.03				.94					.14	22
23	.03	.15					.04		.19	.32		.43	23
24			.09	.02		.02	.08		.23	.22		.54	24
25							.20			.03		.13	25
26		.08				.01	.06					.43	26
27			.05			.05	.06			.33		.07	27
28			.03			.06	.77		1.52	.30			28
29						.01	.03	.10			.53	.01	29
30	.11	X				.11				.06	.40	.04	30
31	.01	X		X		X		.54	X	.77	X	.30	31
													YEAR'S TOTAL
Total	3.63	4.58	.38	1.32	4.65	.40	4.12	1.97	2.11	2.17	3.20	7.29	35.82
Rain Days.	19	18	6	8	8	9	15	13	4	11	9	25	145

W. 3,000. X. 15.

Exd CJE

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

✓

Kept at The Old Hall, Southborough
in the County of Kent
by G H Beechens

Lat 51° 9' 30" N Long. 0° 16' 30" E
Time of Observation 9 a.m. & 9 a.m. summer time 1916
Nearest Railway Station 1 mile
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					.70				.12	.03	.35		1
2		.09	.23		.25		.03			.35	.02		2
3		.96	.22				.04		.07	.43	.50		3
4		.11				.40			.15	.02	.69		4
5		.01			.21	.10				.10	.74		5
6		.20	.14	.43	.05	.14	.30			.08	.70		6
7	.05		.62		.26	.07	.10			.07	.68	.03	7
8					.14							.43	8
9			.02		.25	.02						.27	9
10		.24	.05	.05		.34	.13					.31	10
11	.05	.25	.02	.14		.34							11
12	.03	.07		.05	.26	.17	.10			.09			12
13		.17	.15		.14	.05	.05			.06			13
14		.47	.03		.11							.13	14
15		.09	.28					.09				.06	15
16			.11	.16			.15	.14					16
17	.20	.17		.06			.05	.35	.25	.74			17
18	.22	.18		.15				.27	.17	.69	.75		18
19			.09	.30		.10			.14		.75		19
20	.13		.08	.10				.11				.63	20
21			.90	.02			.20					.33	21
22			.08							.02	.01	.53	22
23	.01	.25	.07			.23				.03	.10	.03	23
24			.04		.04	.02				.37	.06	.32	24
25		.75	.20		.03			.98		.06			25
26	.02	.35	.81			.01				.34			26
27	.02		.18			.31		.02	.09	.31			27
28		.43						.11	.07	.23		.13	28
29		.29				.25		.01	.05	.25		.30	29
30		✕			.05			.09		.30			30
31		✕		✕		✕			✕	.10	✕		31
Total	0.73	5.08	4.32	1.46	2.49	2.55	1.15	2.77	1.11	4.67	5.35	3.50	YEAR'S TOTAL 35.18
Rain Days.	9	18	20	10	13	15	10	10	9	21	12	13	160 ✓

W. 8,000, VIII. 16

Ex DL

380

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL 3. JAN 1918

Kept at The Old Hall, Southborough
in the County of Kent
by G H Beechens

Lat. 51° 9' 30" Long. 0° 15' 30 E
Time of Observation 9 a.m. & 9 a.m. Summer time
Nearest Railway Station 1 mile
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.32				1.69	.14		.06		1
2				.26				.19			.05		2
3				.24			.28	.60		.14	.15		3
4		.15	.17				.21	.01		.34			4
5	.28		.06	.25				.25	.49	.20	.06		5
6	.15		.05	.08		.20				.01	.09		6
7	.33						.25			.38		.04	7
8	.08			.06			.59	.18		.26	.32	.18	8
9	.01		.05	.16			.50	.10				.80	9
10	.18		.12	.12				.03					10
11	.08		.18	.43				.20		.37			11
12	.12		.04					.10		.19			12
13			.12		.10					.29		.01	13
14	.10			.11				.05					14
15	.07							.15		.10		.05	15
16	.10	.12		.19	.21		.08			.57		.75	16
17				.06	.68		.16		.22	.26			17
18	.05	.05		.13	.04		.16	.09	.19				18
19		.20	.07		.95	.11		.09	.17				19
20		.05	.05		.70		.15	.06			.03		20
21			.01	.02							.02		21
22			.12			.35		.15		.19			22
23		.10			.33	.04		.18		.06		.06	23
24						.05		.04		.19		.02	24
25		.05	.04			.10							25
26			.03					.25			.97		26
27								1.31					27
28						1.78		.28					28
29			.05		.06		.88	.02		.78		.34	29
30	.02	X	.33			.02	1.25	.14		.02		.07	30
31	.04	X	.08	X		X	.61		X	.02	X	.08	31
Total	1.61	.72	1.57	2.43	3.07	2.65	5.12	6.16	1.21	4.36	1.75	2.40	YEAR'S TOTAL 33.05
Rain Days.	14	7	17	14	8	8	12	23	5	18	9	11	146

W. 8,000, IX. 17.

Exd. F.F.E.

78

FORM A.
BRITISH RAINFALL.

11.1.19

REGISTER OF RAINFALL IN 1918

Kept at The Old Hall, Southboro'
in the County of Kent
by G H Beechens

Lat. 59° 9' 30 N Long. 0° 15' 30"
Time of Observation 9 a.m
Nearest Railway Station Southborough
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		~~.02~~	.11								.20	.06	1
2		.12						.23	.03		.03	.14	2
3		~~17~~	.13	.08	.45			.01		.03	.77		3
4		.17	.03						.28		.91		4
5		.08			.14			.11	.55	.07			5
6	.25	.12		.18	.25			.12	.36	.11			6
7	.08	.09		.10	.17				.10	.03	.21		7
8		.07		.01					.15			.10	8
9	.04			.01			.18		.55	.20		.09	9
10				.34		.08	.32			.05		.13	10
11							.09		.21	.61	.08	.39	11
12		.07			.04		.08		.01	.14		.11	12
13	.12			.01	.08		.02					.07	13
14	.15					.08	.06		.27	.24		.15	14
15	.25			.39		.07	.75		.03			.17	15
16	.34			.10		.12	.06		.07				16
17	.15			.17			.43	.05				.29	17
18	.34					.19			.75			.05	18
19	.14			.08		.08			.01	.14			19
20	.06	.08		.87		.02	.78		.35	.29		.06	20
21	.17			.75			.15		.53	.05		.03	21
22	.12				.03		.12		.71			.20	22
23	.08			.03	.10		.72	.10				.05	23
24		.22		.19					.21				24
25										.02			25
26				.06			.74		.01	.01	.20	.21	26
27		.09		.09			.24	.16	.03		.07		27
28			.36	.05							.24	.06	28
29				.10					.84		.02		29
30		×	.33						.03	.05		.17	30
31		×		×		×			×	.01	×		31
Total	3.29 ✓	1.01 ✓	.96 ✓	3.61 ✓	1.26 ✓	.64 ✓	4.74 ✓	.78 ✓	6.08 ✓	2.05 ✓	2.73 ✓	2.53 ✓	YEAR'S TOTAL 29.68 ✓
Rain Days.	14 ✓	10 ✓	5 ✓	19 ✓	8 ✓	7 ✓	15 ✓	7 ✓	22 ✓	16 ✓	10 ✓	19 ✓	152 ✓

W. 6,500, VII. 18. w w c

68

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGIS

SOUTHFLEET

KENT

1911-20

Kept at Southfleet
in the County of W. Ke
by F. Melhuish

ft. in.
el ft.

Direction

IMPORTANT NOTE.—Ra esult entered to the previous day. If an Observer rule, he is earnestly requested to add the reading at the space provided for it at the end of this para rain, the selection and placing of ainfall Organization are given in "*Rules* ion to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·77				·10			·02		1
2	·14			·10	·18						·13	·05	2
3	·01	·02			·09						·03	·13	3
4	·10	·01	·09	·11						·18	·14	·16	4
5	·02			·17						·38		·10	5
6	·13		·09	·01								·27	6
7	·02			·03						·14	·31	·23	7
8	·06		·07								·35	·21	8
9	·14		·04	·01							·05	·02	9
10		·08	·04	·01							·03	·72	10
11	·20										·58		11
12			·49								·06		12
13			·08		·13				·33	·16	·04	·14	13
14		·06	·01		·17							·45	14
15		·02	·27							·01	·04	·02	15
16						·20					·41	·03	16
17			·07								·60	·11	17
18		·11	·04								1·32	·12	18
19			·01			·14			·05	·10	·21	·12	19
20	·01		·01					·22		·11		·60	20
21		·04						·37		·55		·13	21
22	·02		·11			·02		·16		·17		·40	22
23		·14	·12			·95			·13	·01	·23	·05	23
24		·09				·01	·07			·56		·17	24
25		·05	·12			·08	·20			·01			25
26			·11	·21		·15				·10	·05	·21	26
27		·22	·06	·02					·11	·05	·01	·04	27
28		·10	·01	·18				·01			·03		28
29				·14		·18	·66		·03	·19			29
30				·04		·02		·12	·01	·17		·02	30
31													31
Total	·89	·94	1·84	1·80	·57	1·75	·93	·98	·66	2·89	4·64	4·50	TOTAL for year 22·39
No. of Rain Days	12	12	19	13	4	9	3	6	6	16	20	24	144

9,000, IX. '10.

Dl 68

REGIS

FORM A2. BRITISH RAINFALL.
23 JAN 1912

Kept at Southfleet

in the County of W. Kent 5

by F. Melhuish

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·77				·10			·02		1
2	·14			·10	·18						·13	·05	2
3	·01	·02			·09						·03	·13	3
4	·10	·01	·09	·11						·18	·14	·16	4
5	·02			·17						·38		·10	5
6	·13		·09	·01								·27	6
7	·02			·03						·14	·31	·23	7
8	·06		·07								·35	·21	8
9	·14		·04	·01							·05	·02	9
10		·08	·04	·01							·03	·72	10
11	·20										·58		11
12			·49								·06		12
13			·08		·13				·33	·16	·04	·14	13
14		·06	·01		·17							·45	14
15		·02	·27							·01	·04	·02	15
16						·20					·41	·03	16
17			·07								·60	·11	17
18		·11	·04								1·32	·12	18
19			·01			·14			·05	·10	·21	·12	19
20	·01		·01					·22		·11		·60	20
21		·04						·37		·55		·13	21
22	·02		·11			·02		·16		·17		·40	22
23		·14	·12			·95			·13	·01	·23	·05	23
24		·09				·01	·07			·56		·17	24
25		·05	·12			·08	·20			·01			25
26			·11	·21		·15				·10	·05	·21	26
27		·22	·06	·02					·11	·05	·01	·04	27
28		·10	·01	·18				·01			·03		28
29				·14		·18	·66		·03	·19			29
30				·04		·02		·12	·01	·17		·02	30
31													31
Total	·89	·94	1·84	1·80	·57	1·75	·93	·98	·66	2·89	4·64	4·50	TOTAL for year 22·39
No. of Rain Days	12	12	19	13	4	9	3	6	6	16	20	24	144

9,000, IX. '10.

82 Bayards

FORM A2.
BRITISH RAINFALL.
22 JAN 1913

REGISTER OF RAINFALL IN 1912

Ex. H.Ele

Kept at Southfleet

in the County of Kent 5

by F. Melhuish

Rain Gauge { Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station { Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·06			·08	·03		·03	·38		·16	1
2	·13	·01	·46			·04	·19			·04			2
3	·03	·06	·06			·25	·01	·11				·03	3
4	·14		·40		·26	·31		·01			·14		4
5		·05	·08					·21			·09	·01	5
6		·02	·01		·02			·05				·11	6
7	·31		·01	·01	·04	·75		·31				·01	7
8	·35	·31	·15			·02		·16					8
9	·05	·05		·04		·09	·07				·01	·05	9
10	·03	·03						·21			·08	·23	10
11	·58	·21				·05		·01	·03		·04	·18	11
12	·06	·07	·01		·04	·61		·02					12
13	·04	·03					·04	·10			·09		13
14					·02			·01		·06	·01		14
15	·04		·08		·23	·53					·03	·29	15
16	·41		·01		·08	·05		·03		·03	·13		16
17	·60		·20			·02		·01			·02	·07	17
18	1·32		·11					·02		·03	·01	·10	18
19	·21	·06	·06				·14	·23				·01	19
20			·37		·01		·10	·04		·30			20
21		·03	·29		·04			·06		·05	·06		21
22		·08					·09	·10			·01	·02	22
23	·23	·30	·20				·08	·33		·07	·16	·02	23
24		·01				·15		·13				·09	24
25		·01				·11		·95			·23	·38	25
26	·05	·02						·28		·26	·35	·41	26
27	·01						·08			·25	·01	·12	27
28	·03	·03					·06	·03	·05	·32	·27	·11	28
29		·01				·01	·07	·12	1·24	·10	·13		29
30					·04	·04	·01	·02	1·38	·20			30
31			·07				·02	·14					31
Total	4·64	1·39	2·63	·05	·78	3·11	·99	3·69	2·73	2·09	1·87	2·40	TOTAL for year 26·37
No. of Rain Days.	20	19	18	2	10	16	14	26	5	13	19	19	181

W. 8,000, X. '11.

DL Returned 6·4

Cor. by obsr. 16.IV.14.

22 JAN 1914

78

FORM A. BRITISH RAINFALL.

REGISTER W OF RAINFALL IN 1913

Kept at Southfleet

in the County of Kent 5

by F. Melhuish M. W. B.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·25		·36					·08	·03		·10	1
2	·13	·09					·15				·04	·01	2
3	·01		·01	·25	·26					·01		·13	3
4	·10		·01	·03	·07		·02			·03	·03		4
5	·24		·01			·03	·20		·52	·11	·03	·04	5
6	·11		·09		·01	·04	·59		·01	·27	·06		6
7		·12					·16	·19		·37	·08		7
8		·02			·08	·03				·11	·03		8
9		·10		·01	·04				·07		·02	·05	9
10	·03		·11	·02			·18	·03			·42		10
11	·35			·29	·01					·55	·38		11
12			·01		·05						·15		12
13	·10		·04					·07			·30		13
14	·10		·30	·06			·19	·02	·13	·10	·35		14
15	·14		·32	·13			·20						15
16	·20		·04	·11			·06		·55				16
17	·03	·05	·08	·03			·15	·02					17
18			·15	·09					·01				18
19	·17		·39	·05		·11	·14		·20				19
20	·24		·19	·02						·31			20
21	·04	·01	·12	·12			·12			·50	·64		21
22	·25		·03				·02	·01	·10				22
23	·01		·13					·12	·01			·35	23
24	·02		·02	·01		·02		·02			·03		24
25				·10		·07						·01	25
26		·05	·01				·01	·08		1·00		·18	26
27			·18		·01					·12			27
28	·17		·04	·02						·29			28
29	·13			·23	·59			·08		·04	·01		29
30	·29			·21				·15		·14			30
31								·71		·06			31
Total	2·86	·69	2·28	2·14	1·12	·30	2·19	1·50 ~~2~~·50	1·68	4·04	2·57 ~~2·61~~	·87	YEAR'S TOTAL 22·24
Rain Days.	21	8	21	19	9	6	14	12	10	17	15	8	160

W. 7,500, XI. ·12

82

62

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Southfleet

in the County of Kent   5

by F. Melhuish

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·11			·01		1
2							·08	·05		·02	·06	·13	2
3			·16		·10		·08	·01					3
4				·10							·36	·21	4
5	·08		·06	·26	·24	·03	·10	·69					5
6		·09				·25		·01				·16	6
7		·42	·18	·16	·18	·26	·03					·09	7
8	·05	·50	·35	·08		·08	·09	·07				·11	8
9	·20	·01	·90	·07		·01						1·13	9
10	·05	·02		·02	·02				·07			·01	10
11		·35	·17		·02	·03			·02		·27	·56	11
12	·03		·08				·23		·24			·43	12
13	·03	·19	·18						·12	·10	·06	·66	13
14	·02	·10	·23				·01			·33	·07	·47	14
15	·02	·01	·18				·02	·01		·02	·80	·19	15
16	·01		·02						·02				16
17		·15	·14						·02			·06	17
18		·10	·19									·29	18
19		·02	·40			·04	·02		·03	·02	·20	·19	19
20		·03	·32			·10	·02		·02	·10		·06	20
21		·93	·08			·01				·03		·04	21
22			·03	·03		·04	·10	·02		·11		·01	22
23			·03	·01	·17	·23	·10			·05		·09	23
24			·05	·05	·14						·07		24
25			·21				·06	·09		·31	·01		25
26	·01		·01				·02	·05		·03	·23	·43	26
27	·02		·04				·01				·03	·22	27
28	·01				·01					·05	·38	·72	28
29	·02		·01							·35	·47		29
30					·01					·09	·45	·07	30
31					·23							·01	31
Total	·55	2·92	4·02	·78	1·12	1·08	·97	1·11	·54	1·61	3·47	6·34	YEAR'S TOTAL 24·51
Rain Days.	13	14	23	9	10	11	15	10	8	14	15	24	166

W.7,000, XI. 13

82

492
59

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Southfleet
in the County of Kent
by F. Melhuish

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.50	.09	.10		.03				.04	.02	.31	.32	1
2	.08	.10	.10	.06				.31		.02		.02	2
3	.47			.23	.02			.70	.10			.65	3
4	.04							.05		.01		.21	4
5	.04	.35			.02			.03		.10		.25	5
6	.31	.04	.05	.25			.17					.07	6
7	.29	.25					.11	.01				.05	7
8	.19	.56		.03			.11	.10		.01		.14	8
9	.02	.04		.02		.08		.17		.06	.23	.50	9
10	.21											.44	10
11	.02										.59	.02	11
12	.05	.10		.33	.44			.25		.04	.45		12
13	.04	.62		.03	1.24			.02	.02	.02			13
14		.05					.17	.09	.03			.22	14
15	.15				.03			.26			.36	.10	15
16		.36		.03			.49					.05	16
17		.31			1.39		.06					.04	17
18	.02	.15	.06		.43						.11		18
19	.01	.05					.03			.13			19
20	.20	.19	.02		.02			.16				.23	20
21	.10	.01		.08								.10	21
22	.50	.09	.06				.44						22
23		.20	.05	.04		.02	.60		.37	.23	.10	.28	23
24			.08				.22			.13		.19	24
25			.13	.20			.20					.20	25
26		.05				.06						.38	26
27						.05	.35			.24		.06	27
28		.05				.04			1.41	.14			28
29						.62	.05	.06			.16	.05	29
30	.02	×				.15			.01	.01	.37	.02	30
31	.09	×		×		×		.11	×	.64	×	.33	31
Total	3.35	3.66	.65	1.30	3.62	1.02	3.00	2.32	1.98	1.80	2.68	4.92	YEAR'S TOTAL 30.30
Rain Days.	21	20	9	11	9	7	13	14	7	15	9	25	160

W. 8,000. X. 14.

88 Ese 8h 407 480 ~~58~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Southfleet

in the County of Kent

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08				·13				·11	·04	·24		1
2	·19		·03		·13		·02		·03	·32			2
3	·01	·80	·23				·08		·11	·16	·49		3
4	·20	·10			·05	·17			·05		·63		4
5	·03	·02		·01		·17	·17				·57		5
6		·10	·17	·40		·35	·13			·03	·52		6
7	·08		·56	·01	·21	·02	·04				·85	·04	7
8			·03		·12							·30	8
9			·13		·22					·03		·22	9
10		·20	·06	·08		·30	·05					·27	10
11	·03	·04	·03	·14	·03	·10							11
12	·02	·06		·05	·30	·13				·04			12
13		·22	·21	·07	·20	·06	·13			·02			13
14		·32	·06		·08			·05				·06	14
15		·25	·17	·01			·07	·19				·21	15
16	·02		·09	·11			·23	·06					16
17	·03	·12		·03			·05	·17	·32	·45			17
18	·02	·09	·01	·08				·09	·03	·10	·93		18
19	·09		·07	·09					·10		·46	·03	19
20	·12		·06	·01							·02	·39	20
21			·91				·08				·01	·23	21
22		·02	·15									·41	22
23		·45	·05			·13				·12	·03	·13	23
24		·10			·03			·02		·15	·03	·33	24
25		·55	·22					·12		·26	·04		25
26		·27	·06			·02		·01		·10			26
27	·03		·72	·14				·14	·15	·35			27
28		·39	·18					·01	·07	·03		·14	28
29		·11				·15		·93	·06	·24		·14	29
30		X			·08			·31		·32			30
31		X		X		X		·01	X	·40	X	·06	31
Total	·95	4·21	4·20	1·23	1·58	1·60	1·05	2·11	1·03	3·16	4·82	2·96	YEAR'S TOTAL 28·90
Rain Days.	14	19	22	14	12	11	11	13	10	18	13	15	172

460

FORM A. BRITISH RAINFALL.
25. JAN 191

REGISTER OF RAINFALL IN 1917

Kept at Southfleet

in the County of Kent.

by Metropolitan Water Board.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·21				1·71	·10				1
2				·25				·19			·05		2
3				·10				·60		·07	·25		3
4		·13	~~·07~~ ·21				·04	·02		·33			4
5	·14		~~·06~~	·22					·32	·14	·04		5
6			~~·02~~ ·02	·15		12			·07	·02	·05		6
7	·12						·02			·22	·01	·03	7
8	·06			·06			·70	·10	·02	·17	·11	·23	8
9	·02		~~·02~~	·15			·34	·06	·03		·04	·58	9
10	·12		~~·08~~ ·10	·09				·05			·02		10
11	·05		~~·48~~ ·34	·22					·17	·11			11
12	·07	·03	·02	·03				·07		·50		·01	12
13	·01		~~·18~~ ·09	·02					·02	·08			13
14				·13									14
15	·06						·02	·05		·03			15
16	·08	·08		·06	·17		·06			·10		·55	16
17				·07	·44		·23		·22	·10			17
18	·03			·13	·07	·01	·10	·27	·06				18
19	·01	·14	~~·08~~ ·11		·04	·22			·13				19
20	·03	·18	·03		1·09		·37				·09		20
21		·01	·04		·04	·01					·02		21
22			·08					·11		·13			22
23		·10	·02		·18	·04		·06					23
24		·01				·06	·01			·08	·04	·05	24
25			·01			·02							25
26			·04					·18			·50		26
27			·02					·59					27
28						·96		·08				·08	28
29			·02		·05	·09	1·59	·05		·12		·20	29
30	·02		·21				1·70	·11		·03		·05	30
31	·09		·04				·75					·03	31
Total	·91	·68	1·40	1·89	2·08	1·53	5·93	4·30	1·14	2·23	1·22	1·81	YEAR'S TOTAL 2512
Rain Days.	15	8	17	15	8	9	13	17	10	16	12	10	150

6·54

W. 8,000, IX. 17.

Bl

153
~~57~~

FORM A.
BRITISH RAINFALL.
27.1.19

REGISTER Eg Dl OF RAINFALL IN 1918

Kept at Southfleet

in the County of Kent

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·17	·08	1
2								·22			·12	·11	2
3		·02	·13	·05	·43		—	·21		—	·52	·03	3
4	—	·07	·07		·05			·07	·29		·41	·02	4
5			·01		·19			·05	·12	·02		·01	5
6	·19	·14		·17	·24			·07	·02			·05	6
7	·10	·03		·11	·15			·01		·05			7
8				·01					·11		·10		8
9		·01		·04		·02	·11		·27	·13		·05	9
10				·10		·06	·45		·02	·04	·05	·19	10
11	·06			·05	·03		·14		·01	·36	·10	·10	11
12		·04			·40		·06		·02	·01		·01	12
13	·04	·02		·02	·04		·04		·06				13
14	·07					·38	·03		·09	·20		·10	14
15	1·41			·85			·06					·10	15
16	·28			·15		·06	·04		·02				16
17	·33			·13	·04	·34	1·12					·13	17
18	·33					·13	·08		·32	·38		·10	18
19	·10		·04	·12			·06			·12		·10	19
20	·02	·10		·33		·02	·57		·13	·22		·10	20
21	·11			·17			·02		·23	·04			21
22	·04			·05			·30		·24			·16	22
23					·23		·38	·09	·01				23
24		·19			·15	·06	·19		·15		·04	·03	24
25							·18	·18			·05	·01	25
26							·53	·11		·03	·08	·08	26
27		·01		·13			·63	·15	·02			·02	27
28				·03				·25			·34	·10	28
29			·30						·90		·01		29
30	·02	×	·33						·05	·02			30
31	·01	×	·01	×		×		·06	×	·01	×	·01	31
Total	3·11	·63	·89	2·51	1·95	1·07	4·99	1·47	3·08	1·63	1·99	1·69	YEAR'S TOTAL 25·01
Rain Days.	15	10	7	17	11	8	19	12	20	14	12	23	168

W. 8,000, VIII. 16

87 Esc 97 436

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Southfleet

in the County of Kent

by M. W. B. F. Melhuish

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.19	.05			.02					.09	.11	.59	1
2	.22				.02		.09			.05	.08	.21	2
3	.20		.47		.02		.22		.25			.31	3
4	.17	.02	.42			.08	.03	.02			.04	.17	4
5	.14	.27	.66						.01	.05	.05	.23	5
6	.07		.03								.03	.04	6
7	.01		.20	.02							.12		7
8	.28		.03								.03		8
9	.38		.05								.20		9
10	.11		.06										10
11	.06		.17	.25			.42				.02	.03	11
12	.02			.03			.24				.04		12
13	.03			.37						.03			13
14	.17			.33			.10		.20		.01		14
15	.16	.02	.04	.32						.04		.16	15
16	.10	.48		.01			.01				.08		16
17	.02	.53		.02							.14	.03	17
18		.24	.10								.05		18
19		.03	.43	.01		.20	.24	.16	.18		.05	.07	19
20	.07	.05	.01			.90	.24	.13					20
21	.12	.22	.01			.03	.18				.01	.04	21
22		.09					.07		.23		.06	.18	22
23						.04	.05	.03	.12		.01	.03	23
24				.19		.02				.01	.04		24
25	.01			.11	.32			.12				.01	25
26	.05	.25	.15	.06					.07			.20	26
27	.47	.02	.03	1.10				.29			.02	.01	27
28			.26	.12				.58			.20	.24	28
29	.05			.05		.01		.50		.37	.09	.08	29
30		X		.25		.04		.28		.06	.09	.40	30
31	.07	X		X		X	.02		X	.02	X	.07	31
Total	3.17	2.27	3.12	3.24	.38	1.32	1.91	2.11	1.06	.72	1.57	3.10	YEAR'S TOTAL 23.97
Rain Days	24	13	17	16	4	8	13	9	7	9	23	20	163

W. 6,500, VII. 18. w w c

WMD 400

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Southfleet

in the County of Kent

by Metropolitan Water Board

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—		·22	·01		·17	·02	·01	·16		·23	1
2			·02					·11	·03	·10		·04	2
3		·02				03			·11	·01		·04	3
4		·05		·17			·75	·01		·05		·02	4
5			·04		·02		·51	·18	·06				5
6			·11		·13		·22					·02	6
7	·02		·01	·12			·03					·05	7
8				·08	·06		·15						8
9	·24	·02		·02			·02	·01					9
10	·43	·10	·05	·14		·01	·28				·02		10
11	·18	·01	·04	·17			·25					·15	11
12	·07			·13		·09							12
13	·21		·04	·10							·01		13
14			·17	·17		·53			·12	·09	·12		14
15			·03	·17					·84	·12	·07		15
16			·02	·01		·13			·25	·01		·02	16
17	·01			·02	·05	·06			·90			·06	17
18	·01			·01				1·25	·27			·07	18
19	·12			·32		·02						·10	19
20	·04	·25		·20		·49			·20				20
21							·60	·03	1·14			·06	21
22				·34					·14			·31	22
23							·27					·30	23
24									·01			·01	24
25		·01		·06			·08		·03				25
26			·03	·04									26
27	·22	·03		·19		·10	·02				·10	·10	27
28	·40	·01	·09	·03	·10		·07				·06	·02	28
29	·49		·03	·03							·05	·13	29
30							·06		·18		·23	·11	30
31							·02			·36		·05	31
TOTAL	2·45	·50	·68	2·74	·37	1·46	3·50	1·61	4·29	·90	·66	1·89	YEAR'S TOTAL 21·05
Days with ·01 in. or more	14	9	13	22	6	9	16	7	15	8	8	20	147
	9	3	7	16	4	6	12	3	11	6	6	15	98

(44,283). Wt.21,958—216. 7500. 10/19. Gp.132. A.&E.W.

SPELDHURST

ETHERTON HILL

KENT

1911 - 1918

REC

FORM A2.
BRITISH RAINFALL.

5 - JAN 1917

Kept at Etherton

in the County of K

by E. W. Win

5 in.

Ground 1 ft. 5 in.

Sea Level 282 ft. ·24

am

ame Tunbridge Wells

istance 3 m Direction SE

IMPORTANT NOTE. the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~Snow 15~~			70				07			03	02	1
2	Snow 15		02	106 ~~42~~	26		03	~~07~~		~~02~~	17	15	2
3	02	02		~~45~~	20					15	10	25	3
4	15	03	06	Snow 08 ~~45~~						85 25	25	20	4
5	02	01		Snow 35						88 20	03	15	5
6	31		04	03						02 15		50	6
7	02			03						35 50	48	38	7
8	12		15							38	60	22	8
9	20		04	04						22	10	05	9
10		08	06	05	02					05	04	91	10
11	34		07							91	98		11
12	02		Snow 70								05		12
13			07		15				65	20 25	05	25	13
14		07	02		28					~~62~~		62	14
15		03	23							02	10	04	15
16						17					46	15	16
17			06			05					1·10	20	17
18		15	10								96	41	18
19						07			17	05	28	12	19
20	03		01			01		26	22	32	02	80	20
21	04	20						08		56	01	15	21
22	04	02	20			10		16		60	01	53	22
23			02			1.10			26	08	06	16	23
24		22				20	05	01		27		43	24
25		12	Snow 12	06		15		10	08		01		25
26		06	18	20	05	14				30	04	23	26
27		25	20	35				01	05	48	05	08	27
28		29		10							03	03	28
29				15		12	32	05	17	26			29
30				01		03			05	36			30
31					12								31
Total	1.46	1.55	2·45	2.21	1.08	2.14	·40	·74	1.65	5·60	6,01	7.03	TOTAL for year 32·32
No. of Rain Days	13	14	19	14	7	11	3	8	8	16	25	25	32·32 163

9,000, IX. '10.

REC

FORM A2. BRITISH RAINFALL.

5 - JAN 1917

Kept at Etherton Hill, Speldhurst

in the County of Kent 4

by E. W. Winton

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 282 ft. ·24

Time of Observation 9 am

Nearest Railway Station Name Tunbridge Wells
Distance 3 m Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~Snow 15~~			70				07			03	02	1
2	Snow 15		02	06 ~~42~~	26		03	~~07~~		~~02~~	17	15	2
3	02	02		~~45~~	20					15	10	25	3
4	15	03	06	Snow 08 ~~45~~						85 25	25	20	4
5	02	01		Snow 36						88 20	03	15	5
6	31		04	03						02 15		50	6
7	02			03						35 50	48	38	7
8	12		15							38	60	22	8
9	20		04	04						22	10	05	9
10		08	06	05	02					05	04	91	10
11	34		07							91	98		11
12	02		Snow 70								05		12
13			07		15				65	20 25	05	25	13
14		07	02		28					~~62~~		62	14
15		03	23							02	10	04	15
16						17					46	15	16
17			06			05					1.10	20	17
18		15	10								96	41	18
19						07			17	05	28	12	19
20	03		01			01		26	22	32	02	80	20
21	04	20						08		56	01	15	21
22	04	02	20			10		16		60	01	53	22
23			02			1.10			26	08	06	16	23
24		22				20	05	01		27		43	24
25		12	Snow 12	06		15		10	08		01		25
26		06	18	20	05	14				30	04	23	26
27		25	20	35				01	05	48	05	08	27
28		29		10							03	03	28
29				15		12	32	05	17	26			29
30				01		03			05	36			30
31					12								31
Total	1.46	1.55	2.45	2.21	1.08	2.14	.40	.74	1.65	5.60	6.01	7.03	TOTAL for year 32.32
No. of Rain Days	13	14	19	14	7	11	3	8	8	16	25	25	32.32 163

9,000, IX. '10.

2 Jan 1913

REGISTER OF RAINFALL IN 1912

Shade

FORM A. BRITISH RAINFALL.

9 - JAN 1913

Kept at Etherton Hill Speldhurst

in the County of Kent 4

by E. W. Winton

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Tunbridge Wells 3 m – SE

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 282.24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			18	02		10	15		17	80		26	1
2		05	53	01		05	25	05	02	03		01	2
3	02	10	08			16	02	20	02			08	3
4	35		76		10	30		05			10	05	4
5	15	08	26			02 ~~20~~		25			20	08	5
6	55	05			02			33			03	07	6
7		01			16	70		56				05	7
8	25	45	40			08		22				10	8
9	01	07		05			10	15					9
10		05						23			05	35	10
11	05	53	05			05		18	04			27	11
12		15	02		20	07		28				05	12
13		02	02		~~15~~			05			20	07	13
14			01		02			20		02	01	01	14
15	01	01	12		15	80				05		30	15
16	25		12		04	02		08		05	15		16
17	30		54					08			20	18	17
18	17		50			05	01	21		05		10	18
19	07	15	20				06	34		03	03		19
20	02	05	56					16		55	06		20
21		05	54		06			10		23	07		21
22	08	32	22				05	15		06			22
23	55	25	40		04	02		48		12	17		23
24	06	02	01			08		12				15	24
25	06	03				25		92			30	22	25
26	Snow 02	03				01	01	~~0~~38		30	33	62	26
27										30		25	27
28		05				04	10	07 ~~10~~	05	95	55	32	28
29							15	32 ~~15~~	1.65	15	04	01	29
30					30	01	12	34 ~~12~~	1.48	37			30
31							22	05 ~~22~~					31
Total	2.97	2.52	5.52	.08	1.09	2.81	1.2~~2~~4	6.55	3.43	4.06	2.49	3.60	YEAR'S TOTAL 36.36
Rain Days.	18	21	20	3	10	18	12	28	7	16	16	22	191

W. 7,500, XI. 12

1 made

cor. by own stats 23.1.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4- JAN

4

Kept at Etherton Hill, Speldhurst
in the County of Kent
by E. W. Winton

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Tunbridge Wells 2 m. SE
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 282:24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		32	07	30	01	02			01		06	10	1
2	17	18					15			12	08	02	2
3		01	06	18	25					04		12	3
4	20		05	05	03		08				06	02	4
5	33	06	03			05	18		60	30	08	08	5
6	12	05	10		02	15	12		12	17	15	08	6
7		25	05			04	02			48	05	01	7
8		04	06		12	10				49	08	02	8
9		08		03	08		02		15	02	03	01	9
10	04			08		01	18	01			(·68) 68		10
11	52			45						78	36		11
12					04						1.10		12
13	35		02					04	05		12		13
14	22		10	08			1.04	03	10	15	34		14
15	15		25	32			33		05				15
16	25		60	32			04		35				16
17	05	10	07	12			22		02			02	17
18			12	22			12				08		18
19	30		15		02	04	10		30 ~~19~~				19
20	68		10	06		17				15	02		20
21	04		25	08	03					43	62		21
22	32		26	05	02				12	03			22
23			37			03	12	06	02			60	23
24	05			04		02		01			04		24
25				22									25
26			15	01			01	16		1.08		35	26
27		02	05	01	10					09			27
28	15		28	08						42			28
29	15		05	36	1.10			30		28			29
30	55			34				22		15			30
31								40		28			31
Total	4.64	1.11	3.24	3.40	1.82	·63	2.73	1.23	1.89	5.46	3.98	1.43	YEAR'S TOTAL 31.56
Rain Days.	19	10	22	21	12	10	15	9	12	18	17	12	177

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN

Kept at Etherton Hill, Speldhurst
in the County of Kent 4
by Edwin W. Winton

Lat. Long.
Time of Observation 9. a m
Nearest Railway Station Tunbridge Wells 3 miles S.E.
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground ~~282 ft. ·24 in.~~ 1.5
" " " " Sea Level 282.24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02	10			01	14			03	06	1
2						01	18	02			12	32	2
3			20		23							02	3
4			03	23	01						33	35	4
5			06	37	26	02	25	15					5
6		02		20	02	12		05				36	6
7	05	74	30	21		07	14					39	7
8	08	65	36	08		15	10	04				17	8
9	28		1.10	26				01	.10			1.35	9
10		04		08	10						15	10	10
11		49	40	08					22	02		40	11
12	Snow 04	06	12		02		15		30	01		45	12
13		49	30			18			10	07		82	13
14		25	20							53	10	35	14
15		10	26				28	01			80	10	15
16	05	08	06						01				16
17		20	17				03		20			25	17
18		25	12									60	18
19		10	1.22				48				25	12	19
20		22	10			04				12		25	20
21		1.04	12					12		04		05	21
22		06	10		03	03	20	07		25			22
23	~~06~~		26		07	10	03			01		10	23
24			05		10					01	20		24
25	06		23				01	01		30	03		25
26			05				04	40		08	27	45	26
27			04					03			08	68	27
28										08	65	60	28
29	12		03							60	30		29
30	02		12		01					12	1.32	25	30
31	04											04	31
Total	·74	4.79	6.02	1.61	·85	·72	1.90	1.05	·93	2.24	4.63	8.63	YEAR'S TOTAL 34.11
Rain Days.	9	16	26	9	10	9	13	12	6	14	14	25	163

W. 8,000. X. 14.

408

FORM A.
BRITISH RAINFALL.

7. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Etherton Hill, Speldhurst

in the County of Kent 4

by E. W. Winton

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Tun Wells 3 m SE

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 282·24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	72 ~~35~~	10	05					15	34	01	17	35	1
2	25 ~~08~~	15	25	15	03			23	01	08		08	2
3	32 ~~70~~	01	05	20	12			34	10			70	3
4	05	"		02				06		10		55	4
5	03	43		02				15		05	08	58	5
6	45	22	01	55			25	01		02		05	6
7	33	38	03	01		02	10					56	7
8	02	57	01	03			30	12			08	01	8
9	04	17		15		08					40	66	9
10	42	"				10						55	10
11	02	03									56	04	11
12	06	12		15	36						85		12
13	03	82		02	1.60				02				13
14	04	06							08			35	14
15	25				04		35	10			15	30	15
16	"	62		03	10		96	02			15	10	16
17	"	65			1.75		05	12				12	17
18	"	15	02		30					03		02	18
19	01	10					01						19
20	32	"		10	22							22	20
21	12	"										10	21
22	22	15	06				93					15	22
23	02	04	05			02	08		30	40		38	23
24		03	08			03	15		20	20		55	24
25		"					22			03		15	25
26		12							02			42	26
27		03	Snow 05			10	08					10	27
28		10	Snow 08			06	55		1.30	30			28
29						03	04	15	04	35	55	02	29
30		X				14~~0~~			01		48	05	30
31		X		X		X		38	X	95	X	27	31
Total	3.72	5.05	·74	1.43	4.52	.58	4.07	1.83	2.42	2.52	3.47	7.43	YEAR'S TOTAL 37.78
Rain Days.	20	22	12	12	9	9	14	12	11	12	10	27	1.70

W. 8,000. X. 15.

~~W.~~ C.I.E. and by month

387

FORM A.
BRITISH RAINFALL.

11 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Etherton Hill, Speldhurst
in the County of Kent
by E. W. Winton

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Tun Wells 3 m S E
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 282.24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	~~April.~~ ~~May~~ April	~~May.~~ ~~April~~ May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~1.69~~ 15				62	01			02	01	35		1
2	40	10	25		28				12	40			2
3	01	1.02	24				04		15	40	60		3
4	18	15				38			02	04	70		4
5		02			20	10				10	82		5
6	01	15	15	46		20	25			10	80		6
7	06	15	40		40	05	10			10	62	02	7
8			05		15							46	8
9					25							25	9
10		25	08			56	15					35	10
11	05	25	04	08		30						08	11
12	06	08		20	25	15	10			15			12
13	02	23	26	08	05	07	10	01		05			13
14		50	02	01	15		03	02		03		08	14
15		10	20	02				07					15
16		10	14	10			16	20					16
17	20	05	~~49~~ 01	12			03	22	30	75			17
18	02	20	03	14				30	20	61	65		18
19	22		10	30		10			15		75	05	19
20	15	04	10	14				25			03	55	20
21	03		57	01			20					45	21
22		02	10							05		65	22
23	02	20	08			23	02			03	10	08	23
24	02		04		08	02				35	08	30	24
25		70	25			05		1.12		25	03		25
26	04	20	04			15				30	04		26
27	05		80			25		20	10	46			27
28		45	20						10	03		15	28
29		30	02			26		55	05	42		35	29
30		X			08			10		30			30
31		X		X		X			X	10	X	05	31
Total	1.69	5.26	4.17	1.66	2.51	2.88	1.19 1.18	3.04	1.21	4.97	5.57	3.87	YEAR'S TOTAL 38.00 38.01
Rain Days.	18	22	24	12	11	16	11	11	10	22	13	15	185

W. 8,000, VIII. 16

376

15 JAN 1918

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Etherton Hill, Speldhurst
Tunbridge Wells
in the County of Kent
by Edwin Wm Winton

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tunbridge Wells SE 3 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 282.24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				10				75	17		08		1
2 ~~1~~				1.40				22			05		2 ~~1~~
3 ~~2~~				1.25				60			15		3 ~~2~~
3							20			10			3
4		15	05				25			48			4
5	30		10	20				44	35	10	05		5
6			05	10		22			15	07 ~~40~~	12		6
7	30						05			40	62	04	7
8	12			10		04	75	2.82 15		30 ~~41~~	32	15	8
9	04		08	08			52	05			05	78	9
10	06		12	15		03		05			02	02	10
11	20		22	45				22	15	35			11
12	08		05					10		20			12
13	07		15		04			03	03	30			13
14			05	20				10				02	14
15	10							12		15		05	15
16	10	12		20	04		08			52		Snow 48	16
17				08	81		15	~~20~~	20	35			17
18	06			16	03	01	20		25	04			18
19	04	15	10	02	22	03			17				19
20		16	10		1.08		15						20
21		03		03								03	21
22			10			50				30			22
23		15				05				06		03	23
24						04		2.23		15		04	24
25			02			12					05		25
26			05			03			03		98	Snow 03	26
27													27
28			05		14	1.80						04	28
29			04			03	63			75		25	29
30	03	X	35				1.30			08		05	30
31	05	X	08	X		X	55		X	02	X	05	31
Total	55 1.~~57~~	·76	1.76	2.52	2.36	2.90	4.83	5.06	1.50	4.72	1.89	2.06	YEAR'S TOTAL 31.91
Rain Days.	14	6	18	15	7	12	12	(19)	9	19	11	15	(157)

W. 8,000, IX. 17.

ETHERTON HILL,
SPELDHURST,
TUNBRIDGE WELLS

To H. R. Mill Esq 14 January 1918
62 Camden Square London N.W I

Dear Sir

I beg to thank you for the Report of Rainfall.
In sending my daily report of Rainfall for 1917 you will observe in August there is no detail for the 16 days viz 16 to 31 inc its absence is caused by the original Register having been destroyed but the total 5.06 is quite correct having been checked for the whole month, the days 1st to 15th luckily were complete in time and the Rainfall was 2.83 leaving 2.23 for the missing days, if you will be so kind as accept this I shall be very pleased, the number of wet days in the first 15 being 12 perhaps you would kindly form you own opinion on the number of wet days but I may mention the wind blew from S.W from the 8th to 31st which I think points to heavy downfall there were 19 wet days in October which I would suggest might be taken thus giving 7 for the missing days whatever number you decide on perhaps you would be so good as send me a note of it that I may complete my Register

Please excuse the trouble I am giving you
I am dear Sir
Your truly

E M Winton

Snade ~~Good 1/2~~ 74

REGISTER OF RAINFALL IN 1918

8. 1. 19

FORM A.
BRITISH RAINFALL.

Kept at Etherton Hill Speldhurst nr Tunbridge Wells
in the County of Kent
by E. W. Winton

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Tunbridge Wells
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 282.42 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	08	08								25	10	1
2		04	02	02							35	15	2
3		~~12~~	10	08	48			02		05	44	04	3
4		12	05	04				02	12	06	87	02	4
5		05			15			15	54			03	5
6	27	15		20	10			15	15	10		04	6
7	05	10		10	30	02		05	12	08			7
8		10						02	23		20	10	8
9	02	03		16					53	20		15	9
10				10		05	36		10	08	02	42	10
11				04			15		15	60	08	10	11
12		05					15		05	12		03	12
13	15			03			02		08			05	13
14	15		04			10	10		18	15		12	14
15	1·20			40		10	84		04	03		15	15
16	15			10		08	05	04	05			02	16
17	22			15			38					20	17
18	40					18			66			08	18
19	15		03	08		05	04			10		02	19
20	10	08		55		02	72		43	28		04	20
21	12			22			10		25	12		02	21
22	15			02	40		05	08	94			15	22
23	10				12		80		05			10	23
24		15		10	02				20		05		24
25	02							20					25
26				08			68		02		10	18	26
27		08		08			10	12	05	04	05	05	27
28		02	35	05				02		02	28	08	28
29				08					82		03		29
30		✕	30						05	05		10	30
31		✕		✕		✕			✕	05	✕	03	31
Total	3.29	1.05	~~1~~.97	2.68	1.57	.60	4.54	.87	5.81	2.13	2.72	2.57	YEAR'S TOTAL 28.80
Rain Days.	16	13	8	21	7	8	15	11	23	17	12	27	178

W, 6,500, VII. 18. W W C

FORM A. 1. METEOROL RGANIZATION.

RE 19

14 JAN

SPELDHURST
LITTLE COURT
KENT
1919 - 1920

Kept at Little Cou ·a·m.

in the County of Ke Tunbridge Wells

by P. L. Roope

Rain Gauge 8 in.

above Ground 1 ft. 3 in.

,, Sea Level ft.

IMPORTANT NOTE entered to the previous day.

If an Observer prefers not requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·30	Snow 0·06	0·03	–	0·01	–	0·07	–	–	0·07	0·10	0·68	1
2	0·22	–	0·34	–	0·07	–	0·36	–	–	0·15	0·10	0·25	2
3	0·26	–	0·57	–	0·01	–	0·10	0·05	0·09	–	Snow 0·11	0·23	3
4	0·22	Snow 0·11	0·88	–	–	0·02	0·07	–	0·02	–	0·05	0·15	4
5	0·01	Snow 0·28	0·05	–	–	–	–	–	0·05	–	0·06	0·25	5
6	0·08	–	–	–	–	–	–	–	–	0·02	0·01	–	6
7	0·10	–	0·45	–	–	–	–	–	–	–	0·06	–	7
8	0·42	–	0·09	–	–	–	–	–	–	–	0·03	–	8
9	0·72	–	0·03	0·11	0·10	–	–	–	–	–	0·19	0·06	9
10	0·50	–	0·11	0·04	–	–	–	–	–	–	0·04	0·03	10
11	0·17	–	0·25	0·31	0·02	–	0·13	–	–	0·01	–	–	11
12	0·06	–	0·02	0·09	0·01	–	0·56	–	–	0·01	0·10	–	12
13	0·03	0·01	0·01	0·44	–	–	–	–	–	0·02	–	0·05	13
14	0·56	–	–	0·40	–	–	0·06	–	0·28	–	–	0·03	14
15	0·24	0·03	0·02	0·06	–	–	–	–	–	0·01	Snow 0·02	0·12	15
16	(0·24)	0·32	–	–	–	–	–	–	–	–	0·10	0·06	16
17	–	Snow 0·35	–	0·01	–	–	–	0·01	–	–	0·16	0·07	17
18	–	0·07	0·07	–	–	[illegible]	–	0·05	0·01	–	0·06	0·04	18
19	0·03	0·17	0·43	–	–	0·07	0·34	0·22	0·01	0·02 d	0·08	0·04	19
20	0·13	0·08	0·21	–	–	0·70	0·11	–	–	–	–	0·03	20
21	0·09	(0·38)	Snow 0·03	–	–	0·03	0·04	–	–	0·01 d	0·04	0·02	21
22	–	0·03	Snow 0·06	–	–	–	0·21	–	0·33	–	0·02	0·24	22
23	–	–	–	–	–	0·01	0·04	–	0·68	–	0·02	0·08	23
24	–	–	–	0·15	–	0·02	–	0·03	–	0·06	0·10	0·03	24
25	0·03	–	–	–	0·07	0·01	–	0·25	–	–	–	0·05	25
Snow 26	0·06	0·10	0·14	0·18	–	–	0·01	0·02	0·07	–	0·07	0·36	26
Snow 27	0·71	0·03	0·02	Snow 1·08	–	–	–	0·26	–	–	0·06	0·06	27
28 S	–	–	0·26	0·06	–	–	0·01	0·67	–	–	0·82	0·26	28
29	0·10		–	0·08	–	–	–	0·98	–	0·33	0·01	0·10	29
30 Snow	–		–	0·21	–	0·01	–	0·75	–	0·06	0·35	0·88	30
31	0·15		Snow 0·03		–		0·01	–		0·05		0·03	31
TOTAL	5·33	2·02	4·04	3·22	0·23	0·87	2·12	3·29	1·54	0·82	2·79	4·28	YEAR'S TOTAL 30·55
Days with ·01 in. or more	24	14	22	14	7	8	15	11	9	13	25	26	188

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROL** **GANIZATION.**

REGISTER OF RAINFALL IN 1919

14 JAN

Kept at Little Court, Speldhurst
in the County of Kent
by P. L. Rooper

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tunbridge Wells
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·30	Snow 0·06	0·03	—	0·01	—	0·07	—	—	0·07	0·10	0·68	1
2	0·22	—	0·34	—	0·07	—	0·36	—	—	0·15	0·10	0·25	2
3	0·26	—	0·57	—	0·01	—	0·10	0·05	0·09	—	Snow 0·11	0·23	3
4	0·22	Snow 0·11	0·88	—	—	0·02	0·07	—	1·02	—	0·05	0·15	4
5	0·01	Snow 0·28	0·05	—	—	—	—	—	0·05	—	0·06	0·35	5
6	0·08	—	—	—	—	—	—	—	—	0·02	0·01	—	6
7	0·10	—	0·45	—	—	—	—	—	—	—	0·06	—	7
8	0·42	—	0·09	—	—	—	—	—	—	—	0·03	—	8
9	0·72	—	0·03	0·11	0·10	—	—	—	—	—	0·19	0·06	9
10	0·50	—	0·11	0·04	—	—	—	—	—	—	0·07	0·03	10
11	0·17	—	0·25	0·31	0·02	—	0·13	—	—	0·01	—	—	11
12	0·06	—	0·02	0·09	0·01	—	0·66	—	—	0·01	0·10	—	12
13	0·03	0·01	0·01	0·44	—	—	—	—	—	0·02	—	0·05	13
14	0·56	—	—	0·40	—	—	0·06	—	0·28	—	—	0·03	14
15	0·24	0·03	0·02	0·06	—	—	—	—	—	0·01	Snow 0·02	0·12	15
16	(0·24)	0·32	—	—	—	—	—	—	—	—	0·10	0·06	16
17	—	Snow 0·35	—	0·01	—	—	—	0·01	—	—	0·16	0·07	17
18	—	0·07	0·07	—	—		—	0·05	0·01	—	0·06	0·04	18
19	0·03	0·17	0·43	—	—	0·07	0·34	0·22	0·01	0·02 d	0·08	0·07	19
20	0·13	0·08	0·21	—	—	0·70	0·11	—	—	—	—	0·03	20
21	0·09	(0·38)	Snow 0·03	—	—	0·03	0·04	—	—	0·01 d	0·04	0·02	21
22	—	0·03	Snow 0·06	—	—	—	0·21	—	0·33	—	0·02	0·24	22
23	—	—	—	—	—	0·01	1·04	—	0·68	—	0·02	0·03	23
24	—	—	—	0·15	—	0·02	—	0·03	—	0·06	0·10	0·03	24
25	0·03	—	—	—	0·07	0·01	—	0·25	—	—	—	0·05	25
Snow 26	0·06	0·10	0·14	0·18	—		0·01	0·02	0·07	—	0·07	0·36	26
Snow 27	0·71	0·03	0·02	Snow 1·08	—	—	—	0·26	—	—	0·06	0·06	27
S 28	—	—	0·26	0·06	—	—	0·01	0·67	—	—	0·82	0·26	28
29	0·10		—	0·08	—	—	—	0·98	—	0·33	0·01	0·10	29
30	—		—	0·21	—	0·01	—	0·75	—	0·06	0·35	0·88	30
Snow 31	0·15		Snow 0·03		—		0·01	—		0·05		0·03	31
TOTAL	5·33	2·02	4·04	3·22	0·23	0·87	2·12	3·29	1·54	0·82	2·79	4·28	YEAR'S TOTAL 30·55
Days with ·01 in. or more	24	14	22	14	7	8	15	11	9	13	25	26	188

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Speldhurst

in the County of Kent

by P. L. Rooper

Lat. 51° 10′ 0″ N Long. 0° 10′ 45″ E.

Time of Observation 9·0 am

Nearest Railway Station Tunbridge Wells

Diameter of Funnel of Rain Gauge 8″ in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·06		0·05	0·04	0·05	–	0·26	–	–	0·42	–	0·25	1
2	0·03		0·09	–	0·01	–	–	0·22	0·06	0·06	–	0·10	2
3	–	0·01	–	0·09	0·09	–	–	–		0·03	0·01	0·09	3
4	–	0·09	0·02	–	–	–	0·34	0·10		0·02	–	0·02	4
5	–	–	0·06	–	0·03	–	0·47	0·08	0·05	–	–	0·02	5
6	–	–	0·15	–	0·14	–	0·20	–		0·01	0·02	0·02	6
7	–	0·01	–	0·15	0·03	–	0·06	–		0·04	–	0·03	7
8	0·04	–	–	0·03	0·11	–	0·20	–		0·01	–	–	8
9	–	0·08	–	0·03	0·15	–	0·08	–		–	–	–	9
10	0·37	0·15	0·07	0·14	–	–	0·20	–		–	0·04	snow 0·06	10
11	0·95	–	0·06	0·29	0·03	0·05	0·34	0·01		–	–	snow 0·07	11
12	0·13	0·03	–	0·10	–	0·06	–	–		–	0·02	–	12
13	0·09	0·02	0·25	0·05	–	0·65	–	–		–	0·07	–	13
14	0·26	0·02	0·41	0·39	–	0·03	–	–	0·10	0·08	0·40	–	14
15	–	0·02	–	0·37	–	–	–	–	0·49	0·22	0·06	0·02 snow	15
16	0·03	–	0·05	0·02	0·29	–	–	–	0·27	0·02	–	0·02	16
17	0·03	–	–	0·10	0·20	–	–	–	0·58	–	0·02	0·18	17
18	0·03	0·02	0·04	0·02	0·10	0·01	–	1·24	1·01	–	0·01	0·11	18
19	0·11	0·01	–	0·34	0·01	0·48	–	–	0·01	–	–	0·09	19
20	0·06	0·16	–	0·20	–	–	–	–	0·14	–	–	0·05	20
21	–	–	–	0·02	–	–	0·64	–	0·38	0·01	–	0·24	21
22	0·03	0·01	–	0·29	–	–	–	0·01	0·21	0·01	–	0·29	22
23	–	0·01	–	0·01	–	–	0·31	0·01	–	–	–	0·21	23
24	–	–	–	0·03	–	–	–	–	0·01	0·02	–	0·07	24
25	0·06	–	0·06	0·04	–	–	0·12	–	0·02	–	0·02	–	25
26	0·46	0·01	0·10	0·02	–		–	–	–	0·01		0·06	26
27	0·34	–	–	0·24	–	0·07	0·02	–	–	0·01	0·30	0·21	27
28	0·85	0·06	0·19	–	0·16	–	0·08	–	–	–	0·10	0·02	28
29	–	–	0·05	0·04	–	–	–	–	0·02	–	0·06	0·22	29
30	0·03	×	–	–	–	–	0·20	–	0·17	–	0·32	0·14	30
31	0·02	×	0·16	×	–	×	–	–	×	0·34	×	0·31	31
TOTAL	3·98	0·71	1·81	3·05	1·40	1·35	3·52	1·67	3·52	1·31	1·45	2·90	YEAR'S TOTAL 26·67
Days with ·01 in. or more	20	16	16	24	14	7	15	7	15	16	14	25	189
Days with ·04 in. or more	12 13	5	15	14 16	9	5	14	4	10	6	8	18	123

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L ~~made~~

RI

SPELDHURST
RECTORY
KENT
1911

II. 12 1

333

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

57

Kept at Speldhur ……… in.

……… ve Ground ……… ft. ……… in.

in the County of W. ……… Sea Level ……… ft.

by Rev. D. D. M

Name
Distance ……… Direction

IMPORTANT NOT … at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·70				·05			·04	·01	1
2	·09		·02	·05	·23		·04				·15	·12	2
3	·02	·02			·14						·06	·28	3
4	·17	·03	·06	·23					·01	·92	·12	·20	4
5	·02	·01		·20						·77	·02	·08	5
6	·24		·04	·01						·01	·01	·46	6
7	·05		·01	·02						·34	·43	·27	7
8	·12		·13							·01	·59	·19	8
9	·17		·03	·03							·09	·08	9
10		·07	·05	·05	·04						·01	·73	10
11	·35		·06								·96	·02	11
12	·01		·72								·07		12
13			·06		·19				·60	·16	·01	·21	13
14		·05	·01		·19					·01		·60	14
15		·03	·34							·01	·06	·01	15
16	·01					·15					·41	·09	16
17			·06			·03					1·08	·21	17
18		·12	·09			·01				·01	1·06	·39	18
19			·01			·06			·17	·24	·22	·10	19
20	·02	·01	·02	·02				·25	·20	·14	·01	·54	20
21	·03	·12						·07		·77	·01	·12	21
22	·01		·21			·07		·15		·35		·50	22
23		·17	·01			1·06			·25	·07	·06	·12	23
24	·01	·10				·18	·06			·23		·38	24
25		·03	·27	·04		·12		·12	·05		·03	·01	25
26		·02	·24	·20	·05	·11				·29	·12	·21	26
27		·21	·17	·25					·03	·42	·02	·06	27
28		·19		·10				·05			·02	·01	28
29	·01			·16		·12	·33		·15	·24	·01		29
30				·01		·02			·03	·34		·01	30
31					·11					·01			31
Total	1·38	1·18	2·61	2·07	·95	1·93	·43	·69	1·49	5·34	5·67	6·01	TOTAL for year 29·75
No. of Rain Days	17	15	21	15	7	11	3	6	9	20	26	28	178

9,000, IX. '10.

R 1 I. 12

333 52

FORM A2. BRITISH RAINFALL.

23 JAN 1912

Kept at Speldhurst Rectory

in the County of W. Kent 4

by Rev. D. D. MacKinnon

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·70				·05			·04	·01	1
2	·09		·02	·05	·23		·04				·15	·12	2
3	·02	·02			·14						·06	·28	3
4	·17	·03	·06	·23					·01	·92	·12	·20	4
5	·02	·01		·20						·77	·02	·08	5
6	·24		·04	·01						·01	·01	·46	6
7	·05		·01	·02						·34	·43	·27	7
8	·12		·13							·01	·59	·19	8
9	·17		·03	·03							·09	·08	9
10		·07	·05	·05	·04						·01	·73	10
11	·35		·06								·96	·02	11
12	·01		·72								·07		12
13			·06		·19				·60	·16	·01	·21	13
14		·05	·01		·19					·01		·60	14
15		·03	·34							·01	·06	·01	15
16	·01					·15					·41	·09	16
17			·06			·03					1·08	·21	17
18		·12	·09			·01				·01	1·06	·39	18
19			·01			·06			·17	·24	·22	·10	19
20	·02	·01	·02	·02				·25	·20	·14	·01	·54	20
21	·03	·12						·07		·77	·01	·12	21
22	·01		·21			·07		·15		·35		·50	22
23		·17	·01			1·06			·25	·07	·06	·12	23
24	·01	·10				·18	·06			·23		·38	24
25		·03	·27	·04		·12		·12	·05		·03	·01	25
26		·02	·24	·20	·05	·11				·29	·12	·21	26
27		·21	·17	·25					·03	·42	·02	·06	27
28		·19		·10				·05			·02	·01	28
29	·01			·16		·12	·33		·15	·24	·01		29
30				·01		·02			·03	·34		·01	30
31					·11					·01			31
Total	1·38	1·18	2·61	2·07	·95	1·93	·43	·69	1·49	5·34	5·67	6·01	TOTAL for year 29·75
No. of Rain Days	17	15	21	15	7	11	3	6	9	20	26	28	178

9,000, IX. '10

REG

SUNDRIDGE
COMBE BANK
KENT
1911 - 14, 1916

FORM A2.
BRITISH RAINFALL.
29 ... 1912

Sandra Halliatt
Recorder

Kept at Combe Bank ... in.

...round ~~ ft. 10 in.

in the County of Ke... ...ea Level 323 ft.

...Gm.

by R. L. Mon... ...ame Brasted

per S.H.A. ...stance 1½ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·84	—	—	—	·02	—	—	·04	—	1
2	·10	—	—	·23	·31	—	—	—	—	—	·16	·24	2
3	—	·04	—	—	·15	—	—	—	—	—	·15	·21	3
4	·08	·02	·10	·13	—	·27	—	—	·02	·21	·31	·27	4
5	·03	·01	—	·14	—	—	—	—	—	·46	·03	·12	5
6	·41	—	·06	—	—	—	—	—	—	—	—	·35	6
7	·06	—	·02	·02	—	—	—	—	—	·33	·39	·45	7
8	·10	—	·17	—	—	—	—	—	—	—	·37	·42	8
9	·22	—	·04	·05	—	—	—	—	—	—	·09	·10	9
10	—	·08	·11	·02	—	—	—	—	—	—	·02	·74	10
11	·46	—	·04	—	·11	—	—	—	—	—	1·08	—	11
12	—	—	·42	—	·10	·06	—	—	—	—	·11	—	12
13	—	—	·12	—	·18	—	—	—	·45	·15	·03	·15	13
14	—	·09	—	·01	·14	—	—	—	—	—	—	·49	14
15	—	·04	·43	—	—	—	—	—	—	·01	·12	·04	15
16	—	—	—	—	—	·32	—	—	—	—	·50	·12	16
17	—	—	·02	—	—	·03	—	—	—	—	1·12	·14	17
18	—	·20	·01	·01	—	·01	—	—	—	—	·82	·31	18
19	—	·05	—	—	·02	·29	—	—	·08	·21	·28	·12	19
20	·01	·01	·03	—	—	·01	—	·33	·02	·07	·02	·91	20
21	·02	·28	·01	—	—	—	—	·07	·30	·67	—	·20	21
22	·03	—	·43	—	—	·14	—	—	—	·32	—	·59	22
23	—	·25	·02	—	—	·70	—	—	·25	·02	·04	·17	23
24	—	·20	·01	—	—	·03	·05	·01	—	·74	—	·34	24
25	—	·06	·10	·02	—	·23	·11	—	·05	·13	·01	—	25
26	—	—	·17	·37	·17	·25	—	—	—	·16	·02	·27	26
27	—	·39	·20	·07	—	—	—	—	·10	·31	·10	·07	27
28	·01	·22	—	·29	—	—	—	·04	—	—	·07	—	28
29	—		—	·24	—	·10	·45	—	·21	·34	—	—	29
30	—		—	—	—	·01	—	·09	·03	·28	—	—	30
31	—		—		·26		—	—		·02		—	31
Total	1·57	1·94	2·51	2·46	1·44	2·45	0·61	0·56	1·53	4·43	5·88	6·82	TOTAL for year 32·20
No. of Rain Days	13	15	20	14	9	14	3	6	10	17	23	23	~~32·18~~ INCHES

9,000, IX. '10.

167 Days of Rain

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 29 FEB 1912

Kept at 'Combe Bank' Sundridge

in the County of Kent 5

by R. L. Mond Esq. per S. H. A. White.

RAIN GAUGE
Pattern Negretti & Zambra. Hallidie Recorder
Diameter of top 8 in.
Height of top above Ground — ft. 10 in.
" " " Sea Level 323 ft.

Time of Observation 9·0 a.m.

Nearest Railway Station
Name Brasted
Distance 1½ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·84	—	—	—	·02	—	—	·04	—	1
2	·10	—	—	·23	·31	—	—	—	—	—	·16	·24	2
3	—	·04	—	—	·15	—	—	—	—	—	·15	·21	3
4	·08	·02	·10	·13	—	·27	—	—	·02	·21	·31	·27	4
5	·03	·01	—	·14	—	—	—	—	—	·46	·03	·12	5
6	·41	—	·06	—	—	—	—	—	—	—	—	·35	6
7	·06	—	·02	·02	—	—	—	—	—	·33	·39	·65	7
8	·10	—	·17	—	—	—	—	—	—	—	·37	·42	8
9	·22	—	·04	·05	—	—	—	—	—	—	·09	·10	9
10	—	·08	·11	·02	—	—	—	—	—	—	·02	·74	10
11	·46	—	·04	—	·11	—	—	—	—	—	1·08	—	11
12	—	—	·42	—	·10	·06	—	—	—	—	·11	—	12
13	—	—	·12	—	·18	—	—	—	·45	·15	·03	·15	13
14	—	·09	—	·01	·14	—	—	—	—	—	—	·49	14
15	—	·04	·43	—	—	—	—	—	—	·01	·12	·04	15
16	—	—	—	—	—	·32	—	—	—	—	·50	·12	16
17	—	—	·02	—	—	·03	—	—	—	—	1·42	·14	17
18	—	·20	·01	·01	—	·01	—	—	—	—	·82	·31	18
19	—	·05	—	—	·02	·29	—	—	·08	·21	·28	·12	19
20	·01	·01	·03	—	—	·01	—	·33	·62	·07	·02	·91	20
21	·02	·28	·01	—	—	—	—	·07	·30	·67	—	·20	21
22	·03	—	·43	—	—	·14	—	—	—	·32	—	·59	22
23	—	·25	·02	—	—	·70	—	—	·25	·02	·04	·17	23
24	—	·20	·01	—	—	·03	·05	·01	—	·74	—	·34	24
25	—	·06	·10	·02	—	·23	·11	—	·05	·13	·01	—	25
26	—	—	·17	·37	·17	·25	—	—	—	·16	·02	·27	26
27	—	·39	·20	·07	—	—	—	—	·10	·31	·10	·07	27
28	·01	·22	—	·29	—	—	—	·04	—	—	·07	—	28
29	—		—	·24	—	·10	·45	—	·21	·34	—	—	29
30	—		—	—	—	·01	—	·09	·05	·28	—	—	30
31	—		—		·26		—	—		·02		—	31
Total	1·57	1·94	2·51	2·46	1·44	2·45	0·61	0·56	1·53	4·43	5·88	6·82	TOTAL for year 32·20
No. of Rain Days	13	15	20	14	9	14	3	~~5~~ 6	10	17	23	23	~~32·18~~ INCHES

167 Days of Rain

9,000, IX. '10.

H. Y. C. 5.11-13

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Combe Bank, Sundridge Nr. Sevenoaks

in the County of Kent 5

by R. L. Mond Esqr.

RAIN GAUGE
Pattern Snowdon.
Diameter of top 8 in.
Height of top above Ground — ft. 10 in.
" " " Sea Level 323 ft.

Time of Observation 9.0 a.m.

Nearest Railway Station
Name Brasted
Distance 2 m. Direction S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·10	·02	—	·12	·20	—	·04	·53	—	·22	1
2	—	—	·46	·02	—	—	·25	·03	·03	·09	—	—	2
3	·04	·06	·08	—	·01	·14	·05	·26	·02	—	·01	·10	3
4	·31	·02	·49	—	·27	·22	—	·05	—	—	·17	·01	4
5	—	—	·25	—	—	—	—	·26	—	—	·17	·02	5
6	·68	·05	—	—	·02	—	—	·09	—	—	·03	·12	6
7	—	—	—	—	·11	·48	·12	·26	—	—	—	·06	7
8	·31	·39	·26	·03	—	·07	—	·52	·01	—	·01	·02	8
9	—	·16	—	·07	—	·32	·05	·02	—	—	·02	·17	9
10	—	·05	—	—	—	—	—	·50	·01	·01	·07	·24	10
11	·03	·45	·07	—	—	·05	—	·10	·06	·01	·01	·24	11
12	·01	·11	·03	—	·07	—	—	·11	—	·01	·02	—	12
13	—	—	·04	—	—	—	—	—	—	—	·26	·04	13
14	—	—	·02	—	·07	—	—	·19	—	·08	·02	·07	14
15	—	·07	·13	—	·16	·75	—	·02	—	—	·04	·36	15
16	·20	—	·08	—	·04	·06	—	·10	—	·09	·06	—	16
17	·43	—	·46	—	—	·04	—	·06	—	—	·05	·06	17
18	·13	—	·18	—	—	—	—	·17	—	·04	—	·21	18
19	·11	·15	·19	—	—	·02	·11	·25	—	—	—	—	19
20	·07	·04	·61	—	—	—	·02	·24	—	·45	·03	—	20
21	—	·04	·56	—	·03	—	—	·08	—	·18	·05	—	21
22	·10	·35	·06	—	·06	—	·05	·20	—	·02	—	·04	22
23	·35	·32	·41	—	·01	·03	—	·57	—	·07	·20	·04	23
24	·05	·03	—	—	—	·15	—	·31	—	—	—	·04	24
25	·08	·03	—	—	—	·20	—	·95	—	·07	·39	·44	25
26	·02	·02	—	—	—	—	—	·39	—	·40	·65	·32	26
27	—	—	—	—	—	—	—	—	—	·17	—	·19	27
28	—	·05	—	—	—	·04	·16	·09	·03	·72	·75	·20	28
29	·01	·03	—	—	—	·04	·10	·65	1·44	·24	·06	—	29
30	—		—	—	·30	·17	·12	·02	1·58	·21	—	—	30
31	·02		·09		—		·21	·13		·05		—	31
Total	2·89	2·36	4·51	0·14	1·15	3·00	1·44	6·62	3·22	3·38	3·07	3·35 3·35	TOTAL for year 35·13
No. of Rain Days.	18	19	20	4	12	17	12	28	9	19	21	22	35.13 ins 201 DAYS

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
23 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at "Combe Bank" Sundridge
in the County of Kent 5
by R. L. Mond Esqr

Lat. 51° 16' 24" Long. 0° 7' E.
Time of Observation 9.0 a.m.
Nearest Railway Station Brasted
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 323 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·32	·07	·40	—	·02	—	—	·07	·11	·07	·07	1
2	·10	·20	—	—	—	—	·16	—	—	·26	·16	·01	2
3	·01	—	·09	·40	·31	—	—	—	·01	—	—	·10	3
4	·26	—	·06	·02	·03	—	·02	—	—	·11	·02	·02	4
5	·29	·01	—	—	—	·05	·10	—	·39	·03	·08	·03	5
6	·09	·10	·14	—	·02	·11	·14	—	·01	·40	·12	·06	6
7	—	·20	—	—	—	·04	·01	·03	—	·72	·06	·01	7
8	—	·03	·05	·02	·15	·07	—	—	—	·09	·05	·01	8
9	—	·08	—	·03	·09	·03	·02	—	·09	—	·02	·02	9
10	·02	—	·05	·07	—	—	·12	·04	—	—	·49	—	10
11	·58	—	—	·42	—	—	—	—	—	·59	·37	—	11
12	—	·01	—	—	·02	—	—	—	—	·01	·80	—	12
13	·18	—	·04	—	—	—	—	·03	·04	—	·25	—	13
14	·14	—	·10	·13	—	—	1·26	·04	·09	·14	·09	—	14
15	·15	·01	·17	·28	—	—	·31	—	·03	—	·01	—	15
16	·24	—	·58 50	·24	—	—	—	—	·31	—	—	—	16
17	·07	·03	·04	·10	—	—	·21	·02	—	—	—	—	17
18	—	—	·09	·16	·01	—	—	—	—	—	·09	—	18
19	·27	—	·21	—	·02	·07	·11	·01	·34	—	—	—	19
20	·40	—	·23	·10	·01	·25	—	—	—	·43	·02	—	20
21	·04	—	·18	·05	—	—	·04	—	—	·31	·28	—	21
22	·35	—	·17	·05	·01	—	·01	·02	·11	—	—	·01	22
23	—	—	·15	—	—	—	·05	·14	·02	—	—	·46	23
24	·06	—	·01	·03	—	·04	—	·02	—	—	·04	—	24
25	—	—	·03	·16	—	—	—	—	—	—	—	—	25
26	—	—	·15	·01	—	—	—	·19	—	1·05	—	·40	26
27	—	·01	·05	·04	·22	—	—	—	—	·10	—	—	27
28	·15	—	·28	·05	—	—	—	—	—	·18	—	—	28
29	·09		·02	·38	·19	—	—	·24	—	·05	—	·01	29
30	·44		—	·19	—	—	—	·17	—	·22	—	—	30
31	—		·03		—		—	·42		·10		—	31
Total	3·95	1·00	2·91	3·33	1·08	0·68	2·58	1·37	1·51	4·90	3·52	1·23	YEAR'S TOTAL 28·06
Rain Days.	21	11	24	22	12	9	14	13	12	18	18	13	187

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
10 APR 1915

Kept at "Coube Bank" Sundridge

in the County of Kent 5

by R. L. Mond. per S. H. White

Lat. 51° 16' 24" Long. 0° 7' E.
Time of Observation 9.0 a.m.
Nearest Railway Station Brasted
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 323 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·02	—	—	·01	·21	—	∧	·02	·04	1
2	·02	—	—	—	—	·01	·11	—	—		·07	·14	2
3	—	—	·19	·01	·21	—	·01	·02	—		·01	—	3
4	·05	—	·02	·22	·04	—	—	·13	—		·28	·26	4
5	·07	·01	·06	·20	·53	·03	·19	·24	—		—	—	5
6	—	·14	·01	·19	·02	·15	—	·02	—		·01	·29	6
7	—	·51	·30	·21	·01	·32	·20	—	—		·01	·14	7
8	·10	·82	·45	·01	·02	·02	·06	·17	—		—	·12	8
9	·20	—	1·26	·16	—	·02	—	—	·16		—	1·51	9
10	—	·04	·03	·08	·12	—	—	—	·03		·01	·10	10
11	·02	·62	·58	—	·04	—	—	—	∧		·18	·35	11
12	—	·07	·09	·02	—	—	·09	—			·02	·73	12
13	·03	·34	·22	—	—	·02	—	—			·12	·88	13
14	—	·25	·21	—	—	—	·07	—			·07	·57	14
15	·03	·03	·30	—	—	—	·29	·06			·95	·07	15
16	·01	·02	·07	—	—	—	—	—			—	—	16
17	—	·50	·18	—	—	—	—	—			·01	·16	17
18	—	·13	·17	—	—	—	—	—			—	·42	18
19	—	·07	·61	—	—	—	·11	—			·30	·20	19
20	—	·17	·27	—	—	·10	·01	—			—	·13	20
21	—	·74	·08	·01	·37	—	—	·61			—	·03	21
22	—	·03	·01	·02	·17	·17	·17	·02		∨	—	—	22
23	—	—	·18	—	—	·01	·06	—		·54	—	·06	23
24	—	—	·05	·02	—	—	—	—			·15	—	24
25	·04	—	·41	—	·01	—	·03	·07		·44	—	·03	25
26	·02	—	·03	—	—	—	·05	·36		·67	·33	·56	26
27	·02	—	·01	—	·01	—	—	·01		—	·06	·35	27
28	·02	·03	—	·01	—	—	—	—		·04	·56	·74	28
29	·12		·04	—	—	—	—	—		·45	·21	—	29
30	·01	X	·09	—	—	—	—	—	∨	·06	·86	·22	30
31	·04	X	—	X	·24	X	·01	—	X	·01	X	·03	31
Total	0·80	4·52	5·92	1·38	1·79	0·85	1·47	2·12	0·19	1·61	4·23	8·13	YEAR'S TOTAL 33·01
Rain Days.	16	18	27	14	13	10	16	12	1·80		20	25	

Total preserved but unable to say which

days the rain fell on.
Totals quite correct.

W. 8,000. X. 14.

W M.L. cordly own data 23.11.16

460

FORM A.
BRITISH RAINFALL.

9 JAN

REGISTER OF RAINFALL IN 1916

Kept at Coombe Bank, Sundridge

in the County of Kent

5

by R. L. Mond.

Lat. 51° 16′ 24″ Long. 0° 7′ 8
Time of Observation 9. 0 am.
Nearest Railway Station Brasted
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·57	·19	·02	—	·63	—	—	·08	·25	—	·26	·51	1
2	·15	·16	·34	·17	·07	·02	—	·78	—	·05	—	·02	2
3	·36	—	·07	·21	·06	—	—	·18	·38	—	—	·44	3
4	·11	—	—	—	—	—	—	·03	—	—	—	·56	4
5	·03	·39	—	—	—	—	—	·13	—	·07	·01	·32	5
6	·47	·10	·02	·50 (·05)	—	—	·62	·07	—	—	—	·09	6
7	·53	·37	·06	—	—	·02	·16	·02	—	—	—	·36	7
8	·10	·66	·07	·06	—	—	·37	·06	—	—	—	—	8
9	—	·09	—	·20	—	·10	—	·11	—	·04	·45	·57	9
10	·37	—	—	—	—	·13	—	—	—	—	—	·53	10
11	·02	—	—	—	—	—	—	—	—	—	·62	·03	11
12	·09	·07	—	·39	·52	—	—	·27	—	·08	·70	·01	12
13	·07	·80	—	·01	1·23	—	—	—	—	—	·02	—	13
14	·02	·04	—	—	—	—	·10	·16	·06	—	—	·48	14
15	·21	—	—	—	·06	—	·09	·06	—	—	·13	·17	15
16	·02	·39	—	·07	·03	—	·88	·13	—	—	·14	·09	16
17	—	·49	—	—	1·09	—	·66	·03	—	—	—	·03	17
18	·01	·07	·04	—	·15	—	—	·01	—	—	·07	—	18
19	—	·07	—	—	—	—	·05	—	—	·09	—	—	19
20	·36	—	—	·02	·03	—	—	—	—	—	—	·28	20
21	·13	—	—	—	—	—	—	—	—	·01	—	·07	21
22	·76	·08	·02	—	—	—	1·09	—	—	—	—	·17	22
23	·20	·36	·07	—	—	·05	·37	—	·04	·39	·01	·34	23
24	—	—	·07	·07	—	—	·23	—	·19	·15	—	·18	24
25	—	—	·03	·07	—	—	·05	—	—	·02	—	·50	25
26	·02	·07	—	—	—	·03	—	—	—	—	—	·48	26
27	—	—	—	·07	—	·12	·25	—	·98	·43	—	·07	27
28	—	·06	·02	—	—	·11	—	—	1·00	·34	—	—	28
29	—		—	—	—	·03	·14	·06	—	—	·29	·01	29
30	·08	✕	—	·05	—	·09	—	—	·01	·02	·66	·04	30
31	·02	✕	—	✕	—	✕	—	·20	✕	·85	✕	·37	31
Total	4·66	4·44	0·73	1·74	3·21	0·72	4·46	2·38	2·16	2·54	3·36	6·64	YEAR'S TOTAL 37·01
Rain Days.	23	18	12	13	10	10	14	17	8	13	12	26	176

W. 8,000. X. 15.

DL ✓

REG

TANKERTON

KENT

1911 - 1915

75

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Tankerton

in the County of E. K

by F. Gaster

in.

round ft. in.

a Level ft.

ame

istance Direction

IMPORTANT NOTE.- the result entered to the previous day. If an Obse rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·28				·02			·01	·01	1
2	·21			·08	·03						·18	·11	2
3	·09	·01		·50							·04	·10	3
4	·08		·03	·40					·03	·80	·23	·18	4
5	·02	·01		·08						·37		·15	5
6	·12			·10								·14	6
7		·01		·08						·71	·08	·26	7
8	·10		·05	·04							·21	·08	8
9	·16		·04	·02						·14	·08	·03	9
10		·03									·01	(·78)	10 ×
11	·16										·50		11
12	·06		·56			·05					·03		12
13			·01		·42	·10			·50		·04	(·16)	13 ×
14		·13			·41	·04				·01		·21	14
15		·02	·32								·03	·03	15
16	·01					·23					·23	·02	16
17			·02								·11	·06	17
18		·10	·02								·99	·04	18
19									·08	·01	·21	·14	19
20						·03		·25	·19	·14		·58	20
21	·01							·08	·02	·30		(·19)	21 ×
22	·02		·20					·09		·40	·01	(·53)	22 ×
23		·13	·16			1·26			·13	·10	·01	(·08)	23 ×
24		·01	·02			·17	·14	·03		·79		·28	24
25		·03	·05	·01		·14		·08	·03	·05	·03	—	25
26			·18	·02						·10	·17	(·15)	26
27		·22							·15	·36		·02	27
28		·08	·04								·01		28
29			·02	·02		·10	·12	·01		·16			29
30					·05		·12		·24	·22			30
31									·05				31
Total	1·04	·78	1·72	1·63	·91	2·11	·38	·56	1·42	4·66	3·38 3·21	(4·33)	TOTAL for year 22·75
No. of Rain Days	12	12	15	12	4	9	3	7	10	16	21	(24)	145

9,000, IX. '10.

88 ✓

REG

75

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Tankerton Whitstable

in the County of E Kent 3

by F. Gaster

RAIN GAUGE: Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station: Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·28				·02			·01	·01	1
2	·21			·08	·03						·18	·11	2
3	·09	·01		·50							·04	·10	3
4	·08		·03	·40					·03	·80	·23	·18	4
5	·02	·01		·08						·37		·15	5
6	·12			·10								·14	6
7		·01		·08						·71	·08	·26	7
8	·10		·05	·04							·21	·08	8
9	·16		·04	·02						·14	·08	·03	9
10		·03									·01	(·75)	10
11	·16										·50		11
12	·06		·56			·05					·03		12
13			·01		·42	·10			·50		·04	(·16)	13
14		·13			·41	·04				·01		·21	14
15		·02	·32								·03	·03	15
16	·01					·23					·23	·02	16
17			·02								·11	·06	17
18		·10	·02								·99	·04	18
19									·08	·01	·21	·14	19
20						·03		·25	·19	·14		·58	20
21	·01							·08	·02	·30		(·19)	21
22	·02		·20					·09		·40	·01	(·53)	22
23		·13	·16			1·25			·13	·10	·01	(·08)	23
24		·01	·02			·17	·14	·03		·79		·28	24
25		·03	·05	·01		·14		·08	·03	·05	·03	—	25
26			·18	·02						·10	·17	(·15)	26
27		·22							·15	·36		·02	27
28		·08	·04								·01		28
29			·02	·02		·10	·12	·01		·16			29
30					·05		·12		·24	·22			30
31									·05				31
Total	1·04	·78	1·72	1·63	·91	2·11	·38	·56	1·42	4·66	3·38 3·21	(4·33)	TOTAL for year 22·75
No. of Rain Days	12	12	15	12	4	9	3	7	10	16	21	(24)	145

9,000, IX. '10.

82 ~~W~~ 818 wd 4.11.13 55

FORM A2. BRITISH RAINFALL. 22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Tankerton

in the County of Kent 3

by F. Gaster

RAIN GAUGE	Pattern
	Diameter of top in.
	Height of top above Ground ft. in.
	„ „ „ Sea Level ft.
Time of Observation	
Nearest Railway Station	Name
	Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·04			·29	·25		·12	·51		·12	1
2			·10	·61			·15	·01		·07			2
3	·08	·01	·02		·05	·11		·09	·01	·05		·02	3
4	·27	·02	·80		·07	·56					·04		4
5	·10	·06	·12			·05		·17			·11		5
6	·32	·02					·04	·69					6
7	·28	·03	·01		·01	·18		·04					7
8	·17	·17	·25			·06			·11			·01	8
9	·12						·05	·01					9
10		·02		·07				·06	·01		·05	·21	10
11	·01	·13				·01		·01	·01				11
12		·20						·05			·01	·11	12
13		·10	·02		·02	·01		·04		·01	·21	·01	13
14					·07				·02	·04	·02		14
15			·06		·28	·71		·01			·01		15
16	·14		·04		·05	·10		·01					16
17	·30		·37			·01		}			·09	·11	17
18	·04		·60				·20	·50 }		·03	·11	·05	18
19	·01	·02	·19			·02	·28	·04			·02		19
20			·40					·05		·64			20
21		·02	·38					·10		·22	·05		21
22	·05	·06					·10	·51				·01	22
23	·30	·25	·16		·01	·05		·14		·02	·17	·03	23
24	·30					·02	·03					·06	24
25	·13					·03		1·32			·17	·32	25
26							·03	·34		·22	·22	·17	26
27							·03			·02		·05	27
28		·01	·01				·08			·30	·29	·15	28
29								·13	·79	·08			29
30					·01	·02		·04	1·10	·16	·04		30
31	·01				·02		·11	·14					31
Total	2·64	1·1~~3~~2 1·12	3·57	·68	·59	2·23	1·35	4·50	2·17	2·37	1·61	1·43	TOTAL for year 26
No. of Rain Days.	18	15	17	2	10 ~~9~~	16	12	24	8	14	16	15	167

W. 8,000, X. '11.

92 cod fr auth 6.11.14 61

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

22 JAN 1914

Kept at Whitstable

in the County of Kent 3

by F. Gaster

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·30	·01	·03		·22						·03	1
2	·01	·09	·01				·14				·01		2
3	·01			·35	·16					·02		·05	3
4	·06						·03				·04	·03	4
5	·08					·05	·47		·45	·03	·11	·02	5
6	·02				·02		·10	·12		·41	·05		6
7		·05				·01	·08	·02		·18	·01		7
8			·10		·14					·19			8
9		·05	·05		·10		·02	·04	·05		·01	·01	9
10				·11			·01				·33		10
11	·39			·04						·31	·05		11
12					·01						·73		12
13	·38		·02					·02			·46		13
14	·02		·05	·03			·30		·07	·14	·15		14
15	·02		·19	·04			·17						15
16	·40		·23	·10			·01		·17				16
17		·10		·04			·02		·16			·12	17
18	·04		·05	·02			·03		·05		·06		18
19	·06		·11				·06	·02	·11				19
20	·52		·09	·01		·05			·01	·24			20
21			·05	·03	·03					·58	·64		21
22	·02		·15			·02	·07	·01	·02				22
23			·13						·01		·01	·40	23
24			·04					·05		·01			24
25	·01			·16		·12							25
26			·15					·01		·68		·15	26
27		·01	·01							·04			27
28	·61		·13		·24					·13			28
29	·36		·03	·36	·04	·01		·04				·01	29
30	·23		·13	·27	·05			·26	·01	·04		·01	30
31			·17					·03		·04			31
Total	3·24	·60	1·90 1·90	1·69	·79	·48	1·51 1·61	·62	1·11	3·04 3·04	2·66	·83 ·82	YEAR'S TOTAL 18·47
Rain Days.	18	6	21	14	9	7	14	11	11	15	14	10	150

W. 7,500, XI. ·12

5·0

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Tankerton

in the County of Kent 3

by F. Gaster

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				02				·02		·01		·09	1
2				·02	·06		·18				·06	·21	2
3			·06	·15			·11						3
4			·04	·12	·03			·39			·27	·15	4
5			·02	·25			·06				·01		5
6	·13			·21		·35						·12	6
7		·31	·09	·09		·06	·01					·06	7
8	·08	·15	·09	·08	·09		·01	·04				·02	8
9			·81									·98	9
10	·01	·01		·02	·02					·06		·03	10
11		·09	·15				1·06		·10		·36	·32	11
12	·02	·02	·05						·10		·03	·43	12
13	·10	·02	·22			·03			·10	·10	·01	·20	13
14		·10	·15				·06			·21	·01	·38	14
15	·10	·11	·17				·50				·67	·05	15
16		·01	·01				·15		·06		·02		16
17	·13	·04	·08							·01		·03	17
18		·03	·02							·10	·15	·24	18
19		·17	·78						·01	·19	·21	·12	19
20		·11	·14							·15		·22	20
21		·61	·03	·21							·01	·08	21
22				·01			·21			·04	·03		22
23			·48	·15	·29	·40	·02				·02	·11	23
24			·02				·02	·03		·01	·01		24
25	·12		·11		·01		·01	·15		·24	·01		25
26	·01						·01				·12	·24	26
27					·03					·04	·01	·25	27
28										·14	·41	·40	28
29	·01									·91	·11		29
30										·14	·43	·01	30
31					·20							·02	31
Total	·71	1·78	3·52	1·33	·73	·84	2·41	·63	·37	2·35	2·96 ~~3·18~~	4·76 4·76	YEAR'S TOTAL 22·39
Rain Days.	10	14	20	12	8	4	14	5	5	15	21 ~~22~~	24	152

W.7,000, XI. 13

8L

387
#9

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Tankerton Whitstable
in the County of Kent 3
by F. Gaster

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·40	·11	·13										1
2	·16	·02	·14										2
3	·22		·02	·12									3
4	·02		·02										4
5	·01	·13	·01										5
6	·34	·10	·08										6
7	·10		—										7
8	·03	·42	·06										8
9													9
10	·10												10
11		·11											11
12		·15		·40									12
13	·10	·01											13
14		·36											14
15	·10	·18											15
16													16
17		·44											17
18		·23	·06										18
19													19
20	·25	·14											20
21	·21	·03											21
22	·02	·08	·01										22
23	·04	·03	·06										23
24			·04										24
25	·01	·01	·06	·21									25
26				·02									26
27		·05	·08										27
28		·12	·10										28
29													29
30	·06	X											30
31		X		X		X			X		X		31
Total	2·17	2·72	·87	·75									YEAR'S TOTAL
Rain Days.	17	~~20~~ 19	14	4									

W. 8,000. X. 14.

D.f

61

FORM A2. BRITISH RAINFALL.

23 JAN 1912

REG

TATSFIELD

{BETSOM HILL}

KENT

1911-20

Kept at Betsom ... in.

in the County of W. K ... ound ... ft.

by F. Melhuish ... Level ... ft.

... e ...

... ance ... Direction ...

IMPORTANT NOTE.— ... e result entered to the previous day. If an Obser... al rule, he is earnestly requested to add the reading ... n the space provided for it at the end of this p... of rain, the selection and placing ... Rainfall Organization are given in "*R*... cation to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				}				·05			·03	·01	1
2	·04			1·19}	·34						·21	·42	2
3	·11	·03		~~·10~~	·22		·04	·03			·18		3
4	·10	·03	·09	·10					·02	·22	·49	·32	4
5	·03			·27						·52		·12	5
6	·34		·12	·01								·32	6
7	·28		·01	·02						}	·38	·40	7
8			·16	·08						·32}	·35	·36	8
9	·30		·04								·07	·80	9
10	·01	·12	·15	·03							·03		10
11	·52		·50		·20						1·31		11
12	·02				·14	·11			·01			·01	12
13			·11		·45}				·55	·08	·06	·21	13
14		·09	·02		+}					}		·55	14
15		·06	·44							·04}	·22	·03	15
16						·36					·67	·35	16
17			·02	·01		·02					·85		17
18		·27	·02								1·33	·38	18
19						·22		·16}	·21	·24		·13	19
20	·01		·04			·01		}	·02	·14	·03	·88	20
21	·07	·23						·12	·12	+}		·24	21
22			·27			·18				1·21}		·51	22
23		·35	·03			·71			·39	·03	·07	·55	23
24		·19				·35	·03			·95			24
25		·04	·24	·07					·06	·09	·07		25
26				·40	·13	·21				·15		·28	26
27		·48	·19	·10					·11	·33	·03	·10	27
28		·31		·24				·08		·40	·08		28
29				·27		·18	·36		·27			·01	29
30						·02		·30	·03	·33		·01	30
31					·08					·03			31
Total	1·83	2·20	2·45	~~2·79~~	1·56	2·37	·43	·74	1·79	5·08	6·46	6·99	TOTAL for year 34·69
No. of Rain Days	~~13~~ 12	12	17	~~10~~ 14	~~7~~ 8	11	3	6	11	~~16~~ 15	19	23	156

9,000, IX. '10.

DJ

61

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Betson Hill

in the County of W Kent 5

by F. Melhuish

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				}				·05			·03	·01	1
2	·04			1·19 }	·34						·21	·42	2
3	·11	·03		~~·10~~	·22		·04	·03			·18		3
4	·10	·03	·09	·10					·02	·22	·49	·32	4
5	·03			·27						·52		·12	5
6	·34		·12	·01								·32	6
7	·28		·01	·02						}	·38	·40	7
8			·16	·08						·32 }	·35	·36	8
9	·30		·04								·07	·80	9
10	·01	·12	·15	·03							·03		10
11	·52	—	·50		·20						1·31		11
12	·02				·14	·11			·01			·01	12
13			·11		·45 }				·55	·08	·06	·21	13
14		·09	·02		+ }					}		·55	14
15		·06	·44							·04 }	·22	·03	15
16						·36					·67	·35	16
17			·02	·01		·02					·85		17
18		·27	·02								1·33	·38	18
19						·22		·16 }	·21	·24		·13	19
20	·01		·04			·01		}	·02	·14	·03	·88	20
21	·07	·23						·12	·12	+ }		·24	21
22			·27			·18				1·21 }		·51	22
23		·35	·03			·71			·39	·03	·07	·55	23
24		·19				·35	·03			·95			24
25		·04	·24	·07					·06	·09	·07		25
26				·40	·13	·21				·15		·28	26
27		·48	·19	·10					·11	·33	·03	·10	27
28		·31		·24				·08		·40	·08		28
29				·27		·18	·36		·27			·01	29
30						·02		·30	·03	·33		·01	30
31					·08					·03			31
Total	1·83	2·20	2·45	2·79 ✓	1·56	2·37	·43	·74	1·79	5·08	6·46	6·99	TOTAL for year ✓ 34·69
No. of Rain Days	12 ~~13~~	12	17	14 ~~13~~	8 7	11	3	6	11	15 ~~16~~	19	23	150

9,000, IX. '10.

8L

69

FORM A2.
BRITISH RAINFALL.
22 JAN 1913

REGISTER OF RAINFALL IN 1912

ex. [illegible]

Kept at Betsom Hill

in the County of Kent 5

by F. Melhuish

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·16			·09	·36			·58		·23	1
2	·21	·02	·61	·05			·34		·04	·10		·02	2
3	·18	07				·20	·04	·41	·05	·02		·17	3
4	·49		·49			·27	·01				·19	·01	4
5		·03	·16		·14			·42			·25	·02	5
6		·06			·04		·10	·12			·02	·15	6
7	·38	·01			·15	·45		·17				·10	7
8	·35	·40	·23	·03		·38		·41	·06		·01		8
9	·07	·11		·07			·06	·02			·09	·23	9
10	·03	·45						·45				·24	10
11	1·31					·03			·04		·01	·28	11
12		·13	·03		·06	·01		·12	·07		·03	·05	12
13	·06	·02	·09								·25	·08	13
14			·03		·02			·16		·08	·02	·49	14
15	·22	·03	·21		·18	·94		·02			·05		15
16	·67	·01	·49		·10			·14		·15	·10		16
17	·85					·10		·11				·18	17
18	1·33		·20							·06		·18	18
19		·18	·15			·02	·12	·28		·39		·03	19
20	·03	·04	·54			·03		·04			·06		20
21		·05	·46					·12		·17	·07	·06	21
22		·42	·08		·03	·08	·07	·21		·05	·01		22
23	·07	·45	·42		·02			·74		·07	·26	·09	23
24		·08				·10	·02	1·37		·01		·12	24
25						·33				·01	·42	·37	25
26	·07	·06						·52		·65	·73	·51	26
27	·03	·02	·01							—		·27	27
28	·08	·08				·02	·37	·14	1·37	·81	·76	·22	28
29		·02				·31	·15	·44		·17	·09		29
30					·34		·03	·02	1·87	·25		·01	30
31			·08				·24	·19		·04			31
Total	6·46	2·74	4·44	·15	1·08	3·36	1·91	6·62	3·50	3·61	3·42	4·10	TOTAL for year 41·39
No. of Rain Days.	19	22	18	3	~~10~~ 12	16	~~13~~ 14	~~23~~ 27	7	17	19	24	198

W. 8,000, X. '11.

88.

cor. by Bayard. 7.11.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

22 JAN 1914

74

Kept at Betsom Hill

in the County of Kent 5

by F. Methuish M. W. B

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·48	·06	·46	·01	·03			·11	·07	·28	·13	1
2	·07						·16		·05	·08		·04	2
3	·01		·11	·39	·39					·01		·21	3
4	·71		·16	·06			·05	·01		·07	·03	·06	4
5			·01			·09	·38		·50 ·05		·07	·07	5
6	·21	·19	·18			·14				·28	·11	·10	6
7	·01	·27	·02		·05	·14	·01	·02		·36	·08		7
8		·17	·06		·15					·31	·06	·04	8
9				·03	·10	·05	·02	·06	·13			·03	9
10	·01		·08	·19	·20						·99		10
11	·45			·40						·78	·45	·01	11
12					·04			·02			·75	·02	12
13	·15		·09					·06	·07		·32	·02	13
14	·13		·20	·13			·33			·21	·15		14
15	·21	·02	·74	·30			·40		·05		·02		15
16	·20			·36				·03	·30				16
17	·08	·04	·04	·11			·27				·03	·02	17
18	·21		·11	·21					·01		·17		18
19			·23	·06	·01	·05	·16		·41				19
20	·43		·30		·02	·05				·68	·05		20
21	·04		·23	·08	·01		·06			·35	·98		21
22	·36		·31	·33			·03	·03	·13		·01		22
23							·07	·20	·02			·57	23
24	·07			·04		·01					·05		24
25			·02	·22						·98	·01	·01	25
26			·15	·08			·02	·26				·58	26
27		·01	·06		·08					·09			27
28	·17		·25	·06						·25			28
29	·08		·03	·43	·13			·22		·01	·01		29
30	·47			·16				·81		·30			30
31	·01		·04							·15			31
Total	4·10	1·18	3·48	4·10	1·19	·56	1·96	1·72	1·78	4·98	4·62	1·91	YEAR'S TOTAL 31·58
Rain Days.	22	7	23	20	12	8	13	11	11	17	20	15	179

W. 7,500, XI. 12

DL

Sra D17

5-8

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Betsom Hill

in the County of Kent 5

by F. Melhuish

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02				·20				·04	1
2	·01				·24	·03	·13				·11	·15	2
3	·02		·18	·07			·07	·03			·01	·01	3
4			·03	·64	·04		·18	·15			·32	·30	4
5	·15		·09		·53	·03		·32				·39	5
6		·22		·16	·02	·54	·03	·04					6
7		1·48	1·04	·20	·02		·11					·18	7
8	·18			·02	·04	·17	·09	·27				·17	8
9	·28		1·09	·28	·19	·05			·10			1·83	9
10		·03	·05	·08					·05		·02	·13	10
11		·67	·53	·02	·03	·01	·13		·27		·24	·28	11
12	·05	·08	·10						·52		·02	1·56	12
13	·03	·45	·23			·13				·08	·16		13
14		·40	·60				·27		·01	·40	1·39	·74	14
15	·05						·36					·08	15
16	·02		·09						·04				16
17		·38	·17						·12			·20	17
18		·18	·15				·19					·44	18
19		·11	·50						·10	·03	·27	·37	19
20		·17	·39			·04	·01			·04			20
21		·75	·10					·10				·03	21
22				·01	·46	·05	·13	·03		·22		·02	22
23			·13		·09	·08	·07			·02		·03	23
24	·05		·10	·02						·45	·15		24
25			·41				·10	·08			·01	·05	25
26			·14					·25		·08	·33	·95	26
27	·03		·01					·02			·05		27
28	·03	·03	·04							·10	·77	·78	28
29	·21									·53			29
30	·03		·13		·25					·08	·96	·22	30
31	·08						·01			·03		·05	31
Total	1·22	4·95	6·30	1·52	1·91	1·13	1·88	1·49	1·21	2·06	4·81	9·00	YEAR'S TOTAL 37·48
Rain Days.	15	13	~~24~~ 23	11	11	10	15	11	8	12	15	24	16~~9~~

168

W.7,000, XI. 13

82

461
5·5

FORM A.
BRITISH RAINFALL
16 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Betsom Hill
in the County of Kent
by F. Melhuish

5

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·22	·03		·01			·01	·54	·02	·36	·48	1
2	·48	·20	·36	·14		·03		·78	·01	·08		·05	2
3			·09	·23	·06			·27	·09		·01	·45	3
4	·07							·10		·02		·84	4
5	·04	·45						·08		·10	·01		5
6	·45	·51	·08	·48			·67	·09				·22	6
7	·74						·39	·09				·30	7
8	·06	·62		·10			·10						8
9	·45	·07		·19		·10		·14		·03	·43	·66	9
10		·01				·01		·02				·42	10
11	·02	·01	·01								·62	·04	11
12	·09	·09		·35	·45		—	1·04		·08	·84		12
13	·03	·80			1·27				·01				13
14	·05						·09	·26				·60	14
15	·19				·06		·07		·01		·28	·17	15
16		·47					·88	·08				·11	16
17		·54			1·25		·08	·02				·01	17
18	·01	·05	·05		·22						·08		18
19	·01	·20					·06			·10			19
20	·42			·05	·03							·20	20
21	·19									·02		·09	21
22	·34	·13	·06	·05			·95					·17	22
23	·03	·05	·07	·01		·05	·49		·03	·47		·37	23
24				·15		·02	·17		·17			·47	24
25			·04						·01			1·02	25
26		·07				·09							26
27		·15	·01				·39		·01	·40	·01	·07	27
28						·13		·09	1·80	·26			28
29						·21	·27		·02		·32		29
30	·08	×				·05	·02	·02	·02	·06	·67	·03	30
31		×		×		×		·21	×	·94	×	·26	31
Total	4·25	4·64	·80	1·75	3·35	·69	4·63	3·30	2·72	2·58	3·63	7·03	YEAR'S TOTAL 39·37
Rain Days.	20	18	10	10	8	9	14	16	12	13	11	22	163

W. 8,000. X. 14.

8h

Ex Df

446
~~5~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Belson Hill

in the County of Kent

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	}		.03		.56				.24		.40		1
2	.80}	.11	.15				.04		.31	.39	.10		2
3	.02	.66	.53				.07			.40	.70		3
4	.34	.07	.15	.04		.42			.14	.04	1.06		4
5	.02	.29		.02	.27	.13			.01	.18		.02	5
6	.03		.20	.37	.25	.09	.21			.16	.54		6
7	.06		.83	.02		.02	.17				.92	.04	7
8	.01		.19		.37		.01				.01	.42	8
9			.03		.40					.05		.43	9
10		.20	.17	.15		.70	.11			.02	.02		10
11	.04	.17	.03	.16	.02							.01	11
12	.03	.61		.13	.37	.30	.11	.02		.11			12
13	.01		.37	.21	.24	.08	.09		.08	.14			13
14	.02	.54	.02	.03				.07		.13	.01	.08	14
15	.02	.20	.28	.27			.20	.56				.05	15
16		.03	.14					.24	.47				16
17	.23	.07		.08			.04			1.00			17
18	.01	.17	.15	.32			.01	.28	.08	.51	1.40	.02	18
19	.41	.07		.30		.09		.02	.14			.09	19
20	.19		.18	.06							.11	.42	20
21	.03		.39				.23			.02	.03	.30	21
22	.07	.05	.15		.02		.02				.02	.47	22
23		.29	.11			.11		.02		.16	.10	.55	23
24	.01	.25	.01			.07		.02		.18	.12		24
25		.55	.30		.11			.26		.15	.10		25
26		.36				.12		.44		.17			26
27	.07		.90			.88			.03	.33			27
28			.30			.01		.02	.07	.35	.05	.23	28
29		.15	.02			.33		.70	.03			.33	29
30		✕			.35	.01		.20	.04	.40		.04	30
31		✕		✕		✕		.03	✕	.18	✕		31
Total	2.42	4.84	5.63	2.16	2.96	3.36	1.31	2.88	1.64	5.07	5.69	3.50	YEAR'S TOTAL 41.46
Rain Days.	21	19	24	14	11	15	13	14	12	21	17	16	197

W. 8,000. X. 15.

427

FORM A. BRITISH RAINFALL.

24. JAN 1918

Exd C7?

Bellome Hill REGISTER OF RAINFALL IN 1917.

Smarden

Kept at ~~Chiford~~

in the County of Kent

by Metropolitan Water Board

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03		·29		·01		1·53	·20		·14	·03	1
2				·13				·46			·17		2
3	·02	·25	·15	·14			·11	·64		·16	·21		3
4							·28	·17		·54			4
5	·23		·02						·64	·17	·14		5
6	·34		·09			·11			·22	·59	·09		6
7							·95					·13	7
8	·13							·64	·04	·43	·39	1·18	8
9	·02		·06	·10			·37	·08			·14	·07	9
10	·20		·53	·04				·12					10
11	·27			·42				·14	·21	·37			11
12	·09		·11	·02						·50	·02		12
13	·07		·11	·22				·03	·03	·33		·01	13
14			·04	·24			·02	·04					14
15	·08							·34		·10		·53	15
16	·12	·11		·21	·08		·10			·70			16
17		·05		·18	·79		·21	·01	·57	·18			17
18	·08			·17	·08		·25	·15	·40	·03			18
19		·10	·10	·02	·62	·14			·15				19
20	·03	·14	·10				·15	·05	·01	·02	·06		20
21		·02			·08						·05		21
22	·01		·09			·01		·17		·20		·09	22
23		·17	·02		·25	·15		·14		·10			23
24		·08	·04				·01	·01		·23	·05	·05	24
25						·05	·01	·56					25
26			·06						·03	·02	·78	·02	26
27			·02					1·12				·01	27
28			·04			1·33	·15	·28				·04	28
29			·08			·45		·09		·34		·25	29
30	·05	X	·25			·03	1·73	·15		·04			30
31	·08	X	·04	X		X	·52	·03	X	·02	X	·07	31
Total	1·82	·95	1·95	2·18	1·90	2·28	4·86	6·95	2·50	5·07	2·24	2·48	YEAR'S TOTAL 35·18
Rain Days.	16	9	19	13	6	9	14	23	11	20	12	13	165

W. 8,000, IX. 17.

82

174
60

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27.1.19

Kept at Betsom Hill

in the County of Kent

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01	.04	.07			.02			.19		1
2		.08	.18	.07				.20			.46	.32	2
3				.07	.50			.10		.02	.61	.04	3
4		.22	.10	.02	.14				.17			.05	4
5	.25	.05	.01					.15	.06	.15		.04	5
6		.30		.30	.17			.12	.55			.10	6
7	.05	.14			.31	.01		.07	.32	.01	.04	.17	7
8		.17		.01		.02		.03			.11		8
9	.05	.03		.13			.19		.49	.32		.25	9
10				.14		.10	.53		.24	.20	.14	.49	10
11	.02			.02	.33		.43		.08	.34		.10	11
12	.09	.13					.50		.09	.01		.08	12
13		.01		.04	.16		.16		.09			.04	13
14	.16		.01		.02	.24			.31	.24		.43	14
15	1.42			.64		.22	.10						15
16	.32			.22			.02		.13			.01	16
17	.43			.10	.18		.88	.07				.37	17
18	.58				.15	.20	.01		.43	.07			18
19	.13		.06	.10		.32	.15		.10	.78		.06	19
20		.28		.95		.03	.45	.01	.29			.04	20
21	.14	.02				.01			.77	.05	.01	.23	21
22	.06	.01			.31		.10						22
23	.10	.27		.03	.13		.83	.14	.02		.03	.04	23
24					.02	.09	.02	.18	.41		.03		24
25	.01			.18		.04	.05			.02	.19		25
26							.66	.09	.03	.04	.11	.18	26
27		.04	.02	.17			.03	.26	.09		.31	.10	27
28			.22					.06			.02	.12	28
29				.02					1.20		.13		29
30		X	.47						.05	.07		.08	30
31		X		X		X			X	.09	X	.01	31
Total	3.81	1.75	1.08	3.25	2.49	1.28	5.11	1.50	5.92	2.41	2.38	3.35	YEAR'S TOTAL 34.33
Rain Days.	15	14	8 9	19	13	11	17	14	21	15	14	23	185

W. 8,000, VIII. 16

81 Esc 81 404

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Belsom Hill
in the County of Kent
by M. W. B. F. Melhuish

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·09	·03	·05	·05		·14		·01	·09		·85	1
2	·25				·05		·18		·08	·11		·21	2
3	·28	·06	·38		·03		·17		·13		·13	·48	3
4	·19	·27	·40				·15	·06	·03		·05	·48	4
5			·83			·06					·10	·41	5
6	·05		·10								·05	·11	6
7	·08		·53								·07		7
8	·38		·11								·20		8
9	·42			·04	·01								9
10	·31		·21	·02	·03						·03	·01	10
11	·21		·28	·37			·11			·11		·06	11
12			·05	·61	·01	·02	·30				·01	·01	12
13	·02								1·40	·04		·06	13
14	·67			·61			·11						14
15	·23	·70	·04	·17					·05		·12	·30	15
16	·09	·31		·01								·05	16
17		·48	·03	·03							·22		17
18	·06	·16	·06					·01	·03		·13		18
19		·17	·40			·20	·50	·32	·04		·16		19
20	·19	·37	·11			·74		·18			·02	·06	20
21	·14	·08	·04			·07	·13				·04		21
22			·01				·21		·32		·09	·29	22
23						·06	·04	·04				·09	23
24				·17		·02	·02			·09	·13	·03	24
25	·10							·14			·01	·04	25
26		·21	·06	} ·80			·02	·06			·03	·48	26
27	·42	·12	·12					·32	·11		·02	·54	27
28			·19	·15			·11	·70		·01	·22		28
29	·08		·02	·07				·50		·37	·29	·14	29
30	·08	×		·25		·04		·40		·10		·73	30
31	·10	×	·08	×		×	·05		×	·02	×	·07	31
Total	4·73	3·02	4·08	3·35	·18	1·21	2·24	2·73	2·20	·94	2·12	5·50	YEAR'S TOTAL 32·30
Rain Days.	22	12	22	15	6	8	15	11	10	9	21	22	173

W, 6,500, VII. 18. w w c

380

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Beltons Hill.

in the County of Kent

by Metropolitan Water Board

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11			·21	·07		·40			·35		·31	1
2			·06				·01	·30	·10	·15		·11	2
3		·02			·08	·04			·02	·05		·10	3
4		·12		·35			1·00	·07		·06		·05	4
5			·10		·04		·53	·43	·08				5
6			·13		·15		·38	·01				·04	6
7	·07			·18	·06		·26	·02		·01		·04	7
8		·03		·10	·15		·22						8
9	·33	·04		·03			·08	·01					9
10	·80	·13	·12			13	·22				·05	·01	10
11		·01	·09	·17	·02	·08	·23	·01				·15	11
12	·13	·02	·02	·27	·01	·92					·02		12
13	·27	·02	·51	·09							·30		13
14	·01			·28		·15			·13	·36	·37	·04	14
15	·08		·07	·28					1·02	·05	·25	·01	15
16	·20	·01	·04	·02		·11			·38			·02	16
17	·07			·03	·13				1·17			·13	17
18			·04		·05			1·08	·30			·22	18
19	·13			·42		64		·04					19
20	·09	16		·35					·08			·02	20
21				·01			90	·02	·65			17	21
22	·07			·35					·07			·30	22
23	·02			·01			·32					·52	23
24	·02		·06				·23		·01			·06	24
25		·02	·01	·03					·05				25
26	·01		·11	·04		·12	·02						26
27	·28	·06		·20			·03				·41	·22	27
28	·52		·13	·06	10		·17				·04	·05	28
29	·50		·08	·08	·18		·02				·04	·37	29
30	·04	✕		·01		·08	·18		·30		·32	·15	30
31	·05	✕		✕	·04	✕			✕	·45	✕	·31	31
Total	3·80	·64	1·57	3·57	1·08	2·27	5·20	1·99	4·36	1·48	1·80	3·40	Year's Total 3116
Days with ·01 in. or more	21	12	15	23	13	9	18	10	14	8	9	23	175
4·04	17	5	13	16	11	9	14	5	12	7	8	19	136

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DL

RE

TENTERDEN
KENT
①
1911- 1920

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

1/2

Kept at Tenterden
in the County of Ken
by J. Ellis Mac

in.
Ground ft. in.
Sea Level ft.

Name
Distance Direction

IMPORTANT NOTE … daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·71				·12			·02	·02	1
2	·02				·24						·08	·20	2
3	·10	·02	·01	·01	·10						·06	·29	3
4	·08	·03	·06	·26						·25	·30	·20	4
5	·05	·02		·04						·19		·24	5
6	·17									·04		·35	6
7	·03		·01							·79	·53	·43	7
8	·08		·09							·01	·57	·21	8
9	·17		·08	·05							·37	·05	9
10				·12						·01	·01	·77	10
11	·58	·12	·02		·01						·91		11
12	·02		·71			·01				·01	·03	·01	12
13			·12		·34	·02			·52	·11	·05	·25	13
14		·05	·01		·05							·35	14
15		·02	·26								·13	·03	15
16						·36				·02	·33	·07	16
17											·16	·08	17
18		·11	·04								·93	·24	18
19		·01				·03			·07	·14	·14	·15	19
20	·02		·01	·01				·88	·15	·17		·63	20
21	·02	·11				·01		·09		·54		·23	21
22	·05	·03	·23			·05		·08		·51		·55	22
23		·18	·03			·71			·32	·47	·08	·10	23
24	·01	·12				·25	·08	·03		·33		·41	24
25		·02	·27	·10		·06				·02	·06		25
26			·27	·22		·26			·02	·29	·07	·21	26
27		·19	·08	·15					·12	·47		·06	27
28		·30		·13							·01		28
29				·07		·16	·07		·20	·35	·01		29
30	·01			·02		·01			·02	·27			30
31					·01								31
Total	1·51	1·33	2·30	1·89	·75	1·93	·15	1·20	1·42	4·99	4·85	6·13	TOTAL for year ✓ 28·45
No. of Rain Days	16	15	17	13	6	12	2	5	8	20	21	25	160 ✓

9,000, IX. '10.

1/2

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

RE

Kept at Tenterden

in the County of Kent

by J. Ellis Mace

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10			.71				.12			.02	.02	1
2	.02				.24						.08	.20	2
3	.10	.02	.01	.01	.10						.06	.29	3
4	.08	.03	.06	.26						.25	.30	.20	4
5	.05	.02		.04						.19		.24	5
6	.17									.04		.35	6
7	.03		.01							.79	.53	.43	7
8	.08		.09							.01	.57	.21	8
9	.17		.08	.05							.37	.05	9
10				.12						.01	.01	.77	10
11	.58	.12	.02		.01						.91		11
12	.02		.71			.01				.01	.03	.01	12
13			.12		.34	.02			.52	.11	.05	.25	13
14		.05	.01		.05							.35	14
15		.02	.26								.13	.03	15
16						.36				.02	.33	.07	16
17											.16	.08	17
18		.11	.04								.93	.24	18
19		.01				.03			.07	.14	.14	.15	19
20	.02		.01	.01				.88	.15	.17		.63	20
21	.02	.11				.01		.09		.54		.23	21
22	.05	.03	.23			.05		.08		.51		.55	22
23		.18	.03			.71			.32	.47	.08	.10	23
24	.01	.12				.25	.08	.03		.33		.41	24
25		.02	.27	.10		.06				.02	.06		25
26			.27	.22		.26			.02	.29	.07	.21	26
27		.19	.08	.15					.12	.47		.06	27
28		.30		.13							.01		28
29				.07		.16	.07		.20	.35	.01		29
30	.01			.02		.01			.02	.27			30
31					.01								31
Total	1.51	1.33	2.30	1.89	.75	1.93	.15	1.20	1.42	4.99	4.85	6.13	TOTAL for year ✓ 28.45
No. of Rain Days	16	15	17	13	6	12	2	5	8	20	21	25	160 ✓

9,000, IX. '10.

DL

FORM A2.
BRITISH RAINFALL.
22 JAN 1913

REGISTER OF RAINFALL IN 1912

Ex. HW

Kept at Tenterden

in the County of Kent 1

by J. Ellis Mace

Rain Gauge
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level 190 ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·11		·01	·46	·22		·08	·72		·15	1
2		·17	·14			·10	·11	·01		·01			2
3	·05	·02	·01			·26	·01	·16	·01		·03	·01	3
4	·20		·83		·09	·43		·08			·19		4
5	·10	·15	·12			·25		·43			·21	·01	5
6	·43	·12			·01			·99				·01	6
7	·02		·01		·12	·24		·46				·04	7
8	·34	·43	·25			·22	·02	·12				·01	8
9	·01	·01	·01	·02			·06	·05				·08	9
10		·03	·01					·21	·04		·14	·33	10
11	·02	·25			·01	·26		·05	·03			·15	11
12		·32			·01		·02	·32				·08	12
13		·02	·01								·24	·03	13
14			·04		·06			·02		·03	·02	·01	14
15		·02	·04		·10	·78		·01			·01	·25	15
16	·12	·01	·10			·01		·08		·05			16
17	·56		·44			·02		·04			·02	·04	17
18	·05		·29	·11			·06	·40		·03		·56	18
19	·02	·22	·22				·08	·35			·01		19
20	·01		·67			·01		·07		·92	·06		20
21	·01	·08	·14					·12		·35			21
22	·04	·36	·03			·01	·03	·07		·01			22
23	·44	·17	·34					·37	·02	·13	·17	·03	23
24	·16	·01						·06		·03		·12	24
25	·16	·01				·24		·85			·27	·44	25
26		·02				·02		·28		·28	·62	·58	26
27							·07			·15	·01	·31	27
28		·04					·06	·07	·02	·70	·36	·14	28
29				·01		·01	·09	·18	1·30	·17	·26		29
30					·05	·01		·25	1·67	·21	·01		30
31	·01		·02		·01		·19	·13		·09			31
Total	2·76	2·46	3·83	·14	·47	3·33	1·02	6·23	3·17	3·88	2·63	3·38	TOTAL for year 33·30
No. of Rain Days	20	20	21	3	10	17	13	28	8	16	17	21	194

9,000, IX. '10.

1/2

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Tenterden

in the County of Kent

by J. Ellis Mace

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·01	·33	·04	·10	·12	·05				·09	·07	·05	1
2	·01	·20					·17				·09		2
3			·04	·54	·20					·01		·13	3
4	·06		·04	·01			·06		·02	·08	·08		4
5	·25	·05	·02			·03	·10		·52	·13	·24	·02	5
6	·01	·01	·07	·01		·03	·41		·01	·42	·15	·03	6
7		·22	·04	·01		·03	·01			·31	·05		7
8		·01	·02		·13	·07			·01	·30	·05	·01	8
9		·04		·01	·13		·01	·09	·09		·02		9
10	·01			·03			·20				·61		10
11	·63			·40						·41	·03		11
12					·02					·01	·74	·01	12
13	·77		·01			·01			·07		·19		13
14	·15		·14	·06			·12	·04	·05	·10	·20		14
15	·08	·01	·30	·15			·11		·04				15
16	·44		·53	·24					·35				16
17	·05	·05	·02	·07			·23	·02				·05	17
18	·02		·12	·19			·01		·01		·08		18
19	·07		·15		·01	·12	·10	·05	·20				19
20	·69		·04	·15		·09				·50			20
21	·02		·03	·10	·07				·05	·70	·63		21
22	·24		·30				·10		·08	·01		·01	22
23			·04			·01		·01	·01			·62	23
24	·03							·08			·02		24
25				·23		·09							25
26			·17				·01	·05		·71		·22	26
27		·02	·05		·01					·16			27
28	·28		·34	·01				·01		·52			28
29	·25		·02	·39	·06			·08					29
30	·51		·06	·17	·09			·55		·07		·06	30
31			·07					·48		·04			31
Total	4·58	·94	2·66	2·87	·84	·53	1·64	1·46	1·51	4·57	3·25	1·21	YEAR'S TOTAL 26·06
Rain Days.	21	10	24	19	10	10	14	11	14	18	16	11	178

W. 7,500, XI. ·12

8L/ 1/2

FORM A. BRITISH RAINFALL.

21 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Tenterden

in the County of Kent

by J. E. Mace

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·05			·01	·06			·06	·20	1
2	·01						·19				·11	·25	2
3		·01	·15	·06	·19		·01	·01			·01	·01	3
4		·01	·01	·25	·03			·28			·39	·30	4
5	·12	·01	·08	·41	·01		·31	·02			·01		5
6		·02		·19	·02	·10		·04			·01	·51	6
7		·55	·21	·08		·31	·05					·21	7
8	·06	·23	·41	·02		·09	·09	·02				·14	8
9	·27		·79	·09		·02			·07			1·20	9
10		·02		·05	·09					·02		·06	10
11		·33	·29	·05	·08	·01			·21		·13	·39	11
12	·01	·05	·09		·03		·26		·29			·56	12
13	·05	·39	·23						·11	·06	·07	·50	13
14		·37	·23				·05			·50	·06	·25	14
15		·04	·33				·45	·01			1·12	·02	15
16		·20	·04				·03		·05				16
17		·16	·09						·25	·01		·09	17
18		·07	·06							·08	·01	·41	18
19		·16	·95				·27			·21	·22	·26	19
20		·14	·10			·01	·01			·07		·33	20
21		·95	·04					·32				·04	21
22	·01	·02	·03			·08	·28	·02		·20			22
23			·65		·29	·50	·01	·01		·01		·01	23
24			·01	·01	·01					·02	·14	·01	24
25	·09		·16		·04			·04		·31	·01		25
26	·02		·08					·45		·03	·10	·31	26
27	·01							·02		·02	·15	·65	27
28	·02	·01			·03					·55	·36	·33	28
29	·03		·06							1·23	·13	·01	29
30					·01					·11	1·37	·04	30
31	·01				·29		·01					·06	31
Total	·71	3·74	5·13	1·26	1·12	1·12	2·03	1·30	·98	3·43	4·46	7·15	YEAR'S TOTAL 32·43
Rain Days.	13	20	24	11	13	8	15	13	6	16	19	27	18

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Tenterden

in the County of Kent Snowden

by J. Ellis Mace

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·60	·06	·02					·15	·39		·10	·26	1
2	·34	·19	·20	·09	·01			·07	·03	·01	·01	·11	2
3	·33		·02	·21	·12			·24	·29			·53	3
4	·04							·13		·04	·01	·40	4
5	·03	·29		·05				·01		·01	·02	·48	5
6	·40	·22	·07	·54			·19					·15	6
7	·30	·26	·09	·02			·05					·39	7
8	·02	·40	·15				·07				·01		8
9	·01	·26		·02		·07		·01			·42	·79	9
10	·24					·08						·65	10
11		·06	·02							·02	·66		11
12	·05	·10		·24	·19					·04	·67		12
13	·05	·97		·02	1·55				·02				13
14	·07	·01					·27		·13	·01		·26	14
15	·19				·07		·36	·09			·57	·26	15
16	·03	·52		·07	·05		1·20	·12					16
17		·54			1·48		·01	·37				·22	17
18		·22			·17					·01	·01	·04	18
19							·02			·13			19
20	·19			·02				·10				·19	20
21	·10	·01								·13		·04	21
22	·01		·03				·70					·15	22
23	·02	·13	·08				·03			·04		·43	23
24			·11	·08			·07		·34	·17		·51	24
25			·01	·01			·23			·02		·23	25
26		·01				·07	·05				·01	·55	26
27		·02				·03	·06			·21		·01	27
28		·14	·01			·08			2·14	·33	·01		28
29					·01		·06	·26	·01	·04	·52	·02	29
30	·19	X				·38	·06		·04	·04	·33		30
31	·01	X		X		X		·01	X	·49	X	·27	31
Total	3·22	4·41	·81	1·37	3·65	·71	3·43	1·56	3·39	1·74	3·35	6·94	YEAR'S TOTAL 34·58
Rain Days.	21	19	12	12	9	6	16	12	9	17	14	23	170

W. 8,000. X. 14.

Old Gauge

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
8 JAN 1917

Kept at Tenterden

in the County of Kent

by J Ellis Man

Lat. 51.4'.15" N Long. 0.41'.30" E

Time of Observation 9 Ah

Nearest Railway Station Tenterden Town

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·02	–	–	·33	–	·01	–	·08	·02	·41	·01	1
2	·22	·06	·39	–	·11	–	–	–	–	·32	·01	–	2
3	·01	·50	·18	–	–	·01	·09	–	·02	·15	·42	–	3
4	·14	·07	–	–	–	·41	–	–	·03	·05	·49	·01	4
5	·01	·01	·01	·08	·05	·10	·16	–	–	·10	·65	–	5
6	·01	·10	S·08	·38	·05	·15	·21	–	F·01	·03	·29	–	6
7	·02	·02	S·65	D·01	·28	–	·08	–	–	·02	·27	·01	7
8	–	·01	–	–	·08	–	–	–	·01	–	·01	·30	8
9	·01	–	–	–	·29	–	–	–	–	–	·01	·24	9
10	–	·25	·01	·05	–	·28	·01	–	–	–	–	·68	10
11	·04	·33	·01	·09	–	·17	–	F·01	·02	–	–	·13	11
12	·03	·10	–	·07	·38	·11	·06	–	–	·10	F·01	·01	12
13	–	·19	·21	·03	·15	·26	·11	·01	–	·02	–	·09	13
14	–	·43	·03	·01	·07	–	–	·12	–	·04	–	·15	14
15	–	·13	·13	–	–	–	–	–	–	·01	–	·05	15
16	–	·01	·07	·17	–	–	·29	·02	–	–	–	F·01	16
17	·15	·08	·01	·11	–	–	·11	·05	·33	·85	–	·01	17
18	·04	·10	·01	·05	–	–	–	·06	·20	·50	·80	·02	18
19	·27	–	·03	·15	–	·06	–	–	·09	–	1·08	·08	19
20	·06	–	·13	·01	–	–	–	·01	–	–	·09	·51	20
21	·01	–	·25	·12	–	–	–	–	–	–	·03	·30	21
22	–	S·23	·14	·01	–	·02	–	–	–	·01	·01	·72	22
23	·01	S·38	S·15	D·01	–	·10	·02	·08	–	–	·05	·04	23
24	–	–	S·01	–	·03	–	–	–	–	·42	·12	·37	24
25	–	S·58	·09	–	–	–	–	1·31	–	·14	·03	–	25
26	·02	S·33	S·03	–	–	·42	–	·18	–	·23	·11	·02	26
27	·03	S·30	·62	–	–	·02	–	·01	·04	·58	D·01	F·01	27
28	–	[illegible] S·75	S·12	–	·05	–	–	·17	·06	·34	–	·12	28
29	–	·21	–	–	–	·30	F·01	·71	·02	·61	–	·37	29
30	–	✕	·02	–	–	·01	–	·16	–	·30	–	–	30
31	–	✕	–	✕	–	✕	–	–	✕	·10	✕	·02	31
99 Total	1·19	5·19	3·38	1·35	1·87	2·42	1·16	2·90	·91	4·94	4·90	4·28	YEAR'S TOTAL 34·49
Rain Days.	18	24	24	16	12	15	12	14	12	22	20	25	214

W. 8,000, VIII. 16

Dh

7a

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Tenterden

in the County of Kent

by J. Ellis Mace

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in

" " " " Sea Level ft

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·22				1·38			·07	·05	1
2	·01			·24				·15	·07	·04	·01		2
3				·11			·24	·66		·15	·01		3
4		·13	·25				·20	·03		·37			4
5	·22		07	·09					·10	·09	·01		5
6				·16		·04			·06	·01	·24	·02	6
7	·35						·31			·64		·07	7
8	·09			·14			·29	·09		·33	·33	·17	8
9	·01		·04	·08			·02				·01	1·03	9
10	·13		·11	·11		·01		·13					10
11	·20	·06	·23	·05				·06	·16	·42		·03	11
12	·07		·07	·04				·05		·16	·01		12
13	·02		·15		·02			·02	01	·27			13
14	·07		·01	·27	·03			·20	·03	·09			14
15	·02				·52			·53		·01		·03	15
16	·10	·02		·22	·23			·01		·13		·85	16
17		·01		·07	·53		·17		·19	·20		·10	17
18	·03	·04		·07	·04		·24	·10	·10				18
19		·09	·10			·03			·10				19
20		·21	·14		·79	·01	·12		·03		·03		20
21	·01		·01		·04	·03		·03		·01		·04	21
22			·15			·26		·07		·21		·03	22
23		·19	·01		·25			·09		·07		·03	23
24						·03	·03	·13		·14	·07	·05	24
25		·10	·03				·01				·01		25
26			·06			·01		·24	·02		·83		26
27						·06		1·66				·01	27
28			·06			1·00		·61				·03	28
29	·01	X				·11	·79	·04		·36		·11	29
30	·08	X	·09			·02	·56	·12		·15	·01	·04	30
31	·09	X	·10	X		X	·37		X	·03	X	·05	31
Total	1·51	·85	1·69	1·87	2·45	1·61	3·35	6·40	·87	3·88	1·64	2·74	YEAR'S TOTAL 28·86
Rain Days.	17	9	19	14	9	12	13	22	11	21	13	18	178

W. 8,000. X. 15.

81

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

22. 1. 19

Kept at Tenterden

in the County of Kent

by J. Ellis Mace

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03								·12	·06	1
2		·01		·02				·27			·49	·12	2
3		·01	·08	·12	·30			·01		·06	·42	·03	3
4		·03	·02		·10			·02	·22		·68		4
5		·14			·41			·08		·03		·05	5
6	·09	·09		·12	·28			·19	·08	·04	·05	·04	6
7	·07	·08		·01	·11	·01		·01	·86	·02			7
8		·04							·10		·07	·03	8
9	·02			·01		·08			·46	·27		·08	9
10				·14		·06	·12		·37	·04		·21	10
11					·04		·04		·40	·47	·07	·06	11
12		·07			·17		·16		·11	·19		·03	12
13	·13	·01			·12		·03		·03				13
14	·19		·01			·06	·17		·14	·30		·05	14
15	1·49			·14		·03				·01		·14	15
16	·30			·12			·17		·01				16
17	·19			·13		·01	·02	·03				·32	17
18	·24	·01				·22			·31			·05	18
19	·12		·09	·04		·31				·11		·05	19
20	·05	·09		·20		·03	·98		·29	·56		·05	20
21	·12			·03			·32		·08	·08	·01	·01	21
22	·09				·07		·13		·98		·01	·15	22
23	·06			·01	·04		·83		·04			·05	23
24		·21			·11	·04	·03		·13	·01	·03	·01	24
25							·08	·05				·01	25
26							·25	·02	·06	·03	·11	·10	26
27	·01	·05		·10			·26	·13	·11		·04	·07	27
28	·01	·05	·23		·01	·11		·10			·26	·03	28
29	·01	X		·04				·03	1·45		·03	·02	29
30	·01	X	·34						·03	·11		·20	30
31	·01	X	·01	X		X			X	·02	X	·06	31
Total	3·21	·89	·81	1·23	1·76	·96	3·59	·94	6·26	2·35	2·39	2·08	YEAR'S TOTAL 26·47
Rain Days.	19	14	8	15	12	11	15	12	21	17	14	27	185

W. 8,000, VIII. 16

Dh 286

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Tenterden

in the County of Kent

by J. Ellis Mace

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·08			·04		·12			·26	·04	·51	1
2	·17		·03		·13		·01			·03	·10	·34	2
3	·28		·44		·03		·13		·19		·03	·24	3
4	·26	·01	·27	—	·01	·03	·02	·04	·02		·21	·05	4
5	·04	·38	·70					·23			·08	·28	5
6	·10		·02							·01	·01	·01	6
7	·10		·39								·04	—	7
8	·32		·08									—	8
9	·31		·04	·13							·16		9
10	·84		·06	·02							·09	·01	10
11	·38		·10	·28	·03							·08	11
12	·12	·01	—				·38			·02	·02		12
13		·03	·01	·37						·01		·11	13
14	·44			·63			·25		·07	·01	—	·03	14
15	·21	·01	·01	·11						·12	·09	·10	15
16	·21	·53									·13	·06	16
17		·27	—	·03							·13	·03	17
18	·01	·06	·02					·04	·02		·04	·04	18
19		·13	·61		—		·07	·09	·02		·11	·01	19
20	·15	·08	·24	—		·39	·23	·13				·01	20
21		·50	·03			·04	·08				·01	·02	21
22		·04	·01				·19	—	·53		·04	·11	22
23						·01	·07		·45		·03	·02	23
24		·01		·23			·01	·04			·17	·07	24
25	·04				·22			·26					25
26	·03	·15	·09	·16			·10	·04	·05		·02	·39	26
27	·38	·01	·10	·89				·17		—	·10	·01	27
28	·01		·26	·20			·03	·95			·38	·28	28
29	·09		—	·11	—			·73		·23	·07	·13	29
30		X		·17	—		—	·79		·11	·13	·43	30
31	·14	X		X		X	·02	·01	X	·37	X	·01	31
Total	4·93	2·30	3·51	3·33	·46	·47	1·71	3·52	1·35	1·17	2·23	3·38	YEAR'S TOTAL 28·36
Rain Days.	23	16	20	13	6	4	15	13	8	10	24	26	178
Days with ·04 in.	20	10	13	11	3	2	10	12	5	5	18	16	125

W. 8,000, IX. 17.

267

F A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Tenterden, View Tower

in the County of Kent

by J. E. Mace

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	~~in.~~	
1	·04	–	–	·35	·01	–	·06	–	–	·53	–	·34	1
2	–	–	·21	–	·01	–	–	·45	·04	·09	–	·12	2
3	–	·10	·01	–	–	·03	–	–	·01	–	–	·06	3
4	–	–	–	·04	–	–	·51	·07	–	–	–	·14	4
5	–	–	–	–	·02	–	·42	·05	·03	–	–	·24	5
6	–	–	·13	–	·12	–	·17	–	–	–	–	–	6
7	·04	·01	–	·05	·05	–	·09	–	–	·01	–	·04	7
8	–	·01	–	·07	·03	–	·30	–	–	·01	–	·01	8
9	·28	–	–	·01	·07	–	·04	–	–	–	–	–	9
10	·55	·09	·05	·20	–	·01	–	–	–	–	·03	·01	10
11	·41	–	·05	·13	–	·03	·13	–	–	–	–	·09	11
12	·08	·05	·01	·12	·02	·62	·11	–	–	–	–	·01	12
13	·23	·04	·16	·01	–	–	–	–	·01	·01	·05	–	13
14	–	·01	·32	·40	–	·03	–	–	·03	·06	·33	–	14
15	·02	·01	·01	·06	–	–	–	–	·78	·56	·15	·07	15
16	·01	–	·01	·07	·10	·07	–	–	·43	–	–	·20	16
17	–	·01	–	·03	·13	–	·01	–	·64	–	·01	·02	17
18	·09	–	·01	–	·11	–	–	·99	·15	–	–	·06	18
19	·12	–	–	·27	–	–	–	·02	·08	–	–	·02	19
20	·05	·18	–	·06	–	·62	–	–	·75	–	–	–	20
21	–	–	–	–	–	–	·37	–	·05	–	–	·27	21
22	·01	·01	–	·21	–	–	·02	–	·08	–	–	·28	22
23	·01	·01	–	–	–	–	·62	–	·01	–	–	·32	23
24	·02	·01	·04	–	–	–	·02	–	·03	·01	–	·09	24
25	–	–	·01	·01	–	–	·17	–	·01	–	·01	·01	25
26	·04	–	·07	·04	–	–	·25	–	–	–	·01	·02	26
27	·32	·05	·01	·08	–	·03	·15	–	–	–	·10	·25	27
28	·31	–	·01	·19	·27	–	·04	–	–	–	·34	·03	28
29	·52	–	·03	·08	·01	·03	–	–	–	–	·07	·12	29
30	·02	╳	–	–	–	·01	·02	–	·19	–	·28	·10	30
31	·02	╳	–	╳	–	╳	–	–	╳	·12	╳	·33	31
99 TOTAL	3·19	·59	1·14	2·48	·95	1·48	3·50	1·58	3·32	1·40	1·38	3.25	YEAR'S TOTAL 24·26
Days with ·01 in. or more	21	14	17	21	13	10	19	5	17	9	11	26	183
·04	14	6	8	17	7	3	15	4	10	5	7	18	114

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Sa

TENTERDEN
KENT
②
1911 - 1920

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

9 11

Kept at Tent

in the County of Ke

by J Ellis M

p 8 in.

bove Ground 1 ft. 5 in.

„ Sea Level 190 ft.

9 Am

Name Tenterden Town

Distance 1250 ft Direction WSW

IMPORTANT NO daily at 9 a.m., and the result entered to the previous day. If an O prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10			S ·73				·12			·02	·02	1
2	S ·02				·25						·08	·21	2
3	·11	·02	·01		·10						·05	·29	3
4	·09	·03	·06	S ·26						·25	·28	·21	4
5	·06	·02		S ·04						·20		·25	5
6	·17									·04		·35	6
7	·03									·78	·53	·42	7
8	·08		·09							·01	·58	·21	8
9	·17		·08	·04							·37	·05	9
10				·13						·01	·01	·78	10
11	·61	·12	·02	·01	·01					D ·01	·93		11
12	·03		Hail S ·77			·01				·01	·03	·01	12
13			S ·11		·35	·02			·52	·11	·05	·25	13
14		·05	·01		·05							·37	14
15		·02	Hail S ·24								·13	·03	15
16						·36				·02	·33	·08	16
17											·16	·08	17
18		·10	·04								·92	·25	18
19		·01				·03			·08	·14	·13	·15	19
20	·02		·01	·01				·88	·15	·17		·63	20
21	·02	·10				·01		·09		·54		·22	21
22	·05	·02	·23			·05		·08		·48		·55	22
23		·18	·03			·71			·32	·48	·08	·11	23
24	·01	·12				·25	·08	·04		·34		·41	24
25		·02	S ·30	·10		·05				·02	S ·07		25
26			·28	·22		·25			·02	·30	Hail S ·07	·21	26
27		·20	·08	·14						·47		·06	27
28		·32		·14					·12	·01	·01		28
29				·07		·16	·08		·20	·36	Fog ·01		29
30	·01			·02		·01			·01	·27			30
31					·01			D ·01					31
Total	1.58	1.33	2.36	1.91	·77	1.91	·16	1.22	1.42	5·02	4·84	6·20	TOTAL for year 28.72
No. of Rain Days.	16	15	16	13	6	12	2	6	8	22	21	25	162

W. 8,000, X. '11.

Sa

9 11

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Tenterden

in the County of Kent

by J Ellis Mace

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 190 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Tenterden Town
Distance 1250 ft Direction W.S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10			S ·73				·12			·02	·02	1
2	S ·02				·25						·08	·21	2
3	·11	·02	·01		·10						·05	·29	3
4	·09	·03	·06	S ·26						·25	·28	·21	4
5	·06	·02		S ·04						·20		·25	5
6	·17									·04		·35	6
7	·03									·78	·53	·42	7
8	·08		·09							·01	·58	·21	8
9	·17		·08	·04							·37	·05	9
10				·13						·01	·01	·78	10
11	·61	·12	·02	·01	·01					D ·01	·93		11
12	·03		Part S ·77			·01				·01	·03	·01	12
13			S ·11		·35	·02			·52	·11	·05	·25	13
14		·05	·01		·05							·37	14
15		·02	Part S ·24								·13	·03	15
16						·36				·02	·33	·08	16
17											·16	·08	17
18		·10	·04								·92	·25	18
19		·01				·03			·08	·14	·13	·15	19
20	·02		·01	·01				·88	·15	·17		·63	20
21	·02	·10				·01		·09		·54		·22	21
22	·05	·02	·23			·05		·08		·48		·55	22
23		·18	·03			·71			·32	·48	·08	·11	23
24	·01	·12				·25	·08	·04		·34		·41	24
25		·02	S ·30	·10		·05				·02	S ·07		25
26			·28	·22		·25			·02	·30	Part S ·07	·21	26
27		·20	·08	·14						·47		·06	27
28		·32		·14					·12	·01	·01		28
29				·07		·16	·08		·20	·36	Fog ·01		29
30	·01			·02		·01			·01	·27			30
31					·01			D ·01					31
Total	1.58	1.33	2.36	1.91	·77	1.91	·16	1.22	1.42	5.02	4.84	6.20	TOTAL for year 28.72 ✓
No. of Rain Days.	16	15	16	13	6	12	2	6	8	22	21	25	162 ✓

Old Gauge **REGISTER OF RAINFALL IN 1912**

FORM A.
BRITISH RAINFALL.

Kept at Tenterden
in the County of Kent
by J Ellis Mace

Lat. 51.4′.15″ N Long. 0.41′.30″ E
Time of Observation 9 Am
Nearest Railway Station Tenterden Town
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·11			·48	·24		·08	·73		·16	1
2		S ·19	·14			·11	·12	·01		·01			2
3	·05	S ·02	·01			·27	·02	·16	·01		·03	·01	3
4	·20		·79		·10	·46		·08			·19		4
5	·11	part S ·15	·12			·24		·44			·21	·01	5
6	·43	·12			·01			·98				·01	6
7	·03		·01		·12	·27		·47				·04	7
8	·35	·43	·25			·23	·02	·13		D ·01		·01	8
9	·02	·01	·01	·02			·06	·05			·01	·08	9
10		·03	Fog ·01					·23	·04	D ·01	·13	·34	10
11	·02	·26			·01	·27		·05	·04	D ·01		·16	11
12		·33			·01		·02	·34				·08	12
13		·02	·01							D ·01	·23	·04	13
14			·04		·06			·02	D ·01	·03	·03	D ·01	14
15		·03	·04		·10	·77		·01		D ·01	·01	·23	15
16	·13	·01	·11	·01		·01		·09		·05		D ·01	16
17	·58		·45			·03		·04			·02	·04	17
18	·05		·30	·11		D ·01	·07	·40		·03		·54	18
19	·02	·23	·22				·08	·35					19
20	Fog ·01		·68			·01		·07		·92	·01	D ·01	20
21	F ·01	·08	·14					·13		·35	·06		21
22	·04	·38	·04			·01	·03	·07	D ·01	·01		·01	22
23	·44	·17	·34					·37	·02	·13	·17	·03	23
24	·16	·01						·06		·03		·12	24
25	·16	·01				·27		·85			·27	·45	25
26		·03				·02		·28		·29	·61	·57	26
27							·07			·15	D ·01	·31	27
28		·04					·06	·07	·03	·70	·37	·15	28
29				·01		·01	·09	·18	1·30	·18	·27		29
30					·05	·01		·26	1·68	·21	·01		30
31	S ·01		·02		·01		·20	·13		·09		D ·01	31
Total	2·83	2·55	3·84	·15	·47	3·48	1·08	6·32	3·22	3·96	2·64	3·43	YEAR'S TOTAL 33·97
Rain Days.	20	20	21	4	9	18	13	28	10	21	18	25	207

W. 7,500, XI. 12

50th Year

Ba 7 h

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

6- JAN 1914

Kept at Tenterden

in the County of Kent

by J Ellis Mace

Lat. 51.4'.15" N Long. 0.41'.30" E

Time of Observation 9 a.m.

Nearest Railway Station Tenterden Town

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·33	·04	·10	·12	·06				·10	·08	·05	1
2	·01	·20					·17			·01	·09		2
3			·04	·55	·22					·02		·13	3
4	·06		·04	·01			·08		·02	·08	·08		4
5	·26	·05	·02			·03	·11		·53	·13	·25	·02	5
6	·01	·01	·07	·01	·01	·04	·41		·01	·43	·15	·04	6
7		·23	·04	·01		·04	·02			·32	·05		7
8	·01	·01	S ·02		·13	·07	·01		·01	·30	·05	·01	8
9	·01	·05		·01	·13		·20	·10	·10		·02		9
10	·01			·03							·61		10
11	·64	Fg ·01		·40					·01	·41	·03		11
12			D ·01		·02				·01	Fog ·01	·75	·01	12
13	·78		·01			·01		·04	·07		·19	·01	13
14	·15		·14	·06			·12		·05	·11	·20		14
15	·08	·02	·28	·16			·11		·04				15
16	·45		·53	·25					·36				16
17	·06	S ·05	·02	·07			·23	·02				·05	17
18	·02		·13	·20			·01		·01		·08		18
19	·07		·14		·01	·12	·10	·06	·20	Dew ·01			19
20	·68		·04	·16		·09				·50	·01		20
21	·02		·03	·10	·08				·05	·70	·64		21
22	·25		·30				·10		·08	·01	D ·01	·01	22
23			·04			·02		·01	·01			·63	23
24	·03			·01	F ·01			·09	·01	D ·01	·03		24
25				·24		·09	·01			F ·01			25
26	D ·01		·18				·01	·05	D ·01	·70		·20	26
27		·02	·06		·02				D ·01	·17			27
28	·28		·35	·02				·02	D ·01	·52			28
29	·25		·02	·39	·06			·09	D ·01				29
30	·52		·06	·17	·09			·55	D ·01	·07		S ·07	30
31			·07					·47		·05		·01	31
Total	4.67	·98	2.68	2.95	·90	·57	1.69	1.50	1.62	4.67	3.32	1.24	YEAR'S TOTAL 26.79
Rain Days.	24	11	25	20	12	10	15	11	22	22	18	13	203

W.7,000, XI. 13

Ex LWC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Tenterden

in the County of Kent

by J Ellisman

Lat. 51.4'.65" N Long. 0.41'.30" E

Time of Observation 9 AM

Nearest Railway Station Tenterden Town

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05	·05			·01	·06			·06	·21	1
2	·01	D ·01		·01			·19		D ·01	·01	·11	·25	2
3		D ·01	·14	·05	·19		·01	·01			·01	·01	3
4		D ·01	·01	·25	·03			·29			·40	·29	4
5	·12	D ·01	·08	·40			·31	·03			·01		5
6		·02		·19	·02	·11	·01	·05			·01	·50	6
7		·57	·21	·08		·31	·06					·22	7
8	·06	·25	·40	·02		·09	·09	·02				·14	8
9	·27		·81	·10	~~·09~~	·02		·01	·07			1.20	9
10		·02		·06	·09				·01	·02		·06	10
11		·33	·29	·06	·08	·02			·22		·12	·41	11
12	S ·01	·05	·10		·03		·25		·29	·01		·57	12
13	S ·05	·41	·24						·11	·06	·07	·52	13
14		·39	·23				·05			·51	·06	·25	14
15		·04	·33				·44	·03			1.12	·03	15
16		·21	·03				·03		·05				16
17		·17	·09						·26	·02		·10	17
18		·07	·06							·09	·01	·42	18
19		·16	·95			Fog ·01	·28			·21	S ·23	·26	19
20		·15	·10			·01	·01			·07		·34	20
21		·98	·04					·32				·04	21
22	D ·01	·03	·04			·07	·28	·02		·20			22
23		D ·01	·66		·29	·49	·01	·01		·01		·01	23
24			·02	·01	·01					·03	·14	·01	24
25	·09		·17		·04			·05	D ·01	·32	·01		25
26	·02		·08		[illegible]			·44		·03	·11	·31	26
27	·02							·02		·02	·15	·67	27
28	·02	·01			·03					·55	·37	·33	28
29	·04		[illegible]							1.24	·15	·01	29
30		X	·06		·01	D ·01			D ·01	·11	1.37	·04	30
31	·01	X		X	·29	X	·01		X		X	·07	31
Total	·73	3.91	5.19	1.28	1.11	1.14	2.04	1.36	1.04	3.51	4.51	7.27	YEAR'S TOTAL 33.09
Rain Days.	13	22	24	12	12	10	16	14	10	18	19	27	197

W. 8,000. X. 14.

327

FORM A.
BRITISH RAINFALL.
18 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Tenterden

in the County of Kent

by J Ellis Mace

Lat. 51.4'.15" N Long. 0.41'.30" E
Time of Observation 9 Am
Nearest Railway Station Tenterden Town
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·06	·02					·15	·39		·11	·27	1
2	·34	·20	·20	·10	·01			·08	·03	·01	·01	·12	2
3	·34		·02	·21	·13			·23	·30		·01	·53	3
4	·04							·13		·05	·01	·40	4
5	·03	·30		·05				·02		·01	·03	·49	5
6	·40	·22	·07	·56			·20					·15	6
7	·28	·27	S ·11	·02			·05					·40	7
8	·02	·42	S ·17				·07				·01		8
9	·01	·27		·02		·07		·01	D ·01		·42	·81	9
10	·24					·09			D ·01	·01		·64	10
11		·06	·02							·02	·69		11
12	·05	·11		·23	·20					·04	·68		12
13	·06	·99		·02	1.54				·02				13
14	·06	·01					·27		·13	·01		·27	14
15	·18	·53			·06		·35	·09			part S ·60	·26	15
16	·04			·07	·05		1.21	·12			S ·01		16
17		·56			1.51		·01	·37				·23	17
18		·22			·19					·01	·01	·04	18
19		·01					·01			·14			19
20	·19			·02				·10				·19	20
21	·10	·01								·13		·04	21
22	·01		·03				·71					·16	22
23	·03	S ·12	·08				·03			·04		·43	23
24			·11	·09			·06		·34	·17		·51	24
25			·02	·02			·23		D ·01	·02		·23	25
26		·01				·07	·05			D ·01	S ·02	·56	26
27		·02				·03	·06			·21		·01	27
28		part S ·13				·08			2.15	·33	·01		28
29					·01		·06	·27	·01	·04	·52	·02	29
30	·19	X				·36	·06		·05	·04	·33		30
31	·01	X		X		X		·01	X	·50	X	·28	31
Total	3.22	4.52	·85	1.41	3.70	·70	3.43	1.58	3.45	1.79	3.47	7.04	YEAR'S TOTAL 35.16
Rain Days.	21 ✓	20 ✓	11 ✓	12 ✓	9 8 ✓	6 ✓	16 ✓	12 ✓	12 ✓	19 ✓	16 ✓	23 ✓	178 ✓ 177

W. 8,000. X. 15.

82 ✓ 314

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. JAN 1917

Kept at Tenterden

in the County of ~~Surrey~~ Kent

by J. Ellis Mace

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10	.02			.31				.08	.02	.41	.01	1
2	.22	.06	.38		.10					.31	.01		2
3		.49	.17			.01	.09		.02	.15	.42		3
4	.14	.07				.39			.02	.05	.48		4
5	.01			.07	.05	.11	.15			.09	.66		5
6	.01	.09	.07	.39	.04	.14	.20			.03	.29		6
7	.02	.02	.62		.28		.07			.02	.27	.01	7
8		.01			.08							.29	8
9	.01				.29							.23	9
10		.23	.01	.05		.28	.01					.68	10
11	.04	.33	.01	.10		.17			.02			.13	11
12	.03	.10		.08	.38	.10	.06			.10	.01		12
13		.19	.21	.03	.15	.27	.11	.01		.02		.09	13
14		.42	.03	.01	.07			.12		.04		.15	14
15		.13	.13							.01		.05	15
16		.01	.07	.16			.29	.01					16
17	.15	.08	.01	.11			.11	.05	.34	.86			17
18	.03	.11	.01	.05				.06	.20	.50	.80	.02	18
19	.26		.03	.16		.05			.09		1.08	.08	19
20	.06		.12	.01				.01			.09	.49	20
21	.01		.24	.11							.03	.30	21
22		.18	.12	.01		.01				.01	.01	.70	22
23	.01	.32	.15			.09	.02	.08			.04	.04	23
24			.01		.02					.41	.12	.36	24
25		.51	.09					1.32		.13	.03		25
26	.02	.30	.03			.42		.17		.22	.12	.02	26
27	.03	.28	.62			.02		.01	.03	.59		.01	27
28		.75	.12		.05			.16	.06	.33		.12	28
29		.20				.29		.71	.03	.60		.39	29
30		X	.02			.01		.16		.32			30
31		X		X		X			X	.10	X	.02	31
Total	1.15	4.90	3.27	1.34	1.82	2.36	1.11	2.87	.89	4.91	4.87	4.19	YEAR'S TOTAL 33.68
Rain Days.	17	23	23	14	12	15	10	13	10	22	17	21	197

W. 8,000. X. 15.

305

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Old Gauge

Kept at Tenterden

in the County of Kent

by J Ellis Mace

Lat. 51.4'.15" N Long. 0.41'.30" E

Time of Observation 9 AM

Nearest Railway Station Tenterden Town

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March. ~~·07~~	April. ~~5·25~~	May.	June.	July.	Aug. ~~1·34~~	Sept. ~~·07~~	Oct.	Nov. ~~·07~~	Dec.	Date.
1			·01	S·23				1.34	·07		·07	·05	1
2	·01			part S·25				·15		·05	·01		2
3				S·11			·25	·64	D·01	·14	·01		3
4		S·13	S·27				·20	·03	D·01	·37			4
5	·22		·07	·09					·10	·10	·01		5
6				part S·18		·04		F·01	·06	·01	·24	·03	6
7	·36						·32			·65		·07	7
8	·09			·13			·29	·10	F·01	·33	·33	·18	8
9	·01		S·04	S·07			·03				·01	1.07	9
10	·13		·11	·12		·01		·14		D·01		·01	10
11	·21	S·07	·24	part S·06				·06	·15	·43		·03	11
12	·06		·08	S·03				·05		·16	F·01		12
13	·02		·15		·02			·02	·01	·27			13
14	·07		·01	·27	·03			·20	·03	·09	·01		14
15	·02				·52			·53		·01		·03	15
16	·11	·02		part H·19	·23			·01		·14		part S·87	16
17		·01		·07	·52		·17		·19	·21		S·11	17
18	·04	·04		·07	·04	~~·03~~	F·25	·11	·11	D·01			18
19		·10	·10		·01	·03	D·01		·10				19
20		·21	·15		·80	·01	·12		·03		·03		20
21			S·01		·04	·03		·03	D·01	·01		·05	21
22			S·17			·26		·07		·21		S·03	22
23		·19	S·01	D·01	·25			·10		·07		·03	23
24						·03	·03	·13		·15	·06	·05	24
25		·10	·03				·91				·01	D·01	25
26		D·01	·07			·01		·25	·02				26
27						·06		1.65			·82	S·01	27
28			·06			1.01		·60				·03	28
29	S·01		·01		·01	·13	·76	·04		·37		·11	29
30	S·09		·09			·02	·55	·13		·16	·01	·04	30
31	·09		·10				·37			·03		S·05	31
Total	1.54	·88	1.78	1.88	2.47	1.64	3.36	6.39	·91	3.98	1.63	2.86	YEAR'S TOTAL 29.32
Rain Days.	16	10	20	15	11	12	14	23	15	23	14	20	193

W. 8,000, IX. 17.

Exd. E.F.B.

5

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

17.1.19

Kept at Tenterden

in the County of Kent

by J Ellis Mace

Lat. 51.4'.15" N Long. 0.41'.30" E

Time of Observation 9 Am

Nearest Railway Station Tenterden Town

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03								·13	·06	1
2		·01		·03				·28			·49	·13	2
3	D ·01	·01	·09	·12	·30			·02		·06	·43	·03	3
4		·03	·02	·01	·10			·02	·22		·68		4
5		·14		F ·01	·42			·09		·04		·05	5
6	·09	·09		·12	·29			·20	·09	·04	·06	·04	6
7	S ·06	·09		·01	·12	·01		·01	·85	·02		D ·01	7
8		·04	D ·01						·10		·07	·04	8
9	S ·02			F ·01		·08			·47	·28		·08	9
10				·14		·07	·13		·38	·05		·22	10
11					·05		·04		·39	·46	·07	·06	11
12		·07			·17		·18		·11	·19		·03	12
13	S ·13	·01			·12	·01	·03		·04				13
14	·20		·01			·06	·18		·14	·30	D ·01	·05	14
15	1.46			·14		·03			D ·01	·01	D ·01	·14	15
16	S ·31			·12			·17		·01				16
17	part S ·20			·13			·02	·03				·33	17
18	·25	D ·01				·23			·32	D ·01		·06	18
19	·13		·09	·04		·31				·12		·04	19
20	·05	·09		·21		·03	·98		·29	·57	D ·01	·05	20
21	·12			·03			·33		·09	·08	D ·01	·01	21
22	·09		D ·01		·08		·14		·98		D ·01	·15	22
23	·06			·02	·04		·85		·05			·05	23
24		·22			·12	·04	·03		·14	·01	·03	·01	24
25						·01	·09	·06			·01	·01	25
26							·26	·03	·07	·03	·11	·11	26
27	F ·01	·05		·10			·26	·13	·11		·04	·07	27
28	D ·01	part S ·06	·24		·01	·12		·10		·01	·25	·03	28
29	F ·01			·04				·03	1.43	D ·01	·03	·02	29
30	·01	X	·35						·03	·11	·01	·20	30
31	F ·01	X	·01	X		X			X	·02	X	·07	31
Total	3.23 ✓	·92 ✓	·86 ✓	1.28 ✓	1.82 ✓	1.00 ✓	3.69 ✓	1.00 ✓	6.32 ✓	2.42 ✓	2.46 ✓	2.15 ✓	YEAR'S TOTAL 27.15 ✓
Rain Days.	20 ✓	14 ✓	10 ✓	17 ✓	12 ✓	12 ✓	15 ✓	12 ✓	22 ✓	20 ✓	19 ✓	28 ✓	201 ✓

W, 6,500, VII. 18. W W C

Old Gauge

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

15 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Tenterden

in the County of Kent

by J Ellis Mace

Lat. 51. 4' 15" N Long. 0. 41' 30" E

Time of Observation 9 A.M.

Nearest Railway Station Tenterden Town

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31	S·08			·04		·12		D·01	·26	·04	·51	1
2	·17		·04		·13		·02			·03	·10	·34	2
3	·29		·45		·03		·13		·19	D·01	·04	·23	3
4	·26	·01	·27		·01	·04	·02	·04	·02		·21	·05	4
5	·04	S·41	·72					·23			·09	·28	5
6	·11		·02						D·01	·01	·01	·01	6
7	·11		·41								·04		7
8	·33		·08						D·01			·01	8
9	·31		·05	·13					D·01		·16		9
10	·84		·06	·02							S·10	·01	10
11	·38		·10	·28	·03						D·01	·08	11
12	·13	D·01			·01		·38			·02	S·02		12
13		·03	·01	·37						·02		·11	13
14	·46			·63			·25		·07	·02		·03	14
15	·22	·01	·01	·11						·11	S·09	·11	15
16	·21	·54									·13	·06	16
17	D·01	·28	[illegible]	·03							·13	·03	17
18	D·01	·08	·02					·04	·02		·04	·04	18
19		·13	·63				·07	·09	·03		·12	·01	19
20	·16	·08	·25			·39	·23	·13	·01	D·01		·01	20
21		·52	S·04			·04	·08			D·01	·02	·02	21
22		·04	S·01				·18		·54		·04	·11	22
23						·01	·07		·44		·03	·02	23
24		·01		·24			·01	·05			·17	·07	24
25	·05				·23			·27			D·01	D·01	25
26	·04	·15	·08	·14			·11	·04	·05		·02	·41	26
27	part S·38	·01	·09	·91				·18			part S·11	·01	27
28	·01		S·27	·21			·03	·96			·39	·29	28
29	·09			·12				·69		·23	·08	·13	29
30	S·01			·17				·79		·12	·13	·45	30
31	S·15						·02	·01		·37		·01	31
Total	5·08	2.39	3.61	3·36	·48	·48	1.72	3·52	1.41	1.22	2.33	3.45	Year's Total 29.05 ✓
Days with ·01 in. or more	25	16	20	13	7	4	15	13	13	13	26	28	193 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Old Gauge

266

M A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Tenterden

in the County of Kent

by Ellis Mace

Lat 51.4'.15" N Long 0.41'30" E
Time of Observation 9 A.M.
Nearest Railway Station Tenterden Town
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·35	·01		·06			·54		·35	1
2			·21	·01	·01			·45	·05	·10	D·01	·12	2
3			·01			·03			·01			·06	3
4		·10		·04			·50	·08			D·01	·15	4
5					·02		·41	·05	·02			·25	5
6		D·01	·13		·12		·17						6
7	·05	·01		·05	·06		·09			·01		·04	7
8		D·01		·07	·03		·30			F·01		F·01	8
9	·28			·01	·07		·04					·01	9
10	·54	·09	·05	·20		·01	·04				·03	·01	10
11	·40		·05	·14		·03	·13			F·01		S·10	11
12	·08	·05	·01	·13	·02	·61	·11					S·01	12
13	·23	·04	·16	·01					·01	F·01	·06		13
14		·01	·34	·42		·03			·03	·06	·34		14
15	·02	·01	·01	·06					·79	·55	·14	S·07	15
16	·01		·01	·07	·10	·07			·44			S·22	16
17		D·01		·03	·14		·01		·63		D·01	·02	17
18	·09	D·01	·01		·12			·98	·15			·06	18
19	·13			·27				·02	·08			·02	19
20	·05	·19	F·01	·07		·62			·76		D·01		20
21		·01					·37		·05			·28	21
22	·01	F·01		·21					·08			·28	22
23	·01	D·01		D·01			·58		·01			·32	23
24	·02	D·01	·04				·01	~~D·01~~	·03	D·01		·08	24
25			·01	·01			·17		·01		·01	D·01	25
26	·04		·08	·04			·25			D·01	·01	·02	26
27	·34	·05	·01	·09		·04	·16			D·01	·10	·26	27
28	·32		·01	·18	·28		·04			D·01	·35	·03	28
29	·55		·03	·08	·01	·03			F·01		·07	·12	29
30	·02		D·01			·01	·03		·20		·29	·10	30
31	·02									·12		·35	31
													YEAR'S TOTAL
TOTAL	3.26	·63	1.19	2.55	·99	1.48	3.47	1.59	3.36	1.45	1.44	3.35	24.76
Days with ·01 in. or more	21	17	19	23	13	10	19	6	18	13	14	27	200
Days with ·04 in. or more	14	6	8	17	7	4	16	4	10	5	7	18	116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

RI 1

Bambra ordinary type

Kept at Newgards 5 in.

Ground 1 ft. 5 in.

in the County of Ke Sea Level 30 ft. T

a.m.

by I. F. Howry Name Teynham

Distance 3/16 mile Direction ENE

TEYNHAM

{NEW GARDENS}

KENT

1911-17, 19-20

IMPORTANT NO the result entered to the previous day. If an O versal rule, he is earnestly requested to add the re year in the space provided for it at the end of th ement of rain, the selection and plac British Rainfall Organization are given application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03			.52			.01	.07			.02		1
2	.03		.02	.01									2
3	.18	.01								.01	.11	.03	3
4	.05	.02	.04	.28	.07				.02	1.31	.20	.09	4
5	.04			.10								.39	5
6	.19			.01						.08	.01	.06	6
7	.01		.04									.45	7
8	.09		.08							.70	.20	.08	8
9	.12		.02	.02							.42	.91	9
10	–	.06	.01	.10							.17		10
11	.25	—	.01								.68	–	11
12	.04		.56			.03					.10	.01	12
13	–		.05			.03			.46	.26	.02	.19	13
14	–	.10	.02		.30							.29	14
15	–	.03	.28		.31						.04	.02	15
16	–		.02			.23					.39	.06	16
17	–										.92	.01	17
18	–	.15	.02								.29	.26	18
19	–		.02			.03			.08	.04	.12	.42	19
20	.02							.34	.04	.20	.01	.24	20
21	.02	.03						.69		.57		.16	21
22	.03		.21			.01		.43		.23		.39	22
23	–	.17	.16			1.30			.16	.14	.04	.10	23
24	–	.05				.06	.17			.35		.26	24
25	–	.03	.31			.15		.08	.02	.10	.06	.01	25
26	–		.21			.05				.06	.05	.19	26
27	–	.13	.03	.22					.16	.41		.03	27
28	–	.10		.05									28
29	–		.01	.14		.10	.15		.15	.15			29
30	–			.07	.02					.14	.01		30
31	–		.01		.06								31
Total	1.10	.88	2.13	1.52	.76	1.99	.33	1.61	1.09	4.75	3.86	4.65	TOTAL for year 24.67
No. of Rain Days.	14	12	.21	11	5	10	3	5	8	16	20	23	148

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Newgardens Teynham

in the County of Kent 3

by I. F. Honeyball

RAIN GAUGE
Pattern Negretti & Zambra ordinary type
Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 30 ft. T

Time of Observation 9 a.m.

Nearest Railway Station
Name Teynham
Distance 3/16 mile Direction ENE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03			.52			.01	.07			.02		1
2	.03		.02	.01									2
3	.18	.01								.01	.11	.03	3
4	.05	.02	.04	.28	.07				.02	1.31	.20	.09	4
5	.04			.10								.39	5
6	.19			.01						.08	.01	.06	6
7	.01		.04									.45	7
8	.09		.08							.70	.20	.08	8
9	.12		.02	.02							.42	.91	9
10	–	.06	.01	.10							.17		10
11	.25		.01								.68		11
12	.04		.56			.03					.10	.01	12
13	–		.05			.03			.46	.26	.02	.19	13
14	–	.10	.02		.30							.29	14
15	–	.03	.28		.31						.04	.02	15
16	–		.02			.23					.39	.06	16
17	–										.92	.01	17
18	–	.15	.02								.29	.26	18
19	–		.02			.03			.08	.04	.12	.42	19
20	.02							.34	.04	.20	.01	.24	20
21	.02	.03						.69		.57		.16	21
22	.03		.21			.01		.43		.23		.39	22
23	–	.17	.16			1.30			.16	.14	.04	.10	23
24	–	.05				.06	.17			.35		.26	24
25	–	.03	.31			.15		.08	.02	.10	.06	.01	25
26	–		.21			.05				.06	.05	.19	26
27	–	.13	.03	.22					.16	.41		.03	27
28	–	.10		.05									28
29	–		.01	.14		.10	.15		.15	.15			29
30	–			.07	.02					.14	.01		30
31	–		.01		.06								31
Total	1.10	.88	2.13	1.52	.76	1.99	.33	1.61	1.09	4.75	3.86	4.65	TOTAL for year 24.67
No. of Rain Days.	14	12	21	11	5	10	3	5	8	16	20	23	148

W. 8,000, X. '11.

Sox. Heb

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

14 FEB 1913

Kept at Teynham

in the County of Kent 3

by J. F. Honeyball

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 30 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Teynham
Distance 3/16 mile Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.04			0.21	.18		.04	.60		.17	1
2		.06	.22				.11	.02	.01	.12			2
3	.06	.09	.01		.06	.26		.13				.02	3
4	.22		.74		.14	.36		.08			.19		4
5	.31	.05	.18			.18		.22			.06		5
6	.30	.03						.54				.08	6
7	.03				.06	.57		.03				.02	7
8	.20	.16	.19			.07		.02	.05				8
9				.03		.23	.09	.10			.01	.04	9
10		.04	.01					.01	.02		.10	.37 }	10
11		.26				.06			.03				11
12	.02	15			.16	.02		.17					12
13		.08	.02					.16			.22		13
14					.03			.02	.04	.08	.10		14
15			.06		.15	.58					.03	.20	15
16	.17		.03		.09	.04		.01		.03	.07		16
17	.45		.40			.02		.05			.12	.18	17
18	.15		.23				.09	.10		.06	.02	.01	18
19	.03	.08	.11				.15	.45					19
20	.01		46					.07		.63			20
21	.09	.04	44					.05		.21			21
22	.02	02	.05				.09	.16					22
23	.55	08	.16		.07			.25		.02	.18	.04	23
24	.04	.17				.16		.11				.20	24
25	.06	.02				.22		1.00				.14	25
26		.01				.02		.36		.25	.09	.60	26
27							.05			.21	.30	.08	27
28		.03					.05	.03	.02	.52	.31	.24	28
29		.01				.02	.04	.15	1.00	.24	.02		29
30						.02	.01	.09	1.65	.27			30
31	.01				.02		.23	.15					31
Total	2.62	1.38	3.35	.03	.78	3.04	1.09	4.53	2.86	3.24	1.82	2.39	TOTAL for year 27.13
No. of Rain Days.	18	18	17	1	9	17	11	27	9	13	15	16	= 171

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

16 FEB 1914

Kept at Newgardens Teynham
in the County of Kent 3
by Col J. J. Honeyball

Lat. 51° 20′ N Long. 0° 48 E
Time of Observation 9 a.m
Nearest Railway Station Teynham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·25	·03	·07	-	·04	-	-	-	·21	·05	·06	1
2	-	·17	-	-	-	-	·27	-	-	-	·04	-	2
3	-	-	-	·50	·21	-	·01	-	·01	-	-	·14	3
4	·12	-	-	-	-	-	·05	-	-	-	·04	·01	4
5	·13	·01	-	·01	-	·02	·25	-	·71	·45	·08	·05	5
6	·01	-	·03	-	·01	·03	·03	·01	-	·27	·08	-	6
7	-	-	·07	-	-	-	·14	·09	-	·25	·06	·01	7
8	-	·10	-	-	·08	·03	-	-	-	·13	·01	-	8
9	-	·08	-	-	·06	-	·05	·10	·07	-	·02	-	9
10	-	-	·03	·15	-	-	·06	-	-	-	·50	-	10
11	·30	-	-	·37	-	-	-	-	-	·45	·04	-	11
12	-	-	-	-	-	-	-	-	-	-	1·13	-	12
13	·40	-	·02	-	-	-	-	·04	-	-	·54	-	13
14	·09	-	·05	·02	-	-	·20	-	·01	·12	·05	-	14
15	·07	-	·01	·07	-	-	·40	-	-	-	-	-	15
16	·51	-	·68	·22	-	-	·08	-	·28	-	-	-	16
17	·01	·16	-	·09	-	-	·14	-	·07	-	-	·04	17
18	-	-	·20	·17	-	-	·09	·01	·16	-	-	-	18
19	·41	-	-	-	·06	-	·01	-	·07	-	-	-	19
20	·35	-	·10	·01	-	·28	-	-	·06	·45	-	-	20
21	·10	-	·20	·05	·01	-	·03	-	-	-	·72	-	21
22	·10	-	·18	-	-	-	·05	-	·07	·50	-	·01	22
23	·01	-	·03	-	-	·02	·06	·04	·03	·04	-	·41	23
24	-	-	·03	-	-	·01	-	·17	-	-	-	-	24
25	-	-	-	·21	-	·09	-	-	-	-	-	-	25
26	·02	·01	·05	-	-	-	-	·03	-	·69	-	·16	26
27	·02	·01	·11	-	·18	-	-	-	-	·14	-	-	27
28	·31	-	·22	-	-	-	-	-	-	·38	·03	-	28
29	·11	-	·02	·21	·05	-	-	·01	-	-	·01	-	29
30	·31	-	·08	·20	·08	-	-	·46	-	·07	-	-	30
31	-	-	·08	-	-	-	-	·26	-	·05	-	-	31
Total	3·38	·79	2·22	2·35	·74	·52	1·92	1·22	1·54	4·20	3·40	·89	YEAR'S TOTAL 23·17
Rain Days.	19	8	20	15	9	8	17	11	11	15	16	9	158

W.7,000, XI. 13

6X ML

REGISTER OF RAINFALL IN 1914

Kept at Newgardens Teynham
in the County of Kent 3
by Colonel J. F. Honeyball

Lat. 51.20′N Long. ·48′E
Time of Observation 9 a.m.
Nearest Railway Station Teynham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 30 ft.

FORM A.
BRITISH RAINFALL.
22 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.15				.04				.01	1
2							.38				.13	.24	2
3			.10	.01	.13		.12						3
4	0.09		.02	.15				.07			.20	.27	4
5			.04	.27	.12		.11	.06					5
6				.15		.37	.01					.08	6
7		.59	.20	.13		.17	.12					.20	7
8	.06	.21	.20	.05		.11	.02	.02				.13	8
9	.16		1.37	.08		.01						1.10	9
10	.04	.01								.09		.07	10
11		.23	.23	.02		.04			.20		.31	.31	11
12	.01	.06	.06				.47		.16	.01		.55	12
13		.18	.30						.12	.01	.07	.26	13
14		.10	.13							.32	.08	.24	14
15		.07	.19				1.17	.01		.01	.86	.02	15
16		.03	.04				.01		.02		.03		16
17	.04	.30							.07		.02	.21	17
18		.04	.05							.01		.25	18
19			85				.02	.01		.06	.30	.07	19
20		.20	14							.16		.33	20
21		.87	05					.07				.14	21
22			.04		.24		.34			.08			22
23			.43	.14	.46	.15	.01			.01		.17	23
24			.04	.01	.01						.08		24
25	.05	.01	.25	.18	.03		02	.06		.30	.01		25
26			.01					.04		.05	.13	.48	26
27								.03			.03	.41	27
28					.02					.21	.45	.31	28
29	.01									.86	.23		29
30		×	.01							.13	.45	.02	30
31		×		×	.22	×			×		×		31
Total	.46	2.90	4.95	1.34	1.23	.85	2.80	.41	.57	2.31	3.38	5.87	YEAR'S TOTAL 26.87
Rain Days.	8	14	22	12	8	6	13	10	5	15	16	23	152

W. 8,000. X. 14.

✓

383

FORM A.
BRITISH RAINFALL.
22 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Newgardens Teynham

in the County of Kent.

B

by Colonel J. F. Honeyball.

Lat.

Long.

Time of Observation 9 a.m.

Nearest Railway Station Teynham SE+CR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level about 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.50	.04	.04					.28	.30		.23		1
2	.06	.13	.12	.04				.19		.03	.02	.38	2
3	.60			.05	.04			.18	.42			.31	3
4	.01							.52				.48	4
5	.02	.20		.05				.04		.01	.10	.03	5
6	.24	.13		.29			.21					.25	6
7	.15	.02	.12				.03					.40	7
8	.04	.82	.01	.14			.04	.01					8
9		.20		.03		.04		.22		.04	.57	.44	9
10	.17					.21		.01				.50	10
11		.07								.02	.36		11
12	.06	.43		.47	.44			.05			.60		12
13		.50		.05	1.12								13
14		.03					.20	.08	.02				14
15					.06		.14	1.24				.36	15
16		.60					.76	.33			.62		16
17	.10	.30			1.80		.02	.08				.32	17
18	.07	.22	.04		.52					.06	.08		18
19		.02								.25			19
20	.23	.03		.04						.04		.15	20
21	.12	.10										.01	21
22	.04	.03	.01				.48					.17	22
23	.02	.14	.07			.04	.05			.07		.27	23
24			.01	.01			.40		.12	.07		.43	24
25	.05		.10	.17			.18			.02		.21	25
26		.03										.29	26
27			.11			.13	.07		.01	.23			27
28		.14	.19			.20	.01		1.58				28
29			.02		.10	.60	.16	.17			.50	.03	29
30	.06	×				.66				.17	.50		30
31	.05	×		×		×		.17	×	.55	×	.25	31
Total	2.59	4.18	.84	1.34	4.08	1.88	2.75	3.57	2.45	1.56	3.58	5.28	YEAR'S TOTAL 34.10
Rain Days.	19	21	12	11	7	7	14	15	6	13	10	19	154

W. 8,000. X. 15.

Exd HW

367

FORM A.
BRITISH RAINFALL.
6 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Teynham

in the County of Kent

by Col. I. F. Honeyball

Lat. 51.20 N Long. 0°.48′ E

Time of Observation about 9 a.m.

Nearest Railway Station Teynham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.24				.01	.01			.08	.09	.29		1
2	.17		.56		.04					.30	.01		2
3		.70	.06				.01		.06	.20	.34		3
4	14	.12				.16					.30		4
5		.01				.31	42			.03	.76		5
6		.04	.36	.43	.02	.08	.05		.02		.36		6
7	.05		.50		.23	.04	.33				.43		7
8			.05		.10							.20	8
9			.03		.41				.01			.13	9
10		.02	.02	.06		.34			.01			.53	10
11	.04	.13		.11		.10			.01				11
12		.02	.02	.09	.48	.12	.14		.02	.08			12
13		.33	.24	.03	.40	.07	.17			.01			13
14		.58	.10	.02			.11					.15	14
15		.20	.02					.02					15
16			.08	.03			.11	.04				.09	16
17	.06	.07		.17			.12	.10	.24	.42			17
18	.03	.05	.01	.07				.02	.10	.07	.67		18
19	.09		.04	.20		.03		.15			.67	.04	19
20	.05		.09	.13				.02			.01		20
21	.06		.83	.20									21
22		.11	.27	.03		.02				.04			22
23		.26	.04			.08		.07					23
24										.34	.03	1.28	24
25		.43	.21					.24			.04		25
26		.22	.01			.03		.01		.50	.11		26
27		.67	.63					.33	.02	.28			27
28		.50	.17	~~.04~~	.01	.05			.19	.13		.13	28
29		.14				.13		.50		.15		.14	29
30		X						.36		.05			30
31	.03	X		X		X			X	.15	X	.03	31
Total	.96	4.30	4.34	1.57	1.70	1.57	1.46	1.86	.76	2.84	4.02	2.72	YEAR'S TOTAL 28.10
Rain Days.	11	19	22	13	9	15	9	12	11	16	13	13	163

W. 8,000, VIII. 16

358

FORM A.
BRITISH RAINFALL
5 MAR 1918

REGISTER OF RAINFALL IN 1917

Kept at Teynham

in the County of Kent

by Colonel J. F. Honeyball

Lat. 51, 20" N Long. 0.48" E
Time of Observation 9 a.m.
Nearest Railway Station Teynham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level about 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.37				1.66	04			.02	1
2				.31				.29			.02		2
3				.09				1.35		.02	.02		3
4		.06					.07	.01		.37			4
5	.16	.16	.08	.10					.05				5
6				.23		.05			.03	.14	.15		6
7	23						.07	.32		.99		.01	7
8	.06		.01				57	.03		.01	.14	.36	8
9	.01		.01	.17			.01				03	.84	9
10	.07		.05	.16				.07			.05		10
11	.06	.05	.42	.11					.05	.36			11
12	.06	.04	.01	.01				.15		.25			12
13	.01		.14	.02	.04					.24			13
14	.34			16				.02				.04	14
15	.24						.04	.06		.02		.06	15
16		05		.08	.24					.14			16
17				.06	.38		.08		.13				17
18	.23	.05		.07			.10	.05					18
19		.02	.08	.02	.08	.12			18				19
20	.02	.13	.09		.54		.08				.08		20
21		.02	.04		.04	.02							21
22			.10			.15		.06				.45	22
23					.29	.01		.06		(.30)			23
24											.05		24
25			.07			.02					.04		25
26			.01			.03		.40			.60		26
27		.01				.04		.67			.01		27
28			.02			.42		.14					28
29					.02	.09	1.58	.08		.45		27	29
30	.06	X	.19				1.35	.08		.10			30
31	.02	X	.05	X		X	1.09		X		X	.03	31
Total	1.57	.59	1.37	1.96	1.63	.95	5.04	5.50	.48	3.39	1.19	2.08	YEAR'S TOTAL 25.75
Rain Days.	14	10	16	15	8	10	11	18	6	15	11	10	144

W. 8,000, IX. 17.

7.32

B. made

Es JL

337

21 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at TEYNHAM

in the County of KENT

by Colonel I. F. Honeyball

Lat. 51. 20 N Long. 0. 48 E

Time of Observation 9 a.m

Nearest Railway Station TEYNHAM

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

" " " " Sea Level about 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	.32		.09						.18	.01	.42	1
2	.40	.05			.05		.07			.01	.20	.21	2
3	.06		.10				.26		.15		.10	.20	3
4	.14		.40			.05	.45				.03	.05	4
5	.05	.28	1.19				.08				02	.30	5
6	.02		.05							.03		.06	6
7	.07		.35								.14		7
8	.35		.03								.10		8
9			.03	.24							.20		9
10			.01								.09		10
11	1.04		.04	.29							.04		11
12	.05			.03			.45			.03			12
13	.03			.48			.19			.01			13
14	.25			.44			.06		.12		.01	.01	14
15	.10	.03		.20						.05	.08	.03	15
16				.01				.02					16
17		1.00		.03							.22		17
18		.13							.04		.03	.04	18
19		.04	.27			.05	.10	.01	.17		.07	.08	19
20	.08					.90	46	.07					20
21		.36	.10				.08					.09	21
22		.03					.17		.01		.03		22
23				.06		.04	.05		.56			.28	23
24				.06		.03	.01	.03	.25		.08		24
25	.04			.11				.20					25
26			.14	.12	.06							.33	26
27	.30	.22		1.36				.18	.08	.02			27
28			.21					.79		.01		.19	28
29				.15				.91		.39	.44	.10	29
30		X		.16						.25	.30	.46	30
31		X		X		X	.03	.69	X	.40	X	.01	31
Total	3.35	2.46	2.92	3.83	.11	1.07	2.46	2.90	1.38	1.38	2.19	2.86	Year's Total 26.91
Days with ·01 in. or more	16	10	13	16	2	5	14	9	8	11	19	17	140

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6X 1M2 314

30 JAN

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Teynham (Newgardens)
in the County of Kent
by Colonel J. F. Honeyball

Lat. 51° 20′ N Long. 0. 48′ E
Time of Observation 9 a.m.
Nearest Railway Station Teynham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level about 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01			.13	.02		.03			.48		.21	1
2	-		.13		.06			.05	.04	.08		.06	2
3	-	.01				.08			.02			.01	3
4	-	.02		.17			.08					.07	4
5	-			.02	.03		.45	.04				.08	5
6	-		.27		.12		.10					.09	6
7	-			.04			.09			.08			7
8	-			.02	.08		.06						8
9	r	.01											9
10	r	.07		.13		.01	.05					.08	10
11	1.06		05	.04			.37						11
12	.	.01		.20		.22	.03					.16	12
13	.26		.06	.02		.02			.01		.08		13
14	.	.01	.29	.25		.06	.02		.09	.02	.16		14
15	-			.22					.83	.07	.04		15
16	.		.02	.03	.18	.23			.11			.17	16
17	.01			.28	.16	.30			.55			.10	17
18	.14			.01	.02			1.36	.26			.15	18
19	.02			.20				.04					19
20	.03	.30		.16		.26			.45			.01	20
21	-			.01			.47	.03	1.00			.16	21
22	-			.19				.04	.04			.29	22
23	-						.35	.04				.18	23
24	-				.01				.06			.01	24
25	-						.08						25
26	.05		.05									.02	26
27	.23	.04		.24		.12	.04				.08	.11	27
28	.05		.02		.11						.20	.01	28
29	.90		.06		.01		.08					.05	29
30	.01								.17		.38	.12	30
31	-									.19		.08	31
TOTAL	2.77	.47	.95	2.36	.80	1.30	2.30	1.60	3.63	.92	.94	2.22	YEAR'S TOTAL 20.26
Days with ·01 in. or more	(14)	8	9	19	11	9	15	7	13	6	6	22	139
Days with ·04 in. or more	(9)	3	7	13	6	7	12	6	11	5	6	17	102

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

TELEGRAMS: "HONEYBALL,
TELEPHONE:

NEWGARDENS,
TEYNHAM,
KENT.

7 Jan '21

Dear Sir

I regret that in two cases in enclosed Register I have been unable to distinguish the daily fall, viz: Jan 9 10 11 the aggregate fall was 1.06 and I know they were all "rain days". The fall on Sep 20 21 I am unable to apportion to each day with accuracy – the total of the two days 1.45 is correct –

Yours faithfully
J. F. Honeyball

The Superintendent
Rainfall Organization

THONG

KENT

1911 - 1914

9 11

ondon

Kept at Thong,

in the County of Ken

by C. H. Scri

p 5 in.

bove Ground 1 ft. 6 in.

„ Sea Level 255 ft.

a.m

Station Name Gravesend

Distance 3½ m Direction N.W.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

IMPORTANT NOT ... measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·01	·82	·02			·10					1
2	·08			·07	·19							·07	2
3	·02	·03		·01	·11						·14	·09	3
4	·13	·02	·09	·17	·				·02	·30	·14	·23	4
5	·05	·02		·13						·56		·15	5
6	·19		·08	·04								·24	6
7	·02			·01						·24	·24	·29	7
8	·08		·06								·30	·20	8
9	·17		·05	·02							·02	·07	9
10	·01	·09	·04	·01							·04	·82	10
11	·18	·01									·64		11
12	·02		·49			·02					·08	·13	12
13			·07	~~19~~	·19	·03			·56	·15	·04		13
14		·11	·02	~~20~~	·20					·01		·46	14
15		·02	·37							·02	·03	·02	15
16	·02	·01				·19					·46	·04	16
17			·09			·02					·85	·11	17
18		·10	·05								1·69	·09	18
19		·01				·07			·07	·19	·24	·12	19
20	·01							·31	·02	·11	·01	·74	20
21	·02	·03						·14		·44	·01	·13	21
22	·02		·18			·03		·11		·33		·48	22
23	·02	·12	·16			·94			·16	·01	·02	·10	23
24		·08	·02				·04			·58		·25	24
25		·05	·23			·14	·37	·03		·02	·02		25
26			·16	·19		·26	·01			·17	·06	·22	26
27		·20	·08	·02					·16	·17	·01	·07	27
28		·12		·22						·01	·01		28
29		/		·19		·17	·74		·06	·17	·01		29
30				·04	·01			·06	·05	·18	·01		30
31			·01	/		Y			/		/		31
Total	1·07	1·02	2·26	1·94	·72	1·87	1·16	·75	1·10	3·66	5·07	5·12	TOTAL for year 25·74
No. of Rain Days	17	16	19	14	6	10	4	6	8	18	23	23	1·64

9,000, IX. '10.

IN 1911

FORM A2.
BRITISH RAINFALL
2-JAN 1912

Kept at Thong, Nr Gravesend

in the County of Kent 5

by C. H. Scriven

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 255 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Gravesend
Distance 3½ m Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03		.01	.82	.02			.10					1
2	.08			.07	.19							.07	2
3	.02	.03		.01	.11						.14	.09	3
4	.13	.02	.09	.17	.				.02	.30	.14	.23	4
5	.05	.02		.13						.56		.15	5
6	.19		.08	.04								.24	6
7	.02			.01						.24	.24	.29	7
8	.08		.06								.30	.20	8
9	.17		.05	.02							.02	.07	9
10	.01	.09	.04	.01							.04	.82	10
11	.18	.01									.64		11
12	.02		.49			.02					.08	.13	12
13			.07	~~.19~~	.19	.03			.56	.15	.04		13
14		.11	.02	~~.20~~	.20					.01		.46	14
15		.02	.37							.02	.03	.02	15
16	.02	.01				.19					.46	.04	16
17			.09			.02					.85	.11	17
18		.10	.05								1.69	.09	18
19		.01				.07			.07	.19	.24	.12	19
20	.01							.31	.02	.11	.01	.74	20
21	.02	.03						.14		.44	.01	.13	21
22	.02		.18			.03		.11		.33		.48	22
23	.02	.12	.16			.94			.16	.01	.02	.10	23
24		.08	.02				.04			.58		.25	24
25		.05	.23			.14	.37	.03		.02	.02		25
26			.16	.19		.26	.01			.17	.06	.22	26
27		.20	.08	.02					.16	.17	.01	.07	27
28		.12		.22						.01	.01		28
29		/		.19		.17	.74		.06	.17	.01		29
30				.04	.01			.06	.05	.18	.01		30
31			.01	/		Y			/		/		31
Total	1.07	1.02	2.26	1.94	.72	1.87	1.16	.75	1.10	3.66	5.07	5.12	TOTAL for year 25.74
No. of Rain Days	17	16	19	14	6	10	4	6	8	18	23	23	1.64

9,000, IX. '10.

Eng 88

REGISTER OF RAINFALL IN 1912

FORM A
BRITISH RAINFALL
2 JAN 1913

Kept at Mong, Nr-Gravesend

in the County of Kent 5

by C.H. Scriven

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Gravesend

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.09	.06		.11	.11	.02	.04	.52		.16	1
2		.03	.54	.01		.02	.16		.03	.07			2
3	.07	.11	.04		.02	.21		.18		.02		.03	3
4	.23		~~.06~~ 53		.20	.11		.01			.16		4
5	.10	.08	~~.01~~ 06					.29			.09	.03	5
6	.45	.04	~~.04~~ 01		.03			.07				.08	6
7			~~.44~~ .04		.04	1.06		.36				.01	7
8	.29	.30	.14			.01	~~.08~~	.16	.03			.04	8
9		.04		.02		.05	.08					.20	9
10		.05			.01			.18	.02		.10		10
11	.02	.23				.07		.02	.03		.01	.23	11
12	.01	.10	.01		.03	.46	.01	.04			.05	.01	12
13		.02						.04			.04	.01	13
14							.04	.10		.07	.01		14
15			.12		.26	.57					.04	.30	15
16	.26		.01		.10			.03		.04	.07		16
17	.72		.30		.01	.02		.02			.02	.05	17
18	.04		.23				.06	.09		.04	.01	.11	18
19	.05	.08	.11			.02	.15	.16					19
20	.01		.38			.01	.17	.02		.36	.02		20
21		.03	.38		.06			.04		.13	.11		21
22	.20	.07			.01		.12	.09		.02		.02	22
23	.49	.21	.21				.02	.32		.11	.13	.02	23
24	.06							.15				.12	24
25	.12	.01				.24		.89			.22	.46	25
26	.03	.02			.01		.06	.33		.28	.35	.32	26
27							.10			.19		.09	27
28		.04				.02	.09	.03	.09	.37	.48	.12	28
29		.03					.12	.34	1.50	.13	.10		29
30		X			.08			.03	1.53	.29			30
31			.01	X	.01	X	.12	.13	X		X		31
Total	3.15	1.49	3.21	.09	.87	2.98	1.41	4.05	3.27	2.64	2.01	2.41	YEAR'S TOTAL 27.58
Rain Days.	17	18	18	3	14	15	15	27	8	15	18	20	188

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

5

Kept at Thong, Near Gravesend
in the County of Kent
by C. H. Scriven

Lat. 51° 25 N Long. 0° 27′ E
Time of Observation 9 a.m.
Nearest Railway Station Gravesend
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.21	.01	.35		.02			.02	.06	.01	.08	1
2	.13	.17			.09		.20			.01	.09		2
3			.01	.26	.39	.01				.01		.09	3
4	.13		.03	.02	.02	.02	.02	.01			.01	.01	4
5	.16				.01	.03	.10		.62	.06	.01	.04	5
6	.08	.05	.10		.02	.03	.49		.02	.43	.09		6
7		.09		.01		.02	.11	.20	.01	.36	.07		7
8		.01	.03	.01	.06	.05				.06	.07		8
9		.11		.01	.03	.01			.11	.01	.03	.02	9
10	.02		.10	.02	.01	.01	.29	.01			.61		10
11	.45			.31						.66	.52		11
12					.02						.47		12
13	.26	.01	.03					.13	.02		.36		13
14	.14		.04	.07			.33		.11	.11	.04		14
15	.11		.24	.14			.26		.03				15
16	.23	.01	.40	.14			.02		.64				16
17	.01	.02	.04	.08			.13	.01	.01				17
18			.10	.11			.01		.02		.01		18
19	.18		.18		.01		.14		.13				19
20	.24		.12	.04		.11	.01		.01	.40			20
21	.03		.28	.17			.08			.64	.65		21
22	.31		.28	.01			.03	.01	.10		.02	.03	22
23	.01		.13			.02	.01	.13	.01	.01		.36	23
24	.03		.03			.02		.16			.03		24
25			.01	.13		.01					.02		25
26		.01	.16			.01	.02	.06		1.07		.17	26
27		.01	.02		.15	.01				.10			27
28	.36		.21	.02						.33		.01	28
29	.20	X	.01	.39	.55			.04		.01		.02	29
30	.31			.16	.01			.09		.12		.01	30
31				X				.66	X	.07	X		31
Total	3.40	.70	2.56	2.45	1.37	.38	2.25	1.51	1.86	4.52	3.11	.84	YEAR'S TOTAL 24.95
Rain Days.	21	11	23	20	13	15	17	12	15	19	18	11	195

W.7,000, XI, 13

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
2 - JAN 1915

Kept at Thong, Nr Gravesend

in the County of Kent

5

by C. H. Scriven

Lat. 51°25' Long. 0°27'

Time of Observation 9 a.m.

Nearest Railway Station Gravesend

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01			·01	·07			·03	·01	1
2				·01		·01	·05	·01		·02	·04	·12	2
3			·22		·13		·08				·01	·01	3
4	·03		·02	·13				·01			·33	·22	4
5	·03		·03	·23	·13	·02	·14	·31					5
6		·06		·11		·21	·02	·01				·18	6
7		·43	·17	·15	·18	·26	·06					·09	7
8	·06	·36	·32	·07	·01	·07	·06	·04				·22	8
9	·19		1.05	·16		·01			·03			1.14	9
10	·04	·05		·03					·03			·06	10
11		·33	·18	·01	·05	·04			·15		·33	·29	11
12	·02	·01	·06			·02	·04		·15			·50	12
13	·01	·19	·14		·02				·12	·01	·08	·59	13
14		·09	·23				·04			·45	·06	·35	14
15	·02	·02	·17				·01	·03		·01	·83	·16	15
16	·03		·03						·01		·01		16
17		·16	·15						·06			·07	17
18		·14	·28									·30	18
19		·02	·54				·03		·02	·03	·23	·17	19
20		·11	·28			·03			·02	·04	·01	·08	20
21		·88	·07					·09		·04		·03	21
22		·02	·02	·05	·09		·17	·02		·25			22
23			·12	·01	·48	·27	·07			·01		·05	23
24			·04	·05	·01					·04	·04		24
25	·01		·56				·03	·07		·43		·01	25
26			·04				·02	·08		·06	·27	·46	26
27			·04				·02	·07			·05	·30	27
28	·03									·12	·38	·64	28
29	·02									·53	·13		29
30			·01		·04					·11	·47	·07	30
31					·25		·02					·01	31
Total	·49	2.87	4.77	1.02	1.39	·94	.87	.81	.59	2.15	3.30	6.13	YEAR'S TOTAL 25.33
Rain Days.	12	15	24	13	11	10	17	12	9	15	17	26	181

W. 8,000. X. 14.

491

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Rong, Nr Gravesend
in the County of Kent
by C. H. Scriven

5

Lat. 51° 25' N Long. 0° 27' E
Time of Observation 9 a.m
Nearest Railway Station Gravesend
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.50	.06	.09	.01				.10	.08	.04	.41	.47	1
2	.06	.11	.16	.08		.01		.26	.01	.03		.06	2
3	.46		.02	.13	.03			.48	.04			.61	3
4	.03						.01	.01				.25	4
5	.03	.31						.06		.08	.03	.29	5
6	.33	.10		.25			.11	.01			.01	.04	6
7	.40	.36	.03				.25	.02				.14	7
8	.12	.64		.06			.11	.09					8
9			.02	.02		.12		.11		.06	.28	.47	9
10	.20					.07				.01		.42	10
11	.01		.02		.01	.01					.73	.06	11
12	.06	.04		.30	.43			.10		.02	.57	.01	12
13	.03	.72		.03	1.50			.01	.01	.03			13
14		.04			.01		.09	.05	.03	.01		.15	14
15	.19				.03		.01	.29		.01	.38	.15	15
16	.02	.46			.01		.64				.02	.05	16
17		.28		.01	1.84		.06					.12	17
18	.01		.08		.53						.10	.01	18
19		.10	.03				.02			.18			19
20	.21	.02	.01	.10	.03							.22	20
21	.16	.02										.04	21
22	.29	.12	.03			.02	.39					.12	22
23	.01	.13	.16	.01		.01	.62		.04	.24		.25	23
24			.06	.06		.01	.55		.40	.06		.21	24
25			.17	.19			.19					.28	25
26		.05	.01									.37	26
27		.02	.03	.02		.07	.18		.02	.28		.07	27
28	.01	.04	.02			.01	.01		1.62	.12			28
29			.05			.75	.28	.08			.18	.05	29
30	.02								.05		.52	.03	30
31	.08				~~4.42~~			.05		.45		.26	31
Total	3.23	3.62	.99	1.27	4.42	1.08	3.52	1.72	2.30	1.62	3.23	5.20	YEAR'S TOTAL 32.20
Rain Days.	22	19	17	14	10	10	16	15	10	15	11	27	186

W. 8,000. X. 15.

479

FORM A. BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Thong, Near Gravesend
in the County of Kent
by C. H. Scriven

Lat. 51° 25' N Long. 0° 27' E
Time of Observation 9 a.m.
Nearest Railway Station Gravesend
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07		·01		·17				·12	·03	·23		1
2	·17	·04	·03		·07				·06	·35			2
3		·86	·17				·06		·06	·15	·53		3
4	·13	·06	·01			·23	·21		·03		·56		4
5	·02			·02	·05	·11	·29		·02	·01	·50		5
6		·09	·28	·50	·02	·17	·21			·04	·48		6
7	·06		·78		·27	·12	·09				·69	·01	7
8	·01		·05		·13			·01				·38	8
9			·01		·29	·05				·01		·21	9
10		·14	·11	·08		·26	·07				·01	·31	10
11	·02	·14	·03	·13		·11						·02	11
12	·02	·02		·05	·37	·20		·01		·02		·01	12
13		·19	·14	·07	·28	12	13			·02	·01		13
14		·39	·03	·01	·05			·04				·05	14
15		·17	·19					·42	·01	·01		·32	15
16		·04	·08	·15			·44	·07					16
17	·07	·06		·02			·07	·33	·28	·42			17
18		·10	·01	·09				·09	·03	·07	1.04		18
19	·07	·03	·05	·22					·17		·42		19
20	·11		·15	·02								·51	20
21			·89	·01			·01					·20	21
22	·01	·02	·13	·01	·01	·01				·03		·40	22
23		·70	·09			·23		·01			·01	·09	23
24	·01	·01								·20	·02	·29	24
25		·99	·20		·01			·15		·14	·06	·01	25
26		·29	·08			·03			·01	·10	·03		26
27	·03	·16	·71	·66		·02		·27	·04	·15			27
28		·40	·15		·02	·01						·13	28
29		·10				·10		1.06	·09	·31		·12	29
30		X			·03			·36		·34			30
31	·01	X		X		X			X	·15	X	·03	31
Total	·81	5.00	4.38	2.04	1.77	1.77	1.58	2.82	·92	2.55	4.59	3.09	YEAR'S TOTAL 31.32
Rain Days.	15	22	24	15	14	15	10	12	12	19	14	17	189

W. 8,000, VIII. 16

8L

Ex D

459
~~51~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Thong Nr Gravesend

in the County of Kent

by C. H. Scriven

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05	·01	·30				1·92	·03	—			1
2		·01		·26				·19					2
3				·11				·66					3
4		·19	·25	·01			·04	·01					4
5	·13	·01	·01	·31					·32				5
6				·10		·11			·22				6
7	·16			·02					·01				7
8	·04		·01	·01			·75	·07	·02				8
9	·02		·03	·13			·25	·19					9
10	·10		·10	·06				·04					10
11	·12	·03	·30	·31				·02	·20				11
12	·03	·01	·02	·01	·02			·10					12
13	·01		·07		·01			·01	·01				13
14	·02		·01	·13				·05					14
15	·23		·01				·03	·17					15
16	·06	·07		·05	·20	·03	·02	·01					16
17		·06		·08	·46		·15	·01	·19				17
18	·03	·06		·09	·03	·01	·10	·18	·13				18
19	·01	·10	·09		·02	·12			·07				19
20	·02	·15	·05		·83		·40						20
21	·01	·02	·05	·01	·05								21
22	·02		·05			·01		·13					22
23		·08	·02		·21	·02		·05					23
24	·02		·01					·01					24
25						·28							25
26			·03					·25					26
27			·01					·74					27
28			·01			·97		·10					28
29					·12	·09	1·16	·11					29
30	·03	×	·26			·02	2·14	·03					30
31	·12	×	·08	×		×	·97		×		×		31
Total	1·18	·84	1·48	1·99	1·95	1·66	6·01	5·05	1·20				YEAR'S TOTAL
Rain Days.	19	13	22	17	10	10	11	23	10				

W. 8,000, VIII. 16

RE

11

TILMAN~~STONE~~

DANEFIELD

KENT

1911

FORM A2.
BRITISH RAINFALL.

16 JAN 1912

Kept at Danefie

in the County of Ken

by Mrs C. A. Ric

6 in.

Ground ft. 13 in.

Sea Level ft.

a.m. Sheppardswell

Name ~~Mrs C. A. Rice~~

Distance 4 miles Direction S.W.

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-12	—	—	—	—	—	—	-12	—	—	--6	—	1
2	-8	—	--4	—	-27	—	—	—	—	—	--6	—	2
3	-11	—	--4	-35	--8	—	—	—	—	-24	--9	--10	3
4	-5	—	—	—	—	—	—	—	—	-34	--25	-20	4
5	-14	—	—	—	—	—	—	--3	—	--2	—	-48	5
6	—	—	—	—	—	—	—	—	—	--1	—	-26	6
7	—	—	—	—	—	—	—	—	—	1-05	-28	-72	7
8	-45	—	--9	—	—	—	—	—	—	-11	-50	-22	8
9	-18	—	—	—	—	—	—	—	—	--4	-63	—	9
10	- .	—	—	—	—	—	—	—	—	--2	-13	-72	10
11	·65	—	—	—	—	—	—	—	—	—	160	—	11
12	··3	—	-75	—	—	-15	—	—	—	—	-23	—	12
13	—	—	—	—	-26	-45	—	—	—	1-22	--6	-27	13
14	—	-25	—	—	—	—	—	—	-42	—	--5	-28	14
15	—	--5	-30	—	—	—	—	—	—	—	-22	--6	15
16	—	—	—	—	—	-19	—	—	—	—	-15	--8	16
17	—	—	—	—	—	--7	—	—	—	—	-65	-15	17
18	—	-15	—	—	—	—	—	—	—	—	-25	-22	18
19	—	—	—	—	—	—	—	—	-25	—	—	-16	19
20	—	—	—	—	—	—	—	-54	—5	-20	—	-58	20
21	—	--7	—	—	—	—	—	-11	-19	-92	—	-21	21
22	—	—	-58	—	—	—	—	--2	—	-35	—	-70	22
23	—	--15	-15	—	—	1-52	—	—	-12	-28	-12	-13	23
24	—	--7	-20	—	—	—	—	—	—	-48	—	—	24
25	—	- -	--5	—	—	-10	-10	—	—	—	—	—	25
26	—	—	-30	-40	—	—	—	-32	—	-32	—	-17	26
27	—	17	--7	-32	—	—	—	—	-16	-33	—	--2	27
28	—	-19	—	—	—	—	—	—	—	—	—	—	28
29	.	—	—	—	—	—	—	—	-18	-20	—	—	29
30	—	—	—	—	-22	—	—	—	--4	-33	—	—	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1-81	1-10	2-57	1-07	-83	2-48	-10	1-14	1-41	6-46	4-73	5.73 5-73	TOTAL for Year 29.43 29-43
No. of Rain Days	9	8	11	3	4	6	1	6	8	18	17	20	111

9,000, IX. '10.

RE

FORM A2.
BRITISH RAINFALL.

16 JAN 1912

Kept at Danefield. Tilmanstone

in the County of Kent. 2

by Mrs C. A. Rice.

Rain Gauge: Diameter of top 6 in.
Height of top above Ground ft. 13 in.
" " " Sea Level ft.

Time of Observation 9. a.m.

Nearest Railway Station: Name ~~Mrs C. A. Rice~~ Shepherdswell.
Distance 4 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-12	—	—	—	—	—	—	-12	—	—	--6	—	1
2	-8	—	--4	—	-27	—	—	—	—	—	--6	—	2
3	-11	—	--4	-35	--8	—	—	—	—	-24	--9	--10	3
4	-5	—	—	—	—	—	—	—	—	-34	--25	-20	4
5	-14	—	—	—	—	—	—	--3	—	--2	—	-48	5
6	—	—	—	—	—	—	—	—	—	--1	—	-26	6
7	—	—	—	—	—	—	—	—	—	1-05	-28	-72	7
8	-45	—	--9	—	—	—	—	—	—	-11	-50	-22	8
9	-18	—	—	—	—	—	—	—	—	--4	-63	—	9
10	- .	—	—	—	—	—	—	—	—	--2	-13	-72	10
11	.65	—	—	—	—	—	—	—	—	—	1 60	—	11
12	..3	—	-75	—	—	-15	—	—	—	—	-23	—	12
13	—	—	—	—	-26	-45	—	—	—	1-22	--6	-27	13
14	—	-25	—	—	—	—	—	—	-42	—	--5	-28	14
15	—	--5	-30	—	—	—	—	—	—	—	-22	--6	15
16	—	—	—	—	—	-19	—	—	—	—	-15	--8	16
17	—	—	—	—	—	--7	—	—	—	—	-65	-15	17
18	—	-15	—	—	—	—	—	—	—	—	-25	-22	18
19	—	—	—	—	—	—	—	—	-25	—	—	-16	19
20	—	—	—	—	—	—	—	-54	-5	-20	—	-58	20
21	—	--7	—	—	—	—	—	-11	-19	-92	—	-21	21
22	—	—	-58	—	—	—	—	--2	—	-35	—	-70	22
23	—	--15	-15	—	—	1-52	—	—	-12	-28	-12	-13	23
24	—	--7	-20	—	—	—	—	—	—	-48	—	—	24
25	—	. .	--5	—	—	-10	-10	—	—	—	—	—	25
26	—	—	-30	-40	—	—	—	-32	—	-32	—	-17	26
27	—	-17	..7	-32	—	—	—	—	-16	-33	—	--2	27
28	—	-19	—	—	—	—	—	—	—	—	—	—	28
29	.	—	—	—	—	—	—	—	-18	-20	—	—	29
30	—	—	—	—	-22	—	—	—	--4	-33	—	—	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1-81	1-10	2-57	1-07	-83	2-48	-10	1-14	1-41	6-46	4-73	5.73 5-73	TOTAL for Year 29.43
No. of Rain Days	9	8	11	3	4	6	1	6	8	18	17	20	111

9,000, IX. '10.

346

FORM A. 1. METEOROLO … GANIZATION.

RE … 0.

4 JAN 1921

TONBRIDGE
KENT
1920

Kept at Ton br … gain Tonbridge

in the County of K … ain Gauge ~~4½~~ in.

by E.S. Jardell … ove Ground 8 ¼ inches

„ „ „ „ Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·24	1
2				·16	·02		·17			·34		·06	2
3	·05		·08					·15	·10	·10		·11	3
4					·15							·04	4
5		·07		·08			·59			·04		·01	5
6							·45	·04	·06			·02	6
7			·14		·18		·14						7
8	·01		·01	·14	·02		·10			·02			8
9				·03	·07		·20						9
10	·30	·03				·05	·03						10
11	·51	·10	·04	·15		·03	·13				·02		11
12	·29		·05	·16			·41						12
13	·07			·16	·02	·36							13
14	·25		·17										14
15			·34	·26		·03				·05	·38		15
16	·01		·02	·20					·50	·13	·10		16
17					·22	·12			·45			·27	17
18				·22	·09				1·60			·07	18
19	·01		·01		·11		·02	·80				·05	19
20	·08			·27									20
21	·05	·16		·24		·43			·30			·19	21
22							·78		·30			·24	22
23	·01			·35			·02		·75			·29	23
24							·25					·02	24
25													25
26			·04	·01			·09					·04	26
27	·04		·08	·05		·04	·01					·17	27
28	·28		·06	·21		·07					·23		28
29	·32	·08		·02			·05				·03	·15	29
30	·68	✕	·08	·10	·17				·16	~~·36~~	·42	·05	30
31	·04	✕		✕		✕	·18		✕	·36	✕	·21	31
TOTAL	3·00	0·46	1·12	2·81	1·05	1·13	3·62	0·99	4·22	1·04	1·18	2·23	YEAR'S TOTAL 22·85
Days with ·01 in. or more	17	5	13	18	10	8	17	3	9	7	6	18	~~22·66~~
Days with ·04 in. or more	13	4	10	15	7	6	13	3	9	6	4	15	~~131~~ 105

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

346

FORM A. 1. METEOROLO ORGANIZATION.

2 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Tonbridge

in the County of Kent

by E. S. Jardell M.R.C.S. L.R.C.P.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Tonbridge

Diameter of Funnel of Rain Gauge 8½ in.

Height of top of Gauge above Ground 8 ¼ inches

" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·24	1
2				·16	·02		·17			·34		·06	2
3	·05		·08					·15	·10	·10		·11	3
4					·15							·04	4
5		·07		·08			·59			·04		·01	5
6							·45	·04	·06			·02	6
7			·14		·18		·14						7
8	·01		·01	·14	·02		·10			·02			8
9				·03	·07		·20						9
10	·30	·03				·05	·03						10
11	·51	·10	·04	·15		·03	·13				·02		11
12	·29		·05	·16			·41						12
13	·07			·16	·02	·36							13
14	·25		·17										14
15			·34	·26		·03				·05	·38		15
16	·01		·02	·20					·50	·13	·10		16
17					·22	·12			·45			·27	17
18				·22	·09				1·60			·07	18
19	·01		·01		·11		·02	·80				·05	19
20	·08			·27									20
21	·05	·18		·24		·43			·30			·19	21
22							·78		·30			·24	22
23	·01			·35			·02		·75			·29	23
24							·25					·02	24
25													25
26			·04	·01			·09					·04	26
27	·04		·08	·05		·04	·01					·17	27
28	·28		·06	·21		·07					·23		28
29	·32	·08		·02			·05				·03	·15	29
30	·68		·08	·10	·17				·16	~~·36~~	·42	·05	30
31	·04						·18			·36		·21	31
TOTAL	3·00	0·46	1·12	2·81	1·05	1·13	3·62	0·99	4·22	1·04	1·18	2·23	YEAR'S TOTAL 22·85 ~~22·66~~
Days with ·01 in. or more	17	5	13	18	10	8	17	3	9	7	6	18	~~131~~
Days with ·04 in. or more	13	4	10	15	7	6	13	3	9	6	4	15	105

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

TONBRIDGE

KENT

1911

RE

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Unnov[illegible]

in the County of Ke[illegible]

by [illegible]

5 in.

Ground ft. 8 in.

Sea Level 319 ft.

30

Name Tonbridge

Distance 3½ Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	00	00	00	70	00	00	00	10	00	00	04	00	1
2	04	00	03	04	09	00	00	00	00	00	24	14	2
3	02	00	00	00	11	00	00		00	00	05	14	3
4	07	00	00	25	00	00	00		00	150	25	32	4
5	13	01.	04	05	00	00	00		00	42	00	07	5
6	28	00	00	01	00	00	00		00	00	04	36	6
7	00	00	20	00	00	00	00		00	24	41	33	7
8	21	00	00	00	00	00	00		00	00	53	17	8
9	00	00	02	04	00	00	00		00	00	04	02	9
10	00	00	03	00	00	00	00		00	00	67	94	10
11	27	00	06	00	00	00	00		00	00	68	00	11
12	25	06	63	00	00	00	00		00	00	04	00	12
13	00	00	00	00	04	00	00		69	33	00	27	13
14	00	02	04	00	70.	00	00		00	00	00	59	14
15	00	00	22	00	00	00	00		00	00	13	00	15
16	00	00	00	00	00	23	00		00	00	50	11	16
17	00	00	02	00	00	02	00		00	00	73	17	17
18	00	00	09	00	00	00	00	00	00	00	112	33	18
19	00	12	00	00	00	06	00	00	21	32	25	13	19
20	00	00	00	00	00	00	00	31	23	04	00	59	20
21	01.	00	00	00	00	00	00	05	00	93	00	25	21
22	00	00	26	00	00	08	00	00	00	74	00	44	22
23	00	25	00	00	00	96	00	07	24	13	08	14	23
24	03	03	00	00	00	20	05.	01	00	24	00	44	24
25	00	02	30	00	00	27	00	08	04	00	00	00	25
26	00	03	25	19	04	00	00	00	00	38	09	22	26
27	00	28	13	23	00	00	00	00	01	44	00	04	27
28	00	30.	00	20	00	00	00	01	00	00	01	00	28
29	00		00	09	00	13.	42.	00	21	24	00	00	29
30	00		00	02.	00	00.	00	00	02	35	00	00	30
31	00		00		40		00	00		00			31
Total	131.	1·06 105.	232.	182.	138.	195.	47.	·63	1.65	630	530	6.20 6.21 621	TOTAL for year 30·40
No. of Rain Days	10.	9.	15.	11.	6.	8.	2.	7.	8	14	19	22.	131

9,000, IX. '10.

RE

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

Kept at Unowler Bank Tonbridge

in the County of Kent 4

by J W Waley Cohen

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 8 in.
" " " Sea Level 319 ft.

Time of Observation 8·30

Nearest Railway Station
Name Tonbridge
Distance 3½ Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	00	00	00	70	00	00	00	10	00	00	04	00	1
2	04	00	03	04	09	00	00	00	00	00	24	14	2
3	02	00	00	00	11	00	00		00	00	05	14	3
4	07	00	00	25	00	00	00		00	150	25	32	4
5	13	01.	04	05	00	00	00		00	42	00	07	5
6	28	00	00	01	00	00	00		00	00	04	36	6
7	00	00	20	00	00	00	00		00	24	41	33	7
8	21	00	00	00	00	00	00		00	00	53	17	8
9	00	00	02	04	00	00	00		00	00	04	02	9
10	00	00	03	00	00	00	00		00	00	67	94	10
11	27	00	06	00	00	00	00		00	00	68	00	11
12	25	00	63	00	00	00	00		00	00	04	00	12
13	00	00	00	00	04	00	00		69	33	00	27	13
14	00	02	04	00	70.	00	00		00	00	00	59	14
15	00	00	22	00	00	00	00		00	00	13	00	15
16	00	00	00	00	00	23	00		00	00	50	11	16
17	00	00	02	00	00	02	00		00	00	73	17	17
18	00	00	09	00	00	00	00	00	00	00	112	33	18
19	00	12	00	00	00	06	00	00	21	32	25	13	19
20	00	00	00	00	00	00	00	37	23	04	00	59	20
21	01.	00	00	00	00	00	00	05	00	93	00	25	21
22	00	00	26	00	00	08	00	00	00	74	00	44	22
23	00	25	00	00	00	96	00	07	24	13	08	14	23
24	03	03	00	00	00	20	05.	01	00	24	00	44	24
25	00	02	30	00	00	27	00	08	04	00	00	00	25
26	00	03	25	19	04	00	00	00	00	38	09	22	26
27	00	28	13	23	00	00	00	00	01	44	00	04	27
28	00	30.	00	20	00	00	00	01	00	00	01	00	28
29	00		00	09	00	13.	42.	00	21	24	00	00	29
30	00		00	02.	00	00.	00	00	02	35	00	00	30
31	00		00		40		00	00		00			31
Total	131.	1·06 105	232.	182.	138.	195.	47.	·63	1.65	630	530	6·21 621	TOTAL for year 30·40
No. of Rain Days	10.	9.	15.	11.	6.	8.	2.	7.	8	14	19	22.	131

9,000, IX. '10.

REC

FORM A2. BRITISH RAINFALL.

13 APR 1912

TONBRIDGE

BEECHHURST
KENT

1911 - 1912

Kept at Beech Hu
in the County of Ken
by W. C.

in.
Ground 1 ft. 6 in.
Sea Level 102 ft.
am
Name Tonbridge
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.045	—	—	0.764	—	—	—	0.060	—	—	0.022	—	1
2	.096	—	0.025	.045	0.251	—	—	—	—	—	.162	0.161	2
3	.012	0.013	—	—	.165	—	—	—	—	—	.080	.238	3
4	.112	.013	.033	.331	—	—	—	—	0.012	0.875	.222	.205	4
5	.011	—	—	.132	—	—	—	—	—	.430	.020	.105	5
6	.267	—	.033	—	—	—	—	—	—	—	—	.500	6
7	.024	—	—	—	—	—	—	—	—	.275	.440	.312	7
8	.135	—	.154	—	—	—	—	—	—	—	.536	.198	8
9	.185	—	.027	.027	—	—	—	—	—	—	.074	.155	9
10	—	.074	.031	.051	—	—	—	—	—	—	—	.736	10
11	.326	—	.074	—	—	—	—	—	—	—	.955	—	11
12	—	—	.713	—	—	0.020	—	—	—	—	.063	—	12
13	—	—	.040	—	.245	—	—	—	.745	.229	.015	.234	13
14	—	.045	—	—	.200	—	—	—	—	—	—	.535	14
15	—	.018	.309	—	—	—	—	—	—	—	.075	.038	15
16	—	—	—	—	—	.206	—	—	—	—	.455	.136	16
17	—	—	.065	—	—	.040	—	—	—	—	1.066	.143	17
18	—	.136	.035	—	—	—	—	—	—	—	.895	.269	18
19	—	—	—	—	—	.095	—	—	.132	.236	.277	.080	19
20	.021	—	.018	—	—	—	—	.238	.212	.165	—	.733	20
21	.019	.156	—	—	—	—	—	.055	—	.767	—	.136	21
22	.013	—	.235	—	—	.084	—	.095	—	.218	—	.463	22
23	—	.211	.037	—	—	.973	—	—	.238	.095	.075	.152	23
24	—	.129	—	—	—	.131	0.060	—	—	.210	—	.365	24
25	—	.038	.355	.037	—	.165	—	.033	.030	—	.056	—	25
26	—	—	.231	.217	.101	.371	—	—	—	.262	.052	.226	26
27	—	.244	.144	.416	—	—	—	—	.055	.418	.012	.055	27
28	.013	.236	—	.100	—	—	—	.040	—	—	.017	—	28
29	—		—	.271	—	.158	.360	—	.138	.250	.011	—	29
30	—		—	—	—	.019	—	.007	.010	.326	—	.013	30
31	—		—		.265		—	—		—		—	31
Total	1.279	1.313	2.559	2.391	1.227	2.262	0.420	0.528	1.572	4.756	5.580	6.188	TOTAL for year 30.075
No. of Rain Days.	14	12	18	11	6	11	2	7	9	14	22	24	150

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

13 APR 1912

REGISTER OF RAINFALL IN

Kept at Beech Hurst, Tonbridge
in the County of Kent 4
by W. C. Pummett

Rain Gauge: Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 102 ft.
Time of Observation 9 am
Nearest Railway Station: Name Tonbridge
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.045	—	—	0.764	—	—	—	0.060	—	—	0.022	—	1
2	.096	—	0.025	.045	0.251	—	—	—	—	—	.162	0.161	2
3	.012	0.013	—	—	.165	—	—	—	—	—	.080	.238	3
4	.112	.013	.033	.331	—	—	—	—	0.012	0.875	.222	.205	4
5	.011	—	—	.132	—	—	—	—	—	.430	.020	.105	5
6	.267	—	.033	—	—	—	—	—	—	—	—	.500	6
7	.024	—	—	—	—	—	—	—	—	.275	.440	.312	7
8	.135	—	.154	—	—	—	—	—	—	—	.586	.198	8
9	.185	—	.027	.027	—	—	—	—	—	—	.074	.155	9
10	—	.074	.031	.051	—	—	—	—	—	—	—	.736	10
11	.326	—	.074	—	—	—	—	—	—	—	.955	—	11
12	—	—	.713	—	—	0.020	—	—	—	—	.063	—	12
13	—	—	.040	—	.245	—	—	—	.745	.229	.015	.234	13
14	—	.045	—	—	.200	—	—	—	—	—	—	.535	14
15	—	.018	.309	—	—	—	—	—	—	—	.075	.038	15
16	—	—	—	—	—	.206	—	—	—	—	.455	.136	16
17	—	—	.065	—	—	.040	—	—	—	—	1.066	.143	17
18	—	.136	.035	—	—	—	—	—	—	—	.895	.269	18
19	—	—	—	—	—	.095	—	—	.132	.236	.277	.080	19
20	.021	—	.018	—	—	—	—	.238	.212	.165	—	.733	20
21	.019	.156	—	—	—	—	—	.055	—	.767	—	.136	21
22	.013	—	.235	—	—	.084	—	.095	—	.218	—	.463	22
23	—	.211	.037	—	—	.973	—	—	.238	.095	.075	.152	23
24	—	.129	—	—	—	.131	0.060	—	—	.210	—	.365	24
25	—	.038	.355	.037	—	.165	—	.033	.030	—	.056	—	25
26	—	—	.231	.217	.101	.371	—	—	—	.262	.052	.226	26
27	—	.244	.144	.416	—	—	—	—	.055	.418	.012	.055	27
28	.013	.236	—	.100	—	—	—	.040	—	—	.017	—	28
29	—		—	.271	—	.158	.360	—	.138	.250	.011	—	29
30	—		—	—	—	.019	—	.007	.010	.326	—	.013	30
31	—		—		.265		—	—		—		—	31
Total	1.279	1.313	2.559	2.391	1.227	2.262	0.420	0.528	1.572	4.756	5.580	6.188	TOTAL for year 30·075
No. of Rain Days.	14	12	18	11	6	11	2	7	9	14	22	24	150

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

16 APR 1913

Kept at Beech Hurst Tonbridge
in the County of Kent 4
by W. C. Pummett

Lat. Long.
Time of Observation 9 am
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0126	0.029	—	0138	0145	—	0052	0675	—	0245	1
2	—	0.055	0452	—	—	—	0240	0055	—	0025	—	0066	2
3	0035	0085	0054	—	0036	0125	0012	0173	0011	0010	—	—	3
4	0.172	—	0715	—	0135	0275	—	0020	—	—	0189	—	4
5	0·145	0.086	0170	—	—	0011	—	0295	—	—	0095	0025	5
6	0·470	0.038	—	—	0019	—	—	0315	—	—	0010	0075	6
7	—	—	0008	—	0135	0782	—	0232	—	—	—	0066	7
8	0.225	0·310	0295	—	—	0122	—	0331	—	—	—	0025	8
9	0.015	0.098	—	0046	—	0025	0096	0093	—	—	0011	0070	9
10	—	0.046	—	—	—	—	—	0165	—	—	0067	0312	10
11	0.045	0·349	—	—	—	0055	—	0106	0044	—	—	0257	11
12	—	0·110	0014	—	0179	0132	—	0229	—	0025	0034	0017	12
13	—	0.019	—	—	—	—	—	—	—	—	0195	0055	13
14	—	—	—	—	0025	—	—	0299	—	0037	—	—	14
15	—	—	0100	—	0157	0750	—	0010	—	—	—	0295	15
16	0.248	—	0122	—	0036	0044	—	0049	—	0061	0045	—	16
17	0·373	—	0386	—	—	0026	—	0045	—	—	0164	0095	17
18	0·125	—	0517	—	—	—	0080	0146	—	0033	—	0126	18
19	0.055	0.136	0138	—	—	—	0092	0383	—	—	0014	—	19
20	0.021	0.025	0515	—	0015	—	—	0153	—	0490	0027	—	20
21	—	0.048	0440	—	0034	—	—	0075	—	0221	0067	—	21
22	0.092	0.266	0143	—	—	—	0051	0185	—	—	—	—	22
23	0.555	0.259	0292	—	0051	—	—	0430	—	0085	0152	0076	23
24	0.024	0.012	—	—	—	0115	—	0095	—	—	—	0156	24
25	0.046	—	—	—	—	0236	—	0990	—	0010	0285	0504	25
26	—	0.027	—	—	—	—	—	0475	—	0295	0325	0351	26
27	—	—	0007	—	—	—	0037	—	—	0242	0010	0215	27
28	—	0.056	—	—	—	0035	0122	0045	0081	0712	0544	0246	28
29	—	0.052	—	—	—	—	0072	0257	1565	0131	0013	—	29
30	—		—	—	0161	0008	0178	0265	1300	0314	—	—	30
31	—		0100		—		0195	0136		0017		—	31
Total	2.646	2.077	4.594	0.075	0.983	2.879	1.320	6.052	3.053	3.383	2.247	3.277	YEAR'S TOTAL 32·586
Rain Days.	16	19	19	2	12	16	12	28	6	17	18	20	185

W. 7,500, XI. ·12

8L

33

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

~~TONBRIDGE~~
OAK MANOR
KENT
1911 - 1913

RE

Kept at Oak Man

in the County of W.

by Dr G. H. C

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·84				·06			·03	·02	1
2	·11	·01	·035	·065	·25						·20	·145	2
3	·025	·01		·01	·17				·02		·09	·225	3
4	·10	·02	·03	·15						·855	·20	·18	4
5	·015			·15						·365	·025	·125	5
6			·04	·01								·46	6
7	·03									·29	·41	·35	7
8	·11		·12	·01							·555	·16	8
9	·19		·055	·03							·06	·14	9
10	·305	·07	·03	·065							·01	·65	10
11			·10								·94		11
12			·73								·06		12
13			·06		·25	·065			·68	·17		·20	13
14		·05	·02		·50						·02	·48	14
15		·025	·31							·01	·08	·02	15
16			·01			·255					·54	·12	16
17			·06			·03					1·10	·135	17
18		·16	·03	·01						·015	1·02	·20	18
19		·025							·12	·225	·27		19
20	·01	·01	·02					·22	·195	·15	·01	·08	20
21	·02	·11						·065	·02	·52		·16	21
22	·02	·025	·35			·05		·15		·12	·01	·47	22
23		·26	·02			1·14			·26	·23	·07	·10	23
24	·01	·065	·01			·13	·065			·28		·36	24
25		·125	·24	·04		·17		·10	·03	·03	·06	·015	25
26			·225	·21	·105	·21				·23	·055	·22	26
27		·25	·145	·415					·07	·64	·01	·065	27
28	·01	·22		·13				·05			·03	·015	28
29				·14		·18	·33	·02	·13	·26	·02	·02	29
30			·01	·02				·03		·335			30
31					·565		·395			·02			31
Total	1·015 1·915	1·435	2·650	2·295	1·840	2·230 2·23	·790	·695 ·695	1·525	4·745	5·875	5·115	TOTAL for year 30·21
No. of Rain Days	14	16	22	16	6	9	13	8	9	18	25 ~~24~~	26	172

9,000, IX. '10.

8l/

RE

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Oak Manor, Tonbridge

in the County of W. Kent 4

by Dr. G. H. Cressy

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station
Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·84				·06			·03	·02	1
2	·11	·01	·035	·065	·25						·20	·145	2
3	·025	·01		·01	·17				·02		·09	·225	3
4	·10	·02	·03	·15						·855	·20	·18	4
5	·015			·15						·365	·025	·125	5
6			·04	·01								·46	6
7	·03									·29	·41	·35	7
8	·11		·12	·01							·555	·16	8
9	·19		·055	·03							·06	·14	9
10	·305	·07	·03	·065							·01	·65	10
11			·10								·94		11
12			·73								·06		12
13			·06		·25	·065			·68	·17		·20	13
14		·05	·02		·50						·02	·48	14
15		·025	·31							·01	·08	·02	15
16			·01			·255					·54	·12	16
17			·06			·03					1·10	·135	17
18		·16	·03	·01						·015	1·02	·20	18
19		·025							·12	·225	·27		19
20	·01	·01	·02					·22	·195	·15	·01	·08	20
21	·02	·11						·065	·02	·52		·16	21
22	·02	·025	·35			·05		·15		·12	·01	·47	22
23		·26	·02			1·14			·26	·23	·07	·10	23
24	·01	·065	·01			·13	·065			·28		·36	24
25		·125	·24	·04		·17		·10	·03	·03	·06	·015	25
26			·225	·21	·105	·21				·23	·055	·22	26
27		·25	·145	·415					·07	·64	·01	·065	27
28	·01	·22		·13				·05			·03	·015	28
29				·14		·18	·33	·02	·13	·26	·02	·02	29
30			·01	·02				·03		·335			30
31					·565		·395			·02			31
Total	1·015 1·915	1·435	2·650	2·295	1·840	2·230 2·23	·790	·695 ·695	1·525	4·745	5·875	5·115	TOTAL for year 30·21
No. of Rain Days	14	16	22	16	6	9	13	8	9	18	25 ~~24~~	26	172

9,000, IX. '10.

82 Waste for Nov. ~~7 II 13 E.C.~~ Small ✓

[illegible] No reply to reference.

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Oak Manor

in the County of Kent 4

by G. H. Cressey

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			~~·06~~	·04		·16	·12		·055	·66	– 66	·22	1
2		·03	·19	·015			·23	·01	·01	03	– 03	·01	2
3	·05	·065	·41			·13	·03	·20	·015	·02	·02 02	·075	3
4	·15		·05		·16	·25		·09			·19		4
5	·13	·065	·71		·01	·02	·01	·18			·12	·03	5
6	·46	·04	·18					·31			·02	·065	6
7						·70		·27			·01	·04	7
8	·22	·32	·015	·01		·16	·10	·25		·01	·01 01	·035	8
9	·025	·08	·30	·09		·06		·125			·01	·06	9
10	·02	·05		·01		·06		·16	·025	·01	·085 01	·30	10
11	·05	·29	·01			·06	·095	·08	·05	·01	·02 01		11
12		·10	·01			·085	·115	·235			·04	·24	12
13		·02	·025			·03		·01	·01	·015	·25 015		13
14			·01					·255		·05	·015 05		14
15					·17	·77		·02		·01	01	·32	15
16	·20		~~·01~~		·04	·08		·04		·075	·045 075		16
17	·35		·01			·01		·035			·15	·08	17
18	·10		·10			·04	·095	·18		·05	·015 05	·08	18
19	·06	·12	·095			·01	·115	·27			·015		19
20	·03		·36		·015		·01	·34		·55	·03 55		20
21	·01	·08	·41		·05			·06		·175	·08 175		21
22	·09	·23	·12				·06	·20		·015	·01 015	·02	22
23	·49	·22	·05		·18	·15		·485		·10	·16	·55	23
24	·04	·035	·43			·135		·145		·01	~~·01~~	·15	24
25	·045		·075			·22		·995		·01	·27	·42	25
26		·015	·31					·30		·32	·25	·43	26
27			·015			·035	·25			·17		·21	27
28		·055	·01				·125	·08	·08	·68	·55	·18	28
29		·06	=			·015	·055	·23	1·43	·075	·02	·01	29
30			–		·15		·15	·15	1·29				30
31	·03		·075				·21	·16		·03			31
Total	2·55	1·875	3·97	·165	·775	3·180	1·770	5·565	2·955 2·965	2·075 3·075	2·4~~2~~15 ✓	3·525	TOTAL for year 32·130
No. of Rain Days.	19 ~~20~~	18	26	5	8	21	16	29	9	22	2~~1~~4	21	218

W. 8,000, X. '11.

88 written for ... 23.11.14

Corr for arith 7.11.14 + by comm. stats. 17.VI.14

REGISTER OF RAINFALL IN 1913

22 JAN 1914

FORM A. BRITISH RAINFALL.

65

Kept at Tonbridge

in the County of Kent 4

by G. H. Cressey

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·32	·05	·19		·015			·13	·10	·08	·09	1
2	·18	·18		·01			·17			·025	·03		2
3	·01		·05	·29	·215	·005	·03			·29		·095	3
4	·15		·03	·015	·02	·005					·075	·04	4
5	·265	·05	·01	·01		·05	·205		·50	·40	·06		5
6	·10		·11	·01		·04	·09		·07	·265	·08	·09	6
7	·01	·22	·04		·01	·03	·015	·03		·28	·04		7
8	—	·045	·06		·13	·045		·28		·38	·03	·02	8
9	—	·06			·045			·01	·08		·025	·01	9
10	·03		·01	·055			·40	·035			·30		10
11	·45			·46						·69	·53	·01	11
12	-	·02									1·13		12
13	·33							·04	·03	·02	·10		13
14	x·14		·075	·075			·78	·015	·14	·115	·30		14
15	~~x·76~~ ·16		·22	·26			·18		·015		·01		15
16	·23	·01	·52	·21			·01		·30				16
17	·045	·09	·04	·165			·225		·015		·01		17
18	·01		·12	·23			·09	·01	·015		·055		18
19	·245		·11				·01		·22		·01		19
20	·74		·11	·06	·015	·38			·01	·28	·01		20
21	·025		·33	·065	·025		·015		·01	·41	·65	·015	21
22	·31		·255	·01	·01		·01		·10	·015			22
23	·01		·13			·04	·065	·06	·02		·01	·575	23
24	·035		·015	·015		·025		·09	·015	·01	·05		24
25	–		·015	·205		·005			·01			·01	25
26	–	·01	·165							1·05		·25	26
27	·01	·05	·015		·225					·135			27
28	·175		·27	·065					·015	·255	·01		28
29	·13		·05	·275	1·12			·43	·015	·17			29
30	·45			·35				·05		·11	·01		30
31	·01		·01		·005			·19		·15			31
Total	~~5·790~~ 4·790 4·190	1·055	2·810	3·025	1·820	·640	2·295	1·240	1·705	5·10	3·605	1·205	YEAR'S TOTAL ~~29·96~~ 28·69 28·69
Rain Days.	26	~~7~~ 11	25	21	11	10	~~16~~ 15	~~16~~ 12	~~20~~ 19	20	23	11	204

W. 7,500, XI. 12

TONBRIDGE
KENT
"THE MANOR HSE"
1912 - 1915

FORM A2.
BRITISH RAINFALL.
20 JAN 1913

R ... 12

Kept at The manor ... 5 in.

... ove Ground 1 ft. 1 in.

in the County of — ... , Sea Level 135 ft.

... 8.30 a.m.

by m. S ... Name Tonbridge

Distance 3/4" Direction S.N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·12	·03	—	·16	·10	—	·08	·65	—	·26	1
2	—	·04 (snow)	·44	—	—	—	·23	·05	—	·03	—	·01	2
3	—	·07 (snow)	·06		·03	·11	·02	·17	·02	·01	·07	·05	3
4	·05	—	·64		·15	·28	—	·02	—	—	·05	—	4
5	·15	·06 Snow & sleet	·16		—	·02	—	·32	—	—	·22	·02	5
6	·15	·03	—		·03	—	—	·24	—	—	·02	·05	6
7	·42	—	—		·13	·77	—	·35	—	—	—	·02	7
8	—	·28	·26		—	·13	—	·25	—	—	·01	·03	8
9	·24	·07	·01	·10	—	·03	·09	·08	—	—	—	·05	9
10	·03	·04	—		—	—	—	·15	·01	—	·06	·29	10
11	—	·33	—		—	·07	—	·09	·03	·01	·01	·22	11
12	·05	·08	·02		·18	·09	—	·26	—	—	·025	·02	12
13	·01	·02	·01		—	·02	—	—	—	·04	·21	·025	13
14	—	—	—		·03	—	—	·26	—	—	·01	—	14
15	a trace	·01	·09		·16	·77	—	—	—	·01	—	·28	15
16	·23	—	·07		·03	·05	—	·02	—	·06	—	—	16
17	·32	—	·37		—	·02	—	·04	—	—	·17	·06	17
18	·16	—	·40		—	—	·12	·13	—	·03	—	·11	18
19	·05	·12	·17		—	—	·09	·40	—	—	·02	—	19
20	·02	·03	·31		·03	—	—	·16	—	·50	·02	—	20
21	—	·04	·60		·03	—	—	·04	—	·20	·06	—	21
22	·09	·21	·09		·02	—	·05	·18	—	—	·01	·02	22
23	·48	·21	·31		·12	·04	—	·38	—	·10	·15	·04	23
24	·03	·02	—		—	·14	—	·15	—	·01	—	·13	24
25	·03	·02	—		—	·20	—	·98	—	—	·25	·50	25
26	·01	·005	—		—	—	—	·29	—	·32	·25	·28	26
27	—	—	—		—	—	·05	—	—	·15	—	·18	27
28	—	·04	—		—	·02	·10	·02	·10	·67	·50	·18	28
29	—	·03	—		—	—	·06	·12	1·40	·03	·02	—	29
30	—		—		·14	·02	·18	·33	1·40	·34	—	—	30
31	—		·06		—		·21	·10		·02		—	31
Total	2·52	1·755 1·755	4·19	·13	1·08	2·94	1·29 1·30	5·58	3·04	3·18	2·075	2·825	TOTAL for year 30·705 30·615
No. of Rain Days.	~~17~~ 18	20	19	2	13	18	12	27	7	18	20	22	196

W. 8,000, X. '11.

R 12

FORM A2.
BRITISH RAINFALL.

20 JAN 1913

Kept at The Manor House, Tonbridge

in the County of Kent 4

by M. S. David

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 135 ft.

Time of Observation 8.30 a.m.

Nearest Railway Station
Name Tonbridge
Distance 3/4 m Direction ~~S~~.N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·12	·03	—	·16	·10	—	·08	·65	—	·26	1
2	—	·04 (snow)	·44	—	—	—	·23	·05	—	·03	—	·01	2
3	—	·07 (snow)	·06		·03	·11	·02	·17	·02	·01	·07	·05	3
4	·05	—	·64		·15	·28	—	·02	—	—	·05	—	4
5	·15	·06 snow + sleet	·16		—	·02	—	·32	—	—	·22	·02	5
6	·15	·03	—		·03	—	—	·24	—	—	·02	·05	6
7	·42	—	—		·13	·77	—	·35	—	—	—	·02	7
8	—	·28	·26		—	·13	—	·25	—	—	·01	·03	8
9	·24	·07	·01	·10	—	·03	·09	·08	—	—	—	·05	9
10	·03	·04	—		—	—	—	·15	·01	—	·06	·29	10
11	—	·33	—		—	·07	—	·09	·03	·01	·01	·22	11
12	·05	·08	·02		·18	·09	—	·26	—	—	·025	·02	12
13	·01	·02	·01		—	·02	—	—	—	·04	·21	·025	13
14	—	—	—		·03	—	—	·26	—	—	·01	—	14
15	a trace	·01	·09		·16	·77	—	—	—	·01	—	·28	15
16	·23	—	·07		·03	·05	—	·02	—	·06	—	—	16
17	·32	—	·37		—	·02	—	·04	—	—	·17	·06	17
18	·16	—	·40		—	—	·12	·13	—	·03	—	·11	18
19	·05	·12	·17		—	—	·09	·40	—	—	·02	—	19
20	·02	·03	·31		·03	—	—	·16	—	·50	·02	—	20
21	—	·04	·60		·03	—	—	·04	—	·20	·06	—	21
22	·09	·21	·09		·02	—	·05	·18	—	—	·01	·02	22
23	·48	·21	·31		·12	·04	—	·38	—	·10	·15	·04	23
24	·03	·02	—		—	·14	—	·15	—	·01	—	·13	24
25	·03	·02	—		—	·20	—	·98	—	—	·25	·50	25
26	·01	·005	—		—	—	—	·29	—	·32	·25	·28	26
27	—	—	—		—	—	·05	—	—	·15	—	·18	27
28	—	·04	—		—	·02	·10	·02	·10	·67	·50	·18	28
29	—	·03	—		—	—	·06	·12	1·40	·03	·02	—	29
30	—		—		·14	·02	·18	·33	1·40	·34	—	—	30
31	—		·06		—		·21	·10		·02		—	31
Total	2·52	1·755 1·755	4·19	·13	1·08	2·94	1·29 1·30	5·58	3·04	3·18	2·075	2·825	TOTAL for year 30·705 30·615
No. of Rain Days.	~~17~~ 18	20 ✓	19	2	13	18	12	27	7	18	20	22	~~195~~ 196

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
15 JAN 1914

Kept at The manor House, Tonbridge

in the County of Kent

by M. S. David

Lat. Long.

Time of Observation 8-30 a. m.

Nearest Railway Station Tonbridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·26	·04	·34	—	·01	—	—	·06	·11	·03	·07	1
2	·08	·18	—	—	—	—	·17	—	—	·03	·07	·01	2
3	~~·20~~	—	·035	·27	·17	—	—	—	—	·12	—	·08	3
4	·20	—	·02	·02	·03	·01	·02	—	—	·025	·07	·02	4
5	·26	·04	—	—	—	·03	·18	—	·55	·24	·08	·03	5
6	·03	·02	·11	—	·02	·04	·07	—	·09	·35	·05	·05	6
7	—	·14	·025	—	—	·02	—	·01	—	·15	·02	·005	7
8	—	·03	—	—	·11	·04	—	·30	—	·35	·06	—	8
9	—	·05	—	·02	·06	—	·02	~~·03~~	·09	·01	·02	·005	9
10	—	—	—	·03	—	—	·34	·03	—	—	·58	—	10
11	·55	—	—	·51	—	—	—	—	—	·71	·18	—	11
12	—	—	—	—	·01	—	—	—	—	·01	1·02	—	12
13	·40	—	·01	—	—	—	—	·04	·04	—	·25	—	13
14	·23	—	·06	·06	—	—	·73	·01	·16	·12	·12	—	14
15	·15	—	·17	·18	—	—	·20	—	·01	—	—	—	15
16	·26	·02	·47	·24	—	—	—	—	·33	—	—	—	16
17	·03	·10	·025	·15	—	—	·27	—	—	—	—	—	17
18	·02	—	·05	·30	—	—	·04	—	—	—	·06	—	18
19	·30	—	·145	—	—	—	·09	—	·25	—	—	—	19
20	·68	—	·07	—	—	·31	—	—	·01	·28	—	—	20
21	·02	—	·28	·10	·03	—	—	—	—	·44	·62	—	21
22	·29	—	·24	·01	·01	—	·02	—	·09	—	—	·005	22
23	·01	—	·29	—	—	—	·05	·10	—	—	·01	·595	23
24	·02	—	·015	·02	—	·05	—	·03	—	—	·04	—	24
25	—	—	·01	·20	—	·02	—	—	—	·01	—	·005	25
26	—	—	·15	—	—	—	—	·15	—	1·10	—	·24	26
27	—	—	·02	—	·11	—	—	—	—	·08	—	—	27
28	·22	—	·28	·06	—	—	—	—	—	·37	—	—	28
29	·08		·045	·30	1·65	—	—	·25	—	·17	—	—	29
30	·42		—	·33	—	—	—	·10	—	·12	—	—	30
31	—		—		—	*	—	·34		·13		—	31
Total	4·29	·84	2·55	3·14	2·20	·53	2·20	1·36	1·68	4·925	3·28	1·115	YEAR'S TOTAL 28·11
Rain Days.	21	9	22	18	10	9	13	11	11	21	17	~~8~~ 10	172

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

Ex. MG

FORM A. BRITISH RAINFALL

4 JAN 1915

Kept at The Manor House, Tonbridge

in the County of Kent 4

by M. S. David

Lat. 51° 12′ N. Long. 0° 17′ E.

Time of Observation 8·30 a.m.

Nearest Railway Station Tonbridge

Diameter of Rain Gauge 5 ins in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·06	–	–	trace	·16	–	–	·02	·06	1
2	·01	–	–	·01	–	–	·15	trace	–	–	·12	·21	2
3	~~·07~~	–	·23	–	·15	–	–	–	–	–	·01	·01	3
4	–	–	·01	·29	·01	–	–	·05	–	–	·25	·41	4
5	·07	–	·04	·35	·09	·03	·20	·10	–	–	–	–	5
6	–	·06	–	·17	trace	·10	trace	·02	–	–	·01	·24	6
7	–	·44	·28	·22	·06	·30	·05	–	–	–	–	·19	7
8	·09	·47	·26	·01	–	·02	·11	·04	–	–	trace	·07	8
9	·23	·005	1·06	·14	–	–	–	–	·05	–	–	1·18	9
10	·02	·03	·03	·08	·06	–	–	–	·16	·01	–	·23	10
11	–	·40	·33	·03	–	·02	–	–	·08	–	·17	·34	11
12	–	·02	·10	–	trace	–	·11	–	·26	·06	·01	·52	12
13	·01	·32	·17	–	–	trace	–	–	·11	·06	·11	·62	13
14	–	·26	·31	–	–	–	–	–	–	·28	·04	·27	14
15	·02	–	·19	–	–	–	·24	·01	–	·04	·78	·09	15
16	·03	·03	·11	–	–	–	·01	–	·03	trace	trace	–	16
17	–	·18	·15	–	–	–	–	–	·08	–	–	·13	17
18	–	·20	·10	–	–	–	–	–	–	–	–	·44	18
19		·05	·85	–	–	–	·14	–	–	·02	·23	·12	19
20	trace of snow	·10	·26	–	–	·04	trace	·21	·02	·05	–	·17	20
21		1·02	·08	–	–	–	–	·02	–	·01	–	·05	21
22		·03	–	–	·05	·05	·30	–	–	·20	–	–	22
23			·18	–	·11	·06	·02	–	–	·03	–	·08	23
24		–	·01	–	·02	–	trace	·06	–	trace	·15	·01	24
25	·09		·24	–	–	–	–	·23	–	·25	·01	–	25
26	·01		·03	–	–	–	·03	·15	–	trace	·21	·50	26
27	·02		·01	–	–	–	–	–	–	·06	·04	·41	27
28	·01		–	–	trace	–	–	–	–	·07	·42	·54	28
29	·03	trace.	·02	–	–	–	–	–	–	·52	·14	–	29
30	trace		·07	–	·03	–	–	–	–	·08	1·08	·15	30
31	·005		–		·17		·02	–		trace		–	31
Total	0·645	3·615	5·12	1·36	0·75	0·62	1·38	1·05	0·79	1·69	3·80	7·04	YEAR'S TOTAL 27·86
Rain Days.	13	15	25	10	~~9~~ 10	8	12	11	8	15	18	25	~~169~~ 170

W. 8,000. X. 14.

420

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at The Manor House, Tonbridge

in the County of Kent 4

by M. S. David.

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Tonbridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 131 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·67	·09	·02	—	—	—	—	·25	·34	—	·25	·43	1
2	·20	·14	·22	·14	·01	—	—	·17	·04	·05	trace	·03	2
3	·29	trace	·03	·19	·11	—	—	·41	·08	—	—	·48	3
4	·06	—	—	—	—	—	—	·16	—	·10	—	·54	4
5	·02	·36	—	·02	—	—	—	·16	—	·05	·06	·50	5
6	·41	·06	·02	·42	—	—	·12	·03	—	trace	·01	·08	6
7	·29	·28	·02	—	—	trace	·05	trace	—	—	—	·37	7
8	·04	·50	·01(S)	·07	—	—	·17	·04	—	—	·03	trace	8
9	·03	·16	—	·10	—	·11	—	·15	—	—	·31	·66	9
10	·24	·01	—	—	—	·04	—	—	—	—	—	·49	10
11	—	·03	—	—	—	—	—	—	—	—	·49	—	11
12	·09	·06	—	·16	·35	—	—	·05	—	·01	·68	—	12
13	·025	·85	—	·01	1·44	—	—	—	trace	trace	—	—	13
14	·01	·03	—	—	—	—	·10	·05	·02	·01	—	·27	14
15	·15	—	—	—	·05	—	·11	—	—	—	·13	·26	15
16	—	·43	—	·01	—	—	·69	·22	—	—	·20	·06	16
17	—	·40	—	—	1·57	—	·06	·12	—	—	—	·08	17
18	trace	·11	·02	—	·25	—	—	—	—	—	·04	—	18
19	—	·05	—	—	—	—	·02	—	—	·02	—	—	19
20	·27	—	—	·01	·17	—	—	—	—	—	—	·25	20
21	·10 (Snow)	·05	—	—	—	—	—	—	—	·01	—	·10	21
22	·18	·10	·02	—	—	—	·63	—	—	—	—	·09	22
23	trace	·20	·04	—	—	·015	·09	—	·20	·33	—	·38	23
24	—	·01	·22	—	—	·01	·62	—	·36	·21	—	·24	24
25	—	—	·03	·10	—	—	·27	—	—	·02	—	·16	25
26	·02	·05	—	—	—	—	—	—	—	—	—	·36	26
27	—	·02	·05(S)	—	—	·01	·06	—	—	·30	—	·06	27
28	trace snow	·15	—	—	—	·10	·18	—	1·62	·23	—	—	28
29	—		·01(S)	—	—	·03	·28	·07	·03	·01	·35	·03	29
30	—		—	—	—	·04	—	·02	·01	—	·41	·05	30
31	·09		—		—		—	·44		·68		·26	31
Total	3·185	4·14	0·71	1·23	3·95	0·355	3·45	2·34	2·70	2·03	2·96	6·23	YEAR'S TOTAL 33·28 ✓
Rain Days.	19	23	13	11	8	8	15	15	9	14	12	24	171 ✓

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.
26 JAN 1912

TOVIL
LOWER
KENT
1911 - 1919

REGI

Kept at Lower Tovil,

in the County of Kent

by Laurence Gree

g.

n Tovil

9 AM

in.

round 1 ft. — in.

ea Level as before ft.

NOTE.—Full instructions respecting … fall Organization are given in "*Rules for Rainfall Observ*… quare, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	—	·86	—	—	—	·21	—	—	·04	—	1
2	·04	—	—	~~·02~~	·17	—	—	—	—	—	·14	·10	2
3	·11	·01	—	·02	·10	—	—	—	—	—	·05	·13	3
4	·24	·01	·03	Snow ·43	—	—	—	—	·03	1·11	·16	·11	4
5	·04	·01	—		—	—	—	—	—	·29	·02	·11	5
6	·20	—	·03	·01	—	—	—	—	—	—	—	·28	6
7	·04	—	·01	·01	—	—	—	—	—	—	·31	·36	7
8	·12	—	·16	—	—	—	—	—	—	·74	·56	·13	8
9	·14	—	·04	·03	—	—	—	—	—	—	·01	·02	9
10	—	·07	·01	·11	—	—	—	—	—	—	·01	·61	10
11	·32	—	·06	—	·24	—	—	—	—	—	·72	—	11
12	·01	—	·64	—	—	·14	—	—	—	—	·04	—	12
13	—	—	·11	—	·23	·02	—	—	·54	·17	·02	·15	13
14	—	·06	—	—	·12	·02	—	—	—	—	—	·32	14
15	—	·02	·36	—	—	—	—	—	—	—	·03	·01	15
16	—	—	—	—	—	·31	—	—	—	—	·34	·05	16
17	—	—	·07	—	—	—	—	—	—	—	·92	·09	17
18	—	·23	·01	—	—	—	—	—	—	—	·90	·16	18
19	—	·02	—	—	—	·04	—	—	·12	·17	·20	·09	19
20	—	—	—	—	—	—	—	·30	·23	·17	—	·65	20
21	·01	·09	—	—	—	—	—	·05	—	·68	—	·14	21
22	·01	—	·18	—	—	·01	—	·01	—	·13	—	·44	22
23	—	·23	·06	—	—	·89	—	—	·17	·09	·03	·09	23
24	—	·12	—	—	—	·18	·07	—	—	·27	—	·31	24
25	—	·06	·34	·02	—	·23	—	·02	·03	·01	·06	·01	25
26	—	—	·32	·22	·01	·03	—	—	—	·18	·06	·15	26
27	—	·26	—	·08	—	—	—	—	·10	·46	—	·06	27
28	—	·12	·09	·07	—	—	—	—	—	—	—	·01	28
29	—		—	·23	—	·21	·39	—	·19	·21	·01	—	29
30	—		—	·01	—	·01	·01	·29	·01	·20	—	—	30
31	—		—		—			—		—		—	31
Totals	1·35	1·31	2·52	2·10	·87	2·09	·47	·88	1·42	4·88	4·63	4·58	
Total from Jan. 1		2·66	5·18	7·28	8·15	10·24	10·71	11·59	13·01	17·89	22·52	27·10	155
	13	14	17	14	8	12	3	6	9	15	21	25	

K/1000/5/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

FORM A.
BRITISH RAINFALL.

26 JAN 1912

REGI

Kept at Lower Tovil, Maidstone
in the County of Kent 4
by Laurence Green

Lat. Long.
Nearest Railway Station Tovil
RAIN GAUGE.
Time of Observation 9 A.M.
Diameter ~~12~~5 in.
Height of top above Ground 1 ft. – in.
" " Sea Level as before ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	–	–	·86	–	–	–	·21	–	–	·04	–	1
2	·04	–	–	– ~~·02~~	·17	–	–	–	–	–	·14	·10	2
3	·11	·01	–	·02	·10	–	–	–	–	–	·05	·13	3
4	·24	·01	·03	Snow ·43	–	–	–	–	·03	1·11	·16	·11	4
5	·04	·01	–		–	–	–	–	–	·29	·02	·11	5
6	·20	–	·03	·01	–	–	–	–	–	–	–	·28	6
7	·04	–	·01	·01	–	–	–	–	–	–	·31	·36	7
8	·12	–	·16	–	–	–	–	–	–	·74	·56	·13	8
9	·14	–	·04	·03	–	–	–	–	–	–	·01	·02	9
10	–	·07	·01	·11	–	–	–	–	–	–	·01	·61	10
11	·32	–	·06	–	·24	–	–	–	–	–	·72	–	11
12	·01	–	·64	–	–	·14	–	–	–	–	·04	–	12
13	–	–	·11	–	·23	·02	–	–	·54	·17	·02	·15	13
14	–	·06	–	–	·12	·02	–	–	–	–	–	·32	14
15	–	·02	·36	–	–	–	–	–	–	–	·03	·01	15
16	–	–	–	–	–	·31	–	–	–	–	·34	·05	16
17	–	–	·07	–	–	–	–	–	–	–	·92	·09	17
18	–	·23	·01	–	–	–	–	–	–	–	·90	·16	18
19	–	·02	–	–	–	·04	–	–	·12	·17	·20	·09	19
20	–	–	–	–	–	–	–	·30	·23	·17	–	·65	20
21	·01	·09	–	–	–	–	–	·05	–	·68	–	·14	21
22	·01	–	·18	–	–	·01	–	·01	–	·13	–	·44	22
23	–	·23	·06	–	–	·89	–	–	·17	·09	·03	·09	23
24	–	·12	–	–	–	·18	·07	–	–	·27	–	·31	24
25	–	·06	·34	·02	–	·23	–	·02	·03	·01	·06	·01	25
26	–	–	·32	·22	·01	·03	–	–	–	·18	·06	·15	26
27	–	·26	–	·08	–	–	–	–	·10	·46	–	·06	27
28	–	·12	·09	·07	–	–	–	–	–	–	–	·01	28
29	–		–	·23	–	·21	·39	–	·19	·21	·01	–	29
30	–		–	·01	–	·01	·01	·29	·01	·20	–	–	30
31	–		–		–			–		–		–	31
Totals	1.35	1.31	2.52	2.10	·87	2.09	·47	·88	1.42	4.88	4.63	4.58	
Total from Jan. 1		2.66	5.18	7.28	8.15	10.24	10.71	11.59	13.01	17.89	22.52	27.10	155
	13	14	17	14	6	12	3	6	9	15	21	25	

K/1000/5/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

Ex Heb

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

25 FEB 1913

Kept at Lower Tovil, Maidstone

in the County of Kent 4

by Laurence Green

RAIN GAUGE
Pattern
Diameter of top as before in.
Height of top above Ground ft. in.
„ „ „ Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·05	·01	–	·19	·17	–	·04	·69	–	·17	1
2	–	·03S	·31	–	–	·01	·17	·09	–	·06	–	–	2
3	·05	·10S	·04	–	·04	·17	·02	·24	–	–	·01	·03	3
4	·12	–	·42	–	·20	·26	–	–	–	–	·12	–	4
5	·10	·04	·20	–	–	·05	–	·20	–	–	·18	·01	5
6	·40	·05	·01	–	·02	–	–	·29	–	–	–	·08	6
7	·01	–	·02	–	·07	1·01	·01	·16	–	–	–	·01	7
8	·26	·27	·21	·04	–	·07	–	·05	–	–	–	·02	8
9	·01	·01	–	–	–	·01	·19	·17	–	–	–	·08	9
10	–	·03	–	–	–	–	–	·16	·04	–	·07	·23	10
11	·01	·26	–	–	–	·16	–	·07	·05	–	–	·18	11
12	–	·11	·01	–	·11	·11	–	·26	–	–	·02	·02	12
13	–	·04	–	–	·07	–	·04	–	–	–	·26	–	13
14	–	–	–	–	·25	–	–	·11	·01	·03	·01	–	14
15	–	–	·05	–	–	·61	–	·01	–	–	·02	–	15
16	·12	–	·02	–	·03	·14	–	·04	–	·05	·01	·27	16
17	·61	–	·29	–	–	·02	–	·02	–	–	·13	·11	17
18	·04	–	·31	–	–	–	–	·06	–	·04	·01	·08	18
19	·03	·13	·17	–	–	–	·14	·42	–	–	–	–	19
20	–	·01	·41	–	·03	–	–	·21	–	·43	–	–	20
21	–	·02	·44	–	·01	–	–	·05	–	·22	·16	–	21
22	·08	·14	·01	–	·02	–	·08	·07	–	–	–	–	22
23	·45	·23	·25	–	·14	–	–	·35	–	·09	–	·08	23
24	·07	–	·01	–	·02	·09	–	·14	–	–	·15	·09	24
25	·04	–	–	–	–	·18	–	·84	–	–	–	·27	25
26	·01	–	–	–	–	·01	–	·28	–	·38	·34	·37	26
27	–	–	–	–	–	–	·08	–	–	·08	·17	·11	27
28	–	·02	–	–	–	–	·08	·01	·06	·54	·50	·20	28
29	–	–	–	·01	–	–	·05	·20	1·17	·16	·18	–	29
30	–		–	–	·11	–	·04	·18	1·23	·24	–	–	30
31	·01		·02		·01	–	·20	·10		–		–	31
Total	2·42	1·49	3·25	·06	1·13	3·09	1·27	4·78	2·60	3·01	2·34	2·41	TOTAL for year 27·85
No. of Rain Days.	18	16	20	3	15	16	13	27	7	13	17	19	184

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

8 JAN 1

Kept at Lower Tovil, Maidstone

in the County of Kent 4

by Laurence Green

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Tovil S E & C Rly
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·28	·01	·43	—	·01	—	—	—	·06	·02	·05	1
2	·06	·14	—	—	—	—	·28	—	·01	·02	·03	·01	2
3	—	—	·03	·85	·25	—	—	—	—	·03	—	·08	3
4	·07	—	—	·04	·02	·01	·02	—	·01	—	·03	·02	4
5	·23	·01	—	—	—	·06	·25	—	·66	·14	·15	·05	5
6	·17	·02	·07	—	·02	·05	·06	—	·06	·27	·08	·01	6
7	—	·08	·03	—	—	—	·04	·13	—	·36	·04	—	7
8	—	—	—	—	·07	·01	—	—	—	·19	·04	·01	8
9	—	·06	—	·02	·08	—	—	·07	·05	—	·02	·01	9
10	·01	—	—	·02	—	—	·43	·01	—	—	·58	—	10
11	·40	—	—	·44	—	—	—	—	—	·44	·37	—	11
12	—	—	—	—	·03	—	—	—	—	—	·99	—	12
13	·51	—	—	—	—	—	—	·03	·02	—	·26	—	13
14	·09	—	·04	·06	—	—	·43	·02	·01	·11	·13	—	14
15	·09	—	·17	·09	—	—	·27	—	—	—	—	·01	15
16	·19	·01	·32	·13	—	—	·02	—	·40	—	—	—	16
17	·02	·08	·03	·07	—	—	·18	—	—	—	—	·02	17
18	·01	—	·05	·23	—	—	·01	—	·05	—	·02	—	18
19	·07	—	·09	—	·05	·06	·08	—	·12	—	—	—	19
20	·44	—	·03	·07	—	·15	—	—	·01	·35	—	—	20
21	·06	—	·20	·02	—	—	·02	—	—	·69	·83	—	21
22	·28	—	·10	·45	·01	—	·07	·06	·06	—	—	·01	22
23	—	—	·31	—	—	·01	·03	·05	·02	—	—	·48	23
24	·02	—	·02	·01	—	—	—	·05	—	—	·01	—	24
25	—	—	·01	·17	—	·04	—	—	—	—	·03	—	25
26	—	—	·16	—	—	·01	—	·05	—	1·10	—	·22	26
27	—	·01	·02	—	·26	—	—	—	—	·19	·01	—	27
28	·12	—	·23	·03	—	—	—	—	—	·23	—	—	28
29	·17		—	·39	·20	—	—	·15	—	·08	—	·01	29
30	·29		—	·18	·06	—	—	·09	·02	·03	—	·01	30
31	—		·01		—			·34		·07	~~3.64~~	—	31
Total	3.30 3.31	·69	1.93	3.70	1.05	·41	2.19	1.05	1.50	4.36	3.64	1.00	YEAR'S TOTAL 24.83
Rain Days.	21	4.00 9	5.93 20	9.63 19	10.68 11	11.09 10	13.28 15	14.33 12	15.83 14	20.19 17	23.83 18	24.83 15	181

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

ex I McC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

-5 FEB 1915

Kept at Lower Tovil, Maidstone

in the County of Kent 4

by Laurence Green

Lat. Long.

Time of Observation as before

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·08	—	—	·06	·02	—	—	·04	·03	1
2	—	—	—	·01	—	—	·11	—	—	·01	·07	·20	2
3	—	—	·16	·01	·12	—	·01	—	—	—	·01	·01	3
4	—	—	·04	·18	·01	—	—	·01	—	—	·27	·22	4
5	·06	—	·03	·31	·17	·01	·15	·12	—	—	—	—	5
6	—	·03	—	·17	·01	·17	·01	·01	—	—	—	·16	6
7	—	·24	·26	·15	·01	·37	·06	—	—	—	—	·14	7
8	·06	·31	·19	·01	—	·08	·05	·02	—	—	—	·11	8
9	·19	—	·92	·09	—	—	—	—	·08	—	—	1·20	9
10	—	·01	·01	·04	·07	—	—	—	—	·02	—	·13	10
11	—	·35	·30	·02	—	—	—	—	·19	—	·10	·31	11
12	·02 S	·03	·08	—	·03	—	·23	—	·21	·02	·02	·48	12
13	·02	·14	·19	—	—	—	—	—	·14	·05	·08	·55	13
14	—	·12	·13	—	—	—	·03	—	·01	·37	·02	·22	14
15	·01	·02	·21	—	—	—	·30	·01	—	—	1·02	·11	15
16	·02	·04	·02	—	—	—	·01	—	·04	—	·01	—	16
17	—	·16	·15	—	—	—	—	—	·04	—	—	·03	17
18	—	·17	·17	—	—	—	—	—	—	—	—	·28	18
19	—	·05	1·16 R&S	—	—	—	·07	—	—	·06	R&S ·31	·10	19
20	—	·10	·17	—	—	·07	·01	—	·05	·18	—	·12	20
21	—	·76 R&S	·05	·01	—	·01	—	·22	—	·01	·01	·14	21
22	—	·02	—	·22	·14	·03	·20	·01	—	·20	—	·02	22
23	—	—	·32	·01	·15	·31	·01	—	—	·03	—	·12	23
24	—	—	·02	·04	—	—	—	—	—	—	·14	·12	24
25	·06	—	·34	—	·01	—	—	·03	—	·23	·01	—	25
26	·01	—	·06	—	·02	—	·01	·15	—	·06	·18	·33	26
27	·02	—	·02	—	—	—	·01	·01	—	·01	·05	·29	27
28	·01	·01	—	—	·02	—	—	—	—	·24	·43	·60	28
29	·01	×	—	—	—	—	—	—	—	·83	·14	·01	29
30	—	×	·02	—	—	—	—	—	—	·10	·81	·09	30
31	—	×	—	×	·32	×	·01	—	×	—	×	·04	31
Total	·49	2·56	5·02	1·35	1·08	1·05	1·34	·61	·76	2·42	3·72	6·16	YEAR'S TOTAL 26·56 ✓
Rain Days.	12	17	24	15	13	8	18	11	8	16	19	28	189 ✓

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

434

FORM A.
BRITISH RAINFALL.
Rec JUL 1916

REGISTER OF RAINFALL IN 1915

Kept at Lower Tovil, Maidstone
in the County of Kent
by Laurence Green

Lat. .... Long. ....
Time of Observation 9. AM
Nearest Railway Station Tovil
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·62	·08	·09	–	–	–	–	–	·48	–	·52	·37	1
2	·18	·11	·25	·07	·02	–	–	·27	·01	·03	·01	·02	2
3	·42	–	·03	·19	·07	–	–	·35	·18	–	–	·44	3
4	·02	–	–	–	–	–	–	·32	–	·01	–	·50	4
5	·03	·25	–	·02	–	–	–	·07	–	·04	·04	·33	5
6	·35	·12	·02	·34	–	–	·17	·01	–	–	·01	·04	6
7	·27	·22	R+S ·05	·01	–	–	·04	–	–	–	–	·32	7
8	·03	·45	R+S ·04	·01	–	–	·14	·08	–	–	·01	–	8
9	·02	·01	–	·02	–	·19	–	·09	–	–	·32	·57	9
10	·25	·01	–	–	–	·09	–	–	–	–	–	·61	10
11	·03	·09	·01	–	–	–	–	–	–	–	·51	–	11
12	·06	·24	–	·19	·38	–	–	–	–	·02	·55	–	12
13	·07	·79	–	·05	1·10	–	–	–	·01	–	–	–	13
14	·03	·05	–	–	–	–	·22	·02	·04	–	–	·16	14
15	·11	–	–	–	·05	–	·13	·07	–	–	R+S ·35	·16	15
16	·02	·23	–	·06	·03	–	·71	·04	–	–	·01	·03	16
17	–	·34	–	–	·77	–	·03	–	–	–	–	·17	17
18	·01	·11	R+S ·06	–	·38	–	–	–	–	–	·04	–	18
19	·01	·02	–	–	–	–	·01	–	–	·07	–	–	19
20	·24	·01	–	·02	·08	–	–	·05	–	–	–	·19	20
21	R+S ·10	–	–	–	–	–	–	–	–	·01	–	·05	21
22	R+S ·08	·01	·02	·01	–	–	·81	–	–	–	–	·13	22
23	–	R+S ·20	·29	–	–	·01	·05	–	–	·13	–	·33	23
24	–	–	·01	·12	–	–	·21	–	·28	·11	–	·41	24
25	–	–	·12	·12	–	–	·22	–	–	·08	–	·19	25
26	·02	·03	·01	–	–	·06	–	–	–	–	–	·35	26
27	–	·01	R+S ·08	–	–	·04	·13	–	–	·25	–	·04	27
28	·02	·05	R+S ·04	–	–	·78	·29	–	1·73	·21	–	–	28
29	–	–	R+S ·02	–	·05	·15	·43	·12	·01	–	·50	·03	29
30	·06	✕	–	–	–	·84	–	·01	·06	–	·32	·01	30
31	·05	✕	–	✕	–	✕	–	·25	✕	·55	✕	·19	31
Total	3·10	3·43	1·14	1·23	2·93	2·16	3·59	1·75	2·80	1·51	3·19	5·64	YEAR'S TOTAL 32·47
Rain Days.	25	22	16	14	10	8	15	14	9	12	13	24	182

W. 8,000. X. 15.

421

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Lower Tovil, Maidstone

in the County of Kent

by Laurence Green

Lat. as before Long.

Time of Observation 9 AM

Nearest Railway Station Tovil

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level as before ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	·01	—	·16	·01	—	—	·10	·06	·31	—	1
2	·31	·03	·40	—	·07	—	—	—	—	·22	—	—	2
3	—	·49	·36	—	·01	—	·03	—	·11	·26	·34	—	3
4	·12	·11	—	—	—	·14	—	—	·04	·01	·54	—	4
5	·01	—	·01 S	—	·07	·15	·08	—	·01	·02	·41	·01	5
6	—	·04	·19 S	·44	—	·39	·24	—	—	·02	·31	—	6
7	·04	·02	·84 S	—	·23	·11	·03	—	—	—	·56	·01	7
8	—	—	—	—	·14	·06	—	—	—	—	—	·24	8
9	—	—	·02	—	·33	—	·01	—	—	·01	—	·15	9
10	—	·17	·05	·05	—	·50	·21	—	·03	·01	·01	·43	10
11	·01	·27	·02	·10	—	·08	·01	—	·02	—	—	·02	11
12	·04	·05	·01	·06	·26	·20	·02	—	—	·04	·01	·01	12
13	·01	·27	·18	·13	·28	·14	·10	·02	·02	·03	—	—	13
14	—	·54	·03	·01	·08	—	—	·01	—	—	·01	·13	14
15	—	·14	·14	—	—	—	—	·17	—	—	—	·15	15
16	—	·06	·10	·13	—	—	·45	·05	—	—	—	—	16
17	·12	·08	—	·05	—	—	·10	·16	·30	·69	—	—	17
18	—	·10	·02	·11	—	—	—	·05	·02	·17	S&R ·70	—	18
19	·07	·02	·04	·05	—	·04	—	—	·24	·02	·57	R&S ·04	19
20	·07	—	·11	·03	—	·01	—	·02	—	—	·04	·40	20
21	·01	—	·25	·08	—	·03	·01	—	—	—	·02	·22	21
22	·01	·01 S	·17	·01	—	·20	—	—	—	·01	—	·45	22
23	·01	·31 S	·08 S	—	—	—	—	·02	—	—	·03	·03	23
24	·01	·01 S	·01	—	·01	—	—	·01	—	·27	·02	·33 ~~·03~~	24
25	—	·62 S	·16	—	·01	—	—	·42	—	·09	·02	—	25
26	—	·24 S	·01	—	—	·10	—	·01	—	·12	·05	·01	26
27	·01	·22 S	·51	—	—	·02	—	·50	·03	·23	—	·01	27
28	—	S&R ·37	·18	—	—	·06	—	·05	·09	·02	—	·15	28
29	—	·13	·01	—	·03	·12	—	·62	·03	·31	—	·22	29
30	—		—	—	—	—	—	·34	—	·20	—	—	30
31	—		—		—		—	·02		·18		·04	31
Total	·91	4·30	3·91	1·25	1·68	2·36	1·29	2·47	1·04	2·99	3·95	3·05	YEAR'S TOTAL 29·20
Rain Days.	16	23	26	13	13	18	12	16	13	22	17	20	209

W. 8,000, VIII. 16

403

REGISTER OF RAINFALL IN 19[illegible]

FORM A.
BRITISH RAINFALL.

Kept at Lower Tovil, Maidstone
in the County of Kent
by Lawrence Green

Lat. Long. as before
Time of Observation 9 AM
Nearest Railway Station Tovil
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level as before ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July. ~~07~~	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01 S	·02	·30 S	—	—	·01	1·72	·10	·01	·05	—	1
2	·01	—	·01	·13 S	—	—	~~·08~~	·36	—	—	·02	—	2
3	·01	—	—	·17 S	—	—	·05	·94	—	·03	·07	—	3
4	—	·20 S	·11 S	—	—	—	·05	·02	—	·35	—	—	4
5	·27	—	·02	R&S ·32	—	—	—	—	·27	·14	—	—	5
6	·15	—	—	·04 S	—	·11	—	—	·07	·02	·12	—	6
7	·04	—	—	—	—	—	—	—	·01	·36	—	·02	7
8	—	—	—	·10	—	—	·70	·06	—	·30	·21	·18	8
9	—	—	S+R ·03	·08 S	—	—	·37	·02	—	—	·02	1·34	9
10	R&S ·19	—	·10	·08 S	—	·01	—	·06	—	—	—	·01	10
11	·16	·02	·24	·36 S	—	—	—	·10	·06	·20	—	—	11
12	·05	·02	·02	·03	·01	—	—	·14	·02	·35	—	—	12
13	·03	—	·10	·02	—	—	—	·04	—	·20	—	—	13
14	·06 S	—	·04	·20	—	—	—	·05	—	—	—	—	14
15	·07 S	—	—	—	—	—	·16	·02	—	·03	—	—	15
16	·11 S	·10	—	·17	·38	—	·03	—	—	·10	—	R&S ·73	16
17	·01	—	—	·07	·50	—	·16	—	·16	·07	—	—	17
18	·04	·02	—	·09	·01	—	·03	·06	·09	—	·01	—	18
19	·02	·07	·07	·01	·15	·09	—	·01	·14	—	—	—	19
20	—	·15	·05	—	·92	·01	·25	·01	·04	—	·03	—	20
21	—	·01	·03 S	—	·04	—	—	—	—	—	·01	·01	21
22	—	—	·11 S	—	—	·40	—	·09	—	·14	—	·01	22
23	—	·08	·03 S	—	·17	·05	—	·10	·01	·06	—	—	23
24	—	—	—	—	—	·03	·01	·04	—	·12	—	·03 S	24
25	—	·01	·02	—	—	·06	—	—	·01	·02	·06 S	·03 S	25
26	—	—	·02	—	—	—	—	·20	—	·03	·80	·02 S	26
27	—	—	—	—	—	—	—	·83	·01	—	·01	—	27
28	—	—	·06	—	—	—	·09	·21	—	—	—	·09 S	28
29	—		·12	—	·09	1·23	·36	·02	—	·31	—	·10	29
30	·05 S		·28	—	—	·14	1·76	·06	·01	·09	—	·02	30
31	·04 S		·10		—		·72	·01		·01		·04	31
Total	1·31	·69	1·58	2·17	2·27	2·13	4·73	5·17	1·00	2·94	1·41	2·63	YEAR'S TOTAL 28·03
Rain Days.	17	11	21	16	9	10	15	24	14	21	12	14	184

W. 8,000, IX. 17.

9·14

99

FORM A. BRITISH RAINFALL. 5.5.19

REGISTER OF RAINFALL IN 1918

Kept at Lower Tovil

in the County of Kent

by Laurence Green.

Lat. Long. as before.

Time of Observation 9 AM.

Nearest Railway Station Tovil SE+CR

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level as before ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	snow ·01	—	snow ·09	·01	—	—	—	—	—	—	·12	—	1
2	—	—	—	·02	—	—	—	·23	—	—	·37	·19	2
3	–	·02	·07	—	·34	—	—	—	—	·04	·39	·04	3
4	—	·03	·04	—	·10	—	—	·13	·27	—	·46	—	4
5	–	·16	·05	—	·12	—	—	·03	·14	·04	·02	·01	5
6	·14	·15	—	·15	·22	—	—	·03	·13	—	—	·02	6
7	snow ·10	·04	—	·06	·31	·01	—	·01	·19	·03	—	—	7
8	–	·09	—	·01	—	—	—	—	·19	—	·09	·17	8
9	snow ·04	·01	—	·01	—	·10	·10	—	·33	·28	–	·05	9
10	·01	·01	—	·07	—	·02	·16	—	·25	·06	·01	·25	10
11	·03	—	—	·02	·03	—	·09	—	·05	·86	·07	·09	11
12	—	·04	—	—	·12	—	·08	—	·01	·14	—	·02	12
13	snow ·10	·01	—	·02	·03	—	·05	—	·09	—	—	—	13
14	·08	—	·01	·01	·01	·11	·05	—	·07	·20	—	·10	14
15	1·11	—	—	snow R ·68	—	·11	·16	—	—	·02	—	·17	15
16	·30	—	—	·12	—	·08	·36	—	·04	—	—	—	16
17	·15	—	—	·17	·22	·06	·17	—	—	—	—	·25	17
18	·23	—	—	S and R ·02	—	·15	·01	—	·40	·09	—	·06	18
19	·08	—	·05	S and R ·09	—	·13	·01	—	·06	·36	—	·04	19
20	·03	·07	—	·41	—	·01	·70	—	·10	·57	—	·11	20
21	·13	·02	—	·03	—	·01	·07	—	·50	·06	—	—	21
22	·06	·01	—	·01	·01	—	·20	—	·63	—	—	·16	22
23	·03	—	—	—	·07	—	·50	·04	·01	—	—	·06	23
24	—	·22	—	·05	·09	·04	—	—	·16	—	·04	·01	24
25	—	—	—	·01	—	·07	·37	·27	—	—	·01	·02	25
26	—	—	—	—	—	—	·45	·05	·02	·05	·10	·07	26
27	—	·02	·01	·22	—	—	·20	·11	·04	–	·05	·03	27
28	—	·02	·14	·02	—	—	·01	·15	—	·01	·27	·05	28
29	—	×	·01	·03	—	—	—	·01	1·00	–	·05	—	29
30	—	×	·38	—	—	—	—	—	·07	·02	—	·06	30
31	—	×	—	×	—	×	—	—	×	·02	×	·01	31
Total	2·63	·92	·85	2·24	1·67	·90	3·74	1·06	4·75	2·85	2·05	2·04	YEAR'S TOTAL 25·70
Rain Days	17	16	10	23	13	13	19	11	23	17	14	24	200

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Lower Tovil, Maidstone

in the County of Kent

by Laurence Green

Lat. .... Long. ....

Time of Observation as before

Nearest Railway Station before

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground as before in.

" " " " Sea Level as before ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	·11 S	—	—	·02	—	·40	—	—	·12	·07	·65	1
2	·24	—	—	—	·03	—	·05	—	—	·02	S&R ·50	·28	2
3	·25	—	·28	—	—	—	·66	·01	·21	—	S&R ·25	·27	3
4	·24	·01 S	·44	—	—	·06	·01	—	—	—	·05	·09	4
5	·06	·26 S	·95	—	—	—	—	·06	—	—	·11	·27	5
6	·03	—	·01	—	—	—	—	—	—	·02	·02	·11	6
7	·12	—	·29	—	—	—	—	—	—	—	·15	—	7
8	·26	—	·04	—	—	—	—	—	—	—	·04	—	8
9	·63	—	·03	·13	—	—	—	—	—	—	·28	—	9
10	·59	—	·02	·05	—	—	—	—	—	—	·09	·01	10
11	·28	—	·16	·32	·01	—	·24	—	—	—	—	·02	11
12	·07	—	—	·02	—	—	·33	—	—	·07	·02 S	—	12
13	·01	—	·01	·41	—	—	—	—	—	·03	·01	·01	13
14	·21	—	—	·32	—	—	·29	—	·17	—	—	·02	14
15	·13	·02	—	·10	—	—	—	—	—	·05	—	·03	15
16	·10	·33	—	—	—	—	—	—	—	—	S&R ·10	·05	16
17	—	S&R ·21	—	—	—	—	—	—	—	—	·16	·05	17
18	—	S&R ·22	·02	—	—	—	—	—	·05	—	·07	·03	18
19	—	·06	·42	·09	—	·08	·39	·04	·19	—	·09	·01	19
20	·09	·03	·07	·01	—	·93	·22	·08	—	—	S&R ·02	—	20
21	·07	·27	S&R ·08	—	—	·01	·08	—	—	—	·01	·01	21
22	—	·03	·01	—	—	—	·17	—	·26	—	·06	·17	22
23	—	—	—	·01	—	·06	·04	·05	·39	—	·02	·06	23
24	—	—	—	·13	—	·03	·01	—	—	·01	·03	—	24
25	—	—	—	—	·11	—	—	·21	—	·03	—	·02	25
26	·05 ~~·24~~	·09	·10	·07	—	—	·03	·01	·08	—	·01	·20	26
27	S&R ·37	·02	S&R ·09	S&R 1·60	—	—	—	·22	—	—	·01	·02	27
28	—	—	·18 S	·05	—	—	·01	·60	—	·01	·44	·38	28
29	·04		—	·07	—	—	—	·53	—	·19	—	·09	29
30	—		·02 S	·25	—	·03	—	·54	—	·16	·11	·46	30
31	·02 S		·01 S		—		·04	·01		·05		·05	31
TOTAL	4·09	1·66	3·18	3·63	·17	1·20	2·97	2·36	1·35	·76	2·72	3·36	YEAR'S TOTAL 27·45
Days with ·01 in. or more	22	13	20	16	4	7	16	12	7	12	25	25	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

TUNBRIDGE WELLS
BREDBURY
1911- 1912

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

REG

Kept at Bredbury,

in the County of Ken

by order of Mr F.

in.

ound ft. in.

a Level ft.

me

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	–	–	·75	–	–	–	·06	–	–	·08	·01	1
2	Snow ·11	–	·02	·05	·26	–	·03	–	–	–	·15	·18	2
3	·04	·02	–	–	·21	–	–	–	–	–	·16	·23	3
4	·23	·02	·10	Snow ·40	–	–	–	–	·01	1·04	·33	·22	4
5	·02	·01	–	Snow ·25	–	–	–	–	–	·62	·04	·09	5
6	·34	–	·04	Snow ·02	–	–	–	–	–	·01	·01	·65	6
7	·04	–	·02	–	–	–	–	–	–	·36	·43	·35	7
8	·15	–	·10	–	–	–	–	–	–	–	·71	·23	8
9	·22	–	·02	·04	–	–	–	–	–	–	·09	·09	9
10	–	·09	·07	·07	·01	–	–	–	–	–	·01	1·01	10
11	·43	–	·08	–	–	–	–	–	–	–	1·14	–	11
12	Snow 04	–	& Snow ·72	–	–	–	–	–	–	–	·10	–	12
13	–	–	& Snow ·06	–	·19	–	–	–	·66	·24	·01	·29	13
14	–	·07	–	–	·26	–	–	–	–	–	–	·59	14
15	–	·03	& Snow ·32	–	–	–	–	–	–	·01	·12	·03	15
16	·01	–	–	–	–	·22	–	–	–	–	·72	·18	16
17	–	–	·02	–	–	·03	–	–	–	–	·82	·24	17
18	–	·16	·11	–	–	–	–	–	–	–	·90	·49	18
19	–	–	–	–	–	·07	–	–	·16	·32	·23	·11	19
20	·03	–	·01	–	–	–	–	·27	·36	·24	·01	·78	20
21	·03	·17	–	–	–	–	–	·05	–	1·12	–	·14	21
22	·01	–	·25	–	–	·13	–	·14	–	·34	–	·58	22
23	–	·29	–	–	–	1·04	–	–	·24	·15	·08	·28	23
24	–	·13	–	–	–	·24	·07	–	–	·34	–	·47	24
25	–	·06	Snow ·44	·05	–	·16	–	·20	·09	·01	& Snow ·03	–	25
26	–	–	·28	·26	·13	·10	–	–	–	·36	Snow ·09	·22	26
27	–	·30	& Snow ·19	& Hail ·33	–	–	–	–	·05	·46	& Snow 03	·06	27
28	–	·35	–	·15	–	–	–	·02	–	–	·04	–	28
29	–		–	·18	–	·13	·27	–	·17	·28	·01	–	29
30	–		–	·01	–	·02	–	–	02	·40	–	·01	30
31	–		–		·07		–	–		–		–	31
Total	1·77	1·70	2·85	2·56	1·13	2·14	·37	·74	1·76	6·30	6·34	7·53	TOTAL for year 35·19 161 day
No. of Rain Days.	15	13	18	13	7	10	3	6	9	17	25	25	

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL
15 JAN 1912

Kept at Bredbury, Tunbridge Wells

in the County of Kent 4

by order of Mr F. G. Smart

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
,, ,, ,, Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	–	–	·75	–	–	–	·06	–	–	·08	·01	1
2	Snow ·11	–	·02	·05	·26	–	·03	–	–	–	·15	·18	2
3	·04	·02	–	–	·21	–	–	–	–	–	·16	·23	3
4	·23	·02	·10	Snow ·40	–	–	–	–	·01	1·04	·33	·22	4
5	·02	·01	–	Snow ·25	–	–	–	–	–	·62	·04	·09	5
6	·34	–	·04	Snow ·02	–	–	–	–	–	·01	·01	·65	6
7	·04	–	·02	–	–	–	–	–	–	·36	·43	·35	7
8	·15	–	·10	–	–	–	–	–	–	–	·71	·23	8
9	·22	–	·02	·04	–	–	–	–	–	–	·09	·09	9
10	–	·09	·07	·07	·01	–	–	–	–	–	·01	1·01	10
11	·43	–	·08	–	–	–	–	–	–	–	1·14	–	11
12	Snow 04	–	& Snow ·72	–	–	–	–	–	–	–	·10	–	12
13	–	–	& Snow ·06	–	·19	–	–	–	·66	·24	·01	·29	13
14	–	·07	–	–	·26	–	–	–	–	–	–	·59	14
15	–	·03	& Snow ·32	–	–	–	–	–	–	·01	·12	·03	15
16	·01	–	–	–	–	·22	–	–	–	–	·72	·18	16
17	–	–	·02	–	–	·03	–	–	–	–	·82	·24	17
18	–	·16	·11	–	–	–	–	–	–	–	·90	·49	18
19	–	–	–	–	–	·07	–	–	·16	·32	·23	·11	19
20	·03	–	·01	–	–	–	–	·27	·36	·24	·01	·78	20
21	·03	·17	–	–	–	–	–	·05	–	1·12	–	·14	21
22	·01	–	·25	–	–	·13	–	·14	–	·34	–	·58	22
23	–	·29	–	–	–	1·04	–	–	·24	·15	·08	·28	23
24	–	·13	–	–	–	·24	·07	–	–	·34	–	·47	24
25	–	·06	Snow ·44	·05	–	·16	–	·20	·09	·01	& Snow ·03	–	25
26	–	–	·28	·26	·13	·10	–	–	–	·36	Snow ·09	·22	26
27	–	·30	& Snow ·19	& Hail ·33	–	–	–	–	·05	·46	& Snow 03	·06	27
28	–	·35	–	·15	–	–	–	·02	–	–	·04	–	28
29	–		–	·18	–	·13	·27	–	·17	·28	·01	–	29
30	–		–	·01	–	·02	–	–	02	·40	–	·01	30
31	–		–		·07		–	–		–		–	31
Total	1·77	1·70	2·85	2·56	1·13	2·14	·37	·74	1·76	6·30	6·34	7·53	TOTAL for year
No. of Rain Days.	15	13	18	13	7	10	3	6	9	17	25	25	35·19 in 161 days

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

30 MAY 1913

Kept at Bredbury. Tunbridge Wells.
in the County of Kent. 4
by order of the late Mr. F. G. Smart
per. Joseph Chamberlain

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	–	·19	Snow ·01	–	·15	·07	–	·06	1·00	–	·31	1
2	–	Snow ·08	·46	·01	–	·01	·21	–	·01	02	–	–	2
3	·03	Snow ·08	·03	–	–	·16	·01	·22	·02	–	·005	·08	3
4	·18	–	·79	–	·04	·31	–	·01	–	–	·20	–	4
5	·18	& Snow ·09	·18	–	–	·05	–	·27	–	–	·12	·01	5
6	·54	·06	–	–	·02	–	–	·40	–	–	·01	·16	6
7	–	–	–	–	·18	·66	–	·48	–	–	–	·14	7
8	·29	·44	·34	Trace	–	·02	–	·15	–	–	·01	·04	8
9	·01	·13	·01	Hail & Snow ·07	–	–	·16	·28	–	–	–	·11	9
10	–	·08	–	–	–	–	–	·78	–	–	·04	·34	10
11	·04	·45	·01	–	Trace	·08	–	·41	·03	–	–	·31	11
12	–	·12	02	–	·19	·19	–	·33	–	–	·02	·03	12
13	–	·01	·03	–	–	–	–	–	–	–	·18	·10	13
14	–	–	·01	–	·05	–	–	·25	–	·05	–	·01	14
15	–	·01	·10	–	·16	·77	–	·02	–	–	·01	·36	15
16	·23	–	·17	–	& Hail 09	·03	–	·09	–	·06	·04	–	16
17	·36	–	·55	–	–	·04	–	·05	–	–	·30	·21	17
18	·14	–	·40	·03	–	–	·07	·16	–	·06	–	·14	18
19	·06	·17	·23	–	–	–	·05	·46	–	–	·02	–	19
20	·02	·04	& Snow ·59	–	–	trace	–	·11	–	·50	·05	–	20
21	·01	·06	·59	–	·03	–	–	·05	–	·24	·06	–	21
22	·10	·49	·11	–	·01	–	·04	·20	–	–	–	·01	22
23	·53	·32	·37	–	·20	·02	–	·42	–	·11	·17	·08	23
24	·07	·01	–	–	–	·01	–	·15	–	–	–	·17	24
25	·09	·02	–	–	–	·32	–	·80	–	–	·34	·50	25
26	Snow ·02	·02	–	–	–	Trace	–	·53	–	·26	·41	·45	26
27	–	–	–	–	–	–	·01	–	–	·31	–	·32	27
28	–	·06	–	–	–	·02	·23	·07	·05	1·10	·59	·40	28
29	–	·05	–	Trace	–	–	·08	·49	1·87	·20	·03	–	29
30	–		–	–	·27	–	·08	·29	1·53	·36	–	–	30
31	Snow ·02		·02		–		·23	·20		–		–	31
Total	2·92	2·79	5·20	·12	1·24	284	1·24	7·07	3·57	4·27	2·605	4·28	YEAR'S TOTAL 38·145
Rain Days.	19	21	21	4	11	16	12	27	7	13	18	22	191

W. 7,500, XI. ·12

82

REGIST

64

FORM A.
BRITISH RAINFALL.

28 JAN 1915

TUNBRIDGE WELLS
{CALVERLEY PARK}

KENT

~~1914-15~~
1914-20

Kept at Tunbridge Wells,

in the County of Kent

by Borou

in.

nd ft. in.

Level ft.

IMPORTANT NOTE.— result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in "R ation to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·63	1
2											·17	·08	2
3												·25	3
4											·01	·28	4
5											·31	·03	5
6											·01	·05	6
7												·60	7
8												·06	8
9												·40	9
10											·01	1·34	10
11										·02	·12	·25	11
12											·03	·17	12
13										·06	·11	·88	13
14										·19		·39	14
15										·20	·17	·36	15
16											·57		16
17													17
18												·69	18
19										·01	·19	·38	19
20										·08	·05	·04	20
21										·05		·26	21
22										·05			22
23										·26		·01	23
24										·01		·05	24
25										·06	·13		25
26										·22	·01	·23	26
27										·10	·24	·38	27
28											·36	·93	28
29										·28	·01	·10	29
30										·61	1·06	·02	30
31										·03		·24	31
Total										2·23	3·56	9·10	YEAR'S TOTAL
Rain Days.										16 ~~14~~	18	27	

W.7,000, XI. 13

82

64

REGIST

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Tunbridge Wells, Calverley Park
in the County of Kent 6 p.m. Gauge
by Borough Council

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·63	1
2											·17	·08	2
3												·25	3
4											·01	·28	4
5											·31	·03	5
6											·01	·05	6
7												·60	7
8												·06	8
9												·40	9
10											·01	1·34	10
11										·02	·12	·25	11
12											·03	·17	12
13										·06	·11	·88	13
14										·19		·39	14
15										·20	·17	·36	15
16											·57		16
17													17
18												·69	18
19										·01	·19	·38	19
20										·08	·05	·04	20
21										·05		·26	21
22										·05			22
23										·26		·01	23
24										·01		·05	24
25										·06	·13		25
26										·22	·01	·23	26
27										·10	·24	·38	27
28											·36	·93	28
29										·28	·01	·10	29
30										·61	1·06	·02	30
31										·03		·24	31
Total										2·23	3·56	9·10	YEAR'S TOTAL
Rain Days.										16 ~~14~~	18	27	

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

13 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept ~~at~~ Tunbridge Wells
in the County of Kent.
by Dr. F. C. Linton.

Lat. 51° 8′ Long. 0° 16′ E
Time of Observation 9 a m
Nearest Railway Station S.E.R. Tun Wells
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 356 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·	0·05	·	·	0·04	0·14	1
2							0·14	0·02	·	·	0·12	0·23	2
3							·	·	·	·	0·01	0·02	3
4							·	0·01	·	·	0·32	0·29	4
5							0·20	0·15	·	·	Trace	0·01	5
6							0·01	0·06	·	·	0·01	0·37	6
7							0·09	·	·	·	·	0·33	7
8							0·07	0·07	·	·	Trace	0·04	8
9							·	·	0·08	·	0·01	1·66	9
10							·	·	0·02	0·02	·	0·05	10
11							·	·	0·20	·	0·15	0·42	11
12							0·13	·	0·30	0·01	Trace	0·67	12
13							·	·	0·10	0·05	0·10	0·60	13
14							·	·	Trace	0·39	0·12	0·33	14
15							0·23	Trace	·	Trace	0·61	0·04	15
16							0·01	·	0·06	·	·	Trace	16
17							0·01	·	0·15	·	·	0·31	17
18							·	·	Trace	·	·	0·58	18
19							0·20	·	·	0·05	0·24	0·17	19
20							·	·	Trace	0·08	·	0·25	20
21							·	0·11	·	0·03	·	0·05	21
22							0·16	0·04	·	0·28	·	Trace	22
23							0·01	Trace	·	Trace	·	0·06	23
24							·	·	·	0·01	0·13	·	24
25							·	·	·	0·28	0·01	0·02	25
26							0·02	0·28	·	0·10	0·21	0·51	26
27							·	0·02	·	Trace	0·06	0·61	27
28							·	·	·	0·05	0·36	0·51	28
29							·	·	·	0·72	0·33	Trace	29
30		×					·	·	·	0·12	1·31	0·21	30
31		×		×		×	0·01	·	×	Trace	×	0·04	6mths 31
													~~YEAR'S~~ TOTAL
Total							1·29	0·81	0·91	2·19	4·14	8·52	17·86 ✓
Rain Days.							14	10	7	14	18	27	90 ✓

W. 8,000. X. 14.

ea + 98.

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL
3 JAN 1916

330

Kept at Royal Tunbridge Wells

in the County of Kent.

by Health Dept, Corporation (F. C. Linton med. off.^r).

Lat. 51°8′ Long. 0°16′ E.

Time of Observation 9 a.m.

Nearest Railway Station S. E. R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~3~~ 1 foot ~~ft.~~ ~~in.~~

" " " " Sea Level 356 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·60	0·10	0·03	·	·	·	·	0·08	0·21	0·01	0·28	0·28	1
2	0·27	0·20	0·22	0·16	0·01	·	·	0·18	·	0·04	·	0·07	2
3	0·30	·	0·01	0·19	0·13	·	·	0·33	0·12	·	·	0·54	3
4	0·02	·	·	·	·	·	·	0·10	·	0·01	·	0·59	4
5	0·01	0·40	·	0·02	·	·	·	0·06	·	0·03	0·06	0·55	5
+ 6	0·43	0·10	0·01	0·53	·	·	0·15	·	·	·	·	0·12	6
7	0·25	0·42	0·02	·	·	·	0·05	·	·	·	·	0·37	7
8	0·01	0·78	·	0·01	·	·	0·29	0·04	·	·	0·03	·	8
— 9	0·01	0·12	·	0·12	·	0·10	·	0·07	·	·	0·48	0·58	9
10	0·30	·	·	·	·	0·02	·	·	·	·	·	0·57	10
11	0·01	0·04	0·01	·	·	·	·	·	·	·	0·53	0·01	11
12	0·06	0·13	·	0·23	0·29	·	·	·	·	·	0·89	·	12
13	0·01	0·83	·	·	1·62	·	·	·	0·01	·	·	·	13
14	0·02	0·04	·	·	0·01	·	0·12	·	0·05	·	·	0·37	14
15	0·16	·	·	·	0·08	·	0·51	0·04	·	·	0·28	0·37	15
16	0·01	0·68	·	0·02	0·16	·	1·10	0·01	·	·	·	0·05	16
17	·	0·54	·	·	1·62	·	0·03	0·03	·	·	·	0·14	17
18	·	0·13	0·02	·	·32	·	·	·	·	·	0·03	·	18
19	·	0·08	·	·	·	·	·	·	·	0·02	·	·	19
20	0·27	·	·	0·10	0·31	·	·	·	·	·	·	0·20	20
21	0·13	·	·	·	·	·	·	·	·	0·02	·	0·10	21
22	0·08	0·03	0·01	·	·	·	0·88	·	·	·	·	0·17	22
23	·	0·11	0·07	·	·	0·02	0·06	·	0·06	0·32	·	0·42	23
24	·	·	0·06	0·03	·	·	0·07	·	0·24	0·24	·	0·56	24
25	·	·	0·03	0·04	·	·	0·23	·	·	0·03	·	0·19	25
26	0·02	0·11	·	·	·	0·01	·	·	·	·	·	0·44	26
27	·	0·01	0·05	·	·	0·09	0·08	·	·	0·32	·	0·06	27
28	0·01	0·08	·	·	·	0·08	·	·	1·40	0·27	·	·	28
29	·	✕	·	·	·	·	0·05	0·11	·	·	0·62	·	29
30	0·08	✕	·	·	·	0·28	·	·	·	0·07	0·30	0·02	30
31	0·01	✕	·	✕	·	✕	·	0·52	✕	0·79	✕	0·29	31
Total	3·07	4·93	0·54	1·45	4·55	0·60	3·62	1·57	2·09	2·17	3·50	7·06	YEAR'S TOTAL 35·15
Rain Days.	23	20	12	11	10	7	13	12	7	13	10	24	

W. 8,000. X. 14.

325
330

FORM A.
BRITISH RAINFALL.

12 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Royal Tunbridge Wells
in the County of Kent.
by Dr F. T. C. Linton.

Lat. 51° 8′ Long. 0° 16′ E
Time of Observation 9 am
Nearest Railway Station Tun Wells S. E. R.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·15	Trace	Trace	·	·58	·01	·	·	·12	·02	·29	·	1
2	0·36	·09	·32	·	·26	·	·02	·	·	·32	Trace	·	2
3	Trace	·82	·23	·	Trace	·	·03	·	·07	·41	·46	·	3
4	0·19	·10	·01	Trace	·	·53	·	·	·15	·03	·59	·	4
5	–	·01	·01	Trace	·17	·14	·07	·	·	·11	·61	Trace	5
6	Trace	·20	·11	·47	·04	·25	·43	·	·	·09	·64	·	6
7	·04	·	·69	·	·27	·21	Trace	·	·	·11	·52	·01	7
8	·	·	·01	·	·12	·	·	·	·	Trace	·	·43	8
9	·	·	·01	·	·38	·06	Trace	·	·	·	·	·23	9
10	·	·21	·08	·06	·	·54	·13	·	·	·01	·	·32	10
11	·05	·19	·01	·14	·	·33	·	·	·	·	·	Trace	11
12	·03	·08	Trace	·07	·22	·15	·09	·	Trace	·09	Trace	·	12
13	Trace	·18	·19	·06	·08	·02	·18	·02	·02	·07	·	·	13
14	·	·48	·02	Trace	·13	·	Trace	·01	·	·03	·	·12	14
15	·	·08	·21	·01	·	·	·02	·05	·	·	·	·08	15
16	Trace	·02	·10	·12	·	·	·14	·20	·	·	·	·	16
17	·15	·11	Trace	·08	·	·	·03	·09	·31	·86	·	Trace	17
18	Trace	·10	·01	·09	·	·	·	·23	·15	·65	·72	Trace	18
19	·24	·05	·08	·24	·	·11	·	Trace	·12	Trace	·71	·08	19
20	·11	·	·04	·07	·	·	·	·08	Trace	·	Trace	·58	20
21	·01	·	·73	·04	·	·	·21	·	·	·	Trace	·20	21
22	·04	·01	·10	·	·	·01	·	·	·	·01	·	·59	22
23	Trace	·35	·10	·	·	·21	Trace	·01	·	·04	·10	·06	23
24	·	Trace	·01	·	·07	·01	·	·	·	·35	·06	·32	24
25	·	·86	·26	·	·	·05	·	·90	·	·08	·01	·	25
26	·04	·45	·09	·	·	·06	·	·10	Trace	·30	·04	·	26
27	·02	·	·80	·	·	·12	·	·02	·10	·29	·	Trace	27
28	·	·46	·13	·	·	Trace	·	·11	·13	·07	Trace	·11	28
29	·	·31	Trace	·	·	·24	·	·47	·03	·49	·	·33	29
30	·	X	·	·	·04	·	·	·07	·	·25	·	·	30
31	·	X	·	X	·	X	·	·01	X	·05	X	·03	31
Total	1·43	5·16	4·35	1·45	2·36	3·05	1·35	2·37	1·20	4·73	4·75	3·49	YEAR'S TOTAL 35·69
Rain Days.	13	21	25	12	12	18	11	15	10	23	12	15	187

W. 8,000, VIII. 16

374

FORM A. BRITISH RAINFALL. 330

REGISTER OF RAINFALL IN 19 17

Kept at Tunbridge Wells
in the County of Kent
by Medical Officer of Health

Lat. 51°8 Long. 0° 16' E
Time of Observation 9 am
Nearest Railway Station Tun Wells S.E.R.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 35~~5~~6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	Trace	·19	·	·	·	1·41	·16	Trace	·05	·02	1
2	·	·	·	·18	·	·	·	·21	·	Trace	·02	·	2
3	Trace	·	·	·21	·	·	·20	·72	·	·13	·11	·	3
4	·	·14	·11	Trace	·	·	·35	Trace	·	·38	·	·	4
5	·24	Trace	·04	·21	·	Trace	·	Trace	·39	·15	·06	·	5
6	·	·	·05	·05	·	·22	·	·	·10	Trace	·22	·	6
7	·35	·	·	·	·	·	·23	·	·	·40	·	·03	7
8	·08	·	Trace	·08	·	·	·53	·18	·	·26	·26	·16	8
9	·01	·	·02	·12	·	·	·18	·02	·	·	·03	·80	9
10	·13	·	·11	·16	·	Trace	·	·09	·	·	Trace	Trace	10
11	·08	·03	·14	·38	·	·	·	·09	·07	·41	·	·	11
12	·06	Trace	·03	·	·	·	·	·12	·	·17	Trace	Trace	12
13	·03	·	·10	·	·02	·	·	·01	·02	·25	·	Trace	13
14	·03	·	·04	·16	·	·	·	·13	Trace	·	Trace	Trace	14
15	·08	·	·	Trace	·06	Trace	·03	·20	·	·15	·	·07	15
16	·10	·12	·	·20	·28	·	·05	·	·	·57	Trace	·93	16
17	·	Trace	·	·06	·54	·	·17	Trace	·22	·24	·	Trace	17
18	·05	·03	·	·12	·03	Trace	·14	·11	·18	·02	·	·	18
19	·03	·13	·13	Trace	·47	·21	·	·22	·15	·	Trace	·	19
20	·01	·08	·05	·	1·07	·	·05	·01	Trace	·	·02	·	20
21	·	·01	·01	·03	·01	·02	·	·	·	·02	Trace	·01	21
22	Trace	·	·10	·	·	·34	·	·12	·	·16	·	Trace	22
23	·	·12	Trace	·	·31	Trace	·	·20	·	·13	·	·03	23
24	·	Trace	·	·	·	·03	·01	·04	·	·13	·05	·01	24
25	·	·07	·03	·	·	·04	·	·	·	Trace	·04	·	25
26	·	Trace	·01	·	·	Trace	·	·36	·02	·	·83	·	26
27	·	·	·	·	·	·08	·	1·21	·	·	Trace	Trace	27
28	·	Trace	·03	·	·	1·64	·07	·40	·	·	·	·07	28
29	Trace	×	·03	·	·44	·03	·24	·05	Trace	·77	·	·23	29
30	·01	×	·30	·	·	·01	·86	·14	Trace	·01	·	·07	30
31	·02	×	·05	×	·	×	·60	·02	×	·01	×	·07	31
Total	1·31	0·73	1·38	2·15	3·23	2·62	3·74	6·36	1·31	4·36	1·69	2·50	YEAR'S TOTAL 31·38
Rain Days.	16	9	19	14	10	10	15	23	9	19	11	13	168.

W. 8,000, IX. 17.

72

FORM 3A. BRITISH RAINFALL

330

REGISTER OF RAINFALL IN 1918

Kept at Royal Tunbridge Wells
in the County of Kent
by Medical Officer of Health

Lat. 51° 8' Long. 0°16'E
Time of Observation 9 am
Nearest Railway Station Tun Wells
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	-	·10	·	·02	·	·	Trace	·	·	·20	·03	1
2	·	·02	Trace	·02	·	·	·	·21	·02	·	·36	·14	2
3	·	Trace	·13	·13	·44	·	·	·	·	·03	·45	·02	3
4	·	·14	·03	Trace	·07	·	·	·04	·14	·	·75	Trace	4
5	·	·06	Trace	Trace	·07	·	·	·09	·55	·11	Trace	·02	5
6	·19	·12	·	·20	·21	·	·	·12	·73	·06	·02	·02	6
7	·05	·09	·	·07	·09	·01	·	Trace	·10	·06	·03	·	7
8	·	·04	·	Trace	·	·	·	·	·11	·01	·14	·07	8
9	·03	Trace	·	·14	·	Trace	·33	·	·49	·17	Trace	·24	9
10	Trace	-	·	·08	·	·05	·34	·	·35	·14	Trace	·22	10
11	Trace	·	·	·01	·	·	·21	·	Trace	·52	·08	·09	11
12	·	·06	·	·	·12	·	·07	·	·05	·10	Trace	·01	12
13	·13	Trace	·	·01	·04	·	·05	·	·06	·	·	·01	13
14	·16	·	·01	·01	Trace	·09	·09	·	·19	·22	·	·07	14
15	1·28	·	·	·29	·	·15	·19	·	Trace	Trace	·	·16	15
16	·29	·	·	·09	·	·10	·05	·	·08	·	·	Trace	16
17	·19	·	·	·18	·	Trace	·59	·02	Trace	·	·	·29	17
18	·36	·	·	Trace	·	·20	·	·	·51	·02	·	·09	18
19	·14	·	·01	·07	·	·01	Trace	·	·01	·11	Trace	·01	19
20	·05	·07	·	·95	·	·02	·74	·	·18	·35	Trace	·04	20
21	·17	Trace	·	·60	·	·	·24	·	·68	·04	·	·01	21
22	·09	·	·	·02	·05	·	·41	·	·83	Trace	·	·18	22
23	·07	·	·	Trace	·08	·	·40	·12	·11	·	Trace	·04	23
24	Trace	·25	·	·10	Trace	Trace	Trace	·	·18	·	·07	·	24
25	Trace	·	·	·	Trace	·	·06	·27	Trace	·02	·04	·01	25
26	·	·	·	·07	·	·	·67	Trace	·02	Trace	·06	·14	26
27	·	·14	·01	·14	·	·	·13	·12	·02	·	·07	·06	27
28	Trace	·01	·41	·02	·01	·06	·	·01	·	·01	·22	·06	28
29	Trace	✕	Trace	·08	·	·	·	·	·80	Trace	Trace	Trace	29
30	Trace	✕	·30	·	·	·	·	·	·03	·03	·	·22	30
31	Trace	✕	Trace	✕	·	✕	·	·	✕	·01	✕	·01	31
Total	3·21	1·00	1·00	3·28	1·20	·69	4·57	1·00	6·24	2·01	2·49	2·26	YEAR'S TOTAL 28·95
Rain Days.	15	11	8	21	11	9	16	9	23	18	13	26	180

W. 8,000, IX. 17.

24 RR

35(

FORM A.
BRITISH RAINFALL.

330

30 MAR 20

REGISTER OF RAINFALL IN 1919.

Kept at Tunbridge Wells. (M.O.)
in the County of Kent
by Medical Officer of Health

Lat. 51° 8' N Long. 0° 16' E
Time of Observation 9 h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 356 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	0·32	0·07	–	–	0·01	–	0·10	–	–	0·05	0·06	0·77	1
2	0·28	–	0·03	–	0·09	–	0·26	–	–	0·14	0·22	0·24	2
3	0·25	–	0·34	–	0·01	–	0·28	–	0·11	–	0·13	0·25	3
4	0·22	0·07	0·53	–	–	0·03	0·06	0·08	0·01	–	0·07	0·12	4
5	0·01	0·37	1·02	–	–	–	–	0·01	0·03	–	0·07	0·33	5
6	0·08	–	0·03	–	–	–	–	–	–	0·01	0·02	0·05	6
7	0·09	–	0·44	–	–	–	–	–	–	0·01	0·12	–	7
8	0·38	–	0·07	–	–	–	–	–	–	–	0·02	–	8
9	0·70	–	0·04	0·14	0·08	–	–	–	–	–	0·25	–	9
10	0·63	–	0·10	0·01	–	–	–	–	–	–	0·13	0·05	10
11	0·14	–	0·18	0·33	0·02	–	0·34	–	–	–	–	0·02	11
12	0·09	–	0·03	0·03	–	–	0·21	–	–	–	0·02	–	12
13	–	–	–	0·43	–	–	–	–	–	0·03	–	0·03	13
14	0·59	–	–	0·36	–	–	0·07	–	0·20	0·01	–	0·04	14
15	0·18	0·02	–	0·06	–	–	–	–	–	–	–	0·12	15
16	0·23	0·33	–	–	–	–	–	–	–	–	0·11	0·03	16
17	–	0·31	0·01	0·02	–	–	–	–	–	–	0·14	0·04	17
18	–	0·07	0·07	–	–	–	–	0·02	0·05	–	0·05	0·03	18
19	0·01	0·14	0·44	–	–	0·11	0·31	0·05	0·01	–	0·08	–	19
20	0·20	0·11	0·14	–	–	0·59	0·13	0·21	–	–	–	–	20
21	0·09	0·46	0·10	–	–	0·03	0·04	–	–	–	0·02	–	21
22	–	–	0·02	–	–	–	0·21	–	0·31	–	0·03	0·21	22
23	–	–	–	–	–	0·02	0·04	–	0·32	–	0·02	0·04	23
24	–	–	–	0·13	–	0·02	–	0·05	–	0·04	0·11	0·04	24
25	0·04	–	–	0·04	0·01	–	–	0·23	–	–	–	0·01	25
26	0·04	0·11	0·12	0·06	–	–	–	0·02	0·08	–	0·04	0·40	26
27	0·39	–	0·02	1·34	–	–	–	0·40	–	–	0·12	0·01	27
28	–	–	0·27	0·04	–	–	–	0·48	–	–	0·65	0·22	28
29	0·11		–	0·05	–	–	–	0·66	–	0·25	0·09	0·12	29
30	–	X	–	0·23	–	0·03	–	0·64	–	0·08	0·20	0·97	30
31	0·14	X	0·02	X	–	X	0·01	–	X	0·03	X	0·04	31
Total	5·21 ✓	2·06 ✓	4·02 ✓	3·27 ✓	0·22 ✓	0·83 ✓	2·06 ✓	2·85 ✓	1·12 ✓	0·65 ✓	2·77 ✓	4·18 ✓	YEAR'S TOTAL 29·24
Rain Days.	23 ✓	11 ✓	21 ✓	15 ✓	6 ✓	7 ✓	13 ✓	12 ✓	9 ✓	10 ✓	24 ✓	24 ✓	175

copied from M.O. Form 3202.

W. 6,500, VII/18. W W C

~~W. 158.~~ cord for anth. by surroundy Stns 351

330

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at Calverley Park Tunbridge Wells
in the County of Kent
by Medical Officer of Health.

Lat. 51° 8' N Long. 0° 16' E
Time of Observation 9 a.m.
Nearest Railway Station Tun Wells S.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·32	·07	·	Trace	0·01	·	·10	·	·	·05	·06	·77	1
2	·28	·	·03	·	·09	·	·26	·	·	·14	·22	·24	2
3	·25	·	·34	·	·01	·	·28	·	·11	Trace	·13	·25	3
4	·22	·07	·53	·	·	·03	·06	·08	·01	·	·07	·12	4
5	·01	·37	1·02	·	·	·	·	·01	·03	·	·07	·33	5
6	·08	Trace	·03	·	·	·	·	·	Trace	·01	·02	·05	6
7	·09	·	·44	·	·	·	·	·	·	·01	·12	–	7
8	·38	·	·07	·	·	·	·	·	Trace	·	·02	·	8
9	·70	·	·04	·14	·08	·	·	·	Trace	·	·25	–	9
10	·63	·	·10	·01	·	·	·	·	·	·	·13	·05	10
11	·14	·	·18	·33	·02	·	·34	·	·	·	·	·02	11
12	·09	·	·03	·03	·	·	·21	·	·	Trace	·02	Trace	12
13	Trace	Trace	Trace	·43	·	·	·	·	·	·03	·	·03	13
14	·59	Trace	·	·36	·	·	·07	·	·20	·01	·	·04	14
15	·18	·02	Trace	·06	·	·	·	·	·	Trace	Trace	·12	15
16	·23	·33	·	Trace	·	·	·	·	·	·	·11	·03	16
17	Trace	·31	·01	·02	·	·	·	·	·	Trace	·14	·04	17
18	·	·07	·07	·	Trace	·	·	·02	·05	Trace	·05	·03	18
19	·01	·14	·44	·	·	·11	·31	·05	·01	Trace	·08	Trace	19
20	·20	·11	·14	·	·	·59	·13	·21	·	·	·	Trace	20
21	·09	·46	·10	·	·	·03	·04	·	·	Trace	·02	Trace	21
22	·	Trace	·02	·	·	·	·21	·	·31	·	·03	·21	22
23	·	·	·	·	·	·02	·04	·	·32	·	·02	·04	23
24	·	·	·	·13	·	·02	Trace	·05	·	·04	·11	·04	24
25	·04	·	·	·04	·01	·	·	·23	·	·	·	·01	25
26	·04	·11	·12	·06	·	·	Trace	·02	·08	·	·04	·40	26
27	·39	Trace	·02	1·34	·	·	Trace	·40	·	·	·12	·01	27
28	Trace	Trace	·27	·04	·	·	Trace	·48	·	·	·65	·22	28
29	·11	×	Trace	·05	·	·	·	·66	·	·25	·09	·12	29
30	·	×	·	·23	·	·03	·	·64	·	·08	·20	·97	30
31	·14	×	·02	×	·	×	·01	·	×	·03	×	·04	31
Total	5·21	2·06	4·02	3·27	0·22	0·83	2·06	2·85	1·12	~~0·49~~ ·65	2·77	4·18	29·24 Year's Total ~~29·08~~
Days with ·01 in. or more	23	11	21	15	6	7	13	12	9	10	24	24	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

#970 only min stats

329
330

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Tunbridge Wells (M.O.)
in the County of Kent.
by Medical Officer of Health

Lat. 51° 8′ N Long. 0° 16′ E
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, ,, ,, ,, Sea Level 356 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05	-	-	0.11	0.06	-	0.17	-	-	0.52	-	0.26	1
2	-	-	0.19	-	-	-	-	0.25	0.05	0.18	-	0.14	2
3	-	-	-	-	0.09	0.02	-	-	-	0.02	-	0.04	3
4	-	0.07	-	0.05	-	-	0.43	0.14	-	0.02	-	0.02	4
5	-	0.01	0.03	-	0.02	-	0.44	0.03	0.05	-	-	0.03	5
6	-	-	0.16	-	0.16	-	0.26	-	-	-	-	0.01	6
7	0.02	-	-	0.09	0.11	-	0.07	-	-	-	-	0.04	7
8	-	-	-	0.03	0.13	-	0.20	-	-	-	-	-	8
9	0.23	0.02	-	0.01	0.12	-	0.03	-	-	-	-	-	9
10	0.69	0.15	0.05	0.17	-	0.11	0.19	-	-	-	0.05	0.02	10
11	0.29	-	0.03	0.23	0.03	0.03	0.44	-	-	-	-	0.05	11
12	0.05	0.02	-	0.21	-	0.65	-	-	-	-	-	-	12
13	0.26	0.01	0.19	0.01	-	-	-	-	-	-	0.11	-	13
14	-	0.01	0.39	0.44	-	0.03	-	-	0.15	0.11	0.28	-	14
15	0.02	-	0.04	0.23	-	-	-	-	0.60	0.52	0.14	0.01	15
16	-	-	-	-	0.27	-	-	-	0.09	-	-	0.01	16
17	-	-	-	0.07	0.21	-	-	-	0.53	-	-	0.18	17
18	0.03	-	-	-	0.04	-	-	1.16	0.49	-	0.01	0.10	18
19	0.10	-	-	0.19	-	0.01	-	-	0.03	-	-	0.07	19
20	0.04	0.22	-	0.22	-	0.46	-	-	0.26	-	-	-	20
21	-	-	-	0.01	-	-	0.72	-	0.28	-	-	0.26	21
22	0.01	-	-	0.26	-	-	-	-	0.13	-	-	0.31	22
23	-	-	-	-	-	-	0.28	-	-	-	-	0.20	23
24	0.02	-	0.06	0.01	-	-	-	-	0.03	-	-	0.05	24
25	-	0.01	0.01	-	-	-	0.13	-	0.01	-	-	-	25
26	0.07	-	0.11	0.03	-	-	-	-	-	-	-	0.06	26
27	0.44	0.05	-	0.21	-	0.06	0.04	-	-	-	0.31	0.26	27
28	0.34	-	0.12	-	0.15	-	0.07	-	-	-	0.13	0.02	28
29	0.95	-	0.04	0.05	-	-	-	-	-	-	0.06	0.19	29
30	0.02	X	-	-	-	-	0.16	-	0.15	-	0.40	0.19	30
31	0.02	X	0.03	X	-	X	-	-	X	0.37	X	0.26	31
TOTAL	3.65	0.54	1.45	2.63	1.39	1.37	3.63	1.58	2.85	1.74	1.49	2.78	YEAR'S TOTAL 25.13 ✓
Days with ·01 in. or more	19	10	14	20	12	8	15	4	14	7	9	24	156
				19	10	4	14	3	11	5	8	17	112

(44,283). Wt 21 958—218. 7500. 10/19. Gp. 132. A.&E.W.

Copied from M 3202.

TUNBRIDGE WELLS
COURTLANDS
1911 - 1919

REGIS

FORM A.
BRITISH RAINFALL.

2 - JAN 1912

Kept at COURTLANDS
TUNBRIDGE W

in the County of

by Edward

17'E

d: Daily

m.

in.

und 5 ft. 6 in.

Level 470 ft.

NOTE.—Rain should be measured dai … uctions for the measurement of rain and particulars as to the British R … "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	–	·78	–	–	–	·07	–	–	·07	–	1
2	·06	–	·02	·07	·25	–	·03	–	–	–	·12	·18	2
3	·08	·01	–	~~·15~~ –	·20	–	–	–	–	–	·16	·17	3
4	·24	·01	·10	–·03	–	–	–	–	–	1·12	·34	·25	4
5	·02	·01	–	–·44	–	–	–	–	–	·50	–	·10	5
6	·32	–	·04	–	–	–	–	–	–	–	–	·54	6
7	·02	–	·01	–	–	–	–	–	–	·41	·45	·47	7
8	·15	–	·14	–	–	–	–	–	–	·03	·68	·21	8
9	·19	–	–	–·06	–	–	–	–	–	–	·11	·04	9
10	–	·08	·05	·05	–	–	–	–	–	–	–	1·02	10
11	·40	–	·05	–	–	–	–	–	–	–	1·16	–	11
12	–	–	·75	–	–	–	–	–	–	–	·03	–	12
13	–	–	·05	–	·17	–	–	–	·63	·24	–	·28	13
14	–	·05	·01	–	·46	–	–	–	–	·03	–	·59	14
15	–	·02	·35	–	–	–	–	–	–	·01	·12	·02	15
16	–	–	–	–	–	·25	–	–	–	·01	·54	·19	16
17	–	–	·01	–	–	–	–	–	–	–	·94	·31	17
18	–	·15	·16	–	–	–	–	–	–	–	·87	·49	18
19	–	–	–	–	–	·04	–	–	·14	·40	·24	·08	19
20	·02	–	–	–	–	–	–	·30	·31	·11	–	·70	20
21	·03	·15	–	–	–	–	–	–	–	·93	–	·16	21
22	–	–	·30	–	–	·13	–	·28	–	·28	–	·51	22
23	–	·30	–	–	–	1·11	–	–	·23	·30	·08	·29	23
24	–	·11	–	–	–	·35	·05	–	–	·25	–	·51	24
25	–	·06	·01	·03	–	·12	–	·31	·08	–	·13	–	25
26	–	–	·53	·22	·01	·11	–	–	–	·35	–	·21	26
27	–	·27	·12	·32	–	–	–	–	·05	·44	–	·07	27
28	·01	·35	–	·12	–	–	–	·01	–	·01	·02	–	28
29	–		–	·14	–	·01	·29	–	·14	·26	·01	–	29
30	–		–	–	–	·01	–	–	·03	·37	–	–	30
31	–		–		·05		–	–		–		–	31
Total	1·68	1·57	2·65	2·26	1·14	2·23	–·37	–·97	1·61	6·05	6·07	7·29	TOTAL for year 33·79
No. of Rain Days	13	13	17	11	6	9	3	5	8	19	18	23	145

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

3·15 5·80 8·06 9·20 11·43 11·80 12·77 14·38 20·43 26·50 33·79

REGIS

FORM A.
BRITISH RAINFALL.
2 - JAN 1912

Kept at COURTLANDS, TUNBRIDGE WELLS.
in the County of Kent +
by Edward Weldon

Lat. 51° 8' 3 Long. 0° 17' E.
Nearest Railway Station S. East: Rly.
Time of Observation 9 a.m.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " Sea Level 470 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	–	·78	–	–	–	·07	–	–	·07	–	1
2	·06	–	·02	·07	·25	–	·03	–	–	–	·12	·18	2
3	·08	·01	–	~~·15~~ –	·20	–	–	–	–	–	·16	·17	3
4	·24	·01	·10	–·03	–	–	–	–	–	1·12	·34	·25	4
5	·02	·01	–	–·44	–	–	–	–	–	·50	–	·10	5
6	·32	–	·04	–	–	–	–	–	–	–	–	·54	6
7	·02	–	·01	–	–	–	–	–	–	·41	·45	·47	7
8	·15	–	·14	–	–	–	–	–	–	·03	·68	·21	8
9	·19	–	–	–·06	–	–	–	–	–	–	·11	·04	9
10	–	·08	·05	·05	–	–	–	–	–	–	–	1·02	10
11	·40	–	·05	–	–	–	–	–	–	–	1·16	–	11
12	–	–	·75	–	–	–	–	–	–	–	·03	–	12
13	–	–	·05	–	·17	–	–	–	·63	·24	–	·28	13
14	–	·05	·01	–	·46	–	–	–	–	·03	–	·59	14
15	–	·02	·35	–	–	–	–	–	–	·01	·12	·02	15
16	–	–	–	–	–	·25	–	–	–	·01	·84	·19	16
17	–	–	·01	–	–	–	–	–	–	–	·94	·31	17
18	–	·15	·16	–	–	–	–	–	–	–	·87	·49	18
19	–	–	–	–	–	·04	–	–	·14	·40	·24	·08	19
20	·02	–	–	–	–	–	–	·30	·31	·11	–	·70	20
21	·03	·15	–	–	–	–	–	–	–	·93	–	·16	21
22	–	–	·30	–	–	·13	–	·28	–	·28	–	·57	22
23	–	·30	–	–	–	1·11	–	–	·23	·30	·08	·29	23
24	–	·11	–	–	–	·35	·05	–	–	·25	–	·51	24
25	–	·06	·01	·03	–	·12	–	·31	·08	–	·13	–	25
26	–	–	·53	·22	·01	·11	–	–	–	·35	–	·21	26
27	–	·27	·12	·32	–	–	–	–	·05	·44	–	·07	27
28	·01	·35	–	·12	–	–	–	·01	–	·01	·02	–	28
29	–		–	·14	–	·11	·29	–	·14	·26	·01	–	29
30	–		–	–	–	·01	–	–	·03	·37	–	–	30
31	–		–		·05		–	–		–		–	31
Total	1·58	1·57	2·65	2·26	1·14	2·23	–·37	–·97	1·61	6·05	6·07	7·29	TOTAL for year 33·79
No. of Rain Days	13	13	17	11	6	9	3	5	8	19	18	23	145

		3·15	5·80	8·06	9·20	11·43	11·80	12·77	14·38	20·43	26·50	33·79

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Exc DL

Lat. 51°.8'.3" Lon. 0°.17'E

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
4 - JAN 1913

Kept at COURTLANDS,
TUNBRIDGE WELLS.
in the County of Kent 4
by Edward Weldon

RAIN GAUGE
Pattern self recording
Diameter of top 8 in.
Height of top above Ground 5 ft. 6 in.
" " " Sea Level 470 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name S. E. Rail Tun. Wells
Distance abt. 1 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·19	–	–	·15	·08	–	·04	·96	–	·32	1
2	–	–	·45	·01	–	–	·21	–	–	·02	–	–	2
3	·02	·12 Snow	–	–	–	·17	–	·17	·02	–	–	·06	3
4	·20	–	·76	–	·03	·31	–	·03	–	–	·17	·02	4
5	·15	·07	·20	–	–	·04	–	·39	–	–	·11	–	5
6	·55	·04	–	–	·02	–	–	·22	–	–	–	·12	6
7	–	–	–	–	·18	·73	–	·64	–	–	–	·11	7
8	·26	·42	·33	·01	–	·03	–	·17	–	–	–	·04	8
9	·01	·10	·01	·02	–	–	·15	·31	–	–	–	·06	9
10	–	·07	–	–	–	–	–	·27	–	–	·02	·32	10
11	·04	·43	–	–	–	·11	–	·45	·01	–	–	·33	11
12	·01	·11	·02	–	·20	·10	–	·33	–	–	·02	·04	12
13	–	–	·02	–	–	–	–	·01	–	–	·19	·04	13
14	–	–	–	–	·03	–	–	·17	–	·05	–	·01	14
15	–	–	·11	–	·17	·78	–	·01	–	–	–	·44	15
16	·18	·01	·11	–	·02	–	–	·07	–	·04	–	·03	16
17	·34	–	·62	–	–	·05	–	·05	–	–	·32	·15	17
18	·15	–	·34	–	–	–	·11	·23	–	·06	–	·16	18
19	·04	·17	·23	–	–	–	·06	·42	–	–	·02	–	19
20	·01	·03	·62	–	–	·03	–	·09	–	·48	·05	–	20
21	·01	·03	·64	–	·05	–	–	·03	–	·21	·06	–	21
22	·09	·44	·13	–	–	–	·04	·09	–	–	–	·01	22
23	·58	·32	·35	–	·17	–	–	·62	–	·08	·13	·07	23
24	·04	·01	–	–	–	–	–	·09	–	–	–	·12	24
25	·09	·01	–	–	–	·28	–	·80	–	·01	·30	·23	25
26	–	·01	–	–	–	–	–	·51	–	·27	·42	1·09	26
27	–	–	–	–	–	–	·02	–	–	·27	–	·30	27
28	–	·05	–	–	–	·02	·16	·05	·04	1·05	·57	·43	28
29	–	·04	–	–	–	–	·08	·46	1·81	·17	·03	–	29
30	–		–	–	·20	–	·09	·32	1·57	·29	–	–	30
31	·01		·02		–		·22	·19		–		–	31
Total	2·78	2·48	5·15	0·04	1·07	2·80	1·22	7·19	3·49	3·96	2·41	4·50	TOTAL for year 37·09
No. of Rain Days	19	19	18	3	10	13	11	28	6	14	14	23	178
7,000. X. '09.		5·26	10·41	10·45	11·52	14·32	15·54	22·73	26·22	30·18	32·59	37·09	

Lat. 51° 8′ 3″ Lon: 0°. 17′ E

REGISTER OF RAINFALL IN 1913

FORM A2. BRITISH RAINFALL.

2 - JAN 1914

Kept at COURTLANDS, TUNBRIDGE WELLS.

in the County of Kent 4

by Edward Weldon

RAIN GAUGE { Pattern Self-recording
Diameter of top 8 in.
Height of top above Ground 5 ft. 6 in.
" " " Sea Level 470 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name S. E. & C. Rly T. Wells
Distance 1 m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·30	·08	·17	—	—	—	—	—	·04	·09	·11	1
2	·07	·17	—	—	·08	—	·22	—	—	·06	·05	—	2
3	·61	—	·04	·38	·17	—	—	—	—	·03	~~·05~~	·15	3
4	·27	—	·07	—	·07	—	·06	—	—	·04	·06	·11	4
5	·35	·07	—	—	—	·14	·15	—	·70	·24	·15	·07	5
6	·12	·02	·15	—	—	·03	·06	—	—	·29	·14	·05	6
7	—	·30	·02	—	—	·01	·41	—	·02	·32	·03	·01	7
8	—	·04	·03	—	·11	·20	—	·07	—	·33	·07	·01	8
9	·01	·06	—	·01	·06	—	—	—	·15	—	·01	—	9
10	—	—	—	·04	—	—	·19	—	—	—	·59	—	10
11	·66	—	—	·46	—	—	—	—	—	·70	·49	—	11
12	—	—	—	—	·03	—	—	—	—	·01	1·02	—	12
13	·51	—	·04	—	—	—	—	—	·01	—	·12	—	13
14	·24	—	·12	·03	—	—	·87	·04	·16	·12	·18	—	14
15	·79	—	·17	·40	—	—	·42	—	—	—	—	—	15
16	·32	—	·66	·40	—	—	—	—	·36	—	—	—	16
17	·07	·05	·03	·08	—	—	·33	—	—	—	—	·03	17
18	—	—	·22	·18	—	—	—	—	—	—	·11	—	18
19	·25	—	·08	—	—	·78	·09	—	·14	—	·02	—	19
20	·58	—	·04	·22	—	—	—	—	—	·30	·01	—	20
21	·07	—	·27	·07	—	—	·06	—	—	·59	·70	—	21
22	·30	—	·16	—	—	—	·03	·03	·15	—	—	—	22
23	·01	—	·25	—	—	—	—	·08	—	—	—	·52	23
24	·04	—	—	·04	—	—	—	·01	—	—	·04	·13	24
25	—	—	—	·22	—	—	—	—	—	—	—	—	25
26	—	—	·15	·04	—	—	·01	·20	—	1·12	—	·26	26
27	—	—	·02	—	·09	—	·01	—	—	·16	—	·08	27
28	·12	—	·29	·09	—	—	—	—	—	·33	—	—	28
29	·17	~~·12~~	·06	·21	1·28	—	—	·37	—	·23	—	—	29
30	·66		—	·38	—	—	—	·09	—	·12	—	—	30
31	—		—		—		—	·32		·14		—	31
Total	4·95	1·01	2·95	3·42	1·89	1·16	2·91	1·18	1·69	5·17	3·88	1·53	TOTAL for year 31·74
No. of Rain Days.	22	8	21	18	8	5	14	9	8	19	18	12	162

W. 8,000, X. '11.

5·96	8·91	12·33	14·22	15·38	18·29	19·47	21·16	26·33	30·21	31·74

FORM A. BRITISH RAINFALL

JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at COURTLANDS, TUNBRIDGE WELLS. Ex. M.9

in the County of Kent 4

by Edward Weldon

Lat. 51° 8 3" Long. 0° 17' E

Time of Observation 9 a.m.

Nearest Railway Station Tunbridge Wells S.E.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·01	·13	–	–	–	·05	–	–	–	·11	1
2	–	–	–	–	–	·02	·14	·02	–	–	·12	·26	2
3	–	–	·24	–	·30	–	–	–	–	–	·02	–	3
4	–	–	–	·31	·03	–	–	·01	–	–	·37	·31	4
5	·13	·01	·07	·38	·15	·13	·20	·14	–	–	–	–	5
6	–	·05	·02	·16	–	·08	–	·04	–	–	·03	·42	6
7	–	·85	·34	·22	–	·06	·08	–	–	–	·01	·34	7
8	·06	·61	·42	·07	–	·03	·13	·09	·04	–	–	·04	8
9	·30	–	1·23	·26	–	–	–	–	·01	–	–	·92	9
10	–	–	–	·05	·12	–	–	–	·25	·01	–	·87	10
11	–	·53	·45	·03	–	–	–	–	·28	–	·16	·51	11
12	–	·07	·07	–	–	–	·13	–	–	·06	·01	·71	12
13	–	·72	·28	–	–	·09	–	–	·14	–	·10	·63	13
14	·01	·33	·17	–	–	–	–	–	–	·44	·18	·34	14
15	–	·13	·20	–	–	–	·18	–	–	–	·55	·06	15
16	·02	–	·04	–	–	–	·02	–	·09	–	–	–	16
17	–	·45	·29	–	–	–	–	–	·15	–	–	·39	17
18	·01	·12	·17	–	–	–	–	–	–	–	–	·69	18
19	–	·12	1·08	–	–	–	·19	–	–	·04	·25 snow	·13	19
20	–	·18	·07	–	–	·07	–	–	–	·09	–	·23	20
21	–	·82	·08	–	–	–	–	·08	–	·05	–	·02	21
22	–	·04	·07	–	·11	·03	·21	·02	–	·34	–	–	22
23	·01	–	·37	–	·06	·05	·04	·02	–	–	–	·11	23
24	–	–	·01	·01	–	–	–	–	–	–	·15	–	24
25	·08	–	·27	–	–	–	–	·05	–	·30	·01	·07	25
26	·01	–	·03	–	–	–	–	·25	–	·11	26	·63	26
27	–	–	–	–	–	–	–	·03	–	–	·05	·70	27
28	·02	·01	–	–	–	–	–	–	–	·05	·38	·49	28
29	·08		–	–	–	–	–	–	–	·70	·42	·01	29
30	–		·10	–	–	–	–	–	–	·13	1·50	·15	30
31	·05		–		·40		·01	–		–		·02	31
Total	·78	5·04	6·08	1·62	1·17	0·46	1·33	·80	·96	2·32	4·57	9·26	YEAR'S TOTAL 34·39
Rain Days.	12	16	24	10	7	9	11	12	7	12	18	26	164
		5·82	11·90	13·52	14·69	15·15	16·48	17·28	18·24	20·56	25·13 .	34·39	

W.7,000, XI. 13

402

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Comblands Tunbridge Wells
in the County of 4 Kent
by Edward Weldon

Lat. 51° 8' 3" Long. 0° 17' E.
Time of Observation 9 am
Nearest Railway Station Tunbridge Wells S.E. & Chatham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·67	·14	·04	–	·01	–	–	·17	·16	·04	~~·74~~	·18	1
2	·30	·22	·27	·22	–	–	–	·15	–	–	·28	·11	2
3	·29	–	·01	·16	·14	–	–	·44	·07	–	–	·52	3
4	·08	–	–	–	–	–	–	·05	–	–	–	·70	4
5	·02	·42	–	–	–	–	–	·09	–	·07	–	·60	5
6	·42	·08	–	·65	–	–	·18	–	–	–	·04	·06	6
7	·31	·45	–	–	–	–	·06	–	–	–	·03	·36	7
8	·02	·88	–	·02	–	–	·33	·03	–	–	–	–	8
9	–	·13	–	·13	–	·12	–	·08	–	–	·02	·65	9
10	·37	·03	–	–	–	–	–	–	–	–	·53	·61	10
11	–	–	·01	–	–	–	–	–	–	–	–	–	11
12	·07	·39	–	·24	·32	–	–	–	–	–	·56	–	12
13	–	·57	–	–	1·66	–	–	–	·01	–	1·03	–	13
14	·01	·19	–	–	–	–	·14	–	·05	–	–	·46	14
15	·21	–	–	–	·09	–	·40	·05	–	–	–	·44	15
16	·02	·77	–	·03	·12	–	1·17	–	–	–	·14 ·20	·05	16
17	–	·52	–	–	1·93	–	·03	·09	–	–	–	·18	17
18	–	·13	·01	–	·16	–	–	–	–	–	·03	–	18
19	–	·08	–	–	–	–	–	–	–	–	–	–	19
20	·30	–	–	·12	·37	–	–	–	–	–	–	·22	20
21	Snow ·09	–	–	–	–	–	–	–	–	·03	–	·06	21
22	Snow ·22	–	–	–	–	–	·94	–	–	·01	–	·23	22
23	–	Snow ·10	·06	–	–	·01	–	–	·05	·33	–	·39	23
24	–	·05	·06	·02	–	·01	·14	–	·28	·25	–	·63	24
25	–	–	·04	·04	–	–	·21	–	–	–	–	·28	25
26	·01	·10	–	–	–	·07	–	–	–	–	–	·48	26
27	–	·03	·07	–	–	·15	·09	–	–	·30	–	·09	27
28	·01	·13	–	–	–	·07	·01	–	1·42	·40	–	–	28
29	–		–	–	–	–	·06	·12	–	–	·68	–	29
30	·11		–	–	–	·22	–	–	–	·05	·43	·02	30
31	·01		–		–		–	·60		·74		·32	31
Total	3·54	5·41	·57	1·63	80 4·~~79~~	·65	3·76	1·87	2·04	2·22 ~~[illegible]~~	3·97	7·64	YEAR'S TOTAL 38·10
Rain Days.	20	20	9	10	9	7	13	11	7	10	12	23	151
W. 7,500, XI. 12		8·95	9·52	11·15	15·95	16·60	20·36	22·23	24·27	26·49	30·46	38·10	

Exd C F E

386

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

6 JAN 1917

Kept at Cowrslands Tunbridge Wells
in the County of Kent
by Edward Weldon

Lat. 51° 8' 3" Long. 0° 17' E
Time of Observation 9 a.m.
Nearest Railway Station Tunbridge Wells S.E. & Chatham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~7~~	–	–	–	·61	–	–	–	·14	·06	·31	–	1
2	·24	·12	·33	–	·21	–	–	–	–	·37	–	–	2
3	·19	·96	·17	–	–	–	–	–	·07	·35	·57	–	3
4	–	·08	·01	–	–	·55	–	–	·16	·07	·62	–	4
5	·24	·02	·01	–	·22	·13	·10	–	–	·12	·74	–	5
6	–	·42	–	·45	·05	·25	·45	–	–	·13	·74	–	6
7	–	–	·25 snow	–	·41	·23	–	–	–	·12	·53	–	7
8	·06	–	·60	–	·10	–	–	–	–	–	·01	·52	8
9	–	–	·02	–	·43	·05	–	–	–	–	–	·22	9
10	–	·28	·07	·07	–	·47	·12	–	–	·01	–	·41	10
11	·07	·20	·02	·13	–	·32	–	–	–	–	–	–	11
12	·01	·06	–	·08	·24	·18	·08	–	–	·09	·02	–	12
13	–	·23	·17	·05	·11	·02	·20	–	·02	·08	–	–	13
14	–	·53	·03	–	·15	–	–	·01	–	·03	–	·10	14
15	–	·08	·22	·02	–	–	–	·04	–	–	–	·12	15
16	·01	·03	·13	·15	–	–	·15	·10	–	–	–	·01	16
17	·20	·18	–	·35	–	–	·03	·16	·29	·81	– snow	–	17
18	·01	·02	–	·11	–	–	–	·20	·17	·74	·78	–	18
19	·29	·02	·11	·30	–	·13	–	–	·16	–	·79	·12	19
20	·14	–	·03 snow	·06	–	·02	–	·12	–	–	–	·62	20
21	·02	–	·83	·02	–	–	·15	–	–	–	–	·26	21
22	·01	–	·06	–	–	–	–	–	–	·02	–	·60	22
23	–	–	·08	–	–	·28	–	–	–	·04	·09	–	23
24	–	·37 snow	·07	–	·07	·03	–	–	–	·41	·05	·44	24
25	–	–	·31	–	–	·03	–	·91	–	·12	·02	–	25
26	·06	·62 snow	·11	–	–	·06	–	·09	–	·37	·04	–	26
27	·01	·50	·78	–	–	·13	–	·03	·10	·19	–	–	27
28	–	·48	·13	–	–	–	–	·04	·13	·18	–	·13	28
29	·01	·28	–	–	–	·24	–	·51	·02	·47	–	·33	29
30	–	X	–	–	·02	–	–	·06	–	·24	–	–	30
31	–	X	–	X	–	X	–	–	X	·04	X	·02	31
Total	1·57	5·48	4·54	1·49	2·62	3·12	1·28	2·27	1·26	5·06	5·25	3·90	YEAR'S TOTAL 37·84
Rain Days.	16	20	23	12	12	17	8	12	10	23	14	14	181
W. 8,000. X. 15.		7·05	11.59	13·08	15·70	18·82	20·10	22·37	23·63	28·69	33·94	37·84	

exd CJE

375

FORM A. BRITISH RAINFALL.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Cowrslands Tunbridge Wells
in the County of Kent
by Edward Weldon

Lat. 51° 8' 3" Long. 0° 17' E
Time of Observation 9 a.m.
Nearest Railway Station Tunbridge Wells S.E.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	—	·15	—	—	·01	1·77	·21	—	·05	·01	1
2	—	—	—	Snow ·22	—	—	—	·21	—	—	·06	—	2
3	—	—	—	·23	—	—	·18	·74	—	·14	·16	—	3
4	—	·14 Snow	·14	—	—	—	·39	—	—	·40	—	—	4
5	·27	—	—	·16	—	—	—	—	·41	·15	·06	—	5
6	—	—	·08	·12	—	·20	—	—	·15	—	·22	—	6
7	·39	—	—	—	—	—	·25	—	—	·40	—	·03	7
8	·09	—	—	·07	—	—	·57	·05	—	·28	·30	·14	8
9	—	—	·01	·13	—	—	·19	·02	—	—	·03	·79	9
10	·04	—	·16	·16	—	—	—	·11	—	—	—	—	10
11	·20	·03	·17	·25 Snow	—	—	—	·09	·09	·41	—	—	11
12	·12	—	·03	·08	—	—	—	·12	—	·18	—	—	12
13	·02	—	·11	—	·01	—	—	—	—	·30	—	—	13
14	—	—	·05	·18	—	—	—	·17	—	—	—	—	14
15	·05	—	—	—	·08	—	—	·15	—	·15	—	·06	15
16	·10 Snow	·10	—	·17	·29	—	·07	—	—	·62	—	·81 Snow abt. 4 in.	16
17	·07	·02	—	·05	·46	—	·18	·01	·23	·27	—	—	17
18	·04	·07	—	·17	·03	·01	·20	·11	·18	—	—	—	18
19	—	·07	·15	—	·69	·18	—	·18	·19	—	—	·02	19
20	—	·20	·04	—	1·09	—	·12	·04	—	—	—	—	20
21	—	—	—	·02	—	·33	—	—	—	·03	—	·01	21
22	—	—	·15 Snow	—	—	·38	—	·11	—	·29	—	—	22
23	—	·13	—	—	·30	—	—	·20	—	—	—	·09	23
24	—	—	—	—	—	—	—	·05	—	·13	·09	—	24
25	—	·08	—	—	—	·03	—	—	—	—	·03	—	25
26	—	—	·01	—	—	—	—	·26	·02	—	·89	—	26
27	—	—	—	—	—	—	—	1·27	—	—	—	—	27
28	—	—	·02	—	—	1·71	·05	·42	—	—	—	·08 Snow	28
29	—	×	·03	—	·31	·03	·36	·03	·01	·90	—	·28	29
30	—	×	·37	—	—	·01	·92	·17	—	·02	—	·07	30
31	·09 Snow	×	·09	×	—	×	·62	—	×	·01	×	·20 Snow	31
Total	1·48	·86	1·61	2·16	3·26	2·58	4·11	6·28	1·49	4·68	1·89	2·49	YEAR'S TOTAL 32·89
Rain Days.	12	10	16	15	9	9	14	22	9	17	10	13	156
		2·34	3·95	6·11	9·37	11·95	16·06	22·34	23·83	28·51	30·40	32·89	

W. 8,000, VIII. 16

73

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Cornlands Tunbridge Wells
in the County of Kent
by Edward Weldon

Lat. 51° 8' 3" Long. 0° 17' E
Time of Observation 9 a.m.
Nearest Railway Station Tunbridge Wells S.E. & C. Co.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 470 ft.

31
19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·07	·01	–	–	–	–	–	–	·22	·01	1
2	–	–	·12	·08	–	–	–	·24	·05	–	·36	·09	2
3	–	·03	–	·01	·48	–	–	–	–	·03	·49	·06	3
4	–	·23	·03	–	·09	–	–	·05	·12	–	·91	–	4
5	·21	·03	–	·18	·04	–	–	·13	·54	·17	–	·04	5
6	–	·10	–	·05	·23	–	–	·11	·87	–	–	·07	6
7	·08 snow	·15	–	–	·07	–	–	–	·36	·06	–	–	7
8	–	·04	–	–	–	–	–	–	·31	–	·18	·09	8
9	·03 snow	–	–	·17	–	–	·27	–	·53	·18	–	·26	9
10	–	–	–	·06	–	·27	·23	–	·37	·11	–	·24	10
11	–	–	–	–	·04	–	·26	–	–	·58	·07	·10	11
12	–	·07	–	–	·08	–	·05	–	·05	·09	–	–	12
13	·15 snow	–	–	·01	·04	–	·05	–	·07	–	–	–	13
14	·18	–	·01	·01	–	·14	·09	–	·19	·26	–	·03	14
15	1·31	–	–	·28	–	·18	·16	–	–	–	–	·24	15
16	·41	–	–	·08	–	·01	·05	–	·07	–	–	–	16
17	·08	–	–	·23	–	–	·45	·03	–	–	–	·34	17
18	·38	–	–	–	–	·19	–	–	·55	·02	–	·03	18
19	·15	–	·01	·13	–	·02	–	–	–	·08	·01	–	19
20	·02	·09	–	·60	–	–	·82	–	·16	·37	–	–	20
21	·18	–	–	·87	–	–	·29	–	·66	·04	–	–	21
22	·11	–	–	·03	·03	–	·68	–	·88	–	–	·25	22
23	·11	–	–	–	·07	–	·26	·13	·05	–	–	·03	23
24	–	·23	–	·11	–	–	–	–	·24	–	·04	–	24
25	–	–	–	–	–	–	·08	·29	–	·03	–	–	25
26	–	–	–	·11	–	–	·74	–	–	–	·09	·16	26
27	–	·14	–	·10	·01	–	–	·14	·02	–	·10	·07	27
28	–	·02	·40	·06	–	–	–	–	–	–	·15	·08	28
29	·01		·05	·09	–	–	–	–	·86	·01	·03	–	29
30	–		·26	–	–	–	–	–	·03	·07	–	·24	30
31	–		·06		–		–	–		–		–	31
Total	3·41 ✓	1·13 ✓	1·01 ✓	3·27 ✓	1·18 ✓	·61 ✓	4·58 ✓	1·12 ✓	6·68 ✓	2·10 ✓	2·65 ✓	2·43 ✓	YEAR'S TOTAL 30·17 ✓
Rain Days.	15 ✓	11 ✓	9 ✓	21 ✓	11 ✓	6 ✓	15 ✓	8 ✓	21 ✓	15 ✓	12 ✓	19 ✓	163 ✓
W. 8,000, IX. 17.	4·54	5·55	8·82	10·00	10·61	15·19	16·31	22·99	25·09	27·74			

4 RM 352

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

JAN 2

Kept at Courtlands Tunbridge Wells

in the County of Kent

by Edward Welton

Lat. 51° 8' 3" Long. 0° 17' E

Time of Observation 9 a.m.

Nearest Railway Station Tunbridge Wells S.E.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	·01	–	·03	–	–	·03	·33	·40	1
2	·37	–	–	–	·15	–	·17	–	–	·21	–	·50	2
3	·33	·03	·37	–	–	–	·28	–	·14	–	–	·28	3
4	·24	·05	·49	–	–	–	·04	·07	–	–	·23	·08	4
5	·25	·42 snow	·90	–	–	–	–	·02	·02	–	·04	·36	5
6	–	–	·10	–	–	–	–	–	–	·02	–	·05	6
7	·09 ·09	–	·53	–	–	–	..	–	–	–	·16	–	7
8	·42	–	·07	–	–	–	–	–	–	–	·01	–	8
9	·73	–	·05	·13	·11	–	–	–	–	–	·28	–	9
10	·69	–	·09	·07	–	–	–	–	–	–	·10	·04	10
11	·15	–	·25	·34	·02	–	·15	–	–	–	–	–	11
12	·11	–	–	·04	–	–	·37	–	–	–	–	·05	12
13	–	–	–	·49	–	–	–	–	–	·02	–	–	13
14	·66	–	–	·45	–	–	–	–	·20	·01	–	·10	14
15	·22	–	·04	·02	–	–	–	–	–	–	–	·13	15
16	·25	·39	–	–	–	–	–	–	–	–	·11	–	16
17	–	·29	·02	·02	–	–	–	–	–	–	·15	·04	17
18	–	·40	·10	–	–	–	–	·02	–	–	·04	·04	18
19	·02	–	·45	–	–	–	·25	·05	·09	–	·10	·01	19
20	·21	–	·14	–	–	·67	·14	·23	–	–	–	–	20
21	·12	·50	·13	–	–	–	–	–	–	–	–	·04	21
22	–	–	–	–	–	·02	·25	–	·31	–	–	·24	22
23	–	–	–	–	–	·01	·04	–	·40	–	–	–	23
24	–	–	–	·12	–	·04	–	·15	–	·03	·12	·03	24
25	–	–	–	·03	–	–	–	·29	–	·02	–	–	25
26	·07	·17	·11	·50	–	–	–	·03	·09	–	·02	·42	26
27	·42 snow	–	–	·91 snow	·01	–	–	·20	–	–	·07	–	27
28	–	–	–	·05	–	–	·01	·76	–	–	·53	·27	28
29	·07	X	·30	·02	–	–	–	·57	–	·25	–	·08	29
30	–	X	–	·23	–	·03	–	·68	–	·03	·28	·75	30
31	·25 snow	X	·01	X	–	X	·01	–	X	·02	X	·06	31
Total	5·76	2·25	4·15	3·42	·30	·77	1·74	2·97	1·25	·64	2·57	3·97	YEAR'S TOTAL 29·79
Rain Days.	21	8	18	15	5	5	12	12	7	10	16	21	150
		8·01	12·16	15·58	15·88	16·65	18·39	21·36	22·61	23·25	25·82	29·79	

Form A. 1. METEOROL GANIZATION

3 JAN 1921

RI 0.

TUNBRIDGE WELLS

{FRANT RD}

KENT

1920

85 Fran

Kept at Tunb

Tunbridge Wells

in the County of S

ain Gauge 5 in.

by Alban

ove Ground 1 ft. 0 in.

,, Sea Level 430 ft.

IMPORTANT NOTE

entered to the previous day.

If an Observer prefers not the reading at 9 a.m. on 1s this paragraph. Full instru and particulars as to the sent post-free on applicati Square, London, N.W. 1.

uested to add at the end of of rain gauges, all Observers," 62, Camden n.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.02	.11	.08		.23			.76		.30	1
2			.20	~~.11~~	.01			.31	.06	.24		.26	2
3			~~.20~~		.07	.02				.03		.03	3
4		.09		.08			.64	.19		.03			4
5			.05		.02		.43	.01			.01	.07	5
6			.20	.09	.17		.30					.01	6
7	.06			.04	.18		.08					.04	7
8				.02	.14		.11			.01		.01	8
9	.29	.05			.09		.02						9
10	1.05	.19	.05	.18		.14	.21				.05	.02	10
11	.15		.05	.22	.01	.02	.54			.01		.06	11
12	.07	.05		.30	.02	.70					.01		12
13	.32	.02	.23	.04							.14		13
14		.01	.51	.40		.03	.01			.22	.44		14
15	.03	.01	.05	.39					.60	.31	.21	.02	15
16			.01		.33				.25			.02	16
17	.02			.07	.24				.77			.19	17
18	.11				.07			1.12	.47			.10	18
19	.07			.22		.01			.01			.06	19
20	.06	.24		.25		.48			.09			.03	20
21							.80		.41			.32	21
22	.02			.25					.01			.34	22
23							.33					.24	23
24	.03		.08	.01					.01	.01		.10	24
25		.01	.01				.23		.04				25
26	.09		.15	.03							.03	.08	26
27	.57	.05	.01	.21		.05	.04				.44	.33	27
28	.40		.13	.01	.15		.12			.01	.13	.02	28
29	1.20		.03	.14	.01						.11	.28	29
30	.03	╳					.13		.18	.01	.58	.39	30
31	.04	╳	.10	╳		╳	.01		╳	.40	╳	.31	31
Total	4.63	.72	1.88	3.06	1.59	1.45	4.23	1.63	2.90	2.04	2.15	3.63	Year's Total 29.91
Days with ·01 in. or more	20	10	17	20	15	8	17	4	12	12	11	25	151
Days with ·04 in. or more	14	6	12	16	10	4	14	3	9	5	8	17	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

3 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at 85 Frant Road Tunbridge Wells
in the County of Sussex.
by Alban G. Robins M.I.Mech.E.

Lat. Long.
Time of Observation
Nearest Railway Station Tunbridge Wells
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.02	.11	.08		.23			.76		.30	1
2			.20		.01			.31	.06	.24		.26	2
3					.07	.02				.03		.03	3
4		.09		.08			.64	.19		.03			4
5			.05		.02		.43	.01			.01	.07	5
6			.20	.09	.17		.30					.01	6
7	.06			.04	.18		.08					.04	7
8				.02	.14		.11			.01		.01	8
9	.29	.05			.09		.02						9
10	1.05	.19	.05	.18		.14	.21				.05	.02	10
11	.15		.05	.22	.01	.02	.54			.01		.06	11
12	.07	.05		.30	.02	.70					.01		12
13	.32	.02	.23	.04							.14		13
14		.01	.51	.40		.03	.01			.22	.44		14
15	.03	.01	.05	.39					.60	.31	.21	.02	15
16			.01		.33				.25			.02	16
17	.02			.07	.24				.77			.19	17
18	.11				.07			1.12	.47			.10	18
19	.07			.22		.01			.01			.06	19
20	.06	.24		.25		.48			.09			.03	20
21							.80		.41			.32	21
22	.02			.25					.01			.34	22
23							.33					.24	23
24	.03		.08	.01					.01	.01		.10	24
25		.01	.01				.23		.04				25
26	.09		.15	.03							.03	.08	26
27	.57	.05	.01	.21		.05	.04				.44	.33	27
28	.40		.13	.01	.15		.12			.01	.13	.02	28
29	1.20		.03	.14	.01						.11	.28	29
30	.03	╳					.13		.18	.01	.58	.39	30
31	.04	╳	.10	╳		╳	.01		╳	.40	╳	.31	31
Total	4.63	.72	1.88	3.06	1.59	1.45	4.23	1.63	2.90	2.04	2.15	3.63	Year's Total 29.91
Days with ·01 in. or more	20	10	17	20	15	8	17	4	12	12	11	25	171
Days with ·04 in. or more	14	6	12	16	10	4	14	3	9	5	8	17	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

51

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REG

TUNBRIDGE WELLS

{HAWKENBURY}

KENT

1911-20

Kept at Tunbridge ... in.

in the County of West ... ound 1 ft. ... in.

Level 435 ft.

by D. W. Horner ... he

ance ... Direction

IMPORTANT NOTE.- ... e result entered to the previous day. If an Obser ... al rule, he is earnestly requested to add the reading ... in the space provided for it at the end of this ... of rain, the selection and placing ... Rainfall Organization are given in " ... ication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·80				·08			·05	·02	1
2	·06			·03	·25						·16	·16	2
3	·05	·02		·01	·19						·12	·19	3
4	·32	·01	·08	·10					·01	1·00	·26	·19	4
5	·01	·01		·20						·56	·03	·14	5
6	·33		·05	·02						·02	·01	·64	6
7	·02		·03	·04						·35	·44	·36	7
8	·10		·10								·72	·20	8
9	·21		·02	·05							·10	·08	9
10		·10	·05	·08							·02	·84	10
11	·38		·05								1·10	·01	11
12	·02		·79								·09		12
13			·02		·21				·51	·31	·02	·27	13
14		·05			·40					·01		·25	14
15		·04	·28							·02	·10	·03	15
16		·01				·27					·71	·14	16
17			·02			·04					·80	·21	17
18		·12	·05			·01				·01	·84	·43	18
19		·01	·01			·05			·16	·27	·20	·11	19
20	·03							·27	·27	·23	·01	·61	20
21	·03	·11						·04	·01	1·00		·14	21
22	·01		·26			·11		·20		·24		·56	22
23		·22				1·04			·25	·23	·09	·22	23
24		·11				·48	·08	·01		·43		·37	24
25		·04	·30	·03		·18		·35	·08		·03	·01	25
26			·30	·23	·01	·10		·01		·42	·11	·21	26
27		·25	·16	·29					·05	·54		·06	27
28		·25		·15				·01				·01	28
29			·01	·13		·11	·30		·16	·29			29
30				·02		·02			·02	·30	·04	·01	30
31					·03					·01			31
Total	1·64	1·35	2·58	2·18	1·09	2·41	·38	·97	1·52	6·24	6·05	6·47	TOTAL for year 32·88
No. of Rain Days	14	15	18	15	6	11	2	8	10	19	23	28	169

9,000, IX. '10.

DL ✓

51

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at *Tunbridge Wells, Hawkenbury*
in the County of *West Kent* 4
by *D. W. Horner*

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 435 ft.
Time of Observation
Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·80				·08			·05	·02	1
2	·06			·03	·25						·16	·16	2
3	·05	·02		·01	·19						·12	·19	3
4	·32	·01	·08	·10					·01	1·00	·26	·19	4
5	·01	·01		·20						·56	·03	·14	5
6	·33		·05	·02						·02	·01	·64	6
7	·02		·03	·04						·35	·44	·36	7
8	·10		·10								·72	·20	8
9	·21		·02	·05							·10	·08	9
10		·10	·05	·08							·02	·84	10
11	·38		·05								1·10	·01	11
12	·02		·79								·09		12
13			·02		·21				·51	·31	·02	·27	13
14		·05			·40					·01		·25	14
15		·04	·28							·02	·10	·03	15
16		·01				·27					·71	·14	16
17			·02			·04					·80	·21	17
18		·12	·05			·01				·01	·84	·43	18
19		·01	·01			·05			·16	·27	·20	·11	19
20	·03							·27	·27	·23	·01	·61	20
21	·03	·11						·04	·01	1·00		·14	21
22	·01		·26			·11		·20		·24		·56	22
23		·22				1·04			·25	·23	·09	·22	23
24		·11				·48	·08	·01		·43		·37	24
25		·04	·30	·03		·18		·35	·08		·03	·01	25
26			·30	·23	·01	·10		·01		·42	·11	·21	26
27		·25	·16	·29					·05	·54		·06	27
28		·25		·15				·01				·01	28
29			·01	·13		·11	·30		·16	·29			29
30				·02		·02			·02	·30	·04	·01	30
31					·03					·01			31
Total	1·64	1·35	2·58	2·18	1·09	2·41	·38	·97	1·52	6·24	6·05	6·47	TOTAL for year 32·88 ✓
No. of Rain Days	14	15	18	15	6	11	2	8	10	19	23	28	169 ✓

9,000, IX. '10.

82

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
1 MAR 1913

Kept at Tunbridge Wells, Hawkenbury
in the County of Kent 4
by D. W. Horner

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level 435 ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·20	·02		·13	·06		·26	·95		·32	1
2		·05	·45	·02		·02	·22		·02	·03		·01	2
3	·02	·07	·01			·16	·05	·20	·02			·07	3
4	·16		·77		·04	·31	·01	·02			·20	·01	4
5	·17	·09	·20			·05		·36			·10	·02	5
6	·49	·06	·01		·03			·30			·01	·11	6
7		·01			·17	·70		·70				·12	7
8	·24	·38	·32			·05		·15				·05	8
9	·02	·11	·01				·20	·50			·01	·10	9
10		·06						·18			·04	·36	10
11	·03	·42	·01			·10		·45	·02			·34	11
12	·01	·14	·03		·22	·12		·36			·03	·03	12
13		·01	·02					·02			·17	·10	13
14			·01		·02			·17	·01	·05	·01	·01	14
15	·01		·10		·18	·72		·01			·01	·36	15
16	·20	·01	·16		·06	·03		·07		·05	·01	·01	16
17	·38		·62			·04		·04			·30	·22	17
18	·07		·35	·01			·20	·18		·05	·02	·15	18
19	·05	·18	·26	·04			·08	·45		·02	·02	·01	19
20	·03	·05	·74				·01	·12		·46	·05		20
21	·01	·07	·66		·05			·06		·20	·06		21
22	·10	·44	·10				·08	·12		·01	·01		22
23	·58	·34	·35		·19	·02		·50		·09	·15	·06	23
24	·06	·01						·17			·01	·18	24
25	·10	·02				·30		·83			·32	·80	25
26	·01	·03				·01		·62		·30	·43	·42	26
27							·03			·33		·31	27
28		·04				·02	·22		·06	·93	·57	·43	28
29		·05		·01			·15	·40	1·70	·18	·02	·01	29
30					·23		·28	·55	1·70	·30			30
31			·02				·27	·22		·01			31
Total	2·75	2·64	5·40	·10	1·19	2·78	1·86	7·75	3·79	3·96	2·55	4·61	TOTAL for year 39·38
No. of Rain Days.	21	22	22	5	10	16	14	27	8	16	22	26	209

W. 8,000, X. '11.

82

63

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Tunbridge Wells, Hawkenbury

in the County of Kent 4

by D. W. Horner

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·30	·07	·16	·01	·02			·01	·03	·10	·10	1
2	·07	·17			·05		·21		·01	·08	·06		2
3	·01		·04	·37	·23					·17		·25	3
4	·25		·07	·04	·02	·02	·06			·05	·06	·02	4
5	·42	·07	·02			·07	·15		·68	·20	·20	·04	5
6	·05	·01	·12		·01	·10	·06		·08	·47	·15	·08	6
7		·33	·03			·05				·24	·04	·02	7
8		·04	·03		·12	·06		·05		·18	·09	·02	8
9		·05	·01	·02	·06		·01	·05	·12		·02	·02	9
10	·02			·06			·21				·85		10
11	·70			·40	·01					·70	·24		11
12	·01			·02	·04						1·11	·01	12
13	·58		·03					·04	·02		·22		13
14	·20		·16	·08			·85	·03	·14	·14	·15		14
15	·23	·01	·16	·49			·42	·01	·01	·01	·02		15
16	·33	·01	·65	·34			·01		·28				16
17	·08	·11	·05	·10			·30		·02		·01	·04	17
18	·01		·15	·21			·02		·01		·10		18
19	·22		·12				·10		·15				19
20	·55		·06	·10		1·08			·01	·39	·02		20
21			·26	·12						·50	·77		21
22	·32		·26		·01		·05		·11				22
23	·02		·28			·01	·04	·06	·02			·75	23
24	·04		·01	·03		·02		·04			·04		24
25				·21		·01	·01				·01	·05	25
26			·14				·02	·21		1·11		·28	26
27			·03	·01	·10		·01			·20		·01	27
28	·15		·28	·07						·34			28
29	·19		·09	·22	1·24			·36		·09			29
30	·73		·01	·36				·20		·11			30
31	·01		·03					·44		·10			31
Total	5·21	1·10	3·16	3·41	1·90	1·44	2·53	1·49	1·67	5·11	4·26	1·69	YEAR'S TOTAL 3297
Rain Days.	24	10	26	20	12	10	17	11	15	19	20	14	198

W. 7,500, XI. 12

82 ✓ Ex LMCC. 64

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Tunbridge Wells, Hawkenbury

in the County of Kent 4

by S.W. Horner

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·13			·01	·04			·07	·15	1
2	·01			·02		·02	·14	·04			·11	·26	2
3			·20		·29			·01			·01	·02	3
4			·02	·29	·05			·03			·33	·30	4
5	·10		·09	·36	·14	·05	·20	·06			·01		5
6		·10		·15	·04	·12	·03	·07			·03	·44	6
7		·90	·33	·17	·02	·04	·09					·37	7
8	·08	·65	·39	·10		·04	·06	·11				·06	8
9	·29	·02	1·37	·27					·07		·01	1·80	9
10	·02	·05	·02	·09	·10					·04		·06	10
11		·54	·45	·05	·01	·01			·25		·12	·55	11
12		·06	·10		·01		·13		·31	·01	·02	·60	12
13		·78	·36			·10			·10	·07	·10	·72	13
14		·38	·25						·02	·44	·14	·35	14
15	·02	·08	·31				·24			·01	·64	·09	15
16	·02	·05	·04				·04		·05	·01		·02	16
17		·30	·26				·02		·20			·32	17
18		·22	·23									·75	18
19		·12	1·20				·16			·07	·25	·15	19
20		·26	·08			·06				·07		·25	20
21		1·03	·09	·01				·08		·03		·04	21
22		·05	·03		·20	·03	·16	·04		·33			22
23		·02	·40		·12	·13	·02	·01		·02		·06	23
24			·04	·02	·02					·02	·14	·01	24
25	·09		·27					·04		·32	·03		25
26			·04				·02	·33		·11	·24	·70	26
27	·03		·03					·04		·01	·09	·66	27
28	·02	·02			·02					·06	·34	·52	28
29	·10		·02		—					·90	·40		29
30	·02		·11		·02					·13	1·63	·23	30
31	·04				·35		·02			·01		·05	31
Total	·84	5·63	6·75	1·66	1·39	·60	1·34	·90	1·00	2·66	4·71	9·53	YEAR'S TOTAL 37·01
Rain Days.	13	19	27	12	14	10	15	13	7	19	20	27	196

W.7,000, XI. 13

81

401

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Tunbridge Wells, Hawkenbury

in the County of Kent 4

by D. W. Horner

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.65	.13	.04					.11	.28		.33	.15	1
2	.28	.20	.26	.13	.03			.15	.02	.05	.02	.08	2
3	.28		.03	.22	.13			.33	.09		—	.45	3
4	.06							.10		.02		.44	4
5	.03	.39		.04				.10		.03	.06	.51	5
6	.46	.10	.02	.65			.16				.01	.12	6
7	.23	.49	.03				.05					.35	7
8		.80	.02	.02			.25	.04			.03		8
9	.02	.20		.12		.08		.07		.02	.40	.66	9
10	.32					.02						.54	10
11	.02	.04	.02								.54	.03	11
12	.05	.14		.24	.30						.70		12
13	.02	1.00			1.83				.02				13
14	.03	.04					.15		.04			.45	14
15	.17				.08		.38	.02			.35	.56	15
16	.03	.61		.03			1.15	.01				.05	16
17		.74			1.86		.03	.08				.16	17
18		.15			.32						.04	.02	18
19		.07	.03							.02	.01		19
20	.27		—	.09	.43							.20	20
21	.06									.03		.10	21
22	.14	.03	.02				.87					.24	22
23	.03	.12	.07			.04	.12		.03	.31		.46	23
24			.06			.02	.15		.29	.24		.63	24
25			.04	.08			.23			.02		.22	25
26		.12				.14						.50	26
27		.05	.04			.06	.06			.32		.09	27
28		.10				.08			1.50	.19			28
29						.02	.05	.12		.01	.46		29
30	.10	X				.17				.12	.18	.02	30
31	.02	X		X		X		.65	X	.78	X	.30	31
Total	3.27	5.52	.68	1.62	4.98	.63	3.65	1.78	2.27	2.16	3.13	7.33	YEAR'S TOTAL 37.02
Rain Days.	21	20	13	10	8	9	13	12	8	14	13	25	166

W. 8,000. X. 14.

8h Exe 8h 384/60

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Tunbridge Wells, Hawkenbury

in the County of Kent

by D. W. Horner

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·02			·75				·15		·28		1
2	·41	·12	·40		·27					·38			2
3	·02	·88	·28				·04		·06	·44	·47		3
4	·21	·18				·60	·01		·15	·07	·63		4
5	·02	·03	·02		·20	·10	·08		·02	·12	·76		5
6		·22	·07	·46	·06	·25	·28			·12	·77		6
7	·04	·03	·88		·35	·26	·23			·06	·60	·02	7
8					·14							·47	8
9			·03		·46	·06						·30	9
10		·23	·10	·05		·55	·19					·36	10
11	·04	·23	·02	·07		·26						·02	11
12	·04	·09		·15	·23	·17	·10			·06			12
13		·22	·20	·06	·11	·05	·19	·02	·03	·09			13
14		·50	·02		·14		·01	·05		·04		·13	14
15		·08	·25	·02									15
16		·03	·12	·15			·16	07					16
17	·20	·11		·06			·04	·18	31	·92			17
18	·02	·12	·02	·09				23	·17	·70	·77		18
19	·30	·05	·08	·24		·12			·20	·02	·83	·03	19
20	·14		·03	·06				·09			·02	·75	20
21	·03		·70	·04			·12					·30	21
22	·05	·02	·18			·02				·02		·73	22
23		·40	·07			·27	·01	·02		·05	·13	·11	23
24	·02		·08		·08	·05				·32	·10	·35	24
25		1·03	·37		·02	·05		1·05		·18	·02		25
26	·04	·51	·06			·06		·08		·27	·04		26
27	·03		·90			·15		·06	·11	·35			27
28		·55	·17			·02			·13	·09		·13	28
29		·32	·02			·29		·67	·06	·41		·34	29
30		X			·03	·02		·10		·25		·02	30
31		X		X		X			X	·04	X	·03	31
Total	1·82	5·97	5·07	1·45	2·84	3·35	1·46	2·62	1·39	5·00	5·42	4·09	YEAR'S TOTAL 40·48
Rain Days.	17	23	24	12	13	19	13	12	11	22	13	16	195

W. 8,000. X. 15.

8L ✓ Exe 8L

373 ~~36~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Tunbridge Wells, Hawkenbury

in the County of Kent

by D. W. Horner

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·25				1·60	·23		·06	·02	1
2				·20				·22			·03		2
3				·25			·22	·77			·16		3
4		·17	·20				·48	·02		·55			4
5	·27		·05	·20				·03	·35	·15	·05		5
6			·05	·07		·22			·15		·25		6
7	·39						·15			·42		·04	7
8	·09			·08			·63	·04		·28	·31	·17	8
9			·04	·14			·18	·02			·04	·88	9
10	·10		·14	·16				·12				·02	10
11	·15	·04	·18	·33				·10	·05	·46			11
12	·10	·03	·04					·14		·18			12
13	·04		·12		·01			·02	·02	·30			13
14			·04	·16				·02	·02				14
15	·08				·08			·33		·12		·08	15
16	·06	·14		·20	·26		·08			·60		1·00	16
17		·02		·07	·60		·18		·23	·30			17
18	·15	·04		·12	·04	·02	·18	·14	·21	·03			18
19	·02	·15	·13	·03	·60	·16		·20	·18				19
20		·10	·06		1·15		·05	·03			·02		20
21				·04		·04				·03		·10	21
22			·14			·38		·12		·17			22
23		·15			·31	·02		·18		·14		·04	23
24		·02						·05		·13	·03	·02	24
25		·08				·08	·02						25
26			·04					·25	·03		·91		26
27								1·28					27
28			·03			1·75		·54				·07	28
29			·03		·20	·04	·38	·06		·85		·30	29
30		✕	·35			·03	·88	·13		·06		·09	30
31	·08	✕	·09	✕		✕	·72	·02	✕	·03	✕	·13	31
Total	1·53	·94	1·73	2·30	3·25	2·74	4·15	6·43	1·47	4·80	1·86	2·96	YEAR'S TOTAL 34·16
Rain Days.	12	11	17	15	9	10	13	25	10	18	10	14	164

W. 8,000, VIII. 16

4·57

DL

69

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27.1.19

Kept at Tunbridge Wells
in the County of Kent
by D. W. Horner

Lat. . Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.12								.21	.05	1
2		.03	.02					.25			.25	.15	2
3			.14	.08	.50					.03	.50	.02	3
4		.19	.05	.03					.18		.90		4
5		.09			.16			.18	.23	.12		.03	5
6	.20	.14		.22	.20			.20	1.07	.03		.03	6
7	.08	.12		.08	.12	.02		.03	.12	.07			7
8		.04							.16		.15	.08	8
9	.05			.14					.54	.20		.25	9
10				.10		.06	.66		.15	.10		.28	10
11							.10		.14	.65	.09	.10	11
12		.06			.06		.30		.06	.13		.02	12
13	.14			.02	.15								13
14	.20		.02			.09	.19		.27	.26		.08	14
15	1.43			.30		.15	.09		.02			.20	15
16	.30			.12		.15	.06		.09				16
17	.30			.25			.48	.03				.34	17
18	.45					.22			.65			.10	18
19	.17		.02	.09		.02	.02		.02	.15		.02	19
20	.04	.09		1.00		.03	.84		.20	.36		.04	20
21	.21			.56			.25		.54	.08		.02	21
22	.10				.04		.33		.95			.18	22
23	.08			.03	.07		.54	.13	.09			.03	23
24		.25		.10					.18		.04		24
25							.07	.27		.02	.03		25
26				.10			.76		.03		.06	.17	26
27		.14		.12			.16	.14	.03		.08	.07	27
28		.03	.48	.08	.02	.03		.03		.02	.22	.06	28
29				.07					.88			.02	29
30			.35						.06	.04		.22	30
31										.04		.03	31
Total	3.75	1.18	1.20	3.49	1.32	.77	4.85	1.26	6.66	2.30	2.53	2.59	YEAR'S TOTAL 31.90
Rain Days.	14	11	8	19	9	9	15	9	23	16	11	25	169

W. 8,000, VIII. 16

8L

corrd by D.W.H.

350 ~~30~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Tunbridge Wells, Hawkenbury

in the County of Kent

by D. W. Horner

Lat. ________ Long. ________
Time of Observation ________
Nearest Railway Station ________
Diameter of Funnel of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ________

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·39	·09					·11			·05	·07	·90	1
2	·34		·03		·16		·23			·12	·29	·22	2
3	·30		·33		·02		·32		·15		·15	·25	3
4	·25		·52			·03	·05	·05	·02		·10	·10	4
5	·03	·53	1·22					·05	·03		·08	·35	5
6	·07										·03	·05	6
7	·11		·60							·03	·10		7
8	·42		·08								·03		8
9	·70		·04	·09	·11						·26		9
10	·78		·08	·04							·08		10
11	·17		·24	·32	·02							·10	11
12	·12		·03	·06			·51				·05		12
13				·40						·03		·05	13
14	·70			·58			·06		·19				14
15	·20			·06								·16	15
16	·24	·42									·13	·04	16
17		·38	·02	·02							·15	·05	17
18		·10	·09		·03				·04		·05	·03	18
19		·18	·50				·22	·06			·10		19
20	·25	·15	·15			·73	·14	·25				·03	20
21	·08	·52	·10				·03					·03	21
22		·03	·04				·25		·30		·06	·22	22
23						·03	·04		·35		·03	·03	23
24				·13		·03		·05		·05	·11	·05	24
25	·06				·02			·27					25
26	·05	·13		·11				·03	·07			·47	26
27	·42		·13	1·50				·30			·15	·02	27
28			·32	·04				·73			·70	·24	28
29	·10			·04		·02		·49		·19		·27	29
30		×		·22				·65		·10	·28	·97	30
31	·15	×		×		×			×	·05	×	·03	31
Total	5·93	2·53	4·52	3·61	·36	·84	1·96	2·93	1·15	·62	3·00	4·51	YEAR'S TOTAL 31·96
Rain Days.	22	10	18	14	6	5	11	11	8	8	21	23	157

W. 6,500, VII. 18. W W C

328

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hawkenbury, Tunbridge Wells

in the County of Kent

by D. W. Horner

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·16	·05		·17			·40		30	1
2			·20		·03			·23	·05	·15		·15	2
3					·13	·02						·08	3
4		·08		·08			·67	·07		·03		·03	4
5			·02				·43	·06	·05			·05	5
6			·20		·19		·20					·02	6
7	·04			·10	·10		·12					·05	7
8				·04	·14		·12					·02	8
9	·28				·10		·03						9
10	·90	·17	·05	·20		·08	·18				·06		10
11	·12		·05	·21		·08	·60					·08	11
12	·06			·27	·03	·70							12
13	·30	·04	·23	·02							·12		13
14		·02	·48	·35		·04			·10	·18	·32		14
15	·03		06	·33					·90	·36	·16		15
16			·02	·03	·16				·28	·02		·03	16
17				·08	·10				·60			·21	17
18	·05				·16			1.15	·36			·12	18
19	·10			·22								·08	19
20	·05	·24		·20		·49			·25				20
21				·02			·80		·30			·26	21
22				·30					·05			·34	22
23	·02						·30					·23	23
24	·02		·06									·08	24
25							·18		·03				25
26	·08		·13	·04								·08	26
27	·54	·05		·20		·05	·14				·34	·31	27
28	·37		·10		·16		·10				·20	·03	28
29	1·17		·04	·08	·02						·10	·23	29
30							·16		·13		·54	·14	30
31	·06									·40		·40	31
													YEAR'S TOTAL
TOTAL	4·26	·60	1·64	2·93	1·37	1·46	4·20	1·51	3·10	1·54	1·84	3·32	27·77
Days with ·01 in. or more	18	6	13	19	13	7	15	4	12	7	8	23	145
Days with ·04 in. or more	15	5	11	16	10	6	14	4	11	5	8	18	123

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

638

FORM A.
BRITISH RAINFALL.

TUNBRIDGE WELLS

{SHANDON COURT}

KENT

1916

RE 6

Shandon Co

Kept at Myskyn g. 0°24'10" E

9 a.m. (real time)

in the County of Su Ticehurst Road

Rain Gauge 5 in.

by W. C. Foote above Ground 1 ft. 0 in.

„ Sea Level 350 ft.

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the r year in the space provided for it at the end of rement of rain, the selection and plac British Rainfall Organization are given n application to Dr. H. R. Mill, 62, C

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.16	—	0.01	—	0.57	0.03	—	—	0.12	Shandon Court Tunbridge Wells Beginning of Record.	0.30	—	1
2	0.35	0.08	0.73	—	0.18	0.01	—	—	—		—	—	2
3	0.01	0.78	0.27	—	0.02	—	0.04	—	0.07		0.51	—	3
4	0.19	0.16	0.02	—	—	0.59	—	—	0.17		0.63	—	4
5	0.02	0.03	0.01	0.03	0.17	0.09	—	—	—		0.73	—	5
6	0.01	0.15	0.07	0.43	0.04	0.54	0.23	—	—		0.73	—	6
7	0.08	0.03	0.84	—	0.25	0.13	0.08	—	End of Myskyns Record		0.56	0.02	7
8	—	0.02	0.01	—	0.18	—	—	—			—	0.47	8
9	—	—	0.03		0.43	—	—	—			—	0.27	9
10	—	0.21	0.02	0.06	0.01	0.46	0.03	—			—	0.33	10
11	0.04	0.24	0.02	0.16	—	0.26	—	—			—	0.01	11
12	0.05	0.12	—	0.05	0.27	0.13	0.13	—			—	—	12
13	0.01	0.20	0.25	0.08	0.05	0.16	0.04	0.20			—	—	13
14	—	0.44	0.01		0.15	—	—	0.14		0.04	—	0.12	14
15	—	0.14	0.16	0.02	—	—	—	—		—	—	0.09	15
16	—	0.01	0.11	0.16	—	—	0.18	0.05		—	—	—	16
17	0.21	0.12	—	0.12	—	—	0.10	0.01		0.90	—	—	17
18	0.02	0.10	0.01	0.02	—	—	—	0.11		0.65	0.77	—	18
19	0.27	0.04	0.07	0.22	—	0.08	—	—		0.01	0.79	0.10	19
20	0.10	—	0.02	0.02	—	—	—	—		—	0.01	0.56	20
21	0.03	—	0.33	0.13	—	—	—	—		—	0.01	0.26	21
22	0.01	0.14	0.21	0.02	—	0.03	—	—		0.02	0.01	0.60	22
23	0.01	0.30	0.05	—	—	0.20	0.02	0.05		0.05	0.15	0.16	23
24	—	—	0.03	—	0.10	—	—	—		0.39	0.09	0.33	24
25	—	0.89	0.16	—	—	—	—	0.97		0.10	0.02	—	25
26	0.02	0.39	0.04	—	—	0.23	—	0.32		0.34	0.04	—	26
27	0.01	0.04	0.79	—	—	0.23	—	0.01		0.35	—	—	27
28	—	0.58	0.10	—	—	0.45	—	0.15		0.10	—	0.15	28
29	—	0.27	—	—	—	0.33	—	0.67		0.49	—	0.34	29
30	—	X	—	—	0.01	0.01	—	0.10		0.28	—	—	30
31	—	X	—	X	—	X	—	0.01	X	0.05	X	0.03	31
Total	1.60	5.48	4.37	1.52	2.43	3.96	0.85	2.79		~~3.77~~	5.35	3.84	YEAR'S TOTAL
Rain Days.	19	24	26	14	14	18	9	13			15	16	

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Shandon Court, Tunbridge Wells
Kept at Myskyns, Ticehurst
in the County of Sussex Kent
by W. C. Foote

Lat. 51° 1' 50" N. Long. 0° 24' 10" E.
Time of Observation 9 a.m. (real time)
Nearest Railway Station Ticehurst Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.16	—	0.01	—	0.57	0.03	—	—	0.12	Beginning of Record. Shandon Court Tunbridge Wells	0.30	—	1
2	0.35	0.08	0.73	—	0.18	0.01	—	—	—		—	—	2
3	0.01	0.78	0.27	—	0.02	—	0.04	—	0.07		0.51	—	3
4	0.19	0.16	0.02	—	—	0.59	—	—	0.17		0.63	—	4
5	0.02	0.03	0.01	0.03	0.17	0.09	—	—	—		0.73	—	5
6	0.01	0.15	0.07	0.43	0.04	0.54	0.23	—	—		0.73	—	6
7	0.08	0.03	0.84	—	0.25	0.13	0.08	—	End of Myskyns's Record		0.56	0.02	7
8	—	0.02	0.01	—	0.18	—	—	—			—	0.47	8
9	—	—	0.03		0.43	—	—	—			—	0.27	9
10	—	0.21	0.02	0.06	0.01	0.46	0.03	—			—	0.33	10
11	0.04	0.24	0.02	0.16	—	0.26	—	—			—	0.01	11
12	0.05	0.12	—	0.05	0.27	0.13	0.13	—			—	—	12
13	0.01	0.20	0.25	0.08	0.05	0.16	0.04	0.20			—	—	13
14	—	0.44	0.01		0.15	—	—	0.14		0.04	—	0.12	14
15	—	0.14	0.16	0.02	—	—	—	—		—	—	0.09	15
16	—	0.01	0.11	0.16	—	—	0.18	0.05		—	—	—	16
17	0.21	0.12	—	0.12	—	—	0.10	0.01		0.90	—	—	17
18	0.02	0.10	0.01	0.02	—	—	—	0.11		0.65	0.77	—	18
19	0.27	0.04	0.07	0.22	—	0.08	—	—		0.01	0.79	0.10	19
20	0.10	—	0.02	0.02	—	—	—	—		—	0.01	0.56	20
21	0.03	—	0.33	0.13	—	—	—	—		—	0.01	0.26	21
22	0.01	0.14	0.21	0.02	—	0.03	—	—		0.02	0.01	0.60	22
23	0.01	0.30	0.05	—	—	0.20	0.02	0.05		0.05	0.15	0.16	23
24	—	—	0.03	—	0.10	—	—	—		0.39	0.09	0.33	24
25	—	0.89	0.16	—	—	—	—	0.97		0.10	0.02	—	25
26	0.02	0.39	0.04	—	—	0.23	—	0.32		0.34	0.04	—	26
27	0.01	0.04	0.79	—	—	0.23	—	0.01		0.35	—	—	27
28	—	0.58	0.10	—	—	0.45	—	0.15		0.10	—	0.15	28
29	—	0.27	—	—	—	0.33	—	0.67		0.49	—	0.34	29
30	—	X	—	—	0.01	0.01	—	0.10		0.28	—	—	30
31	—	X	—	X	—	X	—	0.01	X	0.05	X	0.03	31
Total	1.60	5.48	4.37	1.52	2.43	3.96	0.85	2.79		~~3.77~~	5.35	3.84	YEAR'S TOTAL
Rain Days.	19	24	26	14	14	18	9	13			15	16	

W. 8,000. X. 15.

✓

RE

2

FORM A. BRITISH RAINFALL.

Kept at The White Hou
am

in the County of Kent
Tunbridge Wells

ain Gauge 5 in.

by Miss Monica
bove Ground ~~3 ft~~ ft. 13 in.

Sea Level ft.

TUNBRIDGE WELLS

{THE WHITE HOUSE}

KENT

1917, 19-20

IMPORTANT N … nd the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the r … year in the space provided for it at the end of … rement of rain, the selection and plac … British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, C

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				Snow .18				1.79	.20		.06		1
2				" .28				.22			.04		2
3				" .22			.20	.63		.01	.12		3
4		Snow .27					.30	.04		.49			4
5	.27			Snow .23				.12	.40	.16	.07		5
6				" .05		.26		.01	.12		.13		6
7	.35						.17			.37		.05	7
8	.10						.60	.26		.28	.27	.15	8
9				Snow .19			.42				.04	.90	9
10	.21		.34	" .15		.02							10
11	.06		.18	" .42				.20	.10	.39			11
12	.08		.05					.12		(.18)			12
13	.04		.15					.02	.02	.30			13
14	.01			.17	.06			.11				.02	14
15					.05			.13		.14		.05	15
16	.15	.18		.19	.40		.18			.55		Snow .64	16
17				.09	.47		.18		.22	.26			17
18	.05			.14	.04		.17	.10	.18	.05			18
19		.18	.16		.10	.17		.19	.18		.04		19
20		.10	.06		1.30								20
21		.02	.02	.03	.03	.02	.07					.02	21
22			.13			.35		.14		.19			22
23		.13			.33	.01	—	.17		.12		.04	23
24			—			.03	.01	.05		.15			24
25		.08	.05			.07	.01				.10		25
26			.03					.27	.05		.88		26
27			.03					1.16					27
28			.04		—	1.82		.35				snow. .11	28
29					.45	.02	.53	.03		.78		.26	29
30		X	.32			.03	1.10	.14		.03		.05	30
31		X	.08	X		X	.62	.02	X	.02	X	Snow .09	31
Total	1.32	.96	1.64	2.34	3.23	2.80	4.56	6.24	1.47	4.47	1.75	2.38	YEAR'S TOTAL 33.19 ✓
Rain Days.	10	7	14	13	10	11	14	23	9	18	10	12	151

W. 8,000, IX. 17.

✓

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.

-2 JAN

Kept at The White House Tunbridge Wells
in the County of Kent
by Miss Monica Robins

Lat. , Long.
Time of Observation 9 am
Nearest Railway Station Tunbridge Wells
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~3ft~~ ft. 13 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				snow .18				1.79	.20		.06		1
2				" .28				.22			.04		2
3				" .22			.20	.63		.01	.12		3
4		snow .27					.30	.04		.49			4
5	.27			snow .23				.12	.40	.16	.07		5
6				" .05		.26		.01	.12		.13		6
7	.35						.17			.37		.05	7
8	.10						.60	.26		.28	.27	.15	8
9				snow .19			.42				.04	.90	9
10	.21		.34	" .15		.02							10
11	.06		.18	" .42				.20	.10	.39			11
12	.08		.05					.12		(.19)	—		12
13	.04		.15					.02	.02	.30			13
14	.01			.17	.06			.11				.02	14
15					.05			.13		.14		.05	15
16	.15	.18		.19	.40		.18			.55		snow .64	16
17				.09	.47		.18		.22	.26			17
18	.05			.14	.04		.17	.10	.18	.05			18
19		.18	.16		.10	.17		.19	.18		.04		19
20		.10	.06		1.30								20
21		.02	.02	.03	.03	.02	.07					.02	21
22			.13	—		.35		.14		.19			22
23		.13			.33	.01		.17		.12		.04	23
24						.03	.01	.05		.15			24
25		.08	.05			.07	.01				.10		25
26			.03					.27	.05		.88		26
27			.03					1.16					27
28			.04		—	1.82	—	.35				snow. .11	28
29					.45	.02	.53	.03		.78		.26	29
30			.32			.03	1.10	.14		.03		.05	30
31			.08				.62	.02		.02		snow .09	31
Total	1.32	.96	1.64	2.34	3.23	2.80	4.56	6.27	1.47	4.47	1.75	2.38	YEAR'S TOTAL 33.19
Rain Days.	10	7	14	13	10	11	14	23	9	18	10	12	151

W. 8,000, IX. 17.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

JAN 20

REGISTER OF RAINFALL IN 1919.

The White House.
Kept at Tunbridge Wells
in the County of Kent
by Miss Monica Robins

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tunbridge Wells
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	.08			.03		.12			.06	.07	.25	1
2	.27		.04		.15		.27			.19	.18	.85	2
3	.27		.32		.04		.19		.10		.14	.30	3
4	.24	Snow .10	.66				.06	.05			.08	.20	4
5	.02	Snow .51	.97								.08	.48	5
6	.13		.04									.06	6
7	.10		.46							.03	.17		7
8	.50		.07								.02		8
9	.70		.05	.19	.08						.20		9
10	.63		.09	.03							.13	.05	10
11	.17		.21	.28	.03		.70					.04	11
12	.08		.03	.09	.01						Snow .04	.01	12
13	.07		.02	.40						.05		.04	13
14	.57			.39			.07		.21			.05	14
15	.20	.03	.01	.06								.13	15
16	.31	.34		.01								.04	16
17		.30		.03							.27	.06	17
18		.11	.10									.04	18
19	.03	.15	.50			.06	.12				.15	.02	19
20	.18	.12	.17			.68	.14	.51				.02	20
21	.07	.49	Snow .07			.06							21
22			.04			.02	.25		.38		.27	.20	22
23		.02					.06		.54			.06	23
24				.14				.05	.02	.07	.14	.08	24
25	.05							.30	.10			.03	25
26	.04	.14	.09	Snow .10			.02					.41	26
27	Snow .52	.03	.05	Snow 1.49				.50			.14	.04	27
28			Snow .29	.05				.43			.58	.26	28
29	.10			.07				.88		.24	.12	.14	29
30	Snow .17	✕	Snow .01	.23				.71		.09		1.09	30
31	Snow .06	✕	.03	✕		✕			✕	.07	✕	.08	31
TOTAL	5.86	2.42	4.32	3.56	.34	.82	2.00	3.43	1.35	.80	2.78	5.03	YEAR'S TOTAL 32.69
Days with ·01 in. or more	25	13	23	15	6	4	11	8	6	8	17	27	163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 20

REGISTER OF RAINFALL IN 1919.

The White House.

Kept at Tunbridge Wells
in the County of Kent
by Miss Monica Robins

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tunbridge Wells
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	.08			.03		.12			.06	.07	.25	1
2	.27		.04		.15		.27			.19	.18	.85	2
3	.27		.32		.04		.19		.10		.14	.30	3
4	.24	snow .10	.66				.06	.05			.08	.20	4
5	.02	snow .51	.97								.08	.48	5
6	.13		.04									.06	6
7	.10		.46							.03	.17		7
8	.50		.07								.02		8
9	.70		.05	.19	.08						.20		9
10	.63		.09	.03							.13	.05	10
11	.17		.21	.28	.03		.70					.04	11
12	.08		.03	.09	.01						snow .04	.01	12
13	.07		.02	.40						.05		.04	13
14	.57			.39			.07		.21			.05	14
15	.20	.03	.01	.06								.13	15
16	.31	.34		.01								.04	16
17		.30		.03							.27	.06	17
18		.11	.10									.04	18
19	.03	.15	.50			.06	.12				.15	.02	19
20	.18	.12	.17			.68	.14	.51				.02	20
21	.07	.49	snow .07			.06							21
22			.04			.02	.25		.38		.27	.20	22
23		.02					.06		.54			.06	23
24				.14				.05	.02	.07	.14	.08	24
25	.05							.30	.10			.03	25
26	snow .04	.14	.09	snow .10			.02					.41	26
27	.52	.03	snow .05	snow 1.49				.50			.14	.04	27
28			.29	.05				.43			.58	.26	28
29	snow .10			.07				.88		.24	.12	.14	29
30	snow .17	╳	snow .01	.23				.71		.09		1.09	30
31	.06	╳	.03	╳		╳			╳	.07	╳	.08	31
TOTAL	5.84	2.42	4.32	3.56	.34	.82	2.00	3.43	1.35	.80	2.78	5.03	YEAR'S TOTAL 32.69
Days with ·01 in. or more	25	13	23	15	6	4	11	8	6	8	17	27	163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

331

W. M. L. and granite

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

3 JAN 1921

Kept at The White House Tunbridge Wells
in the County of Kent
by Miss M. G. Robins

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Tunbridge Wells
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							~~.21~~						
1	.06			.15			.21	.23		.81		.30	1
2			.20							.20		.15	2
3				.02	.20				.06	.03		.04	3
4		.08		.09			.39	.12		.03		.03	4
5			.21				.44		.06				5
6					.20		.19					.09	6
7	.03			.10			.15			.04			7
8				.03	.14		.24						8
9	.28			.02	.11		.05						9
10	.78	.19		.15		.12	.21				.07	snow .04	10
11	.31		.10	.19		.05	.40					" .05	11
12	.07	.02		.20		.75							12
13	.28			.04							.14		13
14			.60	.31		.04	.01		.14	.11	.24		14
15	.03			.24					.51	.44	.13		15
16		.04		.02	.11				.20			.03	16
17			.5	.09	.20				.53			.18	17
18	.03			.01	.04			.60	.91			.10	18
19	.10			.23					.03			.08	19
20	.04	.20		.23	~~.46~~	.46			.23			.02	20
21				.02			.68		.35			.26	21
22	.02			.28					.51			.31	22
23				.02			.33					.22	23
24			.05	.03					.03				24
25		.02		.01			.13		.02		.05		25
26	.10			.03							.02	.11	26
27	.49	.06		.25		.09	.02				.30	.24	27
28	.39		.26		.15		.07				.13	.05	28
29	1.01		.03								.07	.19	29
30	.03	╳					.22		.19		.40	.14	30
31	.02	╳		╳		╳			╳	.43	╳	.30	31
Total	4.07	.61	1.50	2.76 ~~3.76~~	1.21	1.51	3.77 ~~3.78~~	.95	3.77	2.12	1.61	2.96	YEAR'S TOTAL 26.84 ~~26.85~~
Rain Days.	18	7	8	24	8	6	16	3	14	8	10	21	143
	12	5	7	14	8	6	14	3	11	6	9	18	113

W. 6,500, VII-18. W W

dL ✓

54

FORM A2. BRITISH RAINFALL. 23 JAN 1912

RE

ULCOMBE
PLACE
KENT
1911 - 1920

Kept at Ulcombe

in the County of W.

by A. O. Walker

5 in.

Ground 1 ft. in.

Sea Level 350 ft.

Name

Distance Direction

IMPORTANT NOT the result entered to the previous day. If an Observer prefers not to conform to this versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15			·72				·11			·04	·03	1
2	·04		·02	·02	·24						·16	·11	2
3	·13	·03			·09						·04	·13	3
4	·18	·03	·05	·14						1·29	·15	·17	4
5	·10	·02								·18		·13	5
6	·16		·05							·02		·30	6
7	·05		·04							·58	·42	·22	7
8	·14		·14								·50	·11	8
9	·19		·12	·05						·02	·34	·06	9
10		·10	·02	·15							·02	·60	10
11	·38		·10		·03						·62		11
12			·64			·12					·05		12
13			·10		·47				·49	·18	·02	·19	13
14		·08	·01		·41	·05						·24	14
15		·02	·41								·05	·03	15
16						·34					·25	·07	16
17						·01					·58	·09	17
18		·11									·81	·18	18
19		·02				·03			·09	·31	·29	·11	19
20	·03					·03		·33	·13	·16		·62	20
21		·12						·10		·50		·17	21
22	·04		·12			·03		·11		·29		·36	22
23		·14	·08			·81			·25	·14	·02	·06	23
24		·11				·03	·17			·38		·28	24
25	·01	·06	·22	·07		·18		·05	·02	·09	·04	·03	25
26			·15	·19		·04				·13	·04	·19	26
27		·30	·03	·48					·08	·45		·06	27
28		·16		·14								·02	28
29				·11		·15	·23		·21	·20	·02		29
30				·01		·01		·50	·02	·25			30
31													31
Total	1·60	1·30	2·30	2·08	1·24	1·83	·40	1·20	1·29	5·17	4·46	4·56	TOTAL for year 27·43
No. of Rain Days	13	14	17	11	5	13	2	6	8	17	20	26	152

9,000, IX. '10.

Dl

RE

FORM A2.
BRITISH RAINFALL.
23 JAN 1912
54

Kept at Ulcombe Place

in the County of W. Kent 4

by A. O. Walker

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 350 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15			·72				·11			·04	·03	1
2	·04		·02	·02	·24						·16	·11	2
3	·13	·03			·09						·04	·13	3
4	·18	·03	·05	·14		—				1·29	·15	·17	4
5	·10	·02								·18		·13	5
6	·16		·05							·02		·30	6
7	·05		·04							·58	·42	·22	7
8	·14		·14								·50	·11	8
9	·19		·12	·05						·02	·34	·06	9
10		·10	·02	·15							·02	·60	10
11	·38	—	·10		·03						·62		11
12			·64			·12					·05		12
13			·10		·47				·49	·18	·02	·19	13
14		·08	·01		·41	·05						·24	14
15		·02	·41								·05	·03	15
16						·34					·25	·07	16
17						·01					·58	·09	17
18		·11									·81	·18	18
19		·02				·03			·09	·31	·29	·11	19
20	·03					·03		·33	·13	·16		·62	20
21		·12						·10		·50		·17	21
22	·04		·12			·03		·11		·29		·36	22
23		·14	·08			·81			·25	·14	·02	·06	23
24		·11				·03	·17			·38		·28	24
25	·01	·06	·22	·07		·18		·05	·02	·09	·04	·03	25
26			·15	·19		·04				·13	·04	·19	26
27		·30	·03	·48					·08	·45		·06	27
28		·16		·14								·02	28
29				·11		·15	·23		·21	·20	·02		29
30				·01		·01		·50	·02	·25			30
31													31
Total	1·60	1·30	2·30	2·08	1·24	1·83	·40	1·20	1·29	5·17	4·46	4·56	TOTAL for year 27·43
No. of Rain Days	13	14	17	11	5	13	2	6	8	17	20	26	152

9,000, IX. '10.

8L

60

FORM A2.
BRITISH RAINFALL.
22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Ulcombe,

in the County of Kent 4

by A. O. Walker

Rain Gauge: Pattern ……… Diameter of top ……… in. Height of top above Ground ……… ft. ……… in. " " " Sea Level ……… ft.

Time of Observation ………

Nearest Railway Station: Name ……… Distance ……… Direction ………

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02		.04	.03	.01	.27	.34		.07	.70		.16	1
2		.05	.18				.15	.01	.03	.05			2
3	.06	.02	.06		.09	.16	.05	.10	.01			.08	3
4	.18		.54		.10	.34		.07			.19		4
5	.11	.03	.17			.26		.26			.23		5
6	.38	.06	.04		.05	.01		.42			.02	.10	6
7					.11	.37		.28				.03	7
8	.19	.25	.16			.05		.20	.02				8
9	.01	.02		.06			.04	.11				.05	9
10		.02						.11	.08		.04	.30	10
11	.03	.10				.20		.04	.03			.17	11
12		.13	.02		.09	.07	.06	.16			.02	.03	12
13		.04	.01			.18	.02				.30		13
14			.01		.08			.25		.05	.04		14
15		.01	.09		.18	.75		.02			.05	.31	15
16	.06		.05		.02	.08		.05		.03			16
17	.05		.24			.05		.04			.15	.14	17
18	.04		.20					.06		.05	.02	.22	18
19	.01	.18	.31				.05	.28			.01		19
20		.02	.44		.02			.13		.59			20
21		.06	.33					.04		.28	.11	.01	21
22	.08	.18	.04	—	.02		.07	.11				.02	22
23	.43	.25	.28		.08	.15		.44		.03	.15	.03	23
24	.08	.02						.26		—		.08	24
25	.10	.03				.23		.86		—	.28	.24	25
26	.02	.01				.01		.56		.23	.23	.42	26
27							.05			.06		.16	27
28		.03	.02				.18	.02	.02	.67	.26	.26	28
29				.09		.01	.09	.20	.92	.17	.22		29
30					.08		.18	.52	1.29	.27	.02		30
31			.02		.01		.17	.12					31
Total	1.85	1.51	3.25	.18	.94	3.19	1.45	5.71	2.47	3.18	2.34	2.81	TOTAL for year 2888
No. of Rain Days.	17	20	21	3	14	17	13	28	9	13	18	19	192

W. 8,000, X. '11

82

66

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Ulcombe Place

in the County of Kent 4

by A. O. Walker

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·27		·17		·03				·07	·03	·03	1
2	·02	·12			·03		·29				·04	·01	2
3			·04	·48	·25							·13	3
4	·06		·01		·02		·04		·03		·04	·02	4
5	·19	·06				·04	·28		·80	·14	·10	·04	5
6			·07	·07	·02	·09	·05			·22	·11		6
7		·11	·04	·03			·05	·11		·18	·04		7
8		·04	·03		·10	·05			·01	·18	·07	·02	8
9		·07			·09			·12	·08		·01	·02	9
10			·03	·05			1·27	·02			·62		10
11	·19			·41						·55	·13		11
12					·03						1·31		12
13	·47							·06			·28		13
14	·11		·06	·08			·61	·01	·05	·14	·20		14
15	·12		·17	·10			·18		·03				15
16	·26		·36	·18			·02		·34				16
17	·04	·09	·07	·20			·25	·01	·05			·05	17
18	·11		·09	·10			·02				·05		18
19	·20		·11		·08		·13		·21				19
20	·51		·06	·03		·22				·48			20
21	·03		·15	·04						·68	·65		21
22	·21		·09	·10	·04		·08		·06	·06		·02	22
23			·11			·01	·02	·05				·57	23
24	·02		·01					·10			·06		24
25				·13		·14							25
26			·18					·03		·95	·02	·19	26
27		·03	·02		·05					·07			27
28	·12		·16	·03						·32			28
29	·17		·02	·45	·11			·05					29
30	·36		·03	·17	·09			·15		·07			30
31								·18		·05			31
Total	3·19	·79	1·91	2·82	·91	·58	3·29	·89	1·66	4·16	3·76	1·10	YEAR'S TOTAL 25·06
Rain Days.	18	8	22	18	12	7	14	12	10	15	17	11	164

W. 7,500, XI. 12

Jl

ex LMcC

53

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at *Ulcombe Place*

in the County of *Kent* 4

by *A. O. Walker*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·01			·03			·04	·10	1
2	·03	·01		·05			·27				·13	·16	2
3			·16	·03	·14		·05						3
4			·07	·27	·05			·16			·25	·18	4
5	·11		·05	·37	·21			·10		·01			5
6		·03	·25	·23	·02	·14		·02				·19	6
7		·28		·16	·03	·31	·05					·21	7
8	·06	·29	·16	·01			·11	·04				·03	8
9	·29		·94	·09					·02			1·19	9
10	·01	·01		·04	·08					·07	·01	·13	10
11		·31	·23	·05		·03			·15		·16	·25	11
12		·04	·10		·02		·45		·18	·01		·55	12
13	·05	·17	·19						·15	·07	·08	·43	13
14		·20	·18				·17			·41	·04	·33	14
15		·02	·20				·37	·02			·90	·08	15
16	·04	·07	·03				·13		·06				16
17		·09	·06				·02		·06	·01		·03	17
18		·18	·05									·30	18
19		·11	·68				·08		·02	·13	·29	·15	19
20		·20	·14			·06				·05		·37	20
21		·82	·09	·02		·01		·23				·08	21
22		·05		·05	·04		·30	·02		·14			22
23			·46		·08	·31						·12	23
24			·04	·08							·16		24
25	·12		·27		·05		·03	·05		·22			25
26			·06		·02		·01	·22		·10	·20	·32	26
27	·05		·02				·01	·03		·02	·05	·40	27
28	·05				·03		·05			·35	·33	·48	28
29										·85	·13		29
30			·04							·12	·56	·06	30
31			·11		·30							·06	31
Total	·81	2·88	4·58	1·45	1·08	·86	2·10	·92	·64	2·56	3·33	6·20	YEAR'S TOTAL 27·41
Rain Days.	10	17	24	13	14	6	15	11	7	15	15	24	171

W.7,000, XI. 13

82

427
51

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Ulcombe
in the County of Kent
by A. O. Walker

4

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·54	·10	·06					·09	·73		·49	·29	1
2	·25	·13	·23	·07				·15	·02	·03	·02	·02	2
3	·34		·06	·22	·05			·35	·48		·01	·62	3
4	·05							97		·02		·47	4
5	·04	·24		·01				·13		·03	·08	·43	5
6	·39	·14	·01	·30			·22	·01				·06	6
7	·23	·17	·12				02				·01	·24	7
8	·06	·40	·06	·02			11	06					8
9		·29		·04		·08		·05			·47	·47	9
10	·19	·03				·09						·64	10
11	·03	·02								·02	·44	·03	11
12	·05	·08		·19	·21			·05			·54	·02	12
13	·09	·63		·12	1·13								13
14	·04	·06					·14	·30	·06			·15	14
15	·17				·07		·08	·30			·33	·20	15
16	·05	·31		·05	·02		·74	·31				·03	16
17		·33			·77		·04					·24	17
18		·13	·04		·41					·02	·05	·03	18
19		·11						·02		·11			19
20	·31	·12						·18		·02		·28	20
21	·15	·02								·03		·06	21
22	·05		·03	·03			·52					·13	22
23	·03	·18	·07				·09		·02	·06		·32	23
24			·02	·16			·07		·30	·07		·44	24
25	·01		·10	·05			·31			·02		·21	25
26	·02											·45	26
27		·01	·03			·14	·09			·23		·03	27
28		·04	·03						1·77	·18			28
29			·01			1·05	·12	·15	·02	·01	·37	04	29
30	·06	X				·01			·04		·40		30
31	·08	X		X		X		·11	X	·46	X	·28	31
													YEAR'S TOTAL
Total	3·23	3·54	·87	1·26	2·66	1·37	2·55	3·23	3·44	1·31	3·21	6·18	32·85
Rain Days.	23	21	14	12	7	5	13	16	9	15	12	26	173

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Ulcombe Place

in the County of Kent

by A. O. Walker

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06				.09				.09	.06	.37		1
2	.24	.04	.41		.06					.26			2
3		.62	.16				.06		.10	.18	.36		3
4	.09	.12	.02			.21	.02		.03	.10	.46		4
5			.01	.01	.10	.09	.46			.06	.10		5
6		.12	.10	.56		.25	.26			.02	.30		6
7	.04	.02	.64		.31	.10	.20			.03	.37	.03	7
8					.13							.25	8
9			.05		.26	.09						.18	9
10		.16	.04	.06	.03	.43	.15			.06		.61	10
11	.03	.30	.02	.13		.20					.01	.08	11
12	.05	.04		.08	.38	.20	.02	.02	.01	.09			12
13	.02	.17	.24	.10	.38	.48	.07		.03	.09		.02	13
14		.36	.02	.02	.10		.05			.01		.17	14
15		.13	.09					.03				.03	15
16		.07	.11	.18			.27	.05					16
17	.17	.08		.07			.08	.35	.39	.60			17
18	.03	.15		.11				.02	.18	.24	.64		18
19	.08	.04	.04	.15		.08			.15		.43	.05	19
20	.11		.10	.05				.06		.02	.03	.38	20
21			.23	.15								.20	21
22	.02	.10	.30	.03						.03	.02	.42	22
23		.25	.04			.11		.14			.03	.04	23
24	.01				.02					.29	.04	.23	24
25		.28	.18					.66		.24	.02		25
26	.03	.20				.13		.08		.20	.09		26
27	.03	.13	.44					.04	.02	.66		.02	27
28		.43	.11		.10	.07		.10	.09			.19	28
29		.10				.15		.64	.02	.34		.26	29
30		X						.29	.01	.30			30
31		X		X		X			X	.08	X	.06	31
Total	1.01	3.91	3.35	1.70	1.96	2.59	1.64	2.48	1.12	3.96	3.27	3.22	YEAR'S TOTAL 30.21
Rain Days.	15	22	21	14	12	14	11	13	12	22	15	18	189

W. 8,000, X. 15.

8/ 395 ~~44~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Ulcombe Place

in the County of Kent

by A. O. Walker

Lat. Long. 26 JAN 1918

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·22			·01	1·90	·06		·07	·02	1
2				·16				·35		·01	·03		2
3				·08			·06	1·00		·03	·02		3
4		·20	·08				·04			·28			4
5	·20	·02	·04	·12					·10	·14	·01		5
6				·01		·03			·07		·13		6
7	·19						·13			·27		·02	7
8	·06			·11			·60	·02		·29	·19	·19	8
9	·02		·03	·10			·07	·03	·01		·02	1·30	9
10	·14		·10	·11				·05					10
11	·19		·35	·19					·10	·17			11
12	·04	·07	·03					·15		·21			12
13	·02		·12		·20				·01	·27			13
14	·23		·03	·18				·15					14
15	·11				·27			·02		·03		·02	15
16	·13	·09		·23	·38		·01			·07		·27	16
17		·02		·12	·51		·18		·12	·14		·04	17
18	·06	·02		·13			·05	·11	·05				18
19		·10	·05			·12			·10				19
20		·24	·12		·67	·01	·11	·05	·11		·08		20
21			·01		·06	·02		·02		·01		·05	21
22			·17			·16		·06		·21		·03	22
23		·13	·01		·20	·03		·09		·04		·03	23
24						·02				·08	·03	·06	24
25		·04	·05								·03		25
26			·06					·20			·85		26
27						·06		·83				·01	27
28			·07					·16				·06	28
29	·02		·04		·02	1·20	·63			·30		·11	29
30	·11	✕	·18			·26	1·23	·08		·10		·01	30
31	·05	✕	·05	✕		✕	·83		✕		✕	·03	31
Total	1·57	·93	1·61	1·76	2·31	1·91	3·95	5·27	·73	2·65	1·46	2·25	YEAR'S TOTAL 26·40
Rain Days.	15	10	20	13	8	10	13	~~17~~ 18	10	18	11	16	162

W. 8,000, VIII. 16

D5·94

Dl

Ex 8J

91 ~~46~~

FORM A.
BRITISH RAINFALL.
27·1·19

REGISTER OF RAINFALL IN 1918

Kept at Ulcombe Place

in the County of Kent

by A. C. Walker

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05								·10	·06	1
2		·02						·26			·30	·15	2
3			·06	·05	·30					·04	·46	·04	3
4		·03			·20			·05	·28		·39	·	4
5		·23	·02		·14			·06	·59	·02		·02	5
6	·24	·11		·11	·25			·10	·37		·02	·02	6
7	·04	·05			·39			·02	·33	·10		·04	7
8		·04							·02		·11	·07	8
9	·05					·04			·29	·20		·26	9
10				·09		·05	·30		·33	·01	·02		10
11	·01			·03	·05		·11		·06	·65	·07	·12	11
12		·05			·18		·12		·06	·15		·02	12
13	·13	·03			·05		·03		·09			·02	13
14	·10					·10	·06		·13	·28		·08	14
15	1·06			·40						·02		·10	15
16	·19			·10		·04	·19		·03				16
17	·13			·13			·12	·02				·22	17
18	·19			·01		·15			·66	·14		·05	18
19	·08		·15	·11		·09			·02	·42			19
20	·05	·04		·16		·02	·87		·15	·78		·15	20
21	·14	·04		·02		·02	·10		·23	·02			21
22	·05			·02			·48		·38			·14	22
23	·06				·10		·48					·06	23
24		·24		·12	·10	·05	·02		·20		·06		24
25						·06	·09	·15			·03	·01	25
26							·39	·07		·04	·11	·08	26
27		·05		·34			·50	·14			·06	·03	27
28			·13	·07				·08			·35	·05	28
29				·11					1·26		·05		29
30		X	·46						·13	·05		·08	30
31		X		X		X			X	·04	X	·05	31
Total	2·52	·93	·87	1·87	1·76	·62	3·86	·95	5·61	2·96	2·13	1·92	YEAR'S TOTAL 26·00
Rain Days.	15	12	6	16	10	10	15	10	20	16	14	24	168

W. 8,000, VIII. 16

8L

372

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Ulcombe Place
in the County of Kent
by A. C. Walker

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	06			·02		·17			·07	·05	·45	1
2	·20		·03		·10		·07	·01		·04	·35	·17	2
3	·25		·28		·01		·34		·09		·07	·28	3
4	·19		·43			·07		·05			·08	·08	4
5	·07	·19	1·06								·09	·25	5
6	·08		·01								·03	·09	6
7	·14		·25							·01	·10		7
8	·32		·07										8
9	·28		·05	·14							·17		9
10	·65		·04	·04							·05	·01	10
11	·15		·15	·39	·02		·16					·03	11
12	·13		·02				·34			·09	·08		12
13				·32								·02	13
14	·24	·02		·34			·44	·05	·16	·02		·01	14
15	·08	·02	·02	·16						·05	·03	·06	15
16	·24	·25		·02				·05			13	·10	16
17		·27		·04							·16	·06	17
18		·19									·05	·01	18
19		·08	·44			·06	·18		·07		·11		19
20	·10	·10	·07			·55		·16				·03	20
21		·30	·05			·01	·20				02		21
22		·03					·14		·30		·06	·21	22
23	·01					·10	·23		·35		·01	·07	23
24				·19		·01	·11	·05			·14		24
25	·04				·08			·49		·02		·03	25
26	·04	·14	·05	·11			·04		·08		·02	·21	26
27	·32	·06	·13	1·10				·20			·03	·08	27
28			·20	·05			·03	·85			·53	·39	28
29	·10			·19				·65		·30	·12	·09	29
30		X		·30		·02		·32		·18	·09	·31	30
31	·14	X	·16	X		X	·07		X	·30	X	·06	31
Total	3·92	1·71	3·51	3·39	·23	·82	2·52	2·88	1·05	1·08	2·57	3·10	YEAR'S TOTAL 26·78
Rain Days.	22	13	19	14	5	7	14	11	6	10	24	24	169

W, 6,500, VII. 18. w w c

60 [illegible] 349

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Ulcombe Place

in the County of Kent

by A. O. Walker

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·21			·05			·52		·21	1
2			·20		·01			·09	13	·17		·06	2
3					·28	·01			·14			·03	3
4		·07	·01	·12			·72	·03		·02		·08	4
5					·03		·54	·08	·04			·15	5
6			·26		·15		·16					·04	6
7			·01	·11	·01		·07			·02		·04	7
8				·04	·04		·16						8
9	·38	·01			·11		·12						9
10	·37	·19	·08	·29			·09				·01	·02	10
11	·27		·07	·16			·66					·10	11
12	·08	·02	·03	·16	·03	·15	·02						12
13	·34		·07	·04					·04		·08		13
14	·04	·02	·27	·40		·07	·05		·15	·11	·13		14
15			·01	·07					1·19	·38	·07	·03	15
16	·01		·02	·02	·20				·08			·07	16
17	·01			·17	·18	·01			·49			·09	17
18	·04		·03	·01				1·14	·20			·08	18
19	·14			·22								·08	19
20	·07	·18		·12		·60			·56				20
21							·58		·20			·15	21
22	·01			·24					·02			·25	22
23							·19					·31	23
24									·05			·05	24
25				·03			·20						25
26	·04		·13	·05		·05						·03	26
27	·19	·05		·15		·07					·13	·16	27
28	·33			·03	·19		·10				·30	·03	28
29	·44		·05	·07							·02	·08	29
30	·03						·20		·18		·38	·08	30
31										·16		·10	31
Total	2·81	·54	1·24	2·71	1·23	·96	3·91	1·34	3·47	1·38	1·12	2·32	Year's Total 23·03
Days with ·01 in. or more	18	7	14	21	11	7	16	4	14	7	8	24	151
·04	13	4	8	17	7	5	15	3	13	5	6	19	115

(4[illegible]). Wt.21[illegible]958—21[illegible] 7500. 10/19. Gp.132. A.&E.W.

Wrongly – cor. 26,

REG

UPPER HARDRES
JUNIPERS
KENT
1911 - 1913

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Juniper Ro
uppe
in.
ound 1 ft. 9 in.
in the County of
Level 327 ft.
AM
by George
me Bishopsbourne
tance 2½ Direction East

IMPORTANT NOTE.— he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·32			1·01				·06			1
2				·47							·03		2
3		·06	·08	·30	·35	·30						·15	3
4	·44		·05		·09						·22	·34	4
5	·12	·09	·28							·25	·28	·27	5
6										·42		·09	6
7	·45									·06		·40	7
8	·05		·08							1·14	·54	·42	8
9			·12							·03	·45	·19	9
10		·11	·04	·06						·05	·31	·23	10
11						·12						·82	11
12	1·11		·05			·10				·02	1·06		12
13			·67			·24					·05	·02	13
14					·46				·69	·38		·22	14
15		·12	·08						·05	·02	·15	·32	15
16		·05				·42							16
17			·36			·03					·23	·12	17
18						·02					·11		18
19		·20									1·01	·17	19
20											·19	·16	20
21								·57	·16	·25		·64	21
22	·06	·16						·18		1·07		·25	22
23			·30			·05		·14		·44	·07	·56	23
24		·07	·05			1·53	·10		·19	·34		·10	24
25		·08	·15			~~·72~~				·61		·44	25
26				·10	·10	·12	·01	·38	·02	·03 ~~·27~~	Snow ·27		26
27			·48	·33						·27		·23	27
28		0·25	·07	·10		·22			·12	·44		·03	28
29				·16									29
30							·16		·30	·32	·03		30
31					·01		·05	·01		·24		·02	31
Total	2·23	·32 ~~1·19~~ 1·51	~~3·18~~ 2·86	1·52	·01 ~~1·01~~ 2·02	~~4·16~~ 3·15	·32	1·28	·06 ~~1·53~~ 1·59	~~6·44~~ 6·38	5·00	(–) 6·19	TOTAL for year 34·05
No. of Rain Days	6	~~10~~ 11	~~16~~ 15	7	~~5~~ 6	~~12~~ 11	4	5	~~7~~ 8	~~20~~ 19	16	23	131

9,000, IX. '10.

Wrongly — corr. 26

REG

FORM A2.
BRITISH RAINFALL.

13 - JAN 1919

Kept at Juniper Rough
Upper Hardres
in the County of . N. Canterbury
Kent 2
by George Marshall

Rain Gauge	Pattern
	Diameter of top 8 in.
	Height of top above Ground 1 ft. 9 in.
	" " " Sea Level 327 ft.

Time of Observation 9 A.M.

Nearest Railway Station: Name Bishopsbourne; Distance 2½ Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·32			1·01				·06			1
2				·47							·03		2
3		·06	·08	·30	·35	·30						·15	3
4	·44		·05		·09						·22	·34	4
5	·12	·09	·28							·25	·28	·27	5
6										·42		·09	6
7	·45									·06		·40	7
8	·05		·08							1·14	·54	·42	8
9			·12							·03	·45	·19	9
10		·11	·04	·06						·05	·31	·23	10
11						·12						·82	11
12	1·11		·05			·10				·02	1·06		12
13			·67			·24					·05	·02	13
14					·46				·69	·38		·22	14
15		·12	·08						·05	·02	·15	·32	15
16		·05				·42							16
17			·36			·03					·23	·12	17
18						·02					·11		18
19		·20									1·01	·17	19
20											·19	·16	20
21								·57	·16	·25		·64	21
22	·06	·16						·18		1·07		·25	22
23			·30			·05		·14		·44	·07	·56	23
24		·07	·05			1·53	·10		·19	·34		·10	24
25		·08	·15			~~·72~~				·61		·44	25
26				·10	·10	·12	·01	·38	·02	·03 ~~·27~~	Snow ·27 }		26
27			·48	·33						·27		·23	27
28		0·25	·07	·10		·22			·12	·44		·03	28
29				·16									29
30							·16		·30	·32	·03		30
31					·01		·05	·01		·24		·02	31
	–	·32	–	–	1·01	–	–	–	·06	–	–	(–)	
Total	2·23	~~1·19~~ 1·51	~~3·18~~ 2·86	1·52	~~1·01~~ 2·02	~~4·16~~ 3·15	·32	1·28	~~1·53~~ 1·59	~~6·44~~ 6·38	5·00	6·19	TOTAL for year 34·05
No. of Rain Days	6	~~10~~ 11	~~16~~ 15	7	~~5~~ 6	~~12~~ 11	4	5	~~7~~ 8	~~20~~ 19	16	23	131

~~made~~ ✓

Ex 3C. Cor. for W.D. 18.IV.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
12 APR 1913

Kept at Junipers Parish Upper Hardres W Canterbury

in the County of Kent

by George Marshall

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 9 in.
" " " Sea Level 327 ft.

Time of Observation 9 Am

Nearest Railway Station
Name Bridge
Distance 2½ Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				2		4	4	22	11	2.08	20		1
2						43	22		3	68		25	2
3			28			9	9		2	15			3
4	8		14		9	30		15				1	4
5	34		47	2	11	51					17		5
6	12	Snow 27	16			18		23			17	3	6
7	45		•		3	2		1.08				3	7
8	9			2	9	31		15				8	8
9	22	25	26	2		15		5	21	2			9
10				3			4	3				11	10
11		5				12		8	2	3	4	34	11
12	3	27				10		11	8			15	12
13		27	2		4			18		1	1	5	13
14		5	2			7		16			37	3	14
15			12		8			7	6	3	6	1	15
16					10	63		3		•	4	27	16
17	10		14		12	6		6					17
18	30		71			3		7				3	18
19			42				24	24		10	5	45	19
20	4	14	22				73	29			1		20
21	1	3	86					10		75			21
22	8	5	24		3			11		32	9		22
23	2	21	4				5	4					23
24	29	21	21		7			50		4	17		24
25	23				3		11	16				73	25
26	12					28					20	30	26
27						26	5	1.45		26	30	45	27
28							3	64		6		59	28
29		4						7		66	50	13	29
30				10			14	13	1.42	34	27	2	30
31			2 .02	—	.04	.04	1 .2	78	2.08	20	—	—	31
Total	~~2.44~~	~~1.84~~	~~4.33~~	~~.21~~	~~.79~~	~~3.58~~	~~1.75~~	~~7.18~~	~~1.95~~	~~5.71~~	~~2.65~~	~~3.46~~	TOTAL for year 35.89
No. of Rain Days.	.15	12	18	5	12	17	12	27	8	16	15	20	177
	2.44	1.84	4.35	.19	.83	3.58	1.93	7.07	3.92	3.83	2.45	3.46	35.89

W. 8,000, X. '11.

cont for WD
— — cards
— — S } 23.1.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
14 JAN 1914

Kept at Juniper Rough

in the County of Kent 2

by Geo Marshall

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Bridge

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 327 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				·39	·23				·11		·07		1
2			·04	·05	·02	·24				·04	·20		2
3	·06	·34					·45			·47	·07		3
4		·18	·04	·66	·29		·09			·10		·15	4
5	·21		·03				·22	·08	·15	·04	·04	·01	5
6	·06	·03		·03		·20			·17		·09	·03	6
7			·04		·02	·03		·06		·48	·06		7
8		·14	·07	·01			·13	·28		·38	·03	—	8
9		·01	·01		·11			·09		·26			9
10		·02		·02	·16		·03	·56	·10		·05	—	10
11			·02	·23							·49		11
12	·52		·07	·38		—				·26	·04		12
13			·12		·02						·66		13
14	·21		·59								·42		14
15	·13		·03	·03			·18	·08	·21	·19	·14		15
16	·22		·10	·08							·02		16
17	·35		·9	·19					·41		·03	·09	17
18	·03	·04	·17	·06			·15	·06	·36		·01		18
19	·12		·7	·17			·04	·03	·06		·06		19
20	·26		·26					·10	·09				20
21	·76	·01	·01	·04	·13	·25				·27			21
22	·07		·05	·05			·08			·69	1·03	·02	22
23	·20		·04				·16						23
24	·01		·16				·04		·04			·50	24
25			·01			·02		·03					25
26	·03		·26			·11	·01						26
27	·04		·10	·26			·01			·55			27
28		·02	·09		·07	·01				·13			28
29	·19									·16		Snow (10)	29
30	·19			·30	·23			·04		·02			30
31	·46				·7			·35		·12			31
		—	·39	·23		—	—	·11	—	·07	—		YEAR'S TOTAL
Total	4·12 4·12	·79	~~2·47~~ 2·86	~~2·95~~ 2·79	~~1·34~~ 1·11	·86	1·59	~~1·76~~ 1·87	~~1·70~~ 1·59	~~4·16~~ 4·23	~~3·51~~ 3·44	(·90)	26·15 ✓
Rain Days.	20	9	~~24~~ 25	17	~~11~~ 10	7	13	~~12~~ 13	~~10~~ 9	~~16~~ 17	~~18~~ 17	(8)	165 ✓

W. 7,500, XI. 12

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

UPTON HOUSE

KENT

1911-20

Kept at Upton
in the County of K.
by W. Elw.

n. 11
d 12 ft. in.
evel 32 ft.
Sandwich
nce 1½ Direction N

IMPORTANT N result entered to the
previous day. If an rule, he is earnestly
requested to add the n the space provided
for it at the end of of rain,
the selection and pl Rainfall
Organization are give cation to
Dr. H. R. Mill, 62,

Jan. 1, following.

Date	Jan.	Feb.	M								Nov.	Dec.	Date.
1	·11	—	·03	·32	—	—	·03	·08	—	·10	·04	—	1
2	·05	—	·04	—	·19	—	—	—	—	—	·10	·04	2
3	09	·03	—	·10	·06	—	—	—	—	·29	—	·16	3
4	·06	·01	·04	·11	—	—	—	—	—	·31	·22	·09	4
5	·10	·02	—	—	—	—	—	·07	—	—	—	·25	5
6	·36	—	—	—	—	—	—	—	—	·06	—	·21	6
7	·02	—	·01	—	—	—	—	—	—	·97	·26	·58	7
8	·06	—	·02	·03	—	—	—	—	—	·06	·51	·18	8
9	·14	—	·11	·05	—	—	—	—	—	·04	·65	·04	9
10	—	·06	—	—	—	—	—	—	—	·03	·13	·60	10
11	·64	·01	·01	—	—	—	—	—	—	—	·87	—	11
12	·07	—	·74	—	—	·05	—	—	—	·09	·05	·01	12
13	—	—	·03	—	·36	·34	—	—	·38	·84	·09	·23	13
14	—	·11	—	—	·13	·09	—	—	—	—	—	·24	14
15	—	·05	·26	—	—	—	—	—	·04	—	·02	·05	15
16	·02	—	—	—	—	·23	—	—	—	—	·17	·04	16
17	·02	—	—	—	—	·04	—	—	—	—	·18	·14	17
18	—	·12	·02	—	—	—	—	—	—	—	·66	·18	18
19	—	—	—	—	—	·03	—	—	·15	—	21	·14	19
20	·01	—	—	—	·04	·18	—	·61	·05	·15	—	·52	20
21	·02	·03	—	—	—	—	—	·12	·34	·67	—	·19	21
22	·01	—	1·02	—	—	—	—	·01	—	·33	.01	·54	22
23	—	·12	·09	—	—	·97	—	—	·08	·14	·13	·42	23
24	—	·02	·03	—	—	·04	·11	·03	—	·43	—		24
25	—	·02	·29	·03	—	·11	—	·44	—	—	·12	·01	25
26	—	—	·31	·16	—	·03	—	—	—	·32	·30	·14	26
27	—	·16	·06	·12	—	—	—	—	·16	·43	—	02	27
28	—	·16	—	·19	—	—	—	—	—	—	·01	—	28
29	—	×	—	—	—	·13	·04	—	·16	·15	—	—	29
30	—	×	—	·02	·12	—	—	—	·02	·27	—	—	30
31	—	×	—	×	—	×	—	—	×	·01	×	—	31
Total	1·78	·92	3·11	1·13	·90	2·24	·18	1·36	1·38	5·69	4·73	5·02	Total 28·44
No. of Rain Days.	16	14	17	10	6	12	3	7	9	20	20	25	159

W. 8,000, X. '11.

REGISTER OF RAINFAL

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Upton House, Word
in the County of Kent
by W. Elwin Napier

2

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 12″ ft. in.
" " " Sea Level 32 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Sandwich
Distance 1½ Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	—	·03	·32	—	—	·03	·08	—	·10	·04	—	1
2	·05	—	·04	—	·19	—	—	—	—	—	·10	·04	2
3	09	·03	—	·10	·06	—	—	—	—	·29	—	·16	3
4	·06	·01	·04	·11	—	—	—	—	—	·31	·22	·09	4
5	·10	·02	—	—	—	—	—	·07	—	—	—	·25	5
6	·36	—	—	—	—	—	—	—	—	·06	—	·21	6
7	·02	—	·01	—	—	—	—	—	—	·97	·26	·58	7
8	·06	—	·02	·03	—	—	—	—	—	·06	·51	·18	8
9	·14	—	·11	·05	—	—	—	—	—	·04	·65	·04	9
10	—	·06	—	—	—	—	—	—	—	·03	·13	·60	10
11	·64	·01	·01	—	—	—	—	—	—	—	·87	—	11
12	·07	—	·74	—	—	·05	—	—	—	·09	·05	·01	12
13	—	—	·03	—	·36	·34	—	—	·38	·84	·09	·23	13
14	—	·11	—	—	·13	·09	—	—	—	—	—	·24	14
15	—	·05	·26	—	—	—	—	—	·04	—	·02	·05	15
16	·02	—	—	—	—	·23	—	—	—	—	·17	·04	16
17	·02	—	—	—	—	·04	—	—	—	—	·18	·14	17
18	—	·12	·02	—	—	—	—	—	—	—	·66	·18	18
19	—	—	—	—	—	·03	—	—	·15	—	21	·14	19
20	·01	—	—	—	·04	·18	—	·61	·05	·15	—	·52	20
21	·02	·03	—	—	—	—	—	·12	·34	·67	—	·19	21
22	·01	—	1·02	—	—	—	—	·01	—	·33	·01	·54	22
23	—	·12	·09	—	—	·97		—	·08	·14	·13	·42	23
24	—	·02	·03	—	—	·04	·11	·03	—	·43	—		24
25	—	·02	·29	·03	—	·11	—	·44	—	—	·12	·01	25
26	—	—	·31	·16	—	·03	—	—	—	·32	·30	·14	26
27	—	·16	·06	·12	—	—	—	—	·16	·43	—	02	27
28	—	·16	—	·19	—	—	—	—	—	—	·01	—	28
29	—	×	—	—	—	·13	·04	—	·16	·15	—	—	29
30	—	×	—	·02	·12	—	—	—	·02	·27	—	—	30
31	—	×	—	×	—	×	—	—	×	·01	×	—	31
Total	1·78	·92	3·11	1·13	·90	2·24	·18	1·36	1·38	5·69	4·73	5·02	28·44
No. of Rain Days.	16	14	17	10	6	12	3	7	9	20	20	25	159

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
2 JAN 1913

Kept at Upton House, Word,

in the County of Kent 2

by W. Elwin Napier

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Sandwich

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·10	·02	—	·33	·18	—	·07	·57	—	·22	1
2	—	·09	·17	·02	—	·11	·08	·05	—	·13	—	—	2
3	—	·02	·01	—	·03	·34	·18	·05	—	·02	—	·02	3
4	·37	—	·72	—	·08	·52	—	—	—	—	·14	—	4
5	·13	·19	·09	—	—	·08	—	·29	—	—	·15	·02	5
6	·42	·11	—	—	—	—	·10	·51	—	—	—	·01	6
7	·13	·01	·05	—	·08	·23	—	·22	—	—	—	·01	7
8	·23	·28	·26	—	—	·09	—	·01	·28	—	—	—	8
9	·01	·04	·02	·09	—	—	·14	·09	·01	—	—	·02	9
10	·01	—	—	—	—	—	—	·09	·06	—	·06	·26	10
11	·02	·14	—	—	—	·06	—	·41	·12	—	—	·12	11
12	—	·24	—	—	·03	—	—	·20	—	—	—	·02	12
13	—	·05	—	—	—	·29	·12	·05	—	—	·30	·01	13
14	—	—	·05	—	·15	—	—	·10	·05	—	·03	—	14
15	—	—	·05	—	·07	·79	—	·01	—	·08	·03	·21	15
16	·20	—	·05	—	·07	·04	—	·03	—	—	—	—	16
17	·45	—	·45	—	—	—	—	·02	—	·03	—	·03	17
18	·01	—	26	—	·01	—	·21	·32	—	·11	·08	·34	18
19	·02	·12	·14	—	—	—	·53	·20	—	—	·01	—	19
20	·02	·01	·72	—	—	—	—	·09	—	·85	·01	—	20
21	·01	·03	·29	—	—	—	·02	·04	—	·32	·09	—	21
22	·02	·13	·04	—	—	—	·13	·04	—	—	—	·01	22
23	·32	·10	·23	—	·83	—	—	·61	—	·07	·10	·02	23
24	·08	·02	·01	—	·02	—	·14	·11	—	·12	—	·11	24
25	·10	—	—	—	—	·20	—	·95	—	—	·24	·24	25
26	—	—	—	—	—	—	·10	·90	—	·20	·41	·52	26
27	—	·01	·02	—	—	—	·28	—	—	—	—	12	27
28	—	·01	—	—	—	—	·04	·07	—	·54	·23	·69	28
29	·01	×	—	·25	—	—	·02	·09	1·02	·18	·12	—	29
30	—	×	—	—	—	·02		·22	1·90	·30	·02	—	30
31	·02	×	·01	×	·01	×	·15	·05	×	·01	×	—	31
Total	2·58	1·60	3·74	·38	1·38	3·10	2·42	5·82	3·51	3·53	2·02	2·40	YEAR'S TOTAL 32·48
Rain Days.	20	18	21	4	11	13	16	28	8	15	16	20	190

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

8 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Upton House, Word
in the County of Kent
by W. Elwin Napier

2

Lat. 1·20 Long. 51·15
Time of Observation 9 am
Nearest Railway Station Sandwich
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	36	—	03	—	22	—	—	—	—	08	·03	1
2	02	19	—	—	—	—	31	—	—	02	11	01	2
3	—	—	05	54	15	—	—	—	—	18	—	08	3
4	04	—	01	—	—	—	06	—	—	02	03	—	4
5	01	02	01	01	—	—	23	—	24	10	09	05	5
6	13	09	05	—	01	17	—	—	—	39	10	—	6
7	—	—	05	02	—	—	—	·10	—	41	08	01	7
8	—	—	02	07	18	—	—	—	—	37	11	—	8
9	—	02	—	03	30	—	05	1·47	08	—	02	—	9
10	—	—	05	10	—	—	01	—	—	—	39	—	10
11	02	—	—	48	—	—	—	—	—	34	02	—	11
12	51	—	—	02	—	—	—	04	—	—	50	—	12
13	35	—	02	—	—	—	—	06	—	—	31	—	13
14	09	02	05	03	—	—	68	—	1·03	20	22	—	14
15	17	—	13	14	—	—	14	—	—	—	—	—	15
16	25	—	38	15	—	—	—	—	92	—	01	—	16
17	10	02	01	07	—	—	16	01	17	—	01	08	17
18	07	—	~~47~~	09	—	—	04	02	30	—	05	—	18
19	12	—	09	—	01	—	10	05	39	—	—	—	19
20	77	—	03	04	01	67	—	—	01	33	—	—	20
21	01	—	07	05	—	—	04	—	—	76	93	—	21
22	24	—	23	—	16	—	20	—	02	01	—	02	22
23	—	—	—	—	—	—	01	—	01	—	04	·46	23
24	—	—	—	—	—	03	—	09	—	02	—	—	24
25	04	—	—	29	—	20	—	—	—	01	—	—	25
26	03	—	17	—	—	—	—	—	—	28	—	15	26
27	—	02	19	—	—	—	—	—	—	17	—	—	27
28	14	·02	—	—	—	—	—	—	—	18	—	01	28
29	32	×	09	—	06	—	—	04	—	—	—	33	29
30	42	×	14	32	10	—	—	07	—	12	—	33	30
31	—	×	36	×	—	×	—	02	×	05	×	01	31
Total	3·85	·76	2·20	2·48	·98	1·29	2·03	1·97	3·17	3·96	3·10	1·57	YEAR'S TOTAL 27·36
Rain Days.	21	9	21	18	9	5	13	11	10	19	18	13	167

W. 7,500, XI. 12

Written 17.II.15

~~#~~ LMC

and for arith 9.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
JAN 1915

Kep at Upton House

in the County of Kent. 2

by W. Elwin Napier. Captain.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Sandwich.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	·04	—	—	·15	·07	1
2	—	—	—	·03	—	—	·02	—	—	·03	·02	·28	2
3	—	—	·10	·02	·15	—	·13	—	—	—	—	—	3
4	—	—	—	·18	—	—	—	·08	—	—	·38	·54	4
5	—	—	·04	·34	·03	·01	·17	·14	—	—	—	—	5
6	·21	—	—	·19	·01	·48	·19	·03	—	—	·02	·25	6
7	—	·35	·18	·08	—	·02	—	—	—	—	—	·14	7
8	·10	·04	·35	—	·01	—	·06	·03	—	—	—	·02	8
9	·29	—	·79	·10	—	—	—	—	—	—	—	1·26	9
10	·11	—	—	·02	·01	—	—	—	—	—	—	·07	10
11	·04	·33	·22	·04	·02	—	—	—	—	—	·30	·38	11
12	—	·01	·06	—	·05	·01	—	—	·30	—	·01	·27	12
13	—	·23	·15	—	—	—	—	—	·08	·11	·05	·56	13
14	—	·14	·28	—	—	—	·01	—	—	·30	·03	·65	14
15	—	·02	·22	—	—	—	·60	·04	—	—	·67	·05	15
16	·03	·17	—	—	—	—	·52	—	—	—	·10	—	16
17	·01	·07	·03	—	—	—	—	—	·24	·13	·17	·08	17
18	—	·09	—	—	—	—	—	—	—	.51 ·57	·10	·56	18
19	—	·03	·81	—	—	—	·03	·01	·02	·11	·19	·32	19
20	—	·20	·51	—	—	·03	—	—	—	·35	—	·35	20
21	—	·12	·08	—	—	—	1·30	·38	—	·04	—	·06	21
22	—	·02	—	—	·24	·72	·01	—	—	·08	—	·17	22
23	—	—	·59	—	·19	·25	·03	—	—	·02	—	·08	23
24	—	—	—	·30	·02	—	—	—	—	·02	·04	—	24
25	·03	—	—	—	·02	—	—	—	—	·38	·01	—	25
26	·09	—	·05	—	—	—	·04	·13	—	—	·12	·32	26
27	·01	—	·06	—	—	—	·02	—	—	·12	·03	·39	27
28	·01	·01	—	—	·04	—	—	—	—	·03	·26	·33	28
29	·02		—	—	—	—	—	—	—	·90	·10	—	29
30	—		—	—	—	—	—	—	—	·11	·52	·01	30
31	—		—		·29		—	—		—		·15	31
Total	·95	1·83	4·52	1·30	1·08	1·52	3·13	·88	·64	3·24	3·27	7.36 7·36	YEAR'S TOTAL 28.72 28·72
Rain Days.	12	15	17	10	13	7	14	9	4	16	20	25	162

W. 8,000. X. 14.

CX ML

356

FORM A.
BRITISH RAINFALL.
14. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Upton House, Worth, Sandwich
in the County of Kent. 2
by Capt: W. E. Napier

Lat. Long.
Time of Observation 9·0 am.
Nearest Railway Station Sandwich
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1·0 ft. in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·08	·04	—	—	—	—	—	·33	—	·44	·15	1
2	·23	·16	·13	·03	·02	—	—	·07	—	—	·14	—	2
3	·18	—	·06	·22	·07	—	—	·12	1·10	—	·02	·64	3
4	·04	—	—	—	—	—	—	·12	—	·39	·05	·53	4
5	·21	·15	—	·13	—	—	·22	·01	—	·38	·28	·20	5
6	·26	·25	—	·34	—	—	—	—	—	·11	—	·24	6
7	·03	·19	·12	—	—	—	·05	—	—	—	—	·33	7
8	—	·12	·13	·02	—	—	·05	—	—	—	—	—	8
9	—	·34	·15	·05	—	·01	—	—	—	·10	·43	·57	9
10	·21	—	—	—	—	·06	—	—	—	—	—	·61	10
11	—	·02	—	—	—	—	—	—	—	—	·54	·11	11
12	—	—	—	·30	·20	—	—	—	—	·03	·61	—	12
13	·09	1·01	—	·06	1·02	—	—	—	—	—	—	—	13
14	·01	—	—	—	—	—	·30	·03	·01	·01	—	·18	14
15	·19	·27	—	—	·05	—	·32	·05	—	—	·58	·16	15
16	—	·64	—	·08	—	—	·91	·08	—	—	·04	—	16
17	—	·28	—	—	·89	—	—	·63	—	—	—	·50	17
18	—	—	·06	—	·61	—	·01	—	—	·10	·08	·05	18
19	·02	·01	—	—	—	—	—	—	—	·02	—	·01	19
20	·24	·01	—	—	—	—	—	—	—	—	—	—	20
21	·19	·09	—	—	—	—	—	—	—	·10	—	·20	21
22	·03	—	·01	—	—	·01	·35	—	—	—	—	·17	22
23	·06	·20	·04	—	—	·05	·01	—	—	—	—	·23	23
24	·07	—	—	·20	—	—	·06	—	—	·09	—	·29	24
25	—	—	·12	·02	—	·24	·49	—	·11	—	—	·30	25
26	·07	·01	—	—	—	~~·01~~	—	—	—	—	—	·19	26
27	—	—	—	—	—	·01	·01	—	—	·31	—	·05	27
28	—	·18	·06	—	—	—	—	—	1·20	·75	—	—	28
29	—		·01	—	—	—	·51	·32	·07	·19	·37	·05	29
30	·08		—	—	—	·15	·01	—	·10	·06	·27	—	30
31	·02		—		—		—	—		·30		·37	31
Total	2·71	4·01	·93	1·45	2·86	·53	3·30	1·43	2·92	2·94	3·85	6·01	YEAR'S TOTAL 32·94
Rain Days.	20	18	12	11	7	7	14	9	7	15	13	23	156.

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at UPTON HOUSE
in the County of KENT
by Capt. W. Napier

Lat. Long.
Time of Observation 9·0 am.
Nearest Railway Station Sandwich
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·03	·02	—	—	—	—	—	—	—	·41	—	1
2	·10	—	·34	—	—	—	—	—	—	·46	—	—	2
3	—	·52	·005	—	—	—	—	—	·04	·06	·32	—	3
4	·10	·07	—	—	—	·23	—	—	—	·09	·21	—	4
5	·03	—	—	·01	·09	·07	·22	—	—	—	·45	—	5
6	—	—	·33	·21	—	·47	·12	—	—	·06	·55	—	6
7	·07	—	·64	—	·30	·10	·20	—	—	—	·48	·04	7
8	—	—	·10	—	—	—	—	—	—	—	—	·10	8
9	—	—	—	—	·39	·23	—	—	—	—	—	·09	9
10	—	·06	—	—	—	·11	·02	—	—	·03	—	·23	10
11	·02	·12	—	·17	—	·07	—	—	·01	—	—	·04	11
12	·03	·03	—	·13	·79	·35	·04	—	—	·12	—	·38	12
13	—	·16	·17	·08	·22	·03	·86	—	—	·04	—	·11	13
14	—	·54	·04	·10	—	—	·06	·11	—	—	—	·08	14
15	—	·15	·10	·11	—	—	—	—	—	—	—	—	15
16	—	·03	·02	—	—	—	·03	—	—	—	—	—	16
17	·09	·01	—	·06	—	—	—	·04	·28	·61	—	—	17
18	·09	·10	—	·16	—	—	—	·22	·08	·14	·78	—	18
19	·07	—	—	—	—	—	—	·02	·23	·04	·77	·08	19
20	·11	—	·10	11	—	—	—	—	—	—	·14	·33	20
21	—	—	·48	·05	—	—	—	—	—	—	·06	·33	21
22	—	·24	·23	·40	—	—	—	—	—	—	—	·71	22
23	—	·42	·13	—	—	—	—	·05	—	—	·03	·11	23
24	—	—	·20	—	—	·10	—	—	—	·60	—	·28	24
25	—	·17	·06	—	—	—	—	·28	—	·23	·07	—	25
26	—	·07	·69	—	—	·23	—	—	—	·10	·05	—	26
27	·02	·10	04	—	—	·04	—	·11	—	1·07	—	—	27
28	—	1·02	·08	—	—	—	—	—	·21	·27	—	·06	28
29	—	·20	—	—	—	·20	—	·84	·02	·40	—	·28	29
30	—	X	·04	—	—	—	—	·30	·12	·26	—	·03	30
31	·01	X	—	X	—	X	—	—	X	·04	X	—	31
Total	·97	4·04	3·86	1·59	1·79	2·23	1·55	1·97	·99	4·62	4·32	3·28	YEAR'S TOTAL 31·21
Rain Days.	13	19	20	12	5	13	8	9	8	18	13	17	155

W. 8,000, VIII. 16

334

FORM A.
BRITISH RAINFALL.
-2 JAN 1918

REGISTER OF RAINFALL IN 19~~16~~17

Kept at UPTON HOUSE
in the County of KENT
by Captn. W. Elvin Napier

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station SANDWICH
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·03	–	–	–	1·58	·16	–	–	·05	1
2	·01	–	–	·29s	–	–	–	·17	·01	·05	·06	–	2
3	·01	–	–	·26	–	–	–	1·14	–	·08	–	–	3
4	–	·10 s.	·06	–	–	–	–	–	–	·22	–	–	4
5	·14	–	–	–	–	–	–	–	·13	·05	·01	–	5
6	–	–	–	·24	–	·04	–	–	·18	·89}	·21	–	6
7	·37	–	·01		–	–	·04	–	–		·16	·03	7
8	·57	–	–	·14	–	–	·25	·82	–	·29	–	·29	8
9	·32	–	–	·07	–	–	–	·03	–	–	·07	·80	9
10	–	–	·03	·20	–	–	–	·08	–	–	·02	–	10
11	–	–	·36	·09	–	–	–	·05	·02	·29	–	·06	11
12	·17	–	·06	–	–	–	–	–	–	·14	–	–	12
13	·05	–	·07	–	·04	–	–	–	·02	·22	–	–	13
14	·15	–	–	·01	–	–	·02	·12	–	·02	–	–	14
15	·04	–	–	·20	·79}	–	–	–	–	–	–	·02	15
16	·12	–	–	·14		–	–	–	–	·03	–	·21	16
17	·17	–	–	·16	·42	–	·11	–	·09	·18	–	·16	17
18	·08	–	–	·07	–	–	·04	–	·05	–	–	–	18
19	–	·14	·12	–	–	–	–	–	·10	–	–	–	19
20	–	·23	·10	·01	·03	·07	·02	·23	–	–	·10	–	20
21	–	·01	·01	–	·04	·39	–	·07	–	–	·02	·09	21
22	–	–	·17	–	–	·69	–	·08	–	·15	–	·04	22
23	–	–	–	–	–	–		·07	–	–	–	·02	23
24	–	–	–	–	–	–	·03	·05	–	–	·02	–	24
25	–	–	·07	–	–	–	–	–	–	·09	–	–	25
26	–	–	·07	–	–	–	–	·09	–	–	·54	–	26
27	–	–	–	–	–	·14	–	1·08	–	–	–	·28	27
28	–	–	04	–	–	·47	–	·40	–	–	–	·04	28
29	–	–	·02	–	–	·05	·71	·15	–	·34	–	·19	29
30	–	X	·09	–	·05	·01	34	·12	–	·32	–	·01	30
31	·13	X	·21	X	–	X	1·67	·02	X	–	X	·01	31
Total	2·33 ✓	·48 ✓	1·49 ✓	1·91 ✓	1·37 ✓	1·86 ✓	3·23 ✓	6·35 ✓	·76 ✓	3·36 ✓	1·21 ✓	2·30 ✓	YEAR'S TOTAL 26-65 ✓
Rain Days.	14 ✓	4 ✓	16 ✓	14 ✓	7 ✓	8 ✓	10 ✓	19 ✓	9 ✓	17 ✓	10 ✓	16 ✓	144 ✓

W. 8,000, IX. 17.

Ex MZ

32

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8. 1. 19

Kept at UPTON HOUSE
in the County of KENT.
by Captn. W. Elwin Napier

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station SANDWICH
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	·07	·04	—	—	—	—	—	—	·07	—	1
2	—	·02	·01	—	—	·01	—	·26	—	·02	·36	·05	2
3	—	—	·02	·21	·04	—	—	—	—	—	·67	·04	3
4	·01	·03	·01	—	·86	—	—	·06	·34	—	·41	—	4
5	—	·06	—	·05	·16	—	—	—	·04	—	—	—	5
6	·19	·02	—	·04	·35	—	—	·04	—	·02	·33	·01	6
7	—	·01	—	—	·17	—	—	—	·64	·01	—	—	7
8	—	·01	—	·01	—	—	—	—	·21	·09	·09	·01	8
9	·03	—	—	—	—	·07	—	—	·43	—	·02	·01	9
10	—	—	—	·03	—	—	·14	—	·43	·02	·09	·20	10
11	·05	—	—	—	·06	—	—	—	·21	·55	—	·05	11
12	·01	·04	—	—	·19	—	—	—	—	·35	—	·02	12
13	·09	·11	—	—	·09	—	—	—	·12	—	—	·06	13
14	·13	—	—	—	—	·06	·14	—	·08	·15	—	·07	14
15	1·38	—	—	·20	—	—	·01	—	·01	·09	—	—	15
16	·22	—	—	·05	—	·14	·03	—	—	—	—	—	16
17	·12	—	—	·04	—	—	·11	·05	—	—	—	·26	17
18	·16	—	—	·01	—	·15	—	—	·78	—	—	·03	18
19	·13	·04	·27	·08	—	—	—	—	—	·43	—	·01	19
20	·01	—	—	—	—	·01	1·22	—	·19	·53	—	—	20
21	·07	—	—	—	—	—	·06	—	·21	·13	—	·03	21
22	·09	—	—	·03	—	—	·18	—	·33	—	—	·18	22
23	·07	—	—	·01	·26	—	·65	·05	—	—	·05	—	23
24	—	·19	—	·01	·09	·05	—	—	·05	—	—	·02	24
25	·01	—	—	—	—	—	·17	—	—	—	—	—	25
26	—	—	—	—	—	—	·27	·05	·02	·02	·13	·07	26
27	·01	·01	—	·05	—	—	·08	·09	·01	·01	·01	·05	27
28	·01	·03	·30	—	—	—	—	·06	—	·02	·18	·07	28
29	—	—	·01	·01	—	—	—	·01	·96	[illegible]	·05	—	29
30	—	✕	·31	—	—	—	—	—	·13	·08	·06	·02	30
31	·02	✕	·01	✕	—	✕	—	—	✕	·05	✕	·16	31
Total	2·81	·58	1·01	·87	2·27	·49	3·06	·67	5·19	2·57	2·52	1·42	YEAR'S TOTAL 23·46
Rain Days.	20	13	9	16	10	7	12	9	19	17	14	20	166

W. 8,000, IX. 17.

Ex. H8b

315

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Upton House

in the County of Kent

by Capt W. Edwin Napier

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31	·06	–		·02		·45		·02	·13		·40	1
2	·14	–	·01		·10		·15	·03			·27	·29	2
3	·24	–	·43				·46				·01	·23	3
4	·08	–	·26			·04	·15			·03		·10	4
5	·26	·18	·87								·02	·23	5
6	·08	–	–							·01	·07	·04	6
7	–	–	·20				·02						7
8	·31	–	·03								·32		8
9	·32	–	·06	·06							·82		9
10	·40	–	·03	·17							·11		10
11	·14	–	·07							·03	·02	·05	11
12	·05	–		·01		·01	·45			·03	·16		12
13	·03	–		·27						·01	·11		13
14	·19	–		·71			·68		·02	·07			14
15	·10	·02	·02	·13							·18		15
16	·10	·55		·09							·09	·03	16
17	–	·50									·26	·02	17
18	·02	·10					·23		·04		·03	·04	18
19	–	·08	·36				·13		·11		·05		19
20	·11	·04	·03			·48	·58	·10	·04				20
21	–	·36	·03			·16	·11					·01	21
22	–	·01	·14				·23		·26		·02	·39	22
23	·08	–		·24		·09	·06		·38		·01	·04	23
24	–	–		·07	·05	·13		·08			·28	·03	24
25	·07	–		·19		·09		·20		·07			25
26	·05	·17	·09	~~·19~~						[illegible]	·22	·29	26
27	·09	·03	·11	·63				·14	·13	·03		·06	27
28	·19	·03		·08				·38		·01	·92	·19	28
29	·15	–		·13		·01		·26		·30	·27	·07	29
30	–	✕		·22				·41		·29	·05	·43	30
31	·11	✕	·08	✕		✕	·04		✕	·50	✕	·01	31
Total	3·62	2·13	2·82	3·00	·17	1·01	3·74	1·60	1·00	1·51	4·29	2·95	Year's Total 27·84
Days with ·01 in. or more	24	13	17	14	3	8	14	8	8	13	22	20	164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6X·41L

292

8 JAN 192

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at UPTON HOUSE WORD
in the County of KENT
by Capt. W. Elvin Napier

Lat. 51°15'10" Long. 1°20½'
Time of Observation 9 am.
Nearest Railway Station SANDWICH
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·12	—	—	—	—	—	·38	—	·27	1
2	—	—	—	·02	·02	—	—	·44	·09	·39	—	·18	2
3	·04	—	—	·04	—	·12	—	—	·01	—	—	·07	3
4	—	·04	—	·12	·01	—	·20	·05	—	—	—	·14	4
5	—	—	—	·15	·03	—	·42	·02	—	·10	—	—	5
6	—	—	·05	—	·12	—	·08	—	·04	·08	—	·27	6
7	—	—	—	·11	·16	—	·03	—	—	—	—	·07	7
8	·01	·01	—	·05	·01	—	·05	—	—	—	—	—	8
9	·25	·01	—	·02	·18	—	·01	—	—	—	—	—	9
10	·35	·08	·05	·04	—	—	—	·03	—	—	·02	—	10
11	·20	~~·01~~	·05	·16	—	—	·13	—	—	—	—	—	11
12	—	—	·02	·17	·01	·11	·35	—	—	—	—	—	12
13	·41	·01	·07	·02	—	·10	—	—	—	—	·06	—	13
14	—	—	·26	—	—	·06	—	—	—	·01	·24	—	14
15	—	—	—	—	—	—	—	—	·29	·26	·13	·10	15
16	·01	—	—	·25	·08	—	—	—	·16	—	—	·29	16
17	·02	—	—	·14	·03	—	·04	—	·19	—	·01	·03	17
18	·10	—	—	·02	·18	—	—	1·03	·63	—	·01	·03	18
19	·24	·01	—	·31	—	—	—	·16	—	—	—	—	19
20	·04	·31	—	·03	—	·51	—	—	·79	—	—	—	20
21	—	·05	—	—	—	—	·06	·02	·34	—	—	·15	21
22	—	—	—	·14	—	—	—	·06	—	—	—	·31	22
23	·01	·01	—	—	—	—	·38	·03	—	—	—	·20	23
24	—	·01	—	—	—	—	·58	—	·08	—	·02	·01	24
25	·02	—	—	·05	—	—	—	—	·02	—	—	—	25
26	·08	—	·04	·03	—	—	—	—	—	—	—	·06	26
27	·25	·05	—	·19	—	·03	—	—	—	—	·16	·25	27
28	·29	—	—	—	·62	—	—	—	—	—	·24	·02	28
29	·72	—	·12	—	·12	—	·10	—	—	—	·04	·06	29
30	—	✕	—	·01	·07	—	—	—	·10	—	·18	·06	30
31	·02	✕	—	✕	—	✕	—	—	✕	·24	✕	·14	31
Total	3·06	·59	·66	2·19	1·64	·93	2·43	1·84	2·74	1·46	1·11	2·71	Year's Total 21·36
Days with ·01 in. or more	18	11	8	22	14	6	13	9	12	7	11	20	151
Days with ·04 in. or more	12	5	7	15	8	5	11	5	10	6	7	16	107

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WATERINGBURY

KENT

1916, 17, 20

FORM A.
BRITISH RAINFALL.
4 JAN 1917

REGI

Kept at Watering

in the County of Kent

by Alan Laur

Gauge ..... in.

ve Ground ..... ft. ..... in.

Sea Level ..... ft.

IMPORTANT NOT … the result entered to the previous day. If an Ob … iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of … ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						(see notes other side)					·32		1
2		·01											2
3	·43	·70	·79		·42					·36	31		3
4		·03				·15				·23			4
5		·07				·15	·29				·88		5
6	·17	-	·16	·50		·30					·42		6
7			·74		·30		·34				·56	·03	7
8						·010			0·24			·30	8
9												·15	9
10			·10			·38	·22	absence from home prevented daily registration				·43	10
11		·49	·02	·22	·50	·39							11
12		·07					·10						12
13		·28	·15	·15	·35					·12			13
14		·42										·11	14
15		·17	·18	·17									15
16		·05	14			·26	·20						16
17				·04			·10		0·35	·01			17
18	·23				·15 pts registered within these dates					·20	1·27		18
19		·20	·04	·30					0·22		50	·22	19
20	·15	0									·05	·50	20
21		·04	·41								·05	·19	21
22			·10	·08		·42				·03	·01	·48	22
23		·10	·06							·02	·03	·02	23
24			·01							·30	·02	·31	24
25		·68	·13							·23			25
26	·05												26
27	·02	·35	·63						·03	·26	·04		27
28		·37	·07			·15			·09		·03		28
29	·01	·15				·14			·04	·29		·47	29
30		X								·24			30
31		X		X		X			X	·17	X	·05	31
Total	1·06	4·18	3·93	1·46	1·57	2·44	1·25	2·40	·97	2·46	4·49	3·26	YEAR'S TOTAL 29·27
Rain Days.	8	18	16	10	7 in first 15 days 18th–25th ·15 only	19	8	?	7.?	15	14	13	...

X

W. 8,000, VIII. 16

REGI

FORM A. BRITISH RAINFALL.

4 JAN 1917

Kept at Wateringbury

in the County of Kent

by Alan Lambert

Lat.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						(see notes other side)					·32		1
2		·01											2
3	·43	·70	·79		·42					·36	31		3
4		·03				·15				·23			4
5		·07				·15	·29				·88		5
6	·17	–	·16	·50		·30					·42		6
7			·74		·30		·34				·56	·03	7
8					?	·010			0·24			·30	8
9												·15	9
10			·10			·38	·22					·43	10
11		·49	·02	·22	·50	·39							11
12		·07					·10						12
13		·28	·15	·15	·35					·12			13
14		·42										·11	14
15		·17	·18	·17									15
16		·05	14			·26	·20						16
17				·04			·10		0·35	·01			17
18	·23									·20	1·27		18
19		·20	·04	·30					0·22		·50	·22	19
20	·15	~~0~~									·05	·50	20
21		·04	·41								·05	·19	21
22			·10	·08		·42				·03	·01	·48	22
23		·10	·06							·02	·03	·02	23
24			·01							·30	·02	·31	24
25		·68	·13							·23			25
26	·05												26
27	·02	·35	·63						·03	·26	·04		27
28		·37	·07			·15			·09	·29	·03		28
29	·01	·15				·14			·04			·47	29
30		X								·24			30
31		X		X		X			X	·17	X	·05	31
Total	1·06	4·18	3·93	1·46	1·57	2·44	1·25	2·40	·97	2·46	4·49	3·26	YEAR'S TOTAL 29·27
Rain Days.	8	18	16	10	7 in first 15 days 18th–25th ·15 only	19	8	?	7?	15	14	13	...

·15 pts registered within these dates

absence from home prevented daily registration

X

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
9 - JAN 1918

Kept at Wateringbury
in the County of Kent
by Alan Lambert

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station Wateringbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.01	0.02	Rain & snow 0.37				1.56	0.14	0.01	0.05	0.01	1
2		Trace		Snow 0.10				0.20			0.02		2
3	0.02			Snow–rain 0.20			0.05	0.63		0.04	0.17		3
4		0.11	(Snow) 0.13				0.08	0.03		0.34			4
5	0.25	0.01	rain 0.05	Rain & snow 0.37					0.34	0.18	0.01		5
6				" 0.03		0.12			0.06	0.04	0.10	0.01	6
7	~~17~~						0.10			Thunder 0.32		0.03	7
8	0.17		Trace & snow	Snow 0.12			0.65	0.11	0.01	0.32	0.22	0.05	8
9	0.05		Snow 0.05	Snow 0.08			0.27	0.03			0.03	1.01	9
10			rain 0.14	" 0.06		0.02		0.14					10
11	0.18	0.04	0.22	" 0.31				0.12	0.06	0.25			11
12	0.09		0.04	" 0.04	Trace			0.14		0.44			12
13	0.08	0.01	0.13	" 0.08	0.01			Trace	0.03	0.18		0.02	13
14	0.02		0.04	rain 0.19		Trace		0.07					14
15	0.05				Trace	Thunder 0.02	0.03	0.03		0.06			15
16	0.09	0.10		Rain & Thunderstorm 0.24	0.32		0.21			0.16		0.37	16
17	0.08			0.10	0.50		0.18	0.02	0.18	0.09		0.23	17
18	Trace	0.04		0.09	0.08	Thunder 0.03	0.10	0.06	0.15				18
19	0.04	0.10	0.06	0.02	0.60	Thunder 0.15		0.01	0.11				19
20	Trace	0.24			Thunderstorm 0.92	Trace	0.09	0.03	0.02		0.05		20
21	0.02		Snow 0.09	0.02	0.03	0.02				0.02		0.02	21
22	Trace		Snow 0.06			Thunder & Hail 0.29		0.15		0.17			22
23		0.13	Snow 0.06		0.21	0.05		0.16	0.01	0.12			23
24	Trace	Trace				0.06	0.02	0.03	0.01	0.13		0.02	24
25		Do	rain 0.03			0.04	Trace			0.02	0.08	0.01	25
26			Trace			Trace		0.25	0.02	0.03	0.77		26
27			Trace			0.02		0.67	0.01	~~0~~			27
28		~~0.79~~	0.12			Thunderstorm 1.80	Thunder 0.08	0.19				0.10	28
29			0.12		Thunder 0.05	0.13	Thunder 0.35	0.04	0.01	0.37			29
30	0.03	X	0.30			0.02	1.61	0.08	0.01	0.09		0.04	30
31	0.03	X	0.14	X		X	·78	Trace	X		X	0.03	31
Total	1.20	0.79	1.80	2.39	2.72	2.77	4.60	4.75	1.17	3.38	1.52	1.95	YEAR'S TOTAL 29.04
Rain Days.	15	11	18	17	9	14	15	23	16	21	10	14	183

Feb. 1–5: Snow precipitation

Jan. 11–31: Snow precipitation

March 11–29: Rain

Nov. 11–16: 0.02 Continued mist

W. 8,000, IX. 17.

W 778 and Gravett 353

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wateringbury
in the County of Kent
by Alan Lambert

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Wateringbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·18	·02		·16	01		·62		·22	1
2			·15	~~·15~~	·02			·15	·16	·03		·08	2
3				·01	·17				·06			·03	3
4		09	·01	08	·02		·50	·03		·03		·09	4
5			·02		·03		·39	·04	·06			·07	5
6			·13	·07	·13		·20					03	6
7	·02		·03	·09	·03		·04					·07	7
8				[illegible]	·09		·08						8
9	·42	03	~~·09~~	01	·02		·03	·01					9
10	+ 55	·17	·03	·15		04	·10				·02		10
11	+ 29		·04	·23 25			·53					·06	11
12	13	·01	·03	·23	·03	25							12
13			·10						·02		·04		13
14	·25	·01	·26	·25		09			·12		·18		14
15	·03		·02	·18					·46	·03	·07		15
16			·03		·15	02			·18	·13			16
17	·01			·11	·14				·55			·17	17
18	·01				·06			1·26	·71			·09	18
19	·12			·18 ·18					·01			·10	19
20	05	·26		·23		·47			·41		·16	·01	20
21							·65	·01	·50			·08	21
22	·03			·37					·02			·27	22
23				·01			·28		·03			·45	23
24	01	·03	·02							·03	·02		24
25				·03	·05		·09		·07			·02	25
26	·03	·06	·04	·06		03						·04	26
27	·27			·20		06	·02				·12	·17	27
28	·35		·08	·04	14		·11				·19	·04	28
29	·52		·03	·08	04						·05	·14	29
30	·04	✕		·02	~~02~~		·12		·16		·30	·09	30
31		✕		✕		✕	·01		✕	·25	✕	·13	31
TOTAL	3·18	·66	~~1·05~~ 1·02	2·81 ✓	1·13	·96	3·31	1·51	3·46	1·12	1·15	2·45	YEAR'S TOTAL 22.76
Days with ·01 in. or more	6 ~~4~~ 19	8 ~~4~~	16 9	22 ~~5~~	7	7 2	16 3	7 ~~4~~	16 5	7 ~~4~~	10 2	22 ~~4~~	166 ~~50~~
Days with ·04 in. or more	10 12	4	7	17	9	5	13	3	11	3	8	18	~~108~~ 110

REGIS

WATERINGBURY
MANOR FARM
KENT
1918 - 1920

FORM A.
BRITISH RAINFALL

13. SEP 19

Kept at Manor Farm

in the County of Ke

by William Py

-24'-15" E

a. m.

Wateringbury. S.E. & C.R.

auge 5 in.

Ground 3 ft. — in.

Sea Level 152 ft.

IMPORTANT NOTE. he result entered to the previous day. If an Obse rsal rule, he is earnestly requested to add the reading of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0·21

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·08	—	—	—	—	—	—	—	·14	·11	1
2	—	0·06	·02	·07	—	—	—	·27	—	·01	·38	·16	2
3	—	·01	·08	·02	·38	—	—	·02	—	·03	·28	·03	3
4	—	—	·02	—	·09	—	—	·15	—	—	·48	·01	4
5	—	·11	—	—	·16	—	—	·05	·46	·04	—	·01	5
6	·16	·17	—	·15	·37	—	—	·09	·20	·01	·01	—	6
7	·10	·08	—	·12	·55	—	—	·01	·08	·08	—	—	7
8	—	·11	—	·01	—	—	—	—	·22	—	·13	·06	8
9	·03	·02	—	·01	—	·08	—	—	·31	·25	·01	·11	9
10	—	—	—	·09	—	·01	·37	—	·13	·06	—	·36	10
11	—	—	—	·03	—	—	·06	—	·20	·63	·06	·07	11
12	—	·07	—	—	·10	—	·11	—	·04	·12	—	·02	12
13	·14	·01	—	·02	·10	—	—	—	·08	—	—	·01	13
14	—	—	·02	—	—	·12	·08	—	·13	·21	—	·14	14
15	1·22	—	—	·64	—	·08	·64	—	·01	·02	—	·14	15
16	·19	—	—	·14	—	·07	·03	—	·04	—	—	·01	16
17	·27	—	—	·17	·01	·32	·44	·01	—	—	—	·23	17
18	·28	—	—	·01	—	·14	—	—	·40	—	—	·04	18
19	·08	—	·04	·07	—	·26	·01	—	·05	·34	—	·03	19
20	·04	·10	—	·35	—	·01	·73	—	·15	·37	—	·08	20
21	·12	·02	—	·11	—	—	·05	—	·35	·08	—	·01	21
22	·06	—	—	—	—	—	·08	—	·49	·01	—	·14	22
23	·05	—	—	—	·08	—	·68	·06	·05	—	—	·06	23
24	—	·22	—	·04	·06	·07	—	—	·22	—	·07	—	24
25	—	·10	—	—	—	·06	·12	·26	—	·01	·04	—	25
26	—	—	—	—	—	—	·43	—	·01	·02	·07	·08	26
27	—	·01	—	·13	—	—	·45	·22	·03	—	·08	·03	27
28	—	·01	·15	·01	·01	—	—	·05	—	·01	·30	·06	28
29	—		—	·04	—	—	—	—	1·03	—	·03	·01	29
30	—	×	·42	—	—	—	—	—	·05	·02	—	·14	30
31	—	×	—	×	—	×	—	—	×	·01	×	·03	31
Total	2·75	1·10	·83	2·23	1·91	1·22	4·28	1·19	4·73	2·33	2·08	2·18	YEAR'S TOTAL 26·83
Rain Days.	14	15	8	20	11	11	15	11	23	20	14	27	189

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL

REGIS

24'-15" E

13. 1. 19

Kept at Manor Farm, Wateringbury
in the County of Kent
by William Pye English

Time of Observation 9 a. m.
Nearest Railway Station Wateringbury. S.E.&C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 152 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·21

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·08	—	—	—	—	—	—	—	·14	·11	1
2	—	0·06	·02	·07	—	—	—	·27	—	·01	·38	·16	2
3	—	·01	·08	·02	·38	—	—	·02	—	·03	·28	·03	3
4	—	—	·02	—	·09	—	—	·15	—	—	·48	·01	4
5	—	·11	—	—	·16	—	—	·05	·46	·04	—	·01	5
6	·16	·17	—	·15	·37	—	—	·09	·20	·01	·01	—	6
7	·10	·08	—	·12	·55	—	—	·01	·08	·08	—	—	7
8	—	·11	—	·01	—	—	—	—	·22	—	·13	·06	8
9	·03	·02	—	·01	—	·08	—	—	·31	·25	·01	·11	9
10	—	—	—	·09	—	·01	·37	—	·13	·06	—	·36	10
11	—	—	—	·03	—	—	·06	—	·20	·63	·06	·07	11
12	—	·07	—	—	·10	—	·11	—	·04	·12	—	·02	12
13	·14	·01	—	·02	·10	—	—	—	·08	—	—	·01	13
14	—	—	·02	—	—	·12	·08	—	·13	·21	—	·14	14
15	1·22	—	—	·64	—	·08	·64	—	·01	·02	—	·14	15
16	·19	—	—	·14	—	·07	·03	—	·04	—	—	·01	16
17	·27	—	—	·17	·01	·32	·44	·01	—	—	—	·23	17
18	·28	—	—	·01	—	·14	—	—	·40	—	—	·04	18
19	·08	—	·04	·07	—	·26	·01	—	·05	·34	—	·03	19
20	·04	·10	—	·35	—	·01	·73	—	·15	·37	—	·08	20
21	·12	·02	—	·11	—	—	·05	—	·35	·08	—	·01	21
22	·06	—	—	—	—	—	·08	—	·49	·01	—	·14	22
23	·05	—	—	—	·08	—	·68	·06	·05	—	—	·06	23
24	—	·22	—	·04	·06	·07	—	—	·22	—	·07	—	24
25	—	·10	—	—	—	·06	·12	·26	—	·01	·04	—	25
26	—	—	—	—	—	—	·43	—	·01	·02	·07	·08	26
27	—	·01	—	·13	—	—	·45	·22	·03	—	·08	·03	27
28	—	·01	·15	·01	·01	—	—	·05	—	·01	·30	·06	28
29	—	—	—	·04	—	—	—	—	1·03	—	·03	·01	29
30	—	X	·42	—	—	—	—	—	·05	·02	—	·14	30
31	—	X	—	X	—	X	—	—	X	·01	X	·03	31
Total	2·75	1·10	·83	2·23	1·91	1·22	4·28	1·19	4·73	2·33	2·08	2·18	YEAR'S TOTAL 26·83
Rain Days.	14	15	8	20	11	11	15	11	23	20	14	27	189

W. 8,000, IX. 17.

377

17 FEB 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Manor Farm, Wateringbury
in the County of Kent
by William Pye English

Lat. 51°.14½ Long. 0°.25½ E
Time of Observation 9 a.m.
Nearest Railway Station Wateringbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
„ „ „ „ Sea Level 152 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·00

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21	·03	·01	·01	·02	—	·39	—	—	·25	·08	·62	1
2	·20	—	·01	—	·02	—	·03	·01	—	·01	·30	·28	2
3	·24	—	·30	—	·01	—	·60	—	·13	—	·16	·32	3
4	·19	·02	·49	—	—	·07	·02	·04	—	—	·13	·10	4
5	·04	·29	·94	—	—	—	—	·02	·02	—	·08	·32	5
6	·03	—	·02	—	—	—	—	—	—	—	·01	·12	6
7	·07	—	·27	—	—	—	—	—	—	·02	·13	—	7
8	·29	—	·07	—	—	—	—	—	—	—	·03	—	8
9	·60	—	·02	·08	·11	—	—	—	—	·01	·21	—	9
10	·45	—	·03	·04	—	—	—	—	—	·01	·13	—	10
11	·20	—	·23	·31	·01	—	—	—	—	—	—	·03	11
12	·02	—	·01	·06	·01	—	·60	—	—	·08	·02	·01	12
13	·01	—	—	·33	—	—	—	—	—	·02	—	·02	13
14	·21	·03	—	·23	—	—	·12	—	·23	·07	—	·01	14
15	·18	·02	·01	·08	—	—	—	—	—	—	·01	·09	15
16	·09	·32	—	·01	—	—	—	—	—	—	·11	·05	16
17	·01	·34	·03	·01	—	—	—	—	—	—	·17	·06	17
18	—	·12	·02	—	—	—	—	—	—	—	·08	·03	18
19	·01	·12	·31	—	—	—	·30	·03	·08	—	·10	—	19
20	·05	·03	·07	—	—	·94	·17	·11	—	—	·01	·03	20
21	·11	·23	·03	—	—	·01	·08	—	—	—	—	·01	21
22	·01	·03	·01	—	—	—	·17	—	·33	—	·08	·22	22
23	—	—	—	—	—	·04	·02	—	·19	—	·03	·02	23
24	—	—	—	·13	—	·03	·03	·02	—	·03	·06	·01	24
25	·02	—	—	—	·07	·01	—	·21	—	—	—	—	25
26	·05	·12	—	·09	—	—	·09	·01	·09	—	—	·22	26
27	·23	·02	·14	1·35	—	—	·01	·22	—	—	·13	·05	27
28	·01	—	·21	·26	—	—	·03	·55	—	—	·46	·42	28
29	·07		—	·02	—	·01	—	·72	—	·30	·13	·07	29
30	·01	×	·02	·26	—	·01	—	·56	—	·07	·13	·68	30
31	·09	×	·05	×	—	×	·04	—	×	·07	×	·07	31
Total	3·70	1·72	3·30	3·27	·25	1·12	2·70	2·50	1·07	·94	2·78	3·86	Year's Total 27·21 ✓
Days with ·01 in. or more	28	14	23	16	7	8	16	12	7	12	24	25	192

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

Wat 754

Form A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

12 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Manor Farm, Wateringbury
in the County of Kent
by William Pye English

Lat. 51°-14½′ Long. 0°·25½′ E
Time of Observation 9 a.m.
Nearest Railway Station Wateringbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 152 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·22

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·17	·01	—	·14	—	—	·49	·01	·20	1
2	—	—	·13	—	·01	—	—	·18	·16	·04	—	·07	2
3	—	—	—	·01	·18	·03	—	—	·05	·01	—	·03	3
4	—	·08	—	·08	·01	—	·53	·02	·01	·01	—	·08	4
5	—	—	·01	—	·02	—	·45	·04	·06	—	—	·05	5
6	—	—	·12	—	·13	—	·21	—	—	—	—	·02	6
7	·01	—	·02	·08	·03	—	·04	—	—	—	—	·06	7
8	—	—	—	·03	·10	—	·08	—	—	—	—	—	8
9	·42	—	—	·01	·01	—	·02	·01	—	—	—	—	9
10	·59	·19	·02	·15	—	·01	·11	—	—	—	—	·01	10
11	·27	—	·04	·19	—	·02	·47	—	—	—	—	·06	11
12	·13	—	·02	·16	·02	·26	·01	—	—	—	—	—	12
13	·25	·01	·10	·01	—	—	—	—	·01	—	·05	—	13
14	·01	—	·25	·18	—	·08	—	—	·09	·02	·17	—	14
15	·03	—	·01	·24	—	—	—	—	·44	·12	·09	—	15
16	·01	—	·02	·01	·17	·01	—	—	·22	—	—	·04	16
17	·01	—	—	·11	·12	—	—	—	·57	—	—	·12	17
18	·14	—	·01	—	·06	—	—	1·18	·72	—	—	·11	18
19	·05	—	—	·17	—	—	—	—	—	—	—	·08	19
20	—	·26	—	·25	—	·46	—	—	·38	—	—	·01	20
21	·01	—	—	·01	—	—	·66	·01	·57	—	—	·06	21
22	—	—	—	·36	—	—	—	—	·02	—	—	·26	22
23	—	—	—	·01	—	—	·28	—	—	—	—	·43	23
24	—	—	·01	—	—	—	—	—	·02	—	—	·01	24
25	—	·01	—	·02	·01	—	·07	—	·01	—	—	—	25
26	·04	—	·03	·04	—	·03	·01	—	—	—	—	·03	26
27	·19	·05	—	·19	—	·09	—	—	—	—	·16	·17	27
28	·33	—	—	·03	·11	—	·11	—	—	—	·16	·02	28
29	·47	—	·08	·07	·03	—	—	—	—	—	·04	·15	29
30	·03	X	—	·01	—	—	·12	—	·16	—	·28	·09	30
31	·01	X	—	X	—	X	·01	—	X	·24	X	·12	31
TOTAL	3·00	·60	·87	2·59	1·02	·99	3·32	1·44	3·49	·93	·96	2·28	YEAR'S TOTAL 21·49
Days with ·01 in. or more	19	6	15	25	16	9	17	6	16	7	8	24	168
Days with ·04 in. or more	11	4	6	15	6	4	12	3	11	4	7	17	102

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Dl

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

375

59

WESTERHAM HILL

KENT

1911-20

R 11

Kept at Westerha

in the County of W.

by F. Melhuis

in.

ove Ground ft. in.

,, Sea Level ft.

Name

Distance Direction

IMPORTANT NO nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the r year in the space provided for it at the end of ement of rain, the selection and pla British Rainfall Organization are given application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·89							·02		1
2	·08			·24	·26		·01	·02			·16	·26	2
3	·03	·03			·14						·11	·15	3
4	·11	·02	·08	·12					·01	·20	·31	·29	4
5	·03	·01		·21						·49	·05	·12	5
6	·32		·10	·01								·29	6
7	·12		·01	·01						·30	·33	·36	7
8	·11		·15								·35	·38	8
9	·25		·02	·05							·08	·08	9
10	·01	·10	·12	·04							·03	·61	10
11	·46	—	·03								1·12		11
12	·02		·62		·09	·07					·12		12
13			·10		·18				·58	·06	·02	·18	13
14		·09			·18							·55	14
15		·05	·38							·03	·13	·01	15
16						·38					·55	·09	16
17		·01	·03			·01		·17			·82	·20	17
18		·21	·01			·02		·04			·97	·35	18
19		·02				·20			·19	·24	·28	·11	19
20	·01	·02	·02						·01	·12	·02	·83	20
21	·01	·15							·10	·62		·22	21
22	·01		·24	—		·17				·50		·54	22
23		·20	·02			·68			·38	·03	·06	·10	23
24		·16				·02	·02			·85		·27	24
25		·04	·05	·04		·35			·04	·12			25
26			·23	·31	·12	·20				·12	·08	·24	26
27		·40	·23	·08					·09	·42	·02	·08	27
28		·17		·23							·05	·01	28
29		X		·23		·14	·32	·05	·22	·38			29
30		X				·02			·03	·25			30
31		X		X	·04	X		·34	X	·02	X		31
Total	1·60	1·68	2·44	2·46	1·01	2·26	·35	·62	1·65	4·75	5·68	6·32	TOTAL for year 30·82
No. of Rain Days	15	16	18	13	7	12	3	5	10	17	22	24	162

9,000, IX. '10.

82

59

FORM A2.
BRITISH RAINFALL.
23 JAN 1912
375

REGISTER OF RAINFALL IN 1911

Kept at Westerham Hill

in the County of W. Kent 5

by F. Melhuish

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·89							·02		1
2	·08			·24	·26		·01	·02			·16	·26	2
3	·03	·03			·14						·11	·15	3
4	·11	·02	·08	·12					·01	·20	·31	·29	4
5	·03	·01		·21						·49	·05	·12	5
6	·32		·10	·01								·29	6
7	·12		·01	·01						·30	·33	·36	7
8	·11		·15								·35	·38	8
9	·25		·02	·05							·08	·08	9
10	·01	·10	·12	·04							·03	·61	10
11	·46	—	·03								1·12		11
12	·02		·62		·09	·07					·12		12
13			·10		·18				·58	·06	·02	·18	13
14		·09			·18							·55	14
15		·05	·38							·03	·13	·01	15
16						·38					·55	·09	16
17		·01	·03			·01		·17			·82	·20	17
18		·21	·01			·02		·04			·97	·35	18
19		·02				·20			·19	·24	·28	·11	19
20	·01	·02	·02						·01	·12	·02	·83	20
21	·01	·15							·10	·62		·22	21
22	·01		·24			·17				·50		·54	22
23		·20	·02			·68			·38	·03	·06	·10	23
24		·16				·02	·02			·85		·27	24
25		·04	·05	·04		·35			·04	·12			25
26			·23	·31	·12	·20				·12	·08	·24	26
27		·40	·23	·08					·09	·42	·02	·08	27
28		·17		·23							·05	·01	28
29		X		·23		·14	·32	·05	·22	·38			29
30		X				·02			·03	·25			30
31		X		X	·04	X		·34	X	·02	X		31
Total	1·60	1·68	2·44	2·46	1·01	2·26	·35	·62	1·65	4·75	5·68	6·32	TOTAL for year 30·82
No. of Rain Days	15	16	18	13	7	12	3	5	10	17	22	24	162

9,000, IX. '10.

DL Baijent c.s whole for march 20 II 12

~~W.~~ 786

68

FORM A2.
BRITISH RAINFALL.
26 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Westerham Hill

in the County of Kent 5

by F. Melhuish

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
„ „ „ Sea Level .... ft. 375

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·01			·08	·37		·05	·54		·21	1
2	·16	·02	·38	·04			·31		·03	·08		·01	2
3	·11	·07	·09			·16	·07	·38	·03	·01		·13	3
4	·31		·40		·12	·23		·02			·21		4
5	·05	·02	·13					·38			·18	·20	5
6		·05			·03			·11		—	·02	·10	6
7	·33	·01			·12	·42	·04	·12				·07	7
8	·35	·36	·20	·02		·11		·30	·05		·01	·01	8
9	·08	·12	·01	·05		·23	·05	·02			·02	·16	9
10	·03	·05						·38	·03		·06	·23	10
11	1·12	·44				·03		·05	·07			·21	11
12	·12	·09	·04		·04			·13			·03	·03	12
13	·02	·07	·04		—						·24	·03	13
14			·01		·01			·16		·05	·01	·02	14
15	·13	·02	·20		·15	·77		·01			·05	·37	15
16	·55		·06		·10	·08		·09		·11	·05	—	16
17	·82	—	·35			·07		·07			·04	·17	17
18	·97		·20					·03		·05		·17	18
19	·28	·13	·12			·02	·10	·26				·01	19
20	·02	·03	·55			·02		·03		·38	·04		20
21		·04	·37		·01			·09		·16	·06		21
22		·31	·06		·01		·06	·23		·02	·01	·03	22
23	·06	·36	·42		·02	·07		·63		·07	·25	·05	23
24		·06	·01			·09	·01	37		·01		·10	24
25						·29		·85	—	·01	·35	·45	25
26		·03						·47		·48	·58	·32	26
27	·08						·04	—		·16		·22	27
28	·02	·06					·21	·18	·05	·66	·75	·15	28
29	·05	·02				·03	·11	·32	1·40	·13	·06		29
30		×			·33	·23	·03	·01	1·60	·21			30
31		×	·06	×		×	·19	·12	×	·02	×		31
Total	5·68	2·36	3·71	·11	·94	2·93	1·59	5·81	3·31	3·15	3·02	3·45	TOTAL for year 36·06
No. of Rain Days.	22	21	21 ~~19~~	3	11	17	13	27	9	18	20	24	206

W. 8,000, X. '11.

82 cnd 7.1.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

73

22 JAN 1914

375

Kept at Westerham Hill

in the County of Kent 5

by F. Melhuish M. W. B

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·34	·04	·38		·02			·10	·05	·07	·10	1
2	·06	·13					·14		·03	·03	·11	·02	2
3	·01		·06	·39	·30					·01		·14	3
4	·30		·07	·05	·07		·04	·01		·05	·03	·04	4
5	·43		·01			·06	·13		·46	·01	·09	·04	5
6	·09	·12	·12		·01	·01	·22		·01	·29	·07	·08	6
7	·01	·16	·01		·03	·01	·01	·01		·30	·06	·08	7
8		·02	·05		·13	·05				·27	·04	·02	8
9		·11		·02	·08	·02	·02		·09		·01	·01	9
10	·02		·06	·14				·05			·81	—	10
11	·48			·36	·15					·70	·26		11
12					·05					·01	·64	·01	12
13	·15		·06					·02			·25		13
14	·14		·12	·11				·01	·04	·14	·10	·01	14
15	·21	·01	·18	·27			·32		·04		·01		15
16	·08	—	·56	·26			·36		·32				16
17		·03	·02	·10				·03			·02	·01	17
18			·06	·21			·25				·11		18
19	·23		·20		·01	·07			·33				19
20	·38		·24	·08	·02	·01	·12			·58	·03		20
21	·02		·18	·08	·01					·29	·76		21
22	·34		·13	·22	·01		·04	·04	·11		·01		22
23			·14				·07	·10	·01			·46	23
24	·05			·03		·01		·02			·03		24
25			·01	·12						·02		·01	25
26			·15	·01			·01	·26		·78		·39	26
27		·01	·04	·05	·09					·18			27
28	·17		·20	·04				·22		·17			28
29	·06	×	·02	·36	·10			·22		·02			29
30	·35	×		·14				·58		·22			30
31		×	·04	×		×			×	·14	×		31
Total	3·58	·93	2·77	3·42	1·06	·26	1·73	1·57	1·54	4·26	~~3·57~~ 3·51	1·42	YEAR'S TOTAL 26·05
Rain Days.	20	9	25	21	14	9	13	13	11	20	20	15	190

W. 7,500, XI. '12

9x. M.g.

Form A. British Rainfall.

31 MAR 1915

375

From C.

REGISTER OF RAINFALL IN 1914

Kept at Westerham Hill

in the County of Kent. 5

by Metropolitan Water Board

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·01	–	–	–	·17	–	–	·02	·04	1
2	·01	–	–	–	–	–	·10	·01	–	–	·10	·11	2
3	·04	–	·13	·06	·18	·02	·08	·02	–	–	·02	·01	3
4	·06	–	·03	·16	·04	–	–	·19	–	–	·31	·21	4
5	·05	–	·07	·34	·46	·04	·18	·27	–	–	–	–	5
6	–	·16	·01	·13	·01	·16	·01	·01	–	–	–	·25	6
7	–	·37	·32	·16	·01	·35	·12	–	–	–	–	·13	7
8	–	·60	·55	·01	·01	·16	·03	·20	–	–	–	·13	8
9	·23	–	1·11	·17	–	·05	–	·01	·07	–	–	1·94	9
10	·01	·04	·03^s	·06	·15	–	–	–	·05	–	·01	·08	10
11	–	·58	·43	·02	·04	–	·10	–	·21	–	·18	·30	11
12	·05	·06	·08^s	–	·01	–	·03	–	·28	–	·02	·70	12
13	·01	·24	·17	–	–	·09	–	–	·20	·07	–	·83	13
14	–	·16	·14	–	–	–	·22	–	–	38 ·08	·18	·73	14
15	·04	·01	·27	–	–	–	·43	·03	–	–	1·36	·06	15
16	·02	–	·07	–	–	–	–	–	·05	–	–	·01	16
17	–	·30	·17	–	–	–	–	–	·07	–	–	·15	17
18	–	·11	·15	–	–	–	·18	–	–	–	·02	·30	18
19	–	·07	·62	–	–	–	·01	–	–	·02	·25	·21	19
20	–	·16	·29	–	–	·04	–	–	·07	·01	–	·15	20
21	–	·75	·10	–	–	–	–	·05	–	·01	–	·02	21
22	–	·04	–	–	·49	·10	·12	·03	–	·20	–	·01	22
23	–	–	·12	–	·07	–	·09	–	–	·03	–	·04	23
24	–	–	·08	·02	–	–	–	–	–	–	·13	–	24
25	·05	–	·42	–	–	–	·02	·08	–	·39	·01	·03	25
26	–	–	·16	–	–	–	·06	·21	–	·08	·25	·56	26
27	·02	–	·01	–	–	–	–	·01	–	–	·02	·32	27
28	·03	·02	–	–	–	–	–	–	–	·12	·33	·70	28
29	·14	X	·03	–	–	–	–	–	–	·52	·15	–	29
30	·02	X	·09	–	·02	–	–	–	–	·10	·65	·23	30
31	·02	X	–	X	·21	X	·01	–	X	·01	X	·03	31
Total	·77^2	3·67	5·65	1·14	1·70	1·01	1·79	1·29	1·00	1·94	4·01	8·28	YEAR'S TOTAL 32·25
Rain Days.	16	16	26	11	13	9	17	14	8	13	18	28	189

W. 8,000. X. 14.

455
53

FORM A.
BRITISH RAINFALL.
16 MAR 1916

375

REGISTER OF RAINFALL IN 1915

Kept at Westerham Hill 5

in the County of Kent

by F. Melhuish

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.55	17	.03		.01				38	02	.37	.06	1
2	.11	.16	.35	.16		.03		74	.01	.04		.47	2
3	.36	.01	.06	.19	.04			.25	.09			.45	3
4	.05		.01					.10		.01		.46	4
5	.02	.45						.07		.08		.35	5
6	.45	.13	.03	.40			.59	.15				.18	6
7	.52	.32	.06				47	.02			.01	.28	7
8	.09	.51		.04			.09	07					8
9		.04		.16		.10		.12		.03	.43	.61	9
10	.32											.44	10
11	.02		.01							.01	.62	.02	11
12	.09	.06		.37	.45			.86		.08	.83	.01	12
13	.02	.82		.01	1.24				.01			.01	13
14	.02	.06					06	01	.05			.55	14
15	.14				.03		13	.25			.09	.16	15
16		.46			.09		.81	.11			.16	.11	16
17		.43			1.25		.06	.02				.01	17
18	.01	.05	.05		.18						.10		18
19	.01	.15			.01		.05			.08			19
20	.35			.04	.03							.30	20
21	.19									.02		.08	21
22	.72	.10	.05	.05			.89					.15	22
23	.02	.20	.06			.04	.46		.02	.34		.34	23
24	.01	.01		.04			.29		.19	.17		.39	24
25			.03	.10			.05			.01		.31	25
26		.05				.04	.19					.71	26
27		.06	.02			.09	.14			.40		.06	27
28						.15			1.89	.23	.01		28
29						.18	.34				.32	.01	29
30	.06							.09		.03	.68	.02	30
31	.02							.19		.96		.24	31
Total	4.15	4.24	.76	1.56	3.33	.63	4.62	3.05	2.64	2.51	3.62	6.78	YEAR'S TOTAL 37.89
Rain Days.	23	20	12	11	10	7	15	15	8	16	11	27	175

W. 8,000. X. 14.

82

441
52

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

375

Kept at Westerham Hill

in the County of Kent

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·01	·02		·55				·20	·03	·36		1
2	·68	·11	·18		·28					·38	·07		2
3	·01	·75	·62				·02		·24	·37	·67		3
4	·29	·06		·04		·38			·11	·01	·39		4
5	·01	·04	·02	·01	·20	·10				·15	·52	·01	5
6	·03	·20	·18	·53		·05	·25			·13	·53		6
7	·05		·82		·22		·05			·07	·90	·03	7
8					·33							·42	8
9			·02		·34		·01			·03		·30	9
10		·21	·16	·11		·53	·09			·01	·01	·16	10
11	·08	·15	·03	·17		·25							11
12	·03	·17		·11	·36	·30	·09	·01		·10			12
13		·36	·38	·21	·07	·07	·11		·10	·13			13
14	·01	·56	·03	·02	·11					·02		·07	14
15		·16	·29				·02	·61		·02		·09	15
16	·01	·03	·13	·24			·16	·25					16
17	·21	·10		·06			·03	·12	·41	·95			17
18	·01	·13	·14	·29				·22	·11	·52	·73		18
19	·32	·09	·10	·32		·08			·10		·64	·07	19
20	·18		·18	·05							·12	·48	20
21	·03		·45				·21				·01	·07	21
22	·03	·04	·16							·01	·01	·51	22
23	·51	·29	·09			·09				·30	·09	·21	23
24	·01	·01			·10	·03		·01		·21	·10	·35	24
25		·52	·24					·32		·09	·09		25
26		·40	·04			·13		·09		·14	·01		26
27	·07		·83			·87		·38	·03	·26			27
28			·33					·08	·06	·02	·03	·20	28
29		·19				·30		·69	·02	·30		·31	29
30					·22			·21		·34			30
31								·05		·19		·04	31
Total	2·69	4·58	5·44	2·16	2·78	3·18	1·04	3·04	1·38	4·78	5·28	3·32	YEAR'S TOTAL 39·67
Rain Days.	20	22	23	13	11	13	11	13	10	25	18	16	195

W. 8,000. X. 15.

423

FORM A.
BRITISH RAINFALL.

25 JAN 1918
375

REGISTER OF RAINFALL IN 1917

Kept at Westerham Hill

in the County of Kent

by Metropolitan Water Board

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·01	·23				1·54	·14		·12	·02	1
2				·19				·55			·27		2
3				·12			·10	·69		·14	·14		3
4		·18	·15				·25	·14		·44			4
5	·25		·01	·55					·64	·17	·12		5
6			·08	·03	~~·10~~	·10			·22	·02	·07		6
7	·32						·23			·53		·10	7
8	·12			·10			·87	·61	·02	·41	·35	·24	8
9	·03		·04	·10			·33	·04	·01		·13	1·24	9
10	·25		·21	·12				·10				·03	10
11	·22	·01	·34	·38				·01	·20				11
12	·08		·11	·01				·11		·50	·01		12
13	·06		·10	·03				·01	·02	·37		·01	13
14	·01		·04	·20				·08					14
15	·07						·03	·26		·09		·03	15
16	·13	·11		·22	·28		·07			·65		·53	16
17		·03		·12	·61		·25	·05	·44	·16			17
18	·08	·04		·13	·07		·14	·07	·35	·05			18
19	·01	·11	·08		·10	·12			·11				19
20	·04	·12	·08		·65		·07	·04	·01		·04		20
21		·02	·02	·02						·01	·05		21
22			·08					·15		·21			22
23		·17			·21	·05		·12		·11		·04	23
24		·03				·09	·02			·20		·04	24
25		·06	·06			~~·05~~ –					·07		25
26			·04			[illegible] –		·51	·03	·01	·80	·03	26
27			·02					1·13			·01	·01	27
28		·01	·04			1·40		·20				·08	28
29		✕	·09		·08	·49	·14	·09		·30		·14	29
30	·04	✕	·32			·01	1·83	·13		·04		·04	30
31	·08	✕	·03	✕		✕	·63		✕	·02	✕	·08	31
Total	1·79	·90	1·95	2·55	2·00	2·26	4·96	6.63	2·19	4.43	2·18	2·66	YEAR'S TOTAL 34·50
Rain Days.	16	13	21	16	7	7	14	22	12	20	13	16	177

W. 8,000, IX. 17.

Dl

119 ~~48~~

FORM A.
BRITISH RAINFALL.

27·1 375

REGISTER OF RAINFALL IN 1918

Kept at Westerham Hill

in the County of Kent

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01		·07					05	·19	·13	1
2			·18	·04				·16		—	·14	·27	2
3		·01	·10	·06	·50			·04		01	·39	·03	3
4		·19		·01				·06	·15	—	·50	·03	4
5					·11			·12	·03	09		·03	5
6	·25	·32		·23	·23			·13	·66	05		·08	6
7	·05	·13		·09	·25	·01		·05	·17	10	·04	·02	7
8		·15							·11	03	·08	·15	8
9	·07	·01		·14			·21		·43	27		·31	9
10				·12		·10	·51		·25	17	·01	·38	10
11	·01			·01			·36		·01	33	·11	·11	11
12		·12			·29		·31		·08	01		·05	12
13	·08	·01		·02	·06		·08		·10	—		·02	13
14	·15					·22	·05		·22	23		·17	14
15	1·32			·88		·13	·07			—		·20	15
16	·30			·22		·04	·01		·11	—		·01	16
17	·30			·09	·17		1·02			—		·30	17
18	·55					·17			·39	06		·05	18
19	·09		·05	·10	·30	·25	·10		·06	20		·08	19
20	·04	·24		·81		·02	·41		·26	65		·02	20
21	·13	·02		·55		·01	·05		·34	04		·02	21
22	·16	·01		·03	·28		·32		·40	—		·23	22
23	·10			·01	·12		·61	·10	·01	—		·02	23
24		·31			·01	·08			·35	—	·04		24
25	·01			·23		·02	·07	·16		01	·02		25
26							·67	·07	·01	02	·20	·16	26
27		·05	·04	·12				·23	·07	01	·10	·08	27
28			·17	·05				·01		—	·31	·09	28
29									1·31	—	·02		29
30			·46						·05	05		·09	30
31			·04							—			31
Total	3·61	1·57	1·05	3·81	2·39	1·05	4·85	1·13	5·57	2·38	2·15	3·13	YEAR'S TOTAL 32·69
Rain Days.	16	13	8	20	12	11	16	11	23	19	14	27	191

W. 8,000, VIII, 16

81

Ex. Pl.

400
~~47~~

FORM A.
BRITISH RAINFALL

373

REGISTER OF RAINFALL IN 1919

Kept at Westerham Hill

in the County of Kent

by N. W. B. F. Melhuish

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	·12	·01		·02		·05	·05		·08	·01	·84	1
2	·22		·02		·04		·10			·11	·08	·13	2
3	·		·42		·02		·17		·05		·18	·47	3
4	·20	·08	·50				·15		·12		·08	·09	4
5	·03	·32	·81			·05	·12	·04	·01		·06	·40	5
6	·06		·08								·08	·09	6
7	·05		·48								·03		7
8	·31		·08								·07		8
9	·45		·03								·06		9
10	·26		·12	·04						·01	·15	·01	10
11	·11		·24	·33	·01						·02	·04	11
12	·10		·05	·05			·27			·10		·01	12
13	·02			·55			·15			·05	·01	·03	13
14	·53	·03		·47					·02			·03	14
15	·20	·03	·04	·14			·10		·57			·31	15
16	·09	·08										·03	16
17	·03	·36	·03								·11	·07	17
18		·33	·05								·25	·06	18
19	·04	·15	·44						·02		·12		19
20	·16	·15	·10			·21	·40	·28	·02		·19	·04	20
21	·12	·35	·02			·69	·11	·17				·01	21
22		·05	·02			·02	·08				·03	·29	22
23							·20	·02	·32		·06	·08	23
24				·16		·07	·02		·12	·08	·05	·01	24
25	·02					·01	·01	·15			·13	·02	25
26	·06	·17	·15	·12				·04				·44	26
27	·63	·13	·05	·79				·43	·11		·05	·02	27
28			·12	·02			·01	·70			·02	·48	28
29	·07			·05			·09	·32		·47	·29	·14	29
30	·03			·25		·05		·37		·10	·06	·60	30
31	·11		·03							·01		·03	31
Total	4·24	2·35	3·89	2·97	·09	1·10	2·03	2·57	1·36	1·01	2·19	4·77	YEAR'S TOTAL 28·57
Rain Days	25	14	23	12	4	7	16	11	10	9	24	27	182

W. 6,500. VII. 18. W W C

375
375

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Westerham Hill
in the County of Kent
by Metropolitan Water Board

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

112

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·19	·02		·37			·36		·35	1
2			·05		·04			·26	·08	·13		·17	2
3		·01			·05	03			·02	·04		·06	3
4		·11	·01	·35			1·09	·06		·03			4
5			·11		·03		·49	·39	·07			·06	5
6					·13		·35					·04	6
7	·05			·19	·07		·19			·01		·03	7
8		·01		·07	·14		·18						8
9	·34	·05	·12	·02			·09						9
10	·75	·16	·10	·03		·13	·22				·04	·02	10
11	·35	·01	·01	·16	·01	·04	·20	·01				·19	11
12	·12	·01	·17	·28	·01	·96					·01		12
13	·27	·01	·32	·07							·29		13
14		·01	·04	·28		·04			·11	·50	·40		14
15	·07	·01	·03	·26					1·21	·04	·29	·02	15
16	·01								·22			·03	16
17	·02		·02	·01	·15				1·18			·14	17
18	·08				·03			1·08	·27			·20	18
19	·10			·38		·02		·02				·10	19
20	·06	·28		·36		·57			·14			·02	20
21				·01			·90		·56			·14	21
22	·07			·34					·08			·30	22
23	·01			·01			·32					·60	23
24		·01	·05						·03			·07	24
25		·02	·01	·02			·25		·01				25
26	·02		·09	·02		·02						·05	26
27	·27	·05		·18		·10	·01				·38	·21	27
28	·49		·14	·04	·09		·16				·04	·04	28
29	·46		·08	·06			·01				·07	·39	29
30	·04					·07	·15		·29		·29	·14	30
31	·06				·03					·54		·29	31
TOTAL	3·74	·75	1·35	3·33	·80	1·98	4·98	1·82	4·27	1·65	1·81	3·66	YEAR'S TOTAL 30·14
Days with ·01 in. or more	21	14	16	22	13	10	16	6	14	8	9	24	173
	17	5	11	15	7	7	14	4	11	6	8	19	124

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Dh

RE

WESTERHAM TOWN

KENT

1911-20

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

55

Kept at Westerham

in the County of W.

by F. Melhuish

in.

Ground ft. in.

Sea Level ft.

ame

istance Direction

IMPORTANT NOTE the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the read r in the space provided for it at the end of this nt of rain, the selection and placing ish Rainfall Organization are given in " pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	# Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·72				·02			·06		1
2	·10			·34	·29						·17	·08	2
3	·03	·03			·17						·16	·48	3
4	·08	·02	·10	·14						·21	·34	·26	4
5	·03	·01		·11						·48	·03		5
6	·37		·08									·28	6
7	·10		·01							·35	·17	·08	7
8	·12		·19								·41	·73	8
9	·23		·02	·05							·14	·33	9
10		·09	·11	·03							·01	·63	10
11	·52		·03								1·12	·23	11
12	·01		·55		·14	·03					·11		12
13			·10		·20				·46	·10	·03		13
14		·08			·15							·20	14
15		·04	·45							·01	·13	·50	15
16						·35					·68		16
17			·03			·04					1·05	·17	17
18		·19	·01			·02					1·16	·19	18
19		·03				·28			·12	·24	·32	·36	19
20			·02			·02		·22	·01	·06	·02	·81	20
21	·03	·24						·04	·16	·65		·20	21
22	·05		·30			·16		·01		·35		·50	22
23		·31	·02			·75			·31	·03	·04	·08	23
24		·19				·05	·02			·81		·40	24
25		·04	·09	·04		·23			·03	·03			25
26		·01	·19	·37	·18	·22				·14		·22	26
27		·41	·19	·09					·11	·35	·08	·08	27
28		·23		·25				·06			·08		28
29				·27		·15	·38		·19	·38		·01	29
30						·01		·11	·04	·31		·01	30
31					·06					·02 #			31
Total	1·69	1·92	2·49	2·41	1·19	2·31	·40	·46	1·43	4·52	6·31	6·83	TOTAL for year 31·96 ✓
No. of Rain Days	13	15	18	11	7	13	2	6	9	17	21	23	155 ✓

9,000, IX. '10.

Dl

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5B
23 JAN 1912

Kept at Westerham Town (London Rd)
Quebec Square (1.XI.11)
in the County of W. Kent 5
by F. Melhuish

Rain Gauge: Pattern .... Diameter of top .... in. Height of top above Ground .... ft. .... in. " " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station: Name .... Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	# Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.72				.02			.06		1
2	.10			.34	.29	—			—	—	.17	.08	2
3	.03	.03			.17						.16	.48	3
4	.08	.02	.10	.14						.21	.34	.26	4
5	.03	.01		.11						.48	.03		5
6	.37		.08								—	.28	6
7	.10		.01							.35	.17	.08	7
8	.12		.19								.41	.73	8
9	.23		.02	.05							.14	.33	9
10		.09	.11	.03						—	.01	.63	10
11	.52		.03								1.12	.23	11
12	.01		.55		.14	.03					.11		12
13			.10		.20				.46	.10	.03		13
14		.08			.15							.20	14
15		.04	.45							.01	.13	.50	15
16						.35					.68		16
17			.03			.04					1.05	.17	17
18		.19	.01			.02					1.16	.19	18
19		.03				.28			.12	.24	.32	.36	19
20			.02			.02		.22	.01	.06	.02	.81	20
21	.03	.24						.04	.16	.65		.20	21
22	.05		.30			.16		.01		.35		.50	22
23		.31	.02			.75			.31	.03	.04	.08	23
24		.19				.05	.02			.81		.40	24
25		.04	.09	.04		.23			.03	.03			25
26		.01	.19	.37	.18	.22				.14		.22	26
27		.41	.19	.09					.11	.35	.08	.08	27
28		.23		.25				.06			.08		28
29				.27	—	.15	.38		.19	.38		.01	29
30						.01		.11	.04	.31		.01	30
31					.06					.02 #			31
Total	1.69	1.92	2.49	2.41	1.19	2.31	.40	.46	1.43	4.52	6.31	6.83	TOTAL for year 31.96 ✓
No. of Rain Days	13	15	18	11	7	13	2	6	9	17	21	23	155 ✓

9,000, IX. '10.

82

write for yield from 20 II 12

67

FORM A2.
BRITISH RAINFALL.

26 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Westerham Town

in the County of Kent 5

by F. Melhuish

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06		.04	.02		.10	.24			.57		.20	1
2	.17			.05			.32	.04		.08		.01	2
3	.16					.17	.03	.37	.03	.02		.13	3
4	.34		.80		.17	.23					.22		4
5	.03		.24					.50			.17	.02	5
6					.02		.01	.15			.02	.16	6
7	.17				.15	.54		.18				.10	7
8	.41	.62	.21	.02		.55		.79			.01		8
9	.14	.15		.07			.08	.03	.05		.10	.19	9
10	.01							.63				.24	10
11	1.12	.52				.06			.03		.01	.25	11
12	.11		.09		.07			.18	.09		.04	.01	12
13	.03		.06								.31	.05	13
14			.02		.02			.20		.06	.01	.33	14
15	.13		.16		.16	.95					.03		15
16	.68		.41		.13			.12		.10	.11		16
17	1.05					.07		.18				.15	17
18	1.16		.25							.04		.22	18
19	.32	.20	.18				.17	.25		.40		.02	19
20	.02	.05	.62					.20			.06		20
21		.08	.50					.13		.20	.06		21
22		.38	.06		.05	.10	.06	.22		.04	.01	.04	22
23	.04	.33	.48		.02			.65		.06	.23	.05	23
24		.05				.12	.01	1.53		.01		.13	24
25		.08				.33		—		.01	.33	.54	25
26								.52		.67	.55	.48	26
27	.08		.01									.25	27
28		.08				.03	.19	.14	1.52	.78	.69	.23	28
29	.08	.05				.33	.14	.77	—	.20	.07		29
30					.33		.12	.03	1.51	.26		.01	30
31			.10				.20	.17		.04			31
Total	6.31	2.59	4.23	.16	1.12	3.58	1.57	7.98	3.23	3.54	3.03	3.81	TOTAL for year 41.15
No. of Rain Days.	21	(20)	(20)	4	10	13	12	24	6	17	19	23	(188)

W. 8,000, X. '11.

Jl

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

22 JAN

Kept at Westerham Town
in the County of Kent 5
by F. Melhuish M. W. B.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·54 }	·05	·32		·03			·06	·10	·43	·10	1
2	·10						·16		·02	·06		·02	2
3	·01		·09	·32	·35							·12	3
4	·61		·10	·04			·04	·01		·13	·03	·05	4
5			·02			·08	·25		·46		·11	·07	5
6	·11	·12	·16			·19			·01	·30	·11	·10	6
7	·01	·23	·01		·06	·13	·01			·35	·06		7
8		·17 }	·06		·16					·09	·07	·03	8
9				·05	·10	·03	·06	·05	·06			·02	9
10	·02		·07	·14	·03						·53		10
11	·46			·54						·70	·37		11
12					·05						·83	·01	12
13	·20		·07					·01	·10		·27	·02	13
14	·16		·18	·15			·59	·03		·13	·10		14
15	·12		·58	·33			·29		·07		·02		15
16	·20			·26				·02	·34				16
17	·11	·04	·05	·10			·26				·02	·02	17
18			·11	·17					·01		·12		18
19	·26		·19	·12	·01	·05	·16		·38				19
20	·34		·27		·02	·07				·57	·03		20
21	·03		·20	·06			·02			·29	·73		21
22	·41		·34	·12			·01	·05	·11				22
23	·01						·07	·17				·50	23
24	·09			·05		·02					·06		24
25			·02	·19						·89 }		·01	25
26			·15	·09				·26				·39	26
27	·01	·01	·07		·29					·11			27
28	·17		·22	·05						·20			28
29	·08		·03	·48	·17			·46		·08			29
30	·50			·18				·70		·18			30
31			·06							·17			31
Total	4·02	1·11	3·10	3·76	1·24	·60	1·92	1·76	1·62	4·35	3·89	1·46	YEAR'S TOTAL 28·53
Rain Days.	23	8	23	20	10	8	12	10	11	16	17	14	172

W. 7,500, XI. 12

Ex.W.9

From C. **REGISTER OF RAINFALL IN 1914.**

FORM A.
BRITISH RAINFALL.
31 MAR 1915

Kept at Westerham Town
in the County of Kent. 5.
by Metropolitan Water Board

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–		·02	–	–	–	{·16	–	–	(·02)	·06	1
2	·03	–	–	–	}·24	·02	·13		–	–	·12	·15	2
3	}·09	–	·18	·03		–	·05	·02	–	{–	·01	–	3
4		–	·03	}·61	·02	–	{·26	·12	–		·30	·31	4
5	·07	–	·08		·40	·03		·37	}–	–	–	}·32	5
6	–	·16	·02	·16	·04	{·34	·03	·06		–	–		6
7	–	}1·28	}·85	·24	·02		·12	–	–	–	{–	·23	7
8	·15			·01	·02	·11	·08	{·25	–	–		·09	8
9	·24	–	1·24	·20	{·20	·03	–		·15	–	–	1·71	9
10	}–	·04	·04 s	·04		–	–	–	·07	}–	–	·10	10
11		·60	·53	·01	·04	–	{·12	–	·26		·24	·30	11
12	·05	·11	·09 s	–	–	–		–	}·46	–	·01	{1·66	12
13	·01	·41	·24	–	–	{·07	–	–		·10	·15		13
14	–	}·33	}·54	–	–		·16	–	·02	·29	{1·30	·66	14
15	·03			–	–	–	·60	{–	–	–		·06	15
16	·03	–	·13	–	}–	–	–		·05	–	–	–	16
17	}–	·39	·19	–	–	–	–	–	·08	{–	–	·17	17
18		·09	·21	}–	–	–	{·24	–	–		–	·41	18
19	–	·10	·63	–	–	–		–	{·08	·01	·31	{·38	19
20	–	·18	·28	–	–	{·07	–	–		·03	–		20
21	–	}·95	}·10	–	–		–	·28	–	–	}–	·04	21
22	–			–	·32	·23	·14	{·05	–	·22		·01	22
23	–	–	·15	–	{·19	–	·09		–	·02	–	·03	23
24	}·06	–	·06	·04		–	–	–	–	}·38	·19	–	24
25		–	·48	}–	–	–	{·09	·11	–		·01	·09	25
26	–	–	·10	–	–	–		·31	{–	·09	·35	{·91	26
27	·03	–	–	–	–	}–	–	·03		–	·08		27
28	·04	}·03	}·04	–	–	–	–	–	–	·17	}·76	·71	28
29	·14	with Mar. 1.		–	–	–	–	{–	–	·50		–	29
30	·02	✕	·13	–	{·22	–	–		–	·09	·86	·19	30
31	·06	✕	–	✕		✕	·02	–	✕	(·01)	✕	·04	31
Total	1·05	4·67	6·34	1·36	1·71	·90	2·13	1·76	1·17	1·91	4·71	8·63	YEAR'S TOTAL 36·34
Rain Days.													

W. 8,000. X. 14.

82

454
53

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
16 MAR 1916

Kept at Westerham Town
in the County of Kent
by F. Melhuish

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·51	20	·03		·02			·28	45	·02	·23	·48	1
2	·56	·18	·44	22		·01		·82	·02	·05		·06	2
3		·01	·07	·22	·08			39	·17			·47	3
4	·08							·05		·02		·94	4
5	·05	·36						·14		·08	·01		5
6	·49	·49	09	·47			·63	·18				·12	6
7	·45						·18	09				·34	7
8	·07	·62		·10			·11				·01		8
9	·35	·06		·19		·14		·09		·03	·51	·67	9
10						·03						·48	10
11	·02		·02								·62	·04	11
12	·11	·09		·40	·52			·57		·08	·62		12
13	·02	·85			1·25				·01				13
14	·02						·07	·08				·44	14
15	·15				·14		·32		·06		·29	·19	15
16		·49					·85	·13				·12	16
17		·49			1·26		·08	·01			·07	·02	17
18	·02	·05	·06		·15								18
19	·01	·11					·08			·09			19
20	·40			·05	·04							·32	20
21	·16									·02		·09	21
22	·29	·17	·07	·06			1·18					·15	22
23	·08	·27	·05	·02		·06	·31		·02	·58		·36	23
24				·11		·02	·41		·19			·33	24
25			·03						·02			·92	25
26		·09				·16							26
27		·15	·01				·25		·04	·45		·07	27
28						·10		·04	1·94	·35			28
29						·08	·40				·31		29
30	·09	×				·07		·02	·03	·07	·67	·04	30
31		×		×		×		·18	×	·97	×	·35	31
Total	3·93	4·68	·87	1·84	3·46	·67	4·87	3·07	2·95	2·81	3·34	7·00	YEAR'S TOTAL 39·49
Rain Days.	20	17	10	10	8	9	13	15	11	13	10	22	158

W. 8,000. X. 14.

Dh ✓ Ex Dh

440
52

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Westerham Town

in the County of Kent

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·71		·02		·64				·18		·30		1
2		·15	·16				·02		·20	·36	·02		2
3		·83	·55				·02			·40	·65		3
4	·24	·07	·16	·03		·41			·13	·03	1·20		4
5	·03	·17		·04	·49	·10				·16		·02	5
6	·02		·20	·40	·22	·04	·11			·12	·66		6
7	·06		·80			·03	·10				·90	·04	7
8	·01		·19		·34	·01						·38	8
9			·03		·35					·03		·56	9
10		·23	·11	·11		·62	·10			·03			10
11	·04	·18	·04	·19	·02								11
12	·03	·50		·09	·35	·28	·10	·02		·15			12
13	·02		·41	·20	·20	·05	·10		·07	·12			13
14	·03	·60	·03	·02			·02	·13		·05		·08	14
15	·03	·19	·28	·23			·17	·89				·10	15
16		·07	·14					·23	·40				16
17	·19	·13		·09			·01			·89			17
18	·01	·14	·15	·29			·01	·18	·12	·50	1·48	·01	18
19	·37	·06		·35		·09			·11			·13	19
20	·20		·12	·07							·09	·52	20
21	·03		·36				·49			·03	·02	·26	21
22	·05	·05	·09								·01	·55	22
23		·53	·07		·02	·11		·02		·14	·07	·43	23
24	·01		·01			·06		·04		·24	·09		24
25		·81	·32		·12			·19		·31	·08		25
26		·35				·11		·40		·18			26
27	·07		1·03			·79			·03	·26			27
28			·32			·01		·02	·08	·35	·04	·24	28
29		·21	·01			·31		·72	·02			·32	29
30		X			·25	·01		·18	·14	·54		·05	30
31		X		X		X		·07	X	·12	X		31
													YEAR'S TOTAL
Total	2·15	5·27	5·60	2·11	3·00	3·03	1·25	3·09	1·48	5·01	5·61	3·69	41·29
Rain Days.	19	18	24	13	11	16	12	13	11	21	14	15	187

W. 8,000. X. 15.

422

FORM A.
BRITISH RAINFALL.

25 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Westerham Town
in the County of Kent
by Metropolitan Water Board

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·27		·01		1·40	·12		·10	·05	1
2				·18				·45			·13		2
3	·03	·23	·20	·14			·14	·70		·14	·13		3
4							·20	·20		·42			4
5	·39		·02						·63	·18	·12		5
6	·30		·10			·14			·24	·91	·07		6
7							·95					·07	7
8	·07							·84	·02	·44	·38	1·50	8
9	·04		·06	·15		·05	·24	·13			·14	·03	9
10	·28		·52	·15				·14					10
11	·22			·56				·15	·16	·31			11
12	·10		·19	·01						·50	·02		12
13	·07		·14	·21				·01	·02	·29		·01	13
14			·02	·25			·18	·05					14
15	·04							·09		·11		·94	15
16	·05	·13		·24	·11		·08			·58			16
17		·06		·12	·72		·25		·62	·15			17
18	·07			·15	·10		·18	·15	·40	·04			18
19		·13	·10	·01	·80	·17			·15				19
20	·03	·15	·15				·06	·07	·01	·02	·07		20
21		·04			·02						·04		21
22	·02		·10			·01		·18		·20		·06	22
23		·21	·02		·25	·06		·17		·13			23
24		·08	·11					·03		·26	·10	·04	24
25						·03		·44					25
26			·06						·03	·04	·87	·04	26
27			·02					1·18				·01	27
28			·08			1·42	·22	·21				·04	28
29			·16			·25		·08		·40		·19	29
30	·02		·27			·03	1·68	·11		·03			30
31	·08		·03				·45	·02		·03		·04	31
Total	1·81	1·04	2·35	2·44	2·00	2·17	4·63	6·80	2·40	5·18	2·17	3·02	YEAR'S TOTAL 36·01
Rain Days.	16	9	19	13	6	10	12	22	11	20	12	13	165

4·68

W. 8,000, IX. 17.

DL

~~Eng D~~

118
~~48~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
27 · 1 19

Kept at Westerham Town

in the County of Kent

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01		·04			·01			·21		1
2		·11	·11	·06				·21			·52	·29	2
3				·07	·53			·11		·02	·60	·03	3
4		·16	·05	·02	·13				·21			·04	4
5	·27	·04	·01					·15	·11	·10		·05	5
6		·24		·31	·18			·20	·21			·09	6
7	·05	·12			·30	·02		·05	·37	·14	·04	·16	7
8		·20		·01		·05		·04		·02	·10		8
9	·04	·03		·16			·15		·52	·27		·27	9
10				·13		·09	·52		·20	·22	·08	·44	10
11	·03			·01	·28		·37		·10	·37		·12	11
12	·07	·12					·21		·10	·02		·04	12
13		·01		·03	·09		·13		·12			·03	13
14	·16		·02		·03	·16			·25	·27		·37	14
15	1·29			1·08		·22	·13						15
16	·37			·14			·02		·15				16
17	·30			·09	·33		1·26	·10				·35	17
18	·48				·14	·18			·49	·11			18
19	·15		·07	·10		·14	·10		·03	·55		·09	19
20		·21		1·70		·03	·53	·01	·17			·05	20
21	·13	·04							·83	·06	·02	·23	21
22	·07	·01			·38		·11						22
23	·12	·37		·03	·14		·75	·05	·03		·03	·04	23
24						·06		·18	·42		·02		24
25	·01			·18		·03	·05			·02	·15		25
26							·78	·07	·02	·05	·11	·20	26
27		·06	·02	·22			·04	·24	·09		·32	·05	27
28			·20					·03			·03	·11	28
29				·02					1·44		·13		29
30		X	·53						·07	·07		·14	30
31		X		X		X			X	·10	X	·02	31
Total	3·54	1·72	1·02	4·36	2·57	·98	5·15	1·45	5·93	2·39	2·36	3·21	YEAR'S TOTAL 34·68
Rain Days.	15	14	9	18	12	10	15	14	21	16	14	22	180

W. 8,000, VIII. 16

Dl

342

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Westerham Town

in the County of Kent

by M. W. B. F. Melhuish

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.33	.04	.03	.07			.07			.11		.82	1
2	.29				.07		.19		.03	.10		.19	2
3	.29	.10	.41		.01		.37		.08		.06	.37	3
4	.23	.33	.55				.12	.05	.03		.10	.37	4
5			.92			.04					.10	.40	5
6	.07		.08								.02	.10	6
7	.10		.45								.07		7
8	.40		.11								.17		8
9	.57			.03	.02								9
10	.34		.15	.02	.03						.01	.02	10
11	.28		.25	.40			.25			.10			11
12			.03	.61		.02	.28				.01	.06	12
13	.03		.03						.54	.04		.07	13
14	.52			.44			.08						14
15	.20	.72	.03	.15							.12	.29	15
16	.12	.29		.02								.02	16
17	.04	.29	.05	.02							.27		17
18	.05	.20	.06						.03		.13		18
19		.12	.66			.15	.42	.21	.06		.16	.05	19
20	.16	.34	.11			.61		.21				.05	20
21	.13	.09	.02			.04	.08				.03		21
22			.02				.17		.44		.12	.31	22
23						.08	.04	.02				.06	23
24				.17		.01	.01			.08	.18	.02	24
25	.09							.16				.03	25
26		.21	.16	1.33			.02	.01			.02	.45	26
27	.68	.12	.14					.32	.12		.02	.55	27
28			.18	.03			.05	.83		.01	.31		28
29	.05		.04	.07				.39		.35	.29	.21	29
30	.01	X		.33		.03		.43		.05		.67	30
31	.10	X	.20	X		X	.08		X	.02	X	.03	31
Total	5.08	2.85	4.68	3.69	.13	.98	2.23	2.63	1.33	.86	2.19	5.14	YEAR'S TOTAL 31.79
Rain Days.	23	12	23	14	4	8	15	10	8	9	19	22	167

W. 6,500, VII. 18. w w c

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Westerham Town

in the County of Kent

by Metropolitan Water Board

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·20	·06		·35			·22		·29	1
2			·03					·28		·18		·12	2
3		·02			·17	·02			·09	·10		·07	3
4		·10	·01	·36			·90	·10	·01	·06		·03	4
5			·09		·04		·52	·57	·08			·06	5
6			·14		·16		·20					·03	6
7	·05			·17	·05		·22	·01		·02		·02	7
8				·07	·16		·24						8
9	·40	·06		·03			·03						9
10	·75	·18	·11	·03		·10	·20				·02	·02	10
11	·35		·09	·16		·06	·22					·18	11
12	·14	·01	·02	·20		·91							12
13	·24	·01	·59	·01							·20		13
14	·01			·24		·05			·10	·11	·33		14
15	·07		·05	·21					1·00	·05	·23		15
16			·04	·01		·09			·40			·03	16
17	·04			·03	·14				1·39			·11	17
18			·02		·06			·95	·40			·17	18
19	·11			·45		·64		·02					19
20	·07	·17		·35					·09			·01	20
21				·01			·77		·41			·13	21
22	·06			·39					·15			·33	22
23	·02						·25					·48	23
24	·03		·05	·02								·12	24
25		·05					·25		·02				25
26	·02		·10	·04		·22							26
27	·29	·04		·21							·38	·18	27
28	·51		·13	·06	·11		·17				·04	·03	28
29	·50		·11	·09	·03						·04	·36	29
30	·05	✕				·03	·16		·27		·32	·15	30
31	·03	✕		✕	·02	✕			✕	·42	✕	·31	31
TOTAL	3·82	·64	1·58	3·34	1·00	2·12	4·48	1·93	4·41	1·16	1·56	3·23	YEAR'S TOTAL 2927
Days with ·01 in. or more	21	9	15	22	11	9	14	6	13	8	8	22	158
4·04	16	6	11	15	9	7	13	4	11	7	7	15	121

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

81 57

FORM A2.
BRITISH RAINFALL.

1 MAR 1913

REC

WESTGATE-ON-SEA
KENT
1912-1915

K[illegible]t at Westgate-on-

in the County of Ken

by D. W. Horner

in.
Ground ft. in.
Sea Level 75 ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.14	.62		.06	.50		.12	1
2	.01			.02		.08	.06	.20	.01	.12		.03	2
3	.15	.20	.15		.03	.15		.04	.03	.06		.05	3
4	.34		.35		.09	.36					.19	.01	4
5	.10	.10	.14	.02		.12		.28			.16	.03	5
6	.41	.08			.06		.24	.28				—	6
7	.02		.02		.03	.18	.01	.17				.01	7
8	.30	.04	.11			.30		.03	.37				8
9		.01	.03	.06			.04	.01				.02	9
10		.01	.04	.06				.11	.09		.05	.20	10
11	.01	.12				.02		.01	.06		.01	.10	11
12		.10	.03		.02			.05				.01	12
13		.16	.01			.03	.05	.01			.20	.01	13
14			.03		.12			.07	.04	.04	.03		14
15		.01	.04		.09	.63		.02	.01		.02	.27	15
16	.20		.06		.05	.12		.10		.01	.02		16
17			.25			.03		.03			.02	.02	17
18	.50		.27	.10			.13	.07		.05	.03	.23	18
19		.13	.15		.01	.01	.37	.06			.01		19
20	.01		.55					.08		.58	.02		20
21	-	.02	.10				.01	.03		.20	.05		21
22		.12	.13		.05		.10	.06			.01	.02	22
23	.40	.14	.25		.23			.70	-	.09	.15	.02	23
24	.09		.03		.02		.12	.15		.03		.08	24
25	.07					.09		.89			.20	.19	25
26						.03	.10	.41		.23	.18	.28	26
27			.03				.15			.01	.01	.12	27
28				—			.03	.04		.27	.19	.10	28
29				.10			.07	.07	.65	.11	.07		29
30					.03	.03		.40	1.21	.28			30
31	.01				.02		.10	.16		.01			31
Total	2.62	1.24	2.77	.36	.85	2.32	2.20	4.53	2.53	2.59	1.62	1.92	TOTAL for year 23.55
No. of Rain Days.	15	14	21	6	14	16	16	28	10	16	20	21	197

W. 8,000, X. '11.

82

57

FORM A2.
BRITISH RAINFALL.
1 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Westgate-on-Sea, Garlinge
in the County of Kent 2
by D. W. Horner

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level 75 ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.14	.62		.06	.50		.12	1
2	.01			.02		.08	.06	.20	.01	.12		.03	2
3	.15	.20	.15		.03	.15		.04	.03	.06		.05	3
4	.34		.35		.09	.36					.19	.01	4
5	.10	.10	.14	.02		.12		.28			.16	.03	5
6	.41	.08			.06		.24	.28					6
7	.02		.02		.03	.18	.01	.17				.01	7
8	.30	.04	.11			.30		.03	.37				8
9		.01	.03	.06			.04	.01				.02	9
10		.01	.04	.06				.11	.09		.05	.20	10
11	.01	.12				.02		.01	.06		.01	.10	11
12		.10	.03		.02			.05				.01	12
13		.16	.01			.03	.05	.01			.20	.01	13
14			.03		.12			.07	.04	.04	.03		14
15		.01	.04		.09	.63		.02	.01		.02	.27	15
16	.20		.06		.05	.12		.10		.01	.02		16
17			.25			.03		.03			.02	.02	17
18	.50		.27	.10			.13	.07		.05	.03	.23	18
19		.13	.15		.01	.01	.37	.06			.01		19
20	.01		.55					.08		.58	.02		20
21		.02	.10				.01	.03		.20	.05		21
22		.12	.13		.05		.10	.06			.01	.02	22
23	.40	.14	.25		.23			.70		.09	.15	.02	23
24	.09		.03		.02		.12	.15		.03		.08	24
25	.07					.09		.89			.20	.19	25
26						.03	.10	.41		.23	.18	.28	26
27			.03				.15			.01	.01	.12	27
28							.03	.04		.27	.19	.10	28
29				.10			.07	.07	.65	.11	.07		29
30					.03	.03		.40	1.21	.28			30
31	.01				.02		.10	.16		.01			31
Total	2.62	1.24	2.77	.36	.85	2.32	2.20	4.53	2.53	2.59	1.62	1.92	TOTAL for year 25.55
No. of Rain Days.	15	14	21	6	14	16	16	28	10	16	20	21	197

W. 8,000, X. '11.

82

63

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at *Westgate-on-Sea, Garlinge*

in the County of *Kent 2*

by *D. W. Horner*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·36	·01	·05		·25				·04	·02	·03	1
2	·01	·13			·01		·29				·05	·01	2
3				·28	·14					·02		·02	3
4						·02	·05	·09		·02	·03	·01	4
5	·03			·01			·34	·03	·63	·17	·02	·13	5
6					·05	·16		·01		·37	·07		6
7			·05	·03	·01			·02		·30			7
8		·03	·01	·04	·20		·01			·32	·06	·01	8
9		·05		·03	·30		·05	·22	·09		·03		9
10			·09	·07				·03			·42		10
11	·36	·02		·38						·33	·05		11
12				·02	·02			·01			·81		12
13	·16		·03					·03			·41		13
14	·04		·06	·05			·33		·41	·22	·25		14
15	·12	·01	·14	·01			·08				·01		15
16	·21		·18	·10					·68		·04		16
17	·03			·04			·14	·01	·14			·08	17
18	·04		·06	·05			·01	·01	·20		·03		18
19	·09		·14		·01		·09	·03	·34	·01			19
20	·36		·05	·01					·05	·28			20
21	·02		·04	·08	·11		·01			·72	·55		21
22	·27		·20				·16		·05			·01	22
23						·04	·01		·01			·36	23
24	·01		·04			·04		·01			·02		24
25	·01			·17		·24							25
26	·01		·13							·27		·11	26
27		·04	·01		·27					·10		·01	27
28	·17		·13							·12		·01	28
29	·25		·08		·19							·30	29
30	·30		·10	·30	·14			·01		·11		·16	30
31			·39					·01		·05			31
Total	2·49	·64	1·94	1·72	1·45	·75	1·57	·52	2·60	3·45	2·87	1·25	YEAR'S TOTAL 2125
Rain Days.	19	7	20	18	12	6	13	14	10	17	17	14	167

W. 7,500, XI. 12

87 64

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Westgate on Sea, Garlinge

in the County of Kent 2

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05				·03		·03	·11	·07	1
2				·08			·10				·02	·12	2
3			·07	·03	·08		·10	·05					3
4			·02	·08				·17			·29	·15	4
5	·22		·02	·32	·10		·20	·14					5
6				·20	·01	·39	·08					·08	6
7		·10	·17	·09								·04	7
8	·12	·03	·21				·05	·04				·03	8
9	·33		·68	·02								·77	9
10	·12		·04	·02	·01					·03		·01	10
11		·14	·14	·04	·01				·13		·41	·30	11
12	·01	·01	·04		·10	·01			·12			·29	12
13	·03	·06	·15	·03	·01				·13	·05	·06	·33	13
14		·02	·09							·43	·02	·29	14
15			·18				·48				1·03	·07	15
16	·05	·07	·04				·16				·03		16
17	·02	·02	·03						·06	·12	·02	·02	17
18		·13	·12							·78	·12	·18	18
19		·03	·76							·11	·22	·05	19
20		·04	·36			·04				·31		·18	20
21		·48	·15	·07						·05	·02	·10	21
22		·03		·07	·16	·15	·72			·08		·04	22
23			·50	·01	·71	·62	·03					·16	23
24			·05	·16						·03	·05		24
25	·09		·23		·05		·05	·01		·31	·01		25
26	·04		·19		·01		·05	·16			·10	·21	26
27	·01		·05				·10			·08	·04	·20	27
28	·01				·02						·14	·35	28
29	·01									·77	·02		29
30	·01				—					·05	·32	·01	30
31					·31		·01					·03	31
Total	1·07	1·16	4·29	1·27	1·58	1·21	2·13	·60	·44	3·23	3·03	4·08	YEAR'S TOTAL 24·09
Rain Days.	14	13	23	15	13	5	13	7	4	15	19	25	166

W.7,000, XI. 13

375

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Westgate on Sea Garlinge
in the County of Kent 2
by D. W. Horner

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41	·12	·08						·42		·50	·08	1
2	·29	·08	·19	·04				·04	·03		·04	·01	2
3	·11		·18	·18	·03			·14	·77			·44	3
4	·06								·01	·39	·04	·38	4
5	·03	·07		·03				·04		·27	·17	·20	5
6	·27	·08	·10	·22						·03		·06	6
7	·18	·08	·12	·04			·02					·22	7
8		·08	·17				·02						8
9	·04	·14	·03			·01		·08		·09	·27	·42	9
10	·15					·24					·01	·48	10
11	·03	·03								·02	·45	·06	11
12	·02	·01	·02	·28	·26			·05		·04	·31		12
13	·07	·68		·07	1.08								13
14		·02					·18	·07	·02			·13	14
15	·09				·06			·08			·45	·03	15
16				·04			·68	·12			·05		16
17	·03	·33			·72		·03	·61				·44	17
18		·07	·10		·67					·06	·06	·18	18
19	·03	·01	·03				·03	·03		·02		·02	19
20	·33			·01								·19	20
21	·25				·03					·13		·02	21
22	·03		·03				·35					·11	22
23	·03	·16	·05				·06					·26	23
24	·01		·04	·19			·26		·06	·05		·23	24
25	·01		·13	·04		·18	·14			·01		·09	25
26	·03	·01		·01					·02	·04	·07	·34	26
27			·02			·03	·05		·01	·25	·07	·01	27
28		·06				·02	·08		2.52	·33			28
29	·01		·01		·03		·03	·17	·03	·02	·17	·06	29
30	·05	X				·09			·01		·44	·01	30
31	·02	X		X		X			X	·57	X	·31	31
Total	2.58	2.03	1.30	1.15	2.88	·57	1.93	1.43	3.90	2.32	3.10	4.78	YEAR'S TOTAL 27.97
Rain Days.	25	17	16	12	8	6	13	11	11	16	15	26	176

W. 8,000. X. 14.

WEST WICKAM

KENT

1911-20

FORM A2.
BRITISH RAINFALL.
20 FEB 1912

REGISTE

1

Kept at West Wickham, W

in the County of Kent

by F. C. Bayard, Sir

1 ft. 2 in.

300 ft.

Direction

IMPORTANT NOTE.—Rain
previous day. If an Observer p
requested to add the reading at 9
for it at the end of this paragra
the selection and placing of rai
Organization are given in "*Rules f*
Dr. H. R. Mill, 62, Camden Square, London, N.W.

lt entered to the
, he is earnestly
space provided
ain,
fall
to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			1·12				·02					1
2	·21			·20	·18		·01				·26	·12	2
3					·16						·04	·17	3
4	·04	·02	·08	·12					·02	·10	·19	·41	4
5	·01	·02		·05						·40	·04	·23	5
6	·35		·21									·42	6
7	·03			·05						·20	·46	·30	7
8	·09		·10								·35	·51	8
9	·24			·05							·01		9
10		·08	·10								·03	·94	10
11	·39		·02								·75		11
12			·52		·24	·01			·01		·19		12
13			·06		·26				·17	·09	·04	·23	13
14		·15			·20							·69	14
15		·03	·36							·03	·06		15
16						·42					·71	·10	16
17						·04					·50	·25	17
18		·15	·02								·79	·35	18
19						·20			·31	·25	·26	·15	19
20	·01		·03			·04		·32		·09		1·00	20
21	·02	·08						·32		·68		·15	21
22	·02		·31			·04				·12		·56	22
23		·22	·03			·88			·30	·01	·03	·13	23
24		·15				·07	·03			1·23		·21	24
25		·04				·14	·01		·01	·03			25
26			·16	·25	·10	·28				·15	·03	·23	26
27		·32	·15						·15	·03	·03	·06	27
28		·16		·36				·06					28
29				·25		·24	·34		·13	·20			29
30								·43	·02	·18			30
31					·19								31
Total	1·46	1·42	2·15	2·45	1·33	2·36	·39	1·15	1·12	3·79	4·77	7·21	TOTAL for year 29·60
No. of Rain Days	12	12	14	9	7	11	4	5	9	16	19	21	139

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

20 FEB 1912

REGISTER OF RAINFALL IN 1911

1

Kept at West Wickham, Wickham Court

in the County of Kent 5

by F. C. Bayard, Sir H. F. Lennard, Bt.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 300 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			1·12				·02					1
2	·21			·20	·18		·01				·26	·12	2
3					·16						·04	·17	3
4	·04	·02	·08	·12					·02	·10	·19	·41	4
5	·01	·02		·05						·40	·04	·23	5
6	·35		·21									·42	6
7	·03			·05						·20	·46	·30	7
8	·09		·10								·35	·51	8
9	·24			·05							·01		9
10		·08	·10								·03	·94	10
11	·39		·02								·75		11
12			·52		·24	·01			·01		·19		12
13			·06		·26				·17	·09	·04	·23	13
14		·15			·20							·69	14
15		·03	·36							·03	·06		15
16						·42					·71	·10	16
17						·04					·50	·25	17
18		·15	·02								·79	·35	18
19						·20			·31	·25	·26	·15	19
20	·01		·03			·04		·32		·09		1·00	20
21	·02	·08						·32		·68		·15	21
22	·02		·31			·04				·12		·56	22
23		·22	·03			·88			·30	·01	·03	·13	23
24		·15				·07	·03			1·23		·21	24
25		·04				·14	·01		·01	·03			25
26			·16	·25	·10	·28				·15	·03	·23	26
27		·32	·15						·15	·03	·03	·06	27
28		·16		·36				·06					28
29				·25		·24	·34		·13	·20			29
30								·43	·02	·18			30
31					·19								31
Total	1·46	1·42	2·15	2·45	1·33	2·36	·39	1·15	1·12	3·79	4·77	7·21	TOTAL for year 29·60
No. of Rain Days	12	12	14	9	7	11	4	5	9	16	19	21	139

9,000, IX. '10.

S. made

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
12 FEB 1913

Kept at West Wickham, Wickham Court

in the County of Kent 5

by F. C. Bayard, Sir H. F. Lennard, Bt.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·12			·10	·40		·04	·63		·25	1
2		·02	·42	·03		·02	·38	·05		·03			2
3	·05	·09	·10			·13	·04	·40		–		·07	3
4	·25		·69		·25	·21		·03			·19		4
5	·20		·11			–		·31	–		·07	·01	5
6	·51	·07			·01			·07				·25	6
7			·04		·09	·76	·10	·42				·03	7
8	·32	·48	·27					·40					8
9		·09		·05		·30	·02	·01				·08	9
10		·06						·30			·07	·25	10
11	·03	·34				·03		·08	·06			·28	11
12	·02	·18	·03		·17	·09		·04		·03	·01	·03	12
13											·09		13
14					·01			·02		·07	·01		14
15	·01		·25		·26	·82					·04	·35	15
16	·30		·04		·04	·07		·10		·07	·12		16
17	·34		·40			·01		·04			·02	·13	17
18	·17		·13					·22		·05		·12	18
19	·14	·12	·15				·04	·18			·01	·01	19
20			·81			·01		·05		·43	·03		20
21		·02	·28		·08			·05		·07	·04		21
22	·10	·14	·17		·03		·09	·13		·04		·04	22
23	·52	·42	·31					·48	—	·09	·22	·08	23
24	·17					·14		·21				·13	24
25	·21					·34	·01	·95			·30	·57	25
26		·02						·60		·28	·59	·42	26
27							·02			·15		·16	27
28		·06					·14	·06	·03	·66	·67	·17	28
29						·07	·21	·13	1·63	·17	·07		29
30					·33	·18	·02	·04	1·89	·21			30
31			·07				·19	·10		·06			31
													YEAR'S TOTAL
Total	3·34	2·11	4·39	·08	1·27	3·28	1·66	5·47	3·65	3·04	2·55	3·42	34·26
Rain Days.	16	14	18	2	10	16	13	27	5	16	17	20	174

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at West Wickham Wickham Court

in the County of Kent

by F C Bayard Sir H F Lennard Bart

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.28	.05	.27					.22	.05	.03	.13	1
2	.12	.17					.13		.02	.29	.09		2
3			.05	.40	.26					.05		.16	3
4	.32			.05	.14		.07			.06	.03	.07	4
5	.40					.03	.05		.43	.01		.03	5
6	16	.02	.16			.09	.20			.22		.09	6
7		.21					.03	.31		.40	.13		7
8			.02		.24					.09	.04		8
9		.11		.01	.04				.12		.03	.03	9
10			.12	.14				.03			.48		10
11	.60			.39						.80	.17		11
12											.48		12
13	.11		.03					.01			.25		13
14	.12		.10	.09			.47	.09	.02	.19	.04		14
15	.45	.07	.30	.26									15
16	.18		.39	.21					.49				16
17	.02	.05	.09	.13			.15						17
18			.10	.08									18
19	.33		.11			.05	.15		.10				19
20	.36		.47	.07		.06				.72	.04		20
21	.02		.26	.02			.08			.30	.94		21
22	.33		.18	.19				.01	.12				22
23			.11			.02	.01	.15				.47	23
24	.04			.02		.02		.09			.04		24
25				.29								.01	25
26		.02	.18	.04			.02	.24		.90		.24	26
27			.04	.10						.11			27
28	.25		.30	.08						.25			28
29	.04		.04	.36	.31			.06	.02	.07	—		29
30	.37			.11	—			.16	.02	.14			30
31								.96		.07			31
Total	4.22	.93	3.10	3.31	.99	.27	1.36	2.11	1.56	4.72	2.69	1.23	YEAR'S TOTAL 26.49
Rain Days.	18	8	20	21	5	6	11	11	10	18	14	9	151

W.7,000, XI. 13

from Croydon Tables

Ex RR

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 3 - MAR 1915

Kept at West Wickham Wickham Court

in the County of Kent 5

by F C Bayard Sir H. F. Lennard Bart

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.17					1
2	.02					.01	.11	.22			.07	.23	2
3	.02		.08	.04	.16		.10	.02					3
4	.04		.01	.18	.02			.01			.32	.33	4
5	.13			.24	.25	.03	.27	.65			.01		5
6		.15	.01	.15		.26					.01	.28	6
7		.55	.23	.20	.29	.40	.06					.18	7
8	.08	.55	.51			.05	.07	.10				.01	8
9	.23		.96	.10		.02		.05	.11			1.75	9
10		.08	.03	.01	.06				.17			.09	10
11		.72	.37	.01		.01			.11		.25	.42	11
12	.04	.05	.10				.17		.20		.03	.70	12
13		.25	.21						.14	.08	.10	.95	13
14		.17	.25				.23			.43	07	.65	14
15	.05		.23				.16	.04			1.44	.11	15
16	.04		.04						.04				16
17		.37	.21						.04			.16	17
18		.09	.17									.37	18
19		.04	.46				.17			.03	.07	.25	19
20		.20	.42			.07			.08			.10	20
21		1.05	.10							.01		.03	21
22		.04			.30	.10	.28			.13		.04	22
23			.10	.02	.11	.12						.10	23
24			.05	.04			.03				.09		24
25	.02		.25				.05	.07		.40		.04	25
26			.08				.06	.15		.03	.23	.82	26
27	.01							.03			.10	.24	27
28										.05	.31	.74	28
29	.04		.02							.07	.23		29
30		×	.02							.60	.77	.25	30
31		×		×	.25	×			×	.03	×	.04	31
Total	.72	4.31	4.91	.99	1.44	1.07	1.76	1.51	.89	1.86	4.10	8.88	YEAR'S TOTAL 32.44
Rain Days.	12	14	24	10	8	10	13	11	8	11	16	25	162

W. 8,000. X. 14.

E+BR

474

FORM A.
BRITISH RAINFALL.

14 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at West Wickham Wickham Court

in the County of Kent

by Sir H. F. Lennard Bt. per Croydon Nat His Soc

5

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.79	.12	.02		.01				.15		.37	.58	1
2	.10	.21	.20	.09	.03			.76		.09	.03		2
3	.43		.04	.30	.05			.40				.70	3
4	.05											.28	4
5	.03	.62		.02				.01		.04		.32	5
6	.38	.04	.02	.35			.52					.08	6
7	.42	.44	.02				.29	.06				.20	7
8	.09	.78		.08			.10	.14					8
9		.03		.18		.09		.01		.03	.35	.55	9
10	.25											.33	10
11											.67	.06	11
12	.04	.04		.51	.43			.33			.54		12
13		.90			1.04			.04					13
14		.03					.15	.05				.45	14
15	.25				.05		.01	.04			.27	.15	15
16		.70					.71	.01				.46	16
17		.51			1.12		.05	.21					17
18		.10	.09		.27						.05		18
19		.35											19
20	.29			.03								.26	20
21	.09	.02					.01			.11		.08	21
22	.50	.14	.08	.03			.65					.08	22
23		.55	.04			.07	.29			.39	.04	.28	23
24	.01			.02			.06		.23	.21		.25	24
25			.04	.20			.23					.43	25
26		.04				.11						.49	26
27						.23	.16			.35		.05	27
28		.04							1.80	.06			28
29							.34	.16		.03		.01	29
30	.04	X					.02				.65	.02	30
31		X		X		X			X	.89	X	.44	31
Total	3.76	5.66	.55	1.81	3.00	.50	3.59	2.22	2.18	2.20	2.97	6.55	YEAR'S TOTAL 34.99
Rain Days.	16	19	9	11	8	4	15	13	3	10	9	23	140

W. 8,000. X. 15.

S made 460

Ex 8L

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
13. MAR 1917

Kept at West Wickham, Wickham Court
in the County of Kent
by F. C. Bayard, Sir H. F. Lennard, Bt

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.20				.52	.02			.12	.11	.35		1
2	.24	.09	.11		.32		.03		.10	.33	.11		2
3		.95	.25						.15	.31	.81		3
4	.26	.14		.04		.32			.11		.63		4
5		.06			.18	.10	.22			.05	.72		5
6		.06	.25	.44			.32			.10	.70		6
7	.05		.84		.29		.32				1.05		7
8					.32							.50	8
9					.30					.04		.23	9
10		.20	.16	.10		.43	.04				–	.05	10
11	.04	.14	.04	.13		.33							11
12		.03		.04	.30	.25	.02	.01		.05			12
13		.22	.28	.21	.09	.03				.10			13
14		.50		.01	.13			.02				.07	14
15		.09	.27				.03	.35		.01			15
16		.06	.17	.20			.23	.12					16
17	.05	.08		.02			.03	.33	.40	.62			17
18	.09	.09		.38			.01	.36	.10	.26	.90	.05	18
19	.06	.08	.08	.20					.11		.75		19
20	.14		.25					.02	.10			.70	20
21			.45	.08			.11				–	.40	21
22			.12		.02					.01		.48	22
23		.70	.06			.03			–	.08	.05	.32	23
24					.07	.09				.25	.05	.10	24
25		.60	.19					.29		.03	.05		25
26		.23	.03			.19				.18			26
27	.03		1.10		–	1.19		.89		1.16			27
28		.52	.29		–	.03		.02	.10			.12	28
29		.10		–		.21		.88	.02	.39		.20	29
30				–	.62	–		.25	–	.44			30
31								.18		.11		.02	31
Total	1.16	4.94	4.94	1.85	3.16	3.22	1.36	3.72	1.31	4.63	6.17	3.24	YEAR'S TOTAL 39.70
Rain Days.	10	20	18	12	12	13	11	13	10	20	12	13	164

W.7,000, XI. 13

✓ Exe 87 441

FORM A.
BRITISH RAINFALL.
28 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at West Wickham, Wickham Court
in the County of Kent
by F. C. Bayard, Sir H. F. Lennard Bt.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·15				1·62			·06		1
2		·05		·60				·24			·09		2
3								·50		·20	·16		3
4		·26	·09				·63	·05		·30			4
5	·23		·02						·56	·15	·09		5
6			·02	·60		·05			·24	·01	·07		6
7	·28		·01				·05			·40		·02	7
8	·05			·10			·81	·35	·03	·23	·17	·27	8
9				·05			·12	·05	·02		·07	·67	9
10	·29		·04	·14								·03	10
11	·04		·40	·13					·25	·20			11
12	·12		·08	·09				·10		·47			12
13	·05		·08							·25			13
14	·05			·19									14
15	·02									·02			15
16	·08	·18		·25	·16	·05	·14			·33		·70	16
17				·10	·72		·23	·06	·36	·13			17
18		·09		·14	·05		·24	·15	·17	·05			18
19	·06	·10	·09		·13	·06			·08				19
20		·04	·03		·60				·03		·05		20
21		·02	·03								·04		21
22			·04					·15		·10			22
23		·02	·04		·21	·20				·05			23
24		·01				·03				·10			24
25		·01								·10	·06		25
26			·07					·55		·01	·70	·04	26
27			·32					1·18					27
28						1·33		·18				·09	28
29					·10	·35	·23	·18		·35		·14	29
30		×	·28				2·19					·05	30
31	·06	×	·04	×		×	·69		×		×	·01	31
Total	1·33	·80	1·68	2·54	1·97	2·07	5·33	5·36	1·74	3·45	1·56	2·02	YEAR'S TOTAL 29·85 ✓
Rain Days.	12	11	17	25	7	7	10	14	9	19	11	10	152

W. 8,000, VIII. 16

from M.8

Ex'd CDE

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
10 4 · 19

Kept at West Wickham, Wickham Court,

in the County of Kent

by Sir H F Lennard B.t. per. F. C. Bayard.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01	·01			·04			·24		1
2		·05		·05				·25			·10	·16	2
3			·18	·02	·42			·02		·02	·49		3
4		·17	·11		·02			·06	·30		·60		4
5		·03			·14			·10	·92			·02	5
6	·24	·18		·22	·23			·03	·04	·06		·09	6
7		·05		·08	·35	·02			·06	·12	·06	·02	7
8	·03	·08							·12		·10	·06	8
9				·02		·01	·20		·55	·12		·25	9
10				·21			·39		·06	·09	·12	·38	10
11				·03			·70		·01	·39		·14	11
12		·03			·18								12
13	·08	·02		·03	·08		·06		·03			·02	13
14	·11	·02	·02	·05		·55	·04		·10	·20		·15	14
15	1·35			·74			·11					·13	15
16	·47			·13		·25			·07				16
17	·26			·13	·34		·98	·06				·03	17
18	·50			·01		·18	·20		·56	·30		·15	18
19	·11			·10	·05	·08	·11			·15		·02	19
20	·03	·13		·84		·02	·28		·39	·45			20
21	·16			·54			·02		·30	·13			21
22	·03			·01	·44		·08		·17			·15	22
23	·02			·02	·19		·93	·08	·05				23
24		·31					·36		·18				24
25				·32			·59	·17			·12		25
26								·05		·03	·11	·10	26
27		·02	·03	·15				·12	·07	·03	·09	·05	27
28			·23	·05				·05			·24	·09	28
29			·04						1·08				29
30		✗	·32						·08	·03	·08	·14	30
31		✗	·04	✗		✗			✗	·05	✗		31
Total	3·39 ✓	1·09 ✓	·97 ✓	3·76 ✓	2·45 ✓	1·11 ✓	5·05 ✓	1·03 ✓	5·14 ✓	2·17 ✓	2·35 ✓	2·15 ✓	YEAR'S TOTAL 30·66 ✓
Rain Days.	13 ✓	12 ✓	8 ✓	22 ✓	12 ✓	7 ✓	15 ✓	12 ✓	20 ✓	15 ✓	12 ✓	19 ✓	167 ✓

W, 6,500, VII. 18. W W O

417

17 MAR 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Bromley

Kept at West Wickham, Wickham Court
in the County of Kent
by Sir H. F. Lennard, Bt. per Bayard

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	
1	·32	..	·03	..	..	..	·10	·03	..	·09	·09	·99	1
2	·23	..	..	..	·06	..	·14	..	..	·02	·12	·10	2
3	·27	..	·50	..	..	..	·10	·02	·08	..	·05	·33	3
4	·15	..	·54	..	..	·08	·15	·02	..	..	·05	·17	4
5	..	·32	·67	..	..	..	..	..	..	..	·03	·34	5
6	·08	..	·06	..	..	..	..	..	..	..	..	·11	6
7	·04	..	·35	·03	..	..	..	..	..	..	·09	..	7
8	·24	..	·05	..	..	..	..	..	..	..	·05	..	8
9	·40	..	·02	..	..	..	..	..	..	..	·10	..	9
10	·19	..	·05	·30	..	..	..	..	..	..	..	..	10
11	·04	..	·15	·06	..	..	·06	..	..	..	..	·03	11
12	·04	..	·06	·34	..	..	·32	..	..	·10	..	..	12
13	..	..	..	·09	..	..	..	..	·04	·02	..	..	13
14	·36	..	..	·10	..	..	·06	..	·60	..	..	·05	14
15	·20	·12	·08	..	..	..	..	..	..	..	..	·18	15
16	·13	·35	..	..	..	..	..	..	..	..	·11	·05	16
17	..	·20	·05	..	..	..	..	..	..	..	·16	..	17
18	..	·58	·07	..	..	..	..	..	·05	..	·07	..	18
19	..	·08	·64	..	..	·17	·32	·30	..	..	·07	..	19
20	·16	·37	·08	..	..	·95	·33	·18	·01	..	..	·02	20
21	·15	·07	·02	..	..	·06	·06	..	..	..	·04	..	21
22	..	..	..	..	..	..	·28	..	·34	·39	..	·37	22
23	..	..	..	..	..	·03	·02	..	·24	..	..	..	23
24	..	..	..	..	..	..	·02	·02	..	·15	..	..	24
25	·03	·05	..	..	..	..		·15	..	..	..	·05	25
26	..	·30	·12	..	..	..	·01	·03	·14	..	..	·29	26
27	·38	·10	..	·08	..	..	·04	·36	..	..	..	·02	27
28	..	..	·30	·99	..	..	..	·89	..	..	·33	·19	28
29	·05		·06	·02	..	..	..	·42	..	·45	·06	·08	29
30	..		..	·04	..	·08	..	·35	..	·10	·16	·56	30
31	..		·03		..		·03	..		·02		·09	31
Total	3·46	2·54	3·93	2·32	·06	1·37	2·04	2·77	1·50	1·34	1·58	4·02	Year's Total
	..	6·00	9·93	12·25	12·31	13·68	15·72	18·49	19·99	21·33	22·91	26·93	26.93
Days with ·01 in. or more	19	11	21	11	1	6	16	12	8	9	16	19	149

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

392

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at West Wickham, Wickham Court

in the County of

by per Bayard, Sir H. F. Lennard Bt.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	West Wickham IN.	
1	·06	..	..	·29	·03	·04	·30	..	·07	·30	..	·28	1
2	..	..	·07	..	..	..	·04	·30	..	·20	..	·05	2
3	..	·02	..	..	..	·03	..	..	·05	·05	..	·13	3
4	..	·15	..	..	..	..	·65	·05	..	·10	..	·05	4
5	..	..	·07	..	·04	..	·60	·10	·05	..	..	..	5
6	..	..	·23	..	·14	..	·16	..	..	..	..	·06	6
7	·03	..	..	·15	·10	..	·25	..	..	..	..	..	7
8	..	..	..	·07	·17	..	·36	..	..	..	..	..	8
9	..	·06	..	·03	..	..	·02	..	..	..	..	..	9
10	·45	·07	·07	·02	..	·25	·19	..	..	..	·06	..	10
11	·20	..	·07	·21	..	·05	·21	..	..	..	..	·23	11
12	·07	..	..	·19	..	1·33	..	..	..	..	·01	..	12
13	·26	..	·15	·09	..	..	..	..	..	..	·02	..	13
14	..	..	·31	·33	..	·16	..	..	..	·13	·23	..	14
15	·02	..	·06	·23	..	·03	..	..	·83	·04	·09	..	15
16	..	..	·01	·18	..	..	..	..	·62	..	..	..	16
17	..	..	..	·01	·11	..	..	..	·58	..	·02	·10	17
18	·03	..	..	·04	·04	..	..	·96	·26	..	..	·10	18
19	·13	..	..	·34	..	..	..	..	..	..	..	..	19
20	·06	·19	..	..	..	·48	..	..	·08	..	..	..	20
21	..	..	..	..	..	..	·68	..	·78	..	..	·07	21
22	..	..	..	·37	..	..	..	..	·18	..	..	·33	22
23	..	..	..	..	..	..	·42	..	..	..	..	·27	23
24	..	..	·04	..	..	..	..	..	..	..	·02	..	24
25	..	..	·14	·01	..	..	·22	..	·04	..	..	·01	25
26	·03	..	·01	·01	..	..	·06	..	..	..	..	·02	26
27	·35	·08	·01	·24	..	·10	·17	..	..	..	·40	·08	27
28	·57	..	·14	·06	·08	..	·08	..	..	..	·02	·10	28
29	·03	..	·08	..	..	·04	·02	..	..	..	..	·19	29
30	..		..	..	..	·03	·11	..	·27	·03	·30	·13	30
31	..		..		·01		..	..		·41		·10	31
TOTAL	2·29	·57	1·46	2·87	·72	2·54	4·54	1·41	3·81	1·26	1·17	2·30	YEAR'S TOTAL
	..	2·86	4·32	7·19	7·91	10·45	14·99	16·40	20·21	21·47	22·64	24·94	24·94
Days with ·01 in. or more	14	6	15	19	9	11	18	4	12	8	10	18	144
Days with ·04 in. or more	9	5	12	14	7	8	16	4	12	7	5	16	115

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

made

REC

WHITSTABLE
SEA SANDS
KENT
1912 - 1914

FORM A2.
BRITISH RAINFALL.
13 JAN 191

Kept at Sea Sands -
in the County of ~~Whitst~~
by H.W. Thatcher

Aug 5 in.
Ground 1 ft. — in.
Sea Level c 150 ft.
m.
Name Whitstable Town
Distance 2/3 M Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·56	·22	—	~~·10~~	·56	—		1
2						·04	·15	·04	~~[illegible]~~	·16	—		2
3						·12	—	·12	·01	·06	—		3
4						·56	—	—	—	—	·14		4
5					not observed	·13	—	·24	—	—	·15		5
6						—	·06	·52	—	—			6
7						·19	—	·22	—	—			7
8						·07	·05	·02	·10	—			8
9						·01	—	·02	—	—			9
10						—	—	·08	—	—			10
11						·05	—	·01	·04	—			11
12						~~·01~~	—	·11	—	—			12
13						—	—	·05	—	—			13
14						—	—	—	—	·08			14
15						·75	—	—	·03	—			15
16						·05	—	·07	—	·02			16
17						·01	—	·02	—	—			17
18						—	·26	·25	—	—			18
19						—	·30	·30	·01	—			19
20						—	·02	·12	—	·54			20
21						·01	—	·04	—	·29			21
22						—	·13	·08	—	·02			22
23					·02	·02	—	·48	—	—			23
24					—	·07	·02	·13	—	—			24
25					—	·13	—	1.16	—	—			25
26					—	—	—	·38	—	·26			26
27					—	—	·03	—	—	·03			27
28					—	—	·11	·02	—	·40			28
29					—	—	·02	·06	·78	·17			29
30					·01	·03	·07	·15	1.37	·16			30
31					·04		·16	·12					31
Total					~~·07~~	2·80	1.54	4·75	2·44	2·75			TOTAL for year
No. of Rain Days.						17	14	26	8	13			

W. 8,000, X. '11.

S made

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

13 JAN 191

Kept at Sea Sands - Whitstable

in the County of ~~Whitstable~~ Kent

by H.W. Thatcher

RAIN GAUGE
Pattern Britons Assn
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level c150 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Whitstable Town
Distance 2/3 M Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·56	·22	—	~~·10~~	·56	—		1
2						·04	·15	·04	~~[illegible]~~	·16	—		2
3						·12	—	·12	·01	·06	—		3
4						·56	—	—	—	—	·14		4
5						·13	—	·24	—	—	·15		5
6						—	·06	·52	—	—			6
7						·19	—	·22	—	—			7
8						·07	·05	·02	·10	—			8
9						·01	—	·02	—	—			9
10						—	—	·08	—	—			10
11						·05	—	·01	·04	—			11
12						~~·01~~	—	·11	—	—			12
13						—	—	·05	—	—			13
14					not observed	—	—	—	—	·08			14
15						·75	—	—	·03	—			15
16						·05	—	·07	—	·02			16
17						·01	—	·02	—	—			17
18						—	·26	·25	—	—			18
19						—	·30	·30	·01	—			19
20						—	·02	·12	—	·54			20
21						·01	—	·04	—	·29			21
22						—	·13	·08	—	·02			22
23					·02	·02	—	·48	—	—			23
24					—	·07	·02	·13	—	—			24
25					—	·13	—	1·16	—	—			25
26					—	—	—	·38	—	·26			26
27					—	—	·03	—	—	·03			27
28					—	—	·11	·02	—	·40			28
29					—	—	·02	·06	·78	·17			29
30					·01	·03	·07	·15	1·37	·16			30
31					·04		·16	·12					31
Total					·07	2·8	1·54	4·75	2·44	2·75			TOTAL for year
No. of Rain Days.						17	14	26	8	13			

W. 8,000, X. '11.

I made

end pr auth 7.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4 DEC 1913

Kept at Whitstable
in the County of Kent
by H.W. Thatcher

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station before
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					1	17	–	–	–	1~~2~~	2		1
2					–	–	19	–	–	tr	–		2
3					19	–	–	tr	–	–	4		3
4					–	–	6		–	3	–		4
5					–	–	47		62	4	9		5
6					2	6	7	3	–	31	8		6
7					–	–	11	3	–	23	tr		7
8						2	–	–	–	20	3		8
9					–	–	10	4	6	–	–		9
10					–	–	–	2	–	–	35		10
11					–	–	–	–	–	35	9		11
12					–	–	–	tr	–	–	64		12
13					–	–	–	4	–	–	34		13
14					–	–	26	1	17	18	16		14
15					–	–	39	–	–	–	tr		15
16					–	–	–	–	·23	–	–		16
17					–	–	16	–	–	–	–		17
18					–	–	tr	–	14	–	2		18
19					–	–	7	4	11	–	–		19
20					–	8	–	–	5	17	–		20
21				29	7	–	tr	–	–	77	58		21
22				–	–	–	6	–	–	4			22
23				–	–	4	2	–	7	–			23
24				1	–	3	–	14	–	–			24
25				17	–	11	–	–	–	2			25
26				–	–	–	–	2	–	67			26
27				–	27	–	4	–	–	6			27
28				–	6	–	–	–	–	14			28
29				46	–	–	–	3	–	–			29
30				28	6	–	–	28	2	6			30
31					–	–	–	8		5			31
Total					68	51	1.96	76	1.47	3.33			YEAR'S TOTAL
Rain Days.					7	7	~~15~~ 12	~~15~~ 12	9	17			

W. 7,500, XI. 12

Slip made 2/3/15

Oct. prep. 16.11.15 Jt 15/36

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

6 NOV 1914

Kept at 'Sea Sands' Whitstable

in the County of Kent 3

by Major H.W. Thatcher

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Whitstable Town

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

A Wafer

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						—	—	—	—	—			1
2						—	24	—	—	—			2
3						—	(·10)	~~31~~	—	—			3
4						—	—	31~~31~~	—	—			4
5						—	7	5	—	—			5
6						34	2	—	—	—			6
7					—	18	—	—	—	—			7
8					—	—	2	—	—	—			8
9					—	5	—	—	—	—			9
10					31 29.99 1.	—	—	—	—	5			10
11					30.03 30 —	3	—	—	8	—			11
12	* 1.02 in ½ hour.	Thunder Storm			31.12 —	—	1.04*	—	9	—			12
13					—	4	—	—	10	7			13
14					—	—	3	—	—	23			14
15					—	—	58	—	—	—			15
16		Note			—	—	19	—	—	—			16
17					—	—	—	—	3	—			17
18					—	—	—	—	—	16			18
19					—	—	—	—	4	19			19
20					—	—	—	—	—	15			20
21					—	—	5	8	—	1			21
22					1	9	26	—	—	5			22
23					21	27	3	—	—	2			23
24					—	—	5	—	—	—			24
25					—	—	—	—	—	19			25
26					3	—	—	11	—				26
27					—	—	—	—	—	}(·17)			27
28					2	—	1	—	—				28
29					—	—	—	—	—	1.05			29
30					—	—	—	—	—	(·16)			30
31					17				—				31
Total					nil ~~45~~	1.00	2.59	.55	34	(2·50)			YEAR'S TOTAL
Rain Days.					~~6~~	7	13	—					

W.7,000, XI. 13

1 day missing end of Oct
See Seasalter

6 NOV 1914

5. 11. 14

Sea Sands,
Whitstable.

Sir

I enclose my imperfect Rainfall – I have been so occupied that there is one day missing, towards end of October & am

Yours faithfully

H. W. Thatcher

WHITSTABLE
WESTERN HSE
KENT
1911 - 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REG

Kept at Whitstable

in the County of Kent

by Jno. W. Haym

...ical

...in.

...round ~~ft.~~ 10 in.

...ea Level 17 ft.

...m

...ame Whitstable Town

...istance 304yds Direction S

IMPORTANT NOTE. ... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.11			0.30								0.01	1
2	Some snow 0.10		0.02		0.11	0.01		0.02			0.02	0.09	2
3	0.10	0.04		?	0.04						0.15	0.10	3
4	0.09	0.01	0.04						0.02	0.82	0.03	0.17	4
5	0.03	0.03		Snow 0.23						0.41	0.16	0.17	5
6	0.17	0.02										0.22	6
7	0.01									0.90	0.17	0.35	7
8	0.09										0.24	0.08	8
9	0.15		0.10	0.03						0.16	0.07	0.05	9
10		0.05		0.07							0.01	0.82	10
11	0.27		0.01								0.49		11
12	0.03		0.59			0.05					0.04		12
13			0.01		0.52	0.10			0.58	0.38	0.03	0.19	13
14		0.16	0.01		0.38	0.06				0.02		0.23	14
15		0.03	Snow 0.31								0.03	0.03	15
16						0.30					0.17	0.02	16
17			0.05								0.17	0.07	17
18		0.08	0.03								1.03	0.06	18
19						0.03			0.08		0.18	0.14	19
20	0.02					0.01		0.32	0.44	0.15		0.60	20
21	0.01	0.01						0.15	0.01	0.34		0.13	21
22	0.03		0.22			0.01		0.15		0.29		0.37	22
23		0.10	0.16			1.31			0.15	0.04	0.02	0.05	23
24		0.01	0.01			0.15	0.15	0.03		0.94		0.28	24
25		0.05	0.10	0.08		0.14		0.11	0.02	0.04	0.13		25
26			0.14	0.19						0.11	0.18	0.15	26
27		0.25	0.04	0.05					0.16	0.33		0.02	27
28		0.09		0.11									28
29				0.07		0.08	0.08	0.02	0.16	0.12			29
30				0.01	0.10		0.09		0.07	0.20			30
31													31
Total	1.21	0.93	1.84	1.14	1.15	2.25	0.32	0.80	1.29	5.25	3.32	4.40	TOTAL for Year 23·40
No. of Rain Days.	14	14	Rain 15 Snow 1 16	Rain 9 Snow 1 10	5	12	3	7	10	16	19	24	150

W. 8,000, X. '11.

REGISTER OF RAIN

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Whitstable

in the County of Kent 3

by Jno. W. Hayward

RAIN GAUGE
Pattern Cylindrical
Diameter of top 5 in.
Height of top above Ground ~~ft.~~ 10 in.
" " " Sea Level 17 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Whitstable Town
Distance 30yds Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.11			0.30								0.01	1
2	Some snow 0.10		0.02		0.11	0.01		0.02			0.02	0.09	2
3	0.10	0.04		?	0.04						0.15	0.10	3
4	0.09	0.01	0.04						0.02	0.82	0.03	0.17	4
5	0.03	0.03		Snow 0.23						0.41	0.16	0.17	5
6	0.17	0.02										0.22	6
7	0.01									0.90	0.17	0.35	7
8	0.09										0.24	0.08	8
9	0.15		0.10	0.03						0.16	0.07	0.05	9
10		0.05		0.07							0.01	0.82	10
11	0.27		0.01								0.49		11
12	0.03		0.59			0.05					0.04		12
13			0.01		0.52	0.10			0.58	0.38	0.03	0.19	13
14		0.16	0.01		0.38	0.06				0.02		0.23	14
15		0.03	Snow 0.31								0.03	0.03	15
16						0.30					0.17	0.02	16
17			0.05								0.17	0.07	17
18		0.08	0.03								1.03	0.06	18
19						0.03			0.08		0.18	0.14	19
20	0.02					0.01		0.32	0.04	0.15		0.60	20
21	0.01	0.01						0.15	0.01	0.34		0.13	21
22	0.03		0.22			0.01		0.15		0.29		0.37	22
23		0.10	0.16			1.31			0.15	0.04	0.02	0.05	23
24		0.01	0.01			0.15	0.15	0.03		0.94		0.28	24
25		0.05	0.10	0.08		0.14		0.11	0.02	0.04	0.13		25
26			0.14	0.19						0.11	0.18	0.15	26
27		0.25	0.04	0.05					0.16	0.33		0.02	27
28		0.09		0.11									28
29				0.07		0.08	0.08	0.02	0.16	0.12			29
30				0.01	0.10		0.09		0.07	0.20			30
31													31
Total	1.21	0.93	1.84	1.14	1.15	2.25	0.32	0.80	1.29	5.25	3.32	4.40	TOTAL for Year 23.90
No. of Rain Days.	14	14	Rain 15 Snow 1 16	Rain 9 Snow 1 10	5	12	3	7	10	16	19	24	150

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Whitstable

in the County of Kent 3

by Jno. W. Hayward

RAIN GAUGE
Pattern cylindrical
Diameter of top 5 in.
Height of top above Ground . ft. 10 in.
" " " Sea Level 17 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Chatham & S. E.
Distance 30 yds Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.05			0.48	0.25		0.06	0.54		0.14	1
2		0.11 Snow	0.12	0.02			0.13	0.02		0.13			2
3	0.06	0.09	0.02			0.11	0.01	0.12		0.07		0.03	3
4	0.23		0.77		0.15	0.58					0.18		4
5	0.11	0.05	0.09			0.15					0.15	0.01	5
6	0.34	0.03			0.04		0.04	0.81			0.01	0.01	6
7			0.03		0.03	0.19		0.17					7
8	0.15	0.14	0.24			0.06		0.02	0.10				8
9				0.07		0.01	0.05	0.04					9
10		0.02						0.04	0.02		0.03	0.23	10
11	0.02	0.15				0.03		0.01	0.04			0.10	11
12		0.24			0.05			0.11			0.01	0.01	12
13			0.02					0.04			0.28		13
14					0.07			0.01	0.04	0.06	0.04		14
15			0.07		0.22	0.72		0.01			0.02	0.19	15
16	0.13		0.03		0.03	0.12				0.02	0.01		16
17	0.36		0.41			0.02		0.04			0.07		17
18	0.03		0.26				0.33	0.20		0.04	0.16	0.23	18
19	0.03	0.03	0.23			0.01	0.43	0.34			0.03		19
20	0.03	0.01	0.37					0.07		0.63			20
21		0.03	0.29					0.05		0.24	0.06		21
22	0.06	0.07	0.01				0.11	0.11			0.01	0.01	22
23	0.37	0.23	0.15		0.02			0.52		0.02	0.15	0.04	23
24	0.08	0.01				0.09	0.03	0.14		0.03	0.01	0.08	24
25	0.06					0.12		1.32			0.11	0.27	25
26							0.02	0.37		0.25	0.19	0.28	26
27			0.01				0.04			0.03		0.06	27
28							0.11			0.52	0.32	0.14	28
29		0.01					0.02	0.08	0.82	0.13	0.09		29
30							0.01	0.16	1.23	0.18			30
31	0.02 Snow				0.03		0.13	0.18					31
Total	2.08	1.22	3.17	0.09	0.64	2.69	1.71	4.98	2.31	2.89	1.93	1.83	TOTAL for year 25.54
No. of Rain Days.	16	15	18	2	9	14	15	25	7	15	20	16	173 172

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
2 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Western House
in the County of Kent
by Jno. W. Hayward

3

Lat. 51.21 Long. 1.1.E
Nearest Railway Station London & Chatham
Time of Observation 9 a.m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 10 in.
" " " Sea Level 17 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.28		0.04		0.16				0.02	0.01	0.03	1
2	0.05	0.14					0.27				0.01		2
3				0.44	0.17							0.04	3
4	0.10			0.01			0.05			0.02	0.04		4
5	0.13						0.52		0.59	0.04		0.04	5
6	0.03	0.01	0.01	0.01		0.08	0.07	0.08		0.37	0.19		6
7		0.06	0.05				0.13	0.03		0.19	0.01	0.01	7
8			0.04		0.11					0.25	0.01		8
9		0.06		0.02	0.13			0.02	0.07		0.01	0.01	9
10			0.05	0.12			0.04				0.35		10
11	0.40			0.41				0.04		0.35	0.08		11
12				0.01	0.01						0.80		12
13	0.32		0.02			0.01		0.04			0.45		13
14	0.07		0.04	0.06			0.30		0.12	0.16	0.14		14
15	0.04		0.16				0.29				0.01		15
16	0.43		0.24	0.14			0.01		0.17				16
17	0.01	0.11 rain & snow		0.12			0.15	0.01	0.01			0.16	17
18	0.01		0.06	0.08			0.02		0.20		0.04		18
19	0.08		0.09				0.07	0.03	0.13				19
20	0.69		0.09			0.07			0.03	0.23			20
21	0.03		0.04	0.23	0.04					0.76	0.68		21
22	0.25		0.41				0.11		0.04	0.04		0.01	22
23	0.01		0.09			0.02		0.02	0.02			0.38	23
24	0.02		0.04					0.11					24
25				0.17		0.09						[illegible]	25
26			0.15					0.01		0.70		0.24	26
27		0.01	0.02		0.24					0.07	0.01		27
28	0.32		0.16			0.01				0.15			28
29	0.27		0.08	0.33	0.04			0.06		0.01		0.01	29
30	0.26			0.27	0.06			0.32		0.05		0.09	30
31	0.01		0.33					0.05		0.06			31
Total	3.53	0.67	2.17	2.48	0.80	0.44	2.03	0.82	1.38	3.47	2.84	1.02	TOTAL for year 21.65
No. of Rain Days	21	7	20	16	8	7	13	13	10	17	16	11	159

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

No 1 Gauge Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Western House, Whitstable
in the County of Kent 3
by Jno. W. Hayward

Lat. 51. 21 N Long. 1. 1. E
Time of Observation 9 a. m.
Nearest Railway Station London & Chatham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0.04				0.02			0.04	0.11	1
2				0.03			0.23				0.06	0.17	2
3			0.07		0.08		0.18						3
4			0.02	0.26				0.32			0.27	0.14	4
5	0.15		0.03	0.22	0.05		0.07	0.07					5
6				0.18		0.40		0.01				0.14	6
7		0.32	0.12	0.08		0.18	0.04					0.08	7
8	0.09	0.16	0.16	0.05			0.42	0.05				0.04	8
9	0.24		1.00	0.04		0.04						1.18	9
10	0.04		0.01		0.01					0.04		0.05	10
11		0.16	0.15	0.02		0.02			0.13		0.37	0.35	11
12	0.01	0.03	0.07				1.51		0.11			0.43	12
13	0.03	0.14	0.18			0.03			0.13	0.06	0.04	0.29	13
14		0.12	0.19							0.23		0.35	14
15		0.01	0.18				0.65				0.73	0.06	15
16		0.04	0.02				0.24				0.02		16
17		0.04	0.09						0.06	0.01		0.02	17
18		0.13	0.05							0.15	0.03	0.26	18
19		0.02	0.70							0.19	0.34 Snow & rain	0.09	19
20		0.11	0.17						0.02	0.15		0.26	20
21		0.69	0.04					0.02		0.01	0.01	0.06	21
22				0.27		0.07	0.30			0.06			22
23			0.51		0.31	0.31	0.02					0.17	23
24			0.03	0.19			0.02			0.02	0.03	0.01	24
25	0.12		0.11		0.01		0.01			0.24			25
26	0.01		0.01					0.15			0.14	0.32	26
27			0.02							0.04	0.01	0.30	27
28	0.01				0.02		0.02			0.13	0.37	0.41	28
29										1.05	0.09		29
30		X								0.15	0.46		30
31		X		X	0.22	X			X		X	0.03	31
Total	0.72	1.97	3.93	1.38	0.70	1.05	3.31	0.64	0.45	2.53	3.01	5.32	YEAR'S TOTAL 25.01
Rain Days.	9	13	23	11	7	7	13	7	5	15	16	24	150

W. 8,000. X. 14.

No 1

385

FORM A.
BRITISH RAINFALL.

4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Whitstable

in the County of Kent

3

by Jno. W. Hayward

Lat. 51.21 N Long. 1.1. E.

Time of Observation 9 a.m.

Nearest Railway Station London & Chatham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.47	0.08	0.14					0.01	0.33		0.21	0.26	1
2	0.19	0.09	0.17	0.02				0.14	0.11			0.02	2
3	0.24		0.08	0.10	0.02			0.06	0.37			0.43	3
4	0.02							0.16		0.17	0.03	0.44	4
5	0.02	0.14		0.04				0.05		0.07	0.15	0.35	5
6	0.25	0.14		0.24			0.02				0.01	0.05	6
7	0.13	0.17	0.07				0.02					0.18	7
8		0.34	0.06	0.01			0.03						8
9	0.04	0.30				0.15		0.22		0.04	0.44	0.38	9
10	0.10											0.57	10
11		0.01								0.05	0.51	0.01	11
12				0.36	0.39			0.14			0.34		12
13	0.09	0.98		0.02	0.83								13
14		0.01					0.12	0.33	0.03			0.11	14
15	0.10				0.04		0.07	0.16			Snow & rain 0.59	0.09	15
16		0.33		0.04			0.40	0.04			0.02	0.01	16
17	0.01	0.43			0.73		0.01	0.36				0.45	17
18		0.13	0.05		0.57					0.03	0.04	0.02	18
19		0.01								0.09			19
20	0.32	0.10			0.01					0.04		0.17	20
21	0.07	0.01								0.04		0.02	21
22	Snow 0.14	0.04	0.01				0.34					0.15	22
23	0.05	0.13	0.05			0.01	0.16			0.03		0.23	23
24			0.17				0.17		0.13	0.07		0.32	24
25	0.02		0.13	0.14			0.25			(0.01) 0.01		0.16	25
26	0.05					0.01			0.01		0.05	0.20	26
27		0.01		0.01			0.11			0.12		0.02	27
28		0.11	Snow 0.22			0.25	0.19		2.14	0.11			28
29			Snow 0.01		0.05	0.15	0.19	0.12			0.28	0.07	29
30	0.04						0.10				0.40		30
31	0.02									0.38		0.27	31
Total	2.37	3.56	1.16	0.98	2.64	0.57	2.24	1.79	3.12	1.25	3.07	4.92	YEAR'S TOTAL 27.67 ✓
Rain Days.	20	20	12	10	8	5	15	12	7	14	13	25	161 ✓

W. 8,000. X. 15.

Gauge No 2

Ex JL

2 - JAN 1915

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by Jno. W. Hayward

Time of Observation 9 a.m

YEAR 1914

At Western House, Whitstable

County Kent 3

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.04				0.02			0.04	0.11	
2				0.03			0.24				0.06	0.17	
3			0.08		0.08		0.18						
4			0.02	0.27				0.33			0.27	0.14	
5	0.14		0.03	0.22	0.05		0.08	0.07					
6				0.19		0.41		0.01				0.13	
7		0.32	0.13	0.09		0.19	0.04					0.08	
8	0.09	0.17	0.17	0.06			0.02	0.05				0.04	
9	0.24		1.01	0.04		0.04						1.21	
10	0.07		0.07		0.01					0.05		0.06	
11		0.17	0.15	0.03		0.03			0.14		0.36	0.36	
12	0.01	0.03	0.07				1.54		0.11			0.43	
13	0.03	0.13	0.18			0.02			0.13	0.06	0.04	0.29	
14		0.12	0.20							0.24		0.35	
15		0.01	0.18				0.66				0.74	0.06	
16		0.04	0.02				0.24				0.03		
17		0.04	0.09						0.07	0.01		0.03	
18		0.14	0.05							0.15	0.03	0.27	
19		0.02	0.69							0.19	Shower rain 0.34	0.09	
20		0.11	0.18						0.03	0.15		0.26	
21		0.69	0.04					0.02		0.01	0.01	0.06	
22				0.29		0.08	0.31			0.06			
23			0.51		0.32	0.32	0.02					0.17	
24			0.04	0.19			0.02			0.02	0.03	0.01	
25	0.12		0.11		0.01		0.01			0.25			
26	0.01		0.01					0.16			0.14	0.32	
27			0.02							0.04	0.01	0.30	
28	0.01				0.02		0.03			0.14	0.37	0.41	
29										1.05	0.09		
30										0.15	0.45		
31					0.24							0.03	
Totals	0.72	1.99	4.05	1.45	0.73	1.10	3.39	0.66	0.48	2.57	3.01	5.37	25.52
	9	13	23	11	7	7	13	7	5	15	16	24	150 ✓



MONTHLY TOTALS

No ~~III~~ 2

386

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 JAN 1916

Kept at Whitstable

in the County of Kent 3

by Jno. W. Hayward

Lat. 51.21 N Long. 1.1.E

Time of Observation 9 a.m

Nearest Railway Station London & Chatham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.47	0.08	0.14					0.01	0.35		0.22	0.27	1
2	0.19	0.09	0.17	0.03				0.15	0.12			0.02	2
3	0.24		0.08	0.10	0.02			0.07	0.39			0.44	3
4	0.02							0.16		0.18	0.04	0.44	4
5	0.02	0.15		0.04				0.05		0.28	0.16	0.35	5
6	0.25	0.14		0.24			0.02				0.01	0.05	6
7	0.13	0.17	0.07				0.03					0.19	7
8		0.34	0.06	0.01			0.04						8
9	0.05	0.31				0.16		0.23		0.04	0.45	0.38	9
10	0.10											0.51	10
11		0.01								0.05	0.51	0.01	11
12				0.38	0.40			0.15			0.34		12
13	0.09	0.46		0.02	0.85								13
14		0.01					0.13	0.34	0.03			0.12	14
15	0.10				0.04		0.07	0.16			Snow & Rain 0.59	0.09	15
16		0.33		0.04			0.48	0.04			0.02		16
17	0.02	0.43			0.75		0.01	0.37				0.46	17
18		0.13	0.06		0.58					0.03	0.04	0.02	18
19		0.01								0.09			19
20	0.32	0.10			0.01					0.04		0.17	20
21	0.12	0.01								0.04		0.02	21
22	Snow 0.13	0.04	0.01				0.35					0.15	22
23	0.04	0.14	0.05			0.01	0.17			0.03		0.23	23
24			0.18				0.18		0.13	0.07		0.32	24
25	0.02		0.14	0.15			0.25			0.01		0.16	25
26	0.05					0.01			0.01		0.04	0.21	26
27		0.01		0.01			0.12			0.12		0.02	27
28		0.11	Snow 0.21			0.26	0.18		2.16	0.11			28
29			Snow 0.03		0.06	0.16	0.21	0.13			0.28	0.07	29
30	0.04	✕					0.10				0.40		30
31	0.02	✕		✕		✕			✕	0.38	✕	0.27	31
Total	2.42	3.57	1.20	1.02	2.71	0.60	2.34	1.86	3.19	1.27	3.10	4.97	YEAR'S TOTAL 28.25 ✓
Rain Days.	20	20	12	10	8	5	15	12	7	14	13	24	160 ✓

W. 8,000. X. 15.

No I Gauge

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

Kept at Western House, Whitstable
in the County of Kent
by Jno. W. Hayward

Lat. 51.21 N Long. 1.1. E
Time of Observation 9 a.m
Nearest Railway Station London and Chatham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 10 in.
" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.6								0.09		0.36		1
2	0.18	0.02	0.43		0.07					0.44			2
3		0.45	0.11			0.01	0.04		0.02	0.09	0.40		3
4	0.09	0.07				0.12	0.01			0.01	0.37		4
5	0.01			0.03	0.02	0.20	0.35			0.02	0.31		5
6		0.01	Snow 0.23	0.48		0.09				0.01	0.27		6
7	0.04		Snow & Rain 0.76		0.39	0.03	0.18				0.38	0.01	7
8					0.06							0.07	8
9					0.33	0.04						0.16	9
10		0.07	0.04	0.10		0.16	0.11					0.24	10
11	0.01	0.09	0.04	0.15		0.09						0.17	11
12	0.02	0.02		0.07	0.91	0.24				0.14		0.05	12
13		0.16	0.19	0.11	0.13	0.10	0.49			0.06			13
14		0.38	0.10	0.04	0.02	0.02	0.01			0.01		0.06	14
15		0.15	0.04									0.03	15
16		0.04	0.02	0.14			0.06			0.01			16
17	0.09			0.18			0.03	0.02	0.28	0.35			17
18	0.04	0.10		0.08					0.04	0.11	0.74	0.17 Rain & Snow	18
19	0.08	0.02		0.03					0.08	0.01	0.97	0.01	19
20	0.03		0.04	0.08		0.01					0.01	0.36	20
21			0.70	0.15							0.03	0.10	21
22	0.02	0.20	0.26	0.05								0.41	22
23		Snow 0.32	0.03			0.10		0.04			0.01	0.04	23
24										0.38	0.01	0.23	24
25		Snow 0.28	0.10		0.01			0.34		0.04	0.02	0.01	25
26		0.18	0.01			0.12				0.14	0.05		26
27	0.05	Rain & Snow 0.44	0.62					0.40		0.29			27
28		0.49	0.23			0.02			0.15	0.04		0.10	28
29		0.16				0.07		0.52	0.07	0.22		0.17	29
30		X						0.31		0.15			30
31		X		X		X			X	0.08	X	0.01	31
Total	0.72	3.65	3.95	1.69 +1.69	1.94	1.42	1.28	1.63	0.73	2.60	3.93	2.40	YEAR'S TOTAL 25.94 25.94
Rain Days.	13	20	18	14	9	16	9	6	7	20	14	19	163

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

No 2 Gauge

370

FORM A.
BRITISH RAINFALL.

3 JAN 17

REGISTER OF RAINFALL IN 1916

Kept at Western House, Whitstable

in the County of Kent

by Jno. W. Hayward

Lat. 51.21 N Long. 1.1. E

Time of Observation 9 a.m.

Nearest Railway Station London & Chatham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~ft.~~ 11 in.

" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.7								0.09		0.36		1
2	0.18	0.02	0.44		0.07					0.45			2
3		0.47	0.11			0.01	0.04		0.02	0.09	0.41		3
4	0.09	0.07				0.13	0.01			0.01	0.37		4
5	0.01			0.04	0.03	0.20	0.36			0.02	0.33		5
6		0.02	Snow 0.23	0.48		0.09				0.01	0.28		6
7	0.04		Snow & rain 0.77		0.40	0.03	0.19				0.39	0.01	7
8					0.06							0.08	8
9					0.35	0.05						0.16	9
10		0.07	0.04	0.10		0.16	0.12					0.24	10
11	0.02	0.09	0.04	0.15		0.09						0.16	11
12	0.02	0.01		0.07	0.90	0.24				0.14		0.05	12
13		0.16	0.19	0.11	0.13	0.10	0.49			0.06			13
14		0.38	0.10	0.04	0.02	0.02	0.01			0.01		0.07	14
15		0.16	0.04									0.03	15
16		0.04	0.02	0.15			0.06			0.02			16
17	0.09			0.19			0.03	0.03	0.28	0.36			17
18	0.04	0.11		0.08					0.04	0.11	0.75	0.17 rain & snow	18
19	0.08	0.02		0.03					0.09	0.01	0.96	0.02	19
20	0.03		0.04	0.08		0.01					0.01	0.37	20
21			0.71	0.15							0.03	0.09	21
22	0.02	0.23	0.27	0.05								0.41	22
23		Snow 0.34	0.03			0.10		0.05			0.01	0.04	23
24										0.38	0.01	0.23	24
25		Snow 0.25	0.11		0.01			0.36		0.04	0.02	0.01	25
26		0.22	0.01			0.12				0.14	0.06		26
27	0.06	0.44 Rain & Snow	0.62					0.40		0.29			27
28		0.49	0.23			0.02			0.16	0.04		0.10	28
29		0.17				0.08		0.51	0.07	0.24		0.17	29
30		X						0.32		0.15			30
31	0.01	X		X		X			X	0.08	X	0.01	31
Total	0.76	3.76	4.00	1.72	1.97	1.45	1.31	1.67	0.75	2.65	3.99	2.42	YEAR'S TOTAL 26.45
Rain Days.	14	20	18	14	9	16	9	6	7	20	14	19	166

W. 8,000, VIII. 16

360

FORM A.
BRITISH RAINFALL.

Gauge No 1 REGISTER OF RAINFALL IN 1917

Exd D.L.

Kept at Western House, Whitstable
in the County of Kent.
by Jno. W. Hayward

Lat. 51.21 N Long. 1.1.E
Time of Observation 9 a.m
Nearest Railway Station London & Chatham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 14 in.
" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				Snow 0.24				2.27	0.04		0.02	0.01	1
2	0.02			Snow & rain 0.46				0.23			0.02		2
3				0.06				1.10					3
4		Snow 0.14	Snow 0.03							0.32			4
5	0.10		0.01							0.08			5
6				0.21		0.06			0.15	0.02	0.09		6
7	0.21									0.57		0.01	7
8	0.19			0.10			0.45	0.19		0.21	0.09	0.26	8
9	0.14		Snow 0.02	Snow & rain 0.15			0.01	0.01			0.04	1.11	9
10	Snow 0.13		0.06	Snow 0.10				0.06				[illegible]	10
11	0.10	0.03	0.56	Snow & rain 0.27					0.05	0.15		0.02	11
12	0.04	0.01	0.03	Snow 0.01				0.10		0.31			12
13	0.01		0.06		0.18				0.01	0.27			13
14	Snow 0.30		0.01	0.16	0.01								14
15	Snow 0.07							0.06		0.01			15
16	Rain & Snow 0.23	0.02		0.04	0.14					0.01		a little snow with rain 0.29	16
17				0.09	0.51		0.16			0.16		Snow 0.03	17
18	0.04	0.01		0.10		0.01	0.07	0.01	0.10				18
19		0.04	0.18	0.01		0.02			0.07				19
20	0.02	0.17	0.08		0.06	0.02	0.04				0.10		20
21		0.02	Snow & rain 0.07			0.08						0.05	21
22			Snow 0.26		0.03	0.16				0.14		0.07	22
23			Snow 0.01		0.18	0.02		0.13		0.01		0.02	23
24								0.01					24
25			0.03							0.05			25
26			Snow & rain 0.07			0.11		0.06		0.03	0.61		26
27						0.01		1.11				0.03	27
28						0.28		0.10				0.07	28
29			0.03			0.06	1.64	0.13		0.28		0.17	29
30	Snow 0.10	X	0.15				0.78	0.04		0.23		0.01	30
31	Snow 0.07	X	0.06	X		X	1.05		X		X	Snow 0.01	31
Total	1.77	0.44	1.72	2.00	1.11	0.83	4.20	5.61	0.42	2.85	0.97	2.16	YEAR'S TOTAL 24.08
Rain Days.	16	8	18	14	7	11	8	16	6	17	7	15	143

W. 8,000, IX. 17.

7.07

No. 18·19 ~~W. D. L~~ and [illegible]

5]

FORM A. BRITISH RAINFALL

2. 19

REGISTER OF RAINFALL IN 1918

Kept at Western House, Whitstable
in the County of Kent
by Jno. W. Hayward

Lat. 51·21 N Long. 1·1 E
Time of Observation 9 a.m
Nearest Railway Station London & Chatham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~ft.~~ 10 in.
" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			Snow 0·02								0·06	0·04	1
2								0·17			0·57	0·04	2
3				0·05	0·06			0·01		0·03	0·49	0·05	3
4		0·01	0·01	0·05				0·04	0·23		0·43		4
5		0·04			0·73			0·03	0·03			0·01	5
6	0·23	0·04		0·04	0·19			0·02	0·02	0·02	0·05		6
7	Snow 0·04	0·02	0·01	0·17	0·15			0·02	0·52	0·03			7
8		0·04		0·01					0·13		0·09		8
9	0·02		0·01			0·15			0·33	0·13		0·02	9
10				0·05			0·09		0·04	0·03	0·02	0·20	10
11	0·05			0·01			0·12		0·14	0·30	0·08	0·07	11
12					0·28		0·02		0·05	0·32		0·02	12
13	Snow 0·06	0·12			0·05								13
14	0·09					0·13	0·03		0·17	0·16		0·10	14
15	1·09			0·29		0·02	0·04			0·07		0·05	15
16	Snow & rain 0·17			0·15		0·02	0·05		0·01				16
17	0·23			0·19			0·26					0·14	17
18	0·16			Snow 0·02		0·06			0·28			0·02	18
19	0·10		0·19	Snow & rain 0·10		0·02			0·06	0·27		0·01	19
20	0·03	0·03					0·89		0·06	0·37		0·01	20
21	0·06						0·01		0·10	0·09			21
22	0·03				0·01		0·07		0·33		0·01	0·17	22
23	0·05			0·01	0·18		0·49				0·01	0·01	23
24		0·16		0·03	0·09	0·07			0·08		0·02		24
25							0·09						25
26							0·23	0·02			0·05	0·09	26
27				0·17			0·04	0·07	0·01	0·01		0·03	27
28		0·09	0·28	0·05				0·02			0·19	0·06	28
29			0·01	0·20					0·65		0·04		29
30		✕	0·34						0·04	0·07			30
31		✕		✕		✕		0·06	✕	0·01	✕	0·16	31
Total	2·41 2·41	0·55	0·87	1·59	1·74	0·47	2·63	0·46	3·28	1·91	2·11	1·30	YEAR'S TOTAL 19·32 18·32
Rain Days.	15	9	8	17	9	7	14	10	20	15	14	20	158

W, 6,500, VII. 18. W W C

Kent 57, 58

Western House
Whitstable
5th March 1919

Dear Sir

Many thanks to you for your letter calling my attention to the stupid errors in my record of the rainfall for Jan 1918 and consequently for the total for the year: in looking over my register I saw at once that I had carelessly omitted 1 in. on 15th, counting .09 on No1 Gauge & 0.10 on No2 and thus making the total 18.32 instead of 19.32; 18.64 instead of 19.64.

I have just been making up my short report of the weather in February this year which may interest you: — The Rainfall was 1.91 in. with 12 rainy days, the average amount for the month in the past 17 years being 1.56 with 14 rainy days.
This month just past was remarkable for the absence of Sunshine, 7.8 hours hours only being recorded while in Janry there were 29 hours. The average record for February during the previous 7 years being 74 hours and in Febry 1914 106.6 hours were recorded

Yours sincerely
Jno. W. Hayward

Carle Salter Esqre
62 Camden Square
London

1½ POSTAGE REVENUE 1½
THREE HALFPENCE

Carle Salter Esqre
62 Camden Square
London N.W.1.

No 1

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 20

REGISTER OF RAINFALL IN 19.........

Kept at Western House, Whitstable
in the County of Kent
by Jno. W. Hayward

Lat. 51.21 N Long. 1.1.E
Time of Observation 9 a.m.
Nearest Railway Station L & Chatham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ....ft. 10 in.
" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.01 in

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.21	Snow 0.04			0.18		0.63			0.12	0.03	0.57	1
2	0.18				0.02		0.06				0.20	0.01	2
3	0.19		0.36		0.01		0.48		0.05		0.04	0.23	3
4	0.13		0.37			0.04	0.19				0.02	0.07	4
5	0.17	Snow 0.30	1.04								0.01	0.19	5
6	0.01									0.01	0.03	0.14	6
7	0.01		0.17								0.11		7
8	0.24		0.04										8
9	0.25			0.09							0.30		9
10	0.77		0.02								0.15		10
11	0.54		0.08	0.36								0.04	11
12	0.02			0.04			0.44			0.02	Snow 0.03		12
13	0.03			0.27			0.01			0.02	Snow 0.18		13
14	0.12			0.45			0.47		0.05	0.07			14
15	0.10	0.04	0.08	0.22							0.14		15
16	0.11	0.35									0.10		16
17		0.58		0.10							0.18	0.06	17
18		0.17	0.01						0.02		0.03	0.06	18
19		0.03	0.21						0.01		0.04		19
20	0.02	0.04	0.04			0.66	0.57	0.04				0.01	20
21		0.20	0.08			0.06	0.09		0.04			0.01	21
22		0.01					0.14		0.24		0.02	0.41	22
23				0.07					0.30			0.03	23
24				0.12		0.05		0.03			0.10		24
25	0.05				0.06	0.04		0.19	0.05				25
26	0.05	0.14	0.14	0.14						0.01		0.19	26
27	Rain & Snow 0.49	0.01		0.44						0.03	0.03	0.03	27
28	0.03		0.22	0.16				0.89			0.45	0.19	28
29	0.09			0.05				0.86		0.27	0.06	0.07	29
30		✕						1.03		0.38	0.07	0.38 (0.33)	30
31	Snow 0.11	✕	0.18	✕		✕	0.02	0.05	✕	0.51	✕	0.02	31
TOTAL	3.92	1.91	3.04	2.73	0.27	0.85	3.10	3.09	0.76	1.44	2.32	2.66	YEAR'S TOTAL 26.09
Days with ·01 in. or more	23	12	15	13	4	5	11	7	8	10	22	19	149

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Gauge No 2

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 2 JAN 1918

Kept at Western House, Whitstable

in the County of Kent

by Jno. W. Hayward

Lat. 51.21 N Long. 1.1 E

Time of Observation

Nearest Railway Station London & Chatham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~1~~ ft. 11 in.

" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				Snow 0.23				2.20	0.04		0.02	0.01	1
2	0.02			Snow & rain 0.46				0.22			0.01		2
3				0.04				1.08					3
4		Snow 0.14	Snow 0.03							0.31			4
5	0.10		0.02							0.08			5
6				0.23		0.06			0.15	0.02	0.08		6
7	0.21									0.57		0.01	7
8	0.19			0.11			0.46	0.19		0.21	0.09	0.25	8
9	0.15		Snow 0.02	Snow & rain 0.15			0.01	0.01			0.04	1.14	9
10	Snow 0.12		0.06	Snow 0.10				0.06					10
11	0.11	0.04	0.56	Snow & rain 0.28					0.06	0.16		0.02	11
12	0.04	0.01	0.04	Snow 0.01				0.10		0.31			12
13	0.01		0.07		0.19				0.01	0.28			13
14	Snow 0.29		0.01	0.17	0.01								14
15	Snow 0.05							0.07		0.02			15
16	Rain & Snow 0.26	0.02		0.05	0.15					0.01		a little Snow 0.32	16
17				0.09	0.52		0.17			0.17		Snow 0.03	17
18	0.05	0.01		0.11		0.01	0.05	0.01	0.11				18
19		0.04	0.19	0.01		0.03			0.07				19
20	0.02	0.17	0.08		0.06	0.02	0.05				0.09		20
21		0.02	Snow & rain 0.07			0.08						0.04	21
22			Snow 0.25		0.03	0.16				0.14		0.08	22
23			Snow 0.01		0.18	0.02		0.14		0.01		0.02	23
24								0.01					24
25			0.03							0.05			25
26			Snow & rain 0.07			0.11		0.06		0.03	0.61		26
27						0.02		1.16				0.03	27
28						0.29		0.10				0.07	28
29			0.03			0.07	1.64	0.13		0.30		0.17	29
30	Snow 0.08	×	0.16				0.80	0.04		0.23		0.02	30
31	Snow 0.10	×	0.06	×		×	1.06		×		×	Snow 0.01	31
Total	1.80	0.45	1.76	2.06	1.14	0.87	4.24	5.58	0.44	2.90	0.94	2.72 2.22	YEAR'S TOTAL 24.30 ~~24.40~~
Rain Days.	16	8	18	14	7	11	8	16	6	17	7	15	143

W. 8,000, IX. 17.

No 2 28.11.19

58

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8. 1. 19

Kept at Western House Whitstable

in the County of Kent

by Mrs W. Hayward

Lat. 51.21N Long. 1.1.E

Time of Observation 9 a.m

Nearest Railway Station S. E. & Chatham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			Snow 0.03								0.06	0.04	1
2								0.17			0.57	0.04	2
3		0.01		0.05	0.06			0.02		0.04	0.50	0.05	3
4		0.01	0.01	0.05				0.04	0.23		0.45		4
5		0.04			0.74			0.03	0.03			0.01	5
6	0.23	0.04		0.04	0.20			0.02	0.02	0.02	0.05		6
7	0.04	0.02	0.01	0.17	0.15			0.02	0.52	0.03			7
8		0.04		0.01					0.13		0.09		8
9	0.02		0.01			0.15			0.34	0.13		0.02	9
10				0.05			0.09		0.05	0.03	0.02	0.20	10
11	0.05			0.01			0.12		0.14	0.30	0.08	0.08	11
12					0.29		0.03		0.05	0.33		0.02	12
13	Snow 0.05	0.12		0.01	0.05								13
14	0.09					0.13	0.04		0.17	0.16		0.10	14
15	1.10			0.29		0.02	0.04			0.07		0.05	15
16	~~Snow & rain~~ 0.19			0.16		0.02	0.05		0.[illegible]				16
17	0.23			0.20			(0.28)					0.15	17
18	0.16			Snow 0.02		0.07			0.28	[illegible]		0.02	18
19	0.10		0.19	0.10 Snow & rain		0.02			0.06	0.27		0.01	19
20	0.03	0.03					0.90		0.06	0.38		0.01	20
21	0.04						0.01		0.11	0.09			21
22	0.03				0.01		0.08		0.33		0.01	0.17	22
23	0.05			0.01	0.18		0.09				0.01	0.01	23
24		0.16		0.03	0.10	0.07	0.[illegible]		0.08		0.02		24
25							0.09						25
26							0.23	0.02			0.05	0.09	26
27				0.17			0.05	0.07	0.01	0.01		0.03	27
28		0.09	0.28	0.05				0.03			0.19	0.06	28
29			0.01	0.20					0.65		0.04		29
30		╳	0.35						0.04	0.07			30
31		╳		╳		╳	2.69	0.07	╳	0.01	╳	0.17	31
Total	2.43 2.43	0.56	0.89	1.62	1.78	0.48	2.69	0.49	3.31	1.94	2.14	1.33	YEAR'S TOTAL 16.64 19.64
Rain Days.	15	10	8	18	9	7	14	10	20	15	14	20	160

W. 500, VIII. 16.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

No. 2

340

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Western House, Whitstable

in the County of Kent

by Jno. W. Hayward

Lat. 51. 21 N Long. 1.1. E

Time of Observation 9 a.m

Nearest Railway Station London & Chatham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 11 in.

" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.01 in

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.21	Snow 0.05			0.18		0.64			0.12	0.03	0.57	1
2	0.18				0.02		0.07				0.21	0.01	2
3	0.19		0.37		0.01		0.49		0.05		0.04	0.22	3
4	0.13		0.37			0.04	0.18				0.02	0.07	4
5	0.16	Snow 0.28	1.05								0.01	0.19	5
6	0.02									0.01	0.03	0.14	6
7	0.01		0.17								0.11		7
8	0.25		0.04										8
9	0.25			0.10							0.30		9
10	0.78		0.02								0.15		10
11	0.55		0.08	0.36			~~[illegible]~~					0.04	11
12	0.01			0.04			0.45			0.03	Snow 0.03		12
13	0.03			0.28			0.01			0.02	Snow 0.19		13
14	0.12	0.04		0.46			0.47		0.05	0.07			14
15	0.10	0.34	0.09	0.21							0.14		15
16	0.11	0.58									0.10		16
17		0.17		0.10							0.18	0.07	17
18		0.03	0.01						0.02		0.03	0.05	18
19		0.04	0.21						0.01		0.04		19
20	0.03	0.20	0.04		~~[illegible]~~	0.66	0.58	0.04				0.01	20
21		0.02	0.08		~~[illegible]~~	0.07	0.09		0.04			0.01	21
22							0.14		0.24		0.03	0.41	22
23				0.08					0.31			0.03	23
24				0.13		0.07		0.03			0.10		24
25	0.06				0.06	0.05		0.18					25
26	0.05	0.14	0.14	0.15					0.05	0.03		0.21	26
27	Rain & Snow 0.49	0.01		0.68						0.04	0.03	0.03	27
28	0.03		0.16	0.16				0.92			0.45	0.19	28
29	0.09			0.06				0.90		0.28	0.06	0.07	29
30								1.06		0.38	0.07	0.35	30
31	Snow 0.11		0.18				0.03	0.06		0.53		0.02	31
TOTAL	3.96	1.90	3.01	2.81	0.27	0.89	3.15	3.19	0.77	1.57	2.35	2.69	YEAR'S TOTAL 26.50
Days with ·01 in. or more	23	12	15	13	4	5	11	7	8	10	22	19	149

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Esc 8L

316

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8 JAN 1921

Gauge no 1

REGISTER OF RAINFALL IN 1920.

Kept at Western House, Whitstable
in the County of Kent
by Jno. W. Hayward

Lat. 51.21 N Long 1.1. E
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in in.
Height of top of Gauge above Ground ~~ft.~~ 10 in.
" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.06

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01			0.57			0.01			0.19		0.19	1
2			0.17					0.11	0.07	0.06			2
3					0.05	0.07			0.02			0.03	3
4		0.02		0.17			0.27					0.13	4
5				0.04	0.02		0.43	0.08	0.02			0.18	5
6			0.09		0.10		0.08					0.02	6
7				0.11	0.01		0.04			0.03		0.05	7
8				0.03	0.03		0.05						8
9	0.19			0.06	0.05			0.10					9
10	0.27			0.18								0.05	10
11	0.24		0.07	0.17			0.41						11
12				0.11	0.03	0.03	0.36						12
13	0.26		0.07			0.05			0.07		0.07		13
14			0.18	0.16		0.06	0.05		0.10		0.11		14
15				0.12					0.72	0.09			15
16				0.11	0.15				0.17			Snow 0.39	16
17				0.16	0.05				0.40			0.03	17
18	0.04			0.02	0.03			1.40	0.14			0.04	18
19	0.13			0.10									19
20	0.04			0.14		0.52	0.38		0.58				20
21		0.22						0.04	1.13			0.12	21
22				0.17				0.10	0.03			0.25	22
23							0.27					0.22	23
24									0.07				24
25				0.02	0.11		0.03						25
26	0.04		0.06	0.05			0.20				0.05		26
27	0.11	0.11	0.01	0.10		0.13	0.05				0.05	0.13	27
28	0.23		0.05		0.11		0.04				0.12		28
29	0.53		0.06		0.01						0.02	0.06	29
30	0.02	×					0.17		0.12		0.18	0.06	30
31		×		×		×			×	0.7	×	0.05	31
TOTAL	2.11	0.35	0.76	2.59	0.75	0.86	2.84	1.83	3.64	0.44	0.60	2.00	YEAR'S TOTAL 18.77
Days with ·01 in. or more	~~2~~ 13	~~1~~ 3	× 9	~~2~~ 20	6 13	× 6	~~2~~ 16	× 6	~~3~~ 14	× 5	1 ~~5~~ 7	3 ~~14~~ 17	23 ~~105~~ 129
Days with ·04 in. or more	11	2	8	18	7	5	14	6	11	4	6	14	~~128~~ 105

317

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Gauge No. 2.

REGISTER OF RAINFALL IN 1920.

Kept at Western House, Whitstable
in the County of Kent
by Jno. W. Hayward

Lat. 51.21 N Long. 1.1. E
Time of Observation 9 a.m
Nearest Railway Station London & Chatham
Diameter of Funnel of Rain Gauge 5 in. (10)
Height of top of Gauge above Ground ~~ft.~~ 10 in.
" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.06

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01			0.57			0.01			0.18		0.19	1
2			0.17					0.08	0.06	0.06			2
3					0.05	0.07			0.02			0.03	3
4		0.02		0.17			0.30					0.13	4
5				0.04	0.03		0.40		0.03			0.19	5
6			0.09		0.11		0.08	0.07				0.02	6
7				0.11	0.01		0.05			0.03		0.05	7
8				0.02	0.03		0.04						8
9	0.19			0.06	0.05								9
10				0.18								0.05	10
11	0.27		0.08	0.18			0.31						11
12	0.24			0.11	0.03	0.03	0.20						12
13			0.08	0.01		0.04		0.13	0.07		0.08		13
14	0.26		0.19	0.16		0.06	0.04		0.19		0.11		14
15				0.13					0.71	0.09		Snow	15
16				0.12	0.16				0.18			0.40	16
17				0.17	0.06				0.38			0.03	17
18	0.04			0.03	0.03			1.04	0.10			0.04	18
19	0.13			0.11									19
20	0.04			0.15		0.60			0.58				20
21		0.24					0.34	0.04	1.13			0.12	21
22				0.17				0.10	0.03			0.26	22
23							0.39					0.21	23
24									0.07				24
25				0.03	0.12		0.03						25
26	0.04		0.06	0.06			0.20						26
27	0.12	0.12	0.01	0.10		0.13	0.05				0.06	0.14	27
28	0.23		0.05		0.11		0.04				0.13		28
29	0.56		0.06		0.01						0.03	0.06	29
30	0.02						0.15		0.12		0.19	0.06	30
31										0.08		0.05	31
TOTAL	2.15	0.38	0.79	2.68	0.80	0.93	2.63	1.46	3.58	0.44	0.60	2.03	18.47 YEAR'S TOTAL
Days with ·01 in. or more	~~2~~ 13	X 3	X 7	~~4~~ 21	~~6~~ 13	X 6	2 16	+ 6	~~3~~ 14	X 5	X 6	~~3~~ 17	25
Days with ·04 in. or more	11	2	8	17	7	5	14	6	11	4	5	14	129 104 129

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

REG

WICKHAM~~BRE~~AUX

KENT

1911 - 1920

Kept at Wickham

in the County of Kent

by Alexander

" Rain Gauge

in.

round - ft. 8 in.

ea Level 22 ft.

ame Bekesbourne

stance 2½ Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	N	.02	.27	N	N	N	.05	N	04	.01	N	1
2	.19	N	.04	.01	.23	04	.02	N	N	N	.17	.06	2
3	.12	.04	N	.09	.07	N	N	N	N	N	.05	.15	3
4	.07	.02	.12	.07	N	N	N	N	N	87	.22	.22	4
5	.05	.04	N	.09	N	N	N	N	N	.17	N	.15	5
6	.28	N	N	N	N	N	N	N	N	.01	N	.26	6
7	.01	N	N	N	N	N	N	N	N	.01	.31	.49	7
8	.10	N	N	N	N	N	N	N	N	1.39	.47	.14	8
9	.16	N	.11	.03	N	N	N	N	N	.01	.24	.06	9
10	N	.07	N	.06	N	N	N	N	N	N	.02	.63	10
11	.49	N	N	N	N	N	N	N	N	N	.63	N	11
12	N	N	.57	N	.01	06	N	N	N	N	.03	.02	12
13	N	N	.05	N	.35	28	N	N	.70	N	.03	.17	13
14	N	.13	.01	N	.16	06	N	N	N	.45	N	.18	14
15	N	.03	.33	N	N	N	N	N	N	N	.04	.03	15
16	N	N	N	N	N	.40	N	N	N	N	.17	.04	16
17	.01	N	.04	N	N	N	N	N	N	N	.16	.09	17
18	N	.15	.03	N	N	N	N	N	N	N	.87	.12	18
19	N	N	N	N	.03	05	N	N	.12	N	.26	.08	19
20	.01	N	.01	N	N	02	N	.65	.01	.02	N	.50	20
21	.01	.03	N	N	N	N	N	.06	.03	.14	N	.20	21
22	.02	N	.46	N	N	N	N	.03	N	.70	N	.39	22
23	N	13	12	N	N	1.22	N	.02	.11	.48	06	.06	23
24	N	.02	N	N	N	.13	.11	.02	N	.08	N	.27	24
25	N	.02	.15	.04	N	.10	N	.47	.01	65	.08	N	25
26	N	N	.18	.25	N	.03	.02	N	N	N	.13	.15	26
27	N	.14	.05	20	N	N	N	N	N	16	N	.03	27
28	N	.14	N	.11	N	N	N	N	N	38	N	N	28
29	N		N	.06	N	.12	.14	N	.15	N	.01	N	29
30	N		N	.01	.20	02	.01	.02	.04	.23	N	.11	30
31	N		N		N		N	N		N		N	31
Total	1.63	.96	2.29	1.29	1.05	2.53	.30	1.32	1.17	5.79	3.96	4.50	TOTAL for year 26.79
No. of Rain Days	14	13	16	13	7	13	5	8	8	~~16~~ 17	20	25	~~158~~ 159

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

REGISTER OF RAINFALL IN

Kept at Wickhambreaux Canterbury

in the County of Kent

by Alexander Baird

2

RAIN GAUGE
Pattern Brit. Ass. Rain Gauge
Diameter of top 5 in.
Height of top above Ground - ft. 8 in.
" " " Sea Level 22 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bekesbourne
Distance 2½ Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	N	.02	.27	N	N	N	.05	N	04	.01	N	1
2	.19	N	.04	.01	.23	09	.02	N	N	N	.17	.06	2
3	.12	.04	N	.09	.07	N	N	N	N	N	.05	.15	3
4	.07	.02	.12	.07	N	N	N	N	N	.87	.22	.22	4
5	.05	.04	N	.09	N	N	N	N	N	.17	N	.15	5
6	.28	N	N	N	N	N	N	N	N	.01	N	.26	6
7	.01	N	N	N	N	N	N	N	N	.01	.31	.49	7
8	.10	N	N	N	N	N	N	N	N	1.39	.47	.14	8
9	.16	N	.11	.03	N	N	N	N	N	.01	.24	.06	9
10	N	.07	N	.06	N	N	N	N	N	N	.02	.63	10
11	.49	N	N	N	N	N	N	N	N	N	.63	N	11
12	N	N	.57	N	.01	06	N	N	N	N	.03	.02	12
13	N	N	.05	N	.35	28	N	N	.70	N	.03	.17	13
14	N	.13	.01	N	.16	06	N	N	N	.45	N	.18	14
15	N	.03	.33	N	N	N	N	N	N	N	.04	.03	15
16	N	N	N	N	N	.40	N	N	N	N	.17	.04	16
17	.01	N	.04	N	N	N	N	N	N	N	.16	.09	17
18	N	.15	.03	N	N	N	N	N	N	N	.87	.12	18
19	N	N	N	N	.03	05	N	N	.12	N	.26	.08	19
20	.01	N	.01	N	N	02	N	.65	.01	.02	N	.50	20
21	.01	.03	N	N	N	N	N	.06	.03	.14	N	.20	21
22	.02	N	.46	N	N	N	N	.03	N	.70	N	.39	22
23	N	13	.12	N	N	1.21	N	.02	.11	.48	06	.06	23
24	N	.02	N	N	N	.13	.11	.02	N	.08	N	.27	24
25	N	.02	.15	.04	N	.10	N	.47	.01	65	.08	N	25
26	N	N	.18	.25	N	.03	.02	N	N	N	.13	.15	26
27	N	.14	.05	20	N	N	N	N	N	16	N	.03	27
28	N	.14	N	.11	N	N	N	N	N	38	N	N	28
29	N		N	.06	N	.12	.14	N	.15	N	.01	N	29
30	N		N	.01	.20	.02	.01	.02	.04	23	N	.01	30
31	N		N		N		N	N		N		N	31
Total	1.63	.96	2.29	1.29	1.05	2.53	.30	1.32	1.17	5.79	3.96	4.50	TOTAL for year 26.79
No. of Rain Days	14	13	16	13	7	13	5	8	8	~~16~~ 17	20	25	~~158~~ 159

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
3 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Willows, Wickhambreaux

in the County of Kent

by Alex: Baird

RAIN GAUGE
Pattern Brit. Ass Rain Guage
Diameter of top 5 in.
Height of top above Ground - ft. 8 in.
" " " Sea Level 22 ft.

Time of Observation 9 am

Nearest Railway Station
Name Bekesbourne
Distance 2½ m. Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	N	.07	N	N	.43	.08	N	.05	.77	N	.17	1
2	N	.04	.16	.03	N	.02	.11	.18	N	.16	N	N	2
3	.05	.03	.02	N	.02	.29	N	.10	.01	N	N	N	3
4	.29	N	.55	.01	.15	.47	N	N	N	N	.13	N	4
5	.15	.10	.13	.02	N	.10	N	.19	N	N	.18	.02	5
6	.38	.04	N	N	.04	N	.05	.65	N	N	N	.01	6
7	.07	N	.01	N	.06	.27	N	.12	N	N	N	.02	7
8	.12	.20	.23	N	N	.30	N	.15	.20	N	N	N	8
9	N	.01	.01	.09	N	N	.05	N	N	N	N	.02	9
10	N	.04	.01	N	N	N	N	.10	.14	N	.09	.28	10
11	.02	.14	N	N	N	.05	N	N	.08	N	N	.12	11
12	N	.22	.01	N	.05	N	N	.10	N	.01	N	.02	12
13	N	.18	N	N	N	.06	.10	.09	N	N	.36	.01	13
14	N	N	.06	N	.10	N	N	.06	.10	.03	.05	N	14
15	N	.01	.08	N	.13	.77	N	N	N	N	.05	.25	15
16	.16	N	.07	N	.08	.02	N	.05	N	.02	.01	N	16
17	.25	N	.45	N	N	N	N	.03	N	N	.04	.06	17
18	.02	N	.25	.08	N	N	.19	.19	N	.12	.09	.37	18
19	.02	.09	.21	N	.02	N	.84	.14	N	N	.01	N	19
20	.03	.01	.45	N	N	N	N	.06	N	.09	.02	N	20
21	N	.05	.16	N	N	N	N	.02	N	.21	.08	N	21
22	.05	.12	.08	N	.01	N	.15	.07	N	N	N	.01	22
23	.30	.13	.22	N	.28	N	N	.75	N	.14	.13	.03	23
24	.15	.01	.01	N	N	N	.50	.18	N	N	N	.12	24
25	.07	N	N	N	N	.17	N	1.35	N	N	.25	.31	25
26	N	.01	N	N	N	N	.13	.80	N	.18	.27	.36	26
27	N	N	.03	N	N	N	.03	N	N	.05	N	.17	27
28	N	.01	N	N	N	N	.02	.03	N	.50	.24	.19	28
29	.01	N	N	.09	N	N	.07	.15	1.02	.26	.11	N	29
30	N		N	N	.02	.06	.02	.40	1.25	.20	N	N	30
31	.03		.02		.43		.12	.13		.03		N	31
Total	2.18	1.44	3.29	.32	1.39	3.01	2.46	6.09	2.85	3.37	2.11	2.54	TOTAL for year
No. of Rain Days.	19	19	23	6	13	13	15	25	8	15	17	19	31.05

W. 8,000, X. '11.

FORM A2.

BRITISH RAINFALL.
3 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Willows, Wickhambreaux

in the County of Kent

by Alex: Baird

2

RAIN GAUGE Pattern Brit. Ass. Rain Gauge
Diameter of top 5 in.
Height of top above Ground - ft. 8 in.
" " " Sea Level 22 ft.

Time of Observation 9 a.m

Nearest Railway Station Name Bekesbourne
Distance 2½ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	N	.35	.02	.03	N	.24	N	N	N	.03	.03	.02	1
2	.04	.16	N	N	N	N	.40	N	N	N	.06	N	2
3	N	N	.03	.46	.20	N	N	N	N	.13	N	05	3
4	.08	N	.01	N	N	N	.08	.02	04	.03	.02	N	4
5	04	.02	.01	.02	N	N	.31	N	.35	.06	.08	.05	5
6	N	N	.04	N	.02	.17	N	.22	.01	.41	.09	N	6
7	N	.07	.08	N	N	N	.02	.17	N	.47	N	.01	7
8	N	N	.05	N	.11	.02	N	N	N	.30	.04	N	8
9	N	.04	N	.05	.18	N	.08	.40	.10	N	03	N	9
10	.01	N	.04	.10	N	N	.04	N	N	N	.50	N	10
11	.31	.01	N	.37	N	N	N	.04	N	35	.05	N	11
12	N	N	N	N	.01	N	N	.03	N	N	.57	N	12
13	.21	N	.02	N	N	N	N	.04	.01	N	.48	N	13
14	.07	N	.08	.04	N	N	.30	N	.12	.19	.21	N	14
15	.10	.02	.15	.05	N	N	.20	N	N	N	N	N	15
16	.21	N	.39	.12	N	N	N	N	.70	N	.01	N	16
17	.02	N	.01	.03	N	N	.14	.06	.09	N	N	.10	17
18	.01	.01	.07	.09	N	N	.01	.01	25	N	.08	N	18
19	.18	N	.15	N	.04	N	.09	.05	.22	N	N	N	19
20	.70	N	.04	.02	N	.02	N	N	N	.29	N	N	20
21	.05	N	.06	.06	.12	N	.01	N	N	.80	1.01	N	21
22	.26	N	.25	N	N	N	.19	N	.03	N	.01	.01	22
23	N	N	.01	N	N	.01	.01	N	.03	N	N	.47	23
24	.01	N	.05	N	N	N	N	.08	N	.01	.03	N	24
25	.01	N	N	.18	N	.13	N	N	N	N	N	N	25
26	N	N	.24	N	N	N	.02	N	N	.43	N	.18	26
27	N	.03	.03	N	.06	N	N	N	N	.11	N	N	27
28	.23	N	.14	.02	N	N	N	N	N	.15	N	N	28
29	.25		.05	.05	.32	N	N	.01	N	.03	01	.10	29
30	.38		.10	.28	.08	N	N	.45	.02	.10	N	.17	30
31	N		.40		N		N	.15		.08		N	31
Total	3.17	.71	2.52	1.97	1.14	.59	1.90	1.73	1.97	3.97	3.31	1.16	TOTAL for year 24.14
No. of Rain Days.	20	9	26	17	10	6	15	14	13	18	18	10	176

W. 8,000, X. '11.

~~W~~ LMcc

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 5 - JAN 1915

Kept at The Willows, Wickhambreaux
in the County of Kent nr. Canterbury
by Alexander Baird

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bekesbourne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 8 in.
" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	N	N	N	.06	N	N	N	.04	N	.02	.08	.17	1
2	N	N	N	.03	N	N	.03	N	.01	N	.04	.35	2
3	N	N	.12	.07	.11	N	.22	.02	N	N	.01	N	3
4	N	N	.02	.09	N	N	N	.33	N	N	.37	.17	4
5	.20	N	.04	.37	.01	.01	.16	.05	N	N	N	N	5
6	N	N	N	.20	N	.47	.03	N	N	N	.01	.20	6
7	N	.24	.17	.20	.01	.07	.01	.01	N	N	N	.10	7
8	.12	.07	40	N	N	.02	.05	.04	N	N	N	.08	8
9	.29	N	.98	.05	N	.02	N	N	N	N	N	1.18	9
10	.09	03	N	.04	.02	N	N	N	N	.02	N	.09	10
11	N	.20	.19	N	.01	.02	N	N	.15	N	.45	.40	11
12	N	N	.06	N	.04	N	.03	.01	.15	N	.03	.51	12
13	.03	.15	13	01	01	N	N	N	.10	.08	.05	.37	13
14	N	.09	18	N	N	N	N	N	N	.27	.04	.32	14
15	N	01	23	N	N	N	.50	.04	N	N	.83	.04	15
16	.02	.21	01	N	N	N	1.13	N	.12	N	.06	N	16
17	N	.11	.06	N	N	N	N	N	N	.12	.02	.05	17
18	N	11	.13	N	N	N	N	N	N	.34	.05	.29	18
19	N	.13	.95	N	N	N	.01	N	.04	22	.26	.11	19
20	N	.07	.27	N	N	.01	.03	N	N	30	N	.25	20
21	N	63	.07	N	N	N	N	08	N	07	N	.06	21
22	N	.01	N	15	.04	.62	1.05	01	N	.13	N	N	22
23	N	.01	50	N	.31	.53	.03	N	N	.01	N	.08	23
24	N	N	.02	28	.05	N	N	N	N	.01	.05	N	24
25	09	N	.06	N	.03	N	.03	.05	N	21	.01	.03	25
26	.03	N	.03	N	.01	N	.02	.06	N	.10	.11	.18	26
27	.01	N	.06	N	N	N	N	01	N	N	.08	.33	27
28	.01	.01	N	N	.05	N	N	N	N	20	.18	.40	28
29	.02		N	N	N	N	N	N	N	.95	07	01	29
30	.01	✕	N	N	N	N	N	N	N	15	68	.01	30
31	N	✕	N	✕	.30	✕	N	N	✕	N	✕	.04	31
Total	.92	2.08	4.68	1.55	1.00	1.77	3.33	.75	.57	3.20	3.48	5.82	YEAR'S TOTAL 29.15
Rain Days.	12	16	22	12	14	9	15	13	6	17	21	26	183

W. 8,000. X. 14.

364

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4 - JAN 1916

Kept at The Willows Wickhambreaux

in the County of Kent 2

by Alexander Baird

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Bekesbourne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 8 in.
" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.43	.06	.14	N	N	N	N	N	.40	N	.28	07	1
2	.22	.13	.19	.06	.01	N	N	.07	.07	N	N	.11	2
3	.18	N	.02	.17	.05	N	N	.13	.58	N	.01	.53	3
4	.05	N	N	N	N	N	N	.11	N	.16	.05	.33	4
5	.01	.13	N	.09	N	N	N	.01	N	.19	.19	.31	5
6	.30	.13	.03	.25	.02	N	.06	N	N	N	.01	.12	6
7	.19	.13	.10	N	N	N	.01	N	N	N	N	.22	7
8	.02	.31	.10	N	N	N	.06	.03	N	N	.01	N	8
9	.01	.05	.02	.01	N	N	N	.01	N	.09	.38	.52	9
10	.17	.02	.01	N	N	.19	N	N	N	N	N	.59	10
11	.01	.02	.01	N	N	N	N	N	N	.03	50	.02	11
12	.03	.29	N	.42	.30	N	N	N	N	.04	.48	.02	12
13	.06	.61	N	.11	1.15	N	N	N	N	N	N	N	13
14	.02	.02	N	.01	N	N	.19	.45	.02	.01	N	.19	14
15	.35	N	N	N	.05	N	.29	.16	N	N	.58	.08	15
16	N	.31	N	.05	.03	N	.83	N	N	.01	.12	.01	16
17	.02	.35	N	N	1.45	N	.01	.08	N	N	N	.48	17
18	.01	.10	.08	N	.51	N	N	N	N	.08	.09	.08	18
19	.01	.02	N	N	N	N	.03	.01	N	.10	N	.01	19
20	.28	.11	N	.01	N	N	N	N	N	N	N	.23	20
21	.17	.01	N	N	.01	N	N	N	N	.28	N	.10	21
22	.07	N	02	.02	N	N	.43	N	N	N	N	.11	22
23	05	.17	.07	N	N	.02	.03	N	N	.02	N	.31	23
24	N	.02	.03	.15	N	N	.10	N	.16	.09	N	.57	24
25	.06	N	.08	.02	N	.09	.16	N	N	.01	N	08	25
26	N	.01	N	N	N	.02	N	N	.51	.01	.05	.30	26
27	N	N	N	N	N	N	.19	N	.01	.17	N	.01	27
28	N	.12	N	N	N	.03	.01	N	1.28	.25	.02	N	28
29	.01		N	N	02	N	.48	27	.05	.03	.32	.07	29
30	.11	X	N	N	N	N	01	N	.01	.04	.36	N	30
31	02	X	N	X	N	X	N	.06	X	.47	X	.28	31
Total	2.86	3.12	.90	1.37	3.60	.35	2.89	1.39	3.09	2.08	3.45	5.75	YEAR'S TOTAL 30.85
Rain Days.	26	22	14	13	11	5	16	12	10	19	16	27	191

W. 8,000. X. 14.

349

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Willows, Bekesbourne

in the County of Kent

by Alexander Baird

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bekesbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	N	N	N	.02	N	N	N	.06	.06	.33	N	1
2	.18	.04	.36	N	.09	N	N	N	N	.45	.01	N	2
3	N	.40	.05	N	N	N	.02	N	.02	.11	.40	.01	3
4	.12	.08	N	N	N	.15	N	N	.01	.01	.23	N	4
5	.02	N	N	.07	.03	.12	.37	N	N	.01	.26	N	5
6	N	.10	.41	.31	.01	.17	.19	N	N	.03	.32	N	6
7	.07	N	.93	N	.42	.07	.07	N	N	N	.40	.02	7
8	N	N	.09	N	.14	N	N	N	N	N	N	.05	8
9	N	N	.09	N	.22	.25	N	N	N	N	N	.11	9
10	N	.05	.05	.14	N	.23	.07	N	.04	N	N	.24	10
11	.04	.05	N	.23	N	.16	N	N	.02	N	.01	.17	11
12	.04	.02	.10	.02	.79	.38	.03	.01	.01	.23	.01	.33	12
13	N	.18	.18	.09	.10	.18	.53	N	N	N	N	.02	13
14	N	.35	.12	.08	.04	.02	.01	.03	N	.02	N	.07	14
15	N	.17	.03	N	N	N	N	N	.02	N	N	.09	15
16	N	.05	.05	.11	N	N	.05	N	N	.01	N	N	16
17	.08	.06	N	.11	N	N	.06	.02	.27	.52	.01	N	17
18	.07	.09	.04	.16	N	N	N	.05	.07	.12	.85	N	18
19	.10	.02	.02	.15	N	.03	N	.27	.19	.05	.80	.07	19
20	.06	N	.05	.15	N	N	N	.02	N	N	.02	.47	20
21	.01	N	.75	.45	N	N	N	N	N	N	.05	.20	21
22	.01	.25	.19	.15	N	N	.01	N	N	N	N	.43	22
23	N	.56	.09	N	N	.12	.01	.07	N	.02	.02	.06	23
24	.01	N	N	.01	.03	.02	N	N	N	.29	.04	.28	24
25	N	.20	.14	N	N	N	N	.22	N	.15	.02	N	25
26	.01	.19	.01	N	N	.19	.01	N	N	.08	.05	N	26
27	.04	.28	.62	N	N	.08	.01	.14	.01	.68	N	.02	27
28	N	.60	.12	N	N	.02	.01	.10	.31	.05	N	.07	28
29	N	.17	N	N	N	.13	N	.58	.05	.34	N	.21	29
30	N	✕	.02	N	N	.01	N	.50	.01	.35	N	N	30
31	.02	✕	N	✕	N	✕	N	N	✕	.02	✕	.02	31
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	YEAR'S TOTAL
Total	.92	3.91	4.51	2.23	1.89	2.33	1.45	2.01	1.09	3.60	3.83	2.94	30.71
Rain Days.	17	21	23	15	11	18	15	12	14	21	18	20	205

W. 8,000, VIII. 16

✓ [illegible] 342

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
3. JAN 1918

Kept at The Willows, Wickhambreaux, Canterbury
in the County of Kent
by Alexander Baird

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Bekesbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	N	N	N	.13	N	N	N	1.80	.12	N	.03	.02	1
2	.02	N	N	.32	N	N	N	.38	N	.08	.03	N	2
3	.03	N	N	.08	N	N	N	1.10	N	.05	N	N	3
4	N	.07	.05	N	N	N	.02	.02	N	.30	N	N	4
5	.13	N	.01	.09	N	N	N	N	.12	07	N	N	5
6	.01	N	N	20	N	.10	N	N	.06	N	.23	N	6
7	.24	N	03	N	N	N	.01	N	N	.58	.18	.02	7
8	.14	N	N	.09	N	N	.40	.28	N	.29	N	.26	8
9	.25	N	.02	.13	N	N	.01	.01	N	N	.08	.95	9
10	.14	N	.17	.08	N	N	N	.14	N	N	.06	.01	10
11	.09	.09	.62	.15	N	N	N	.08	.04	.25	N	.09	11
12	.13	N	.20	.02	N	N	N	.01	N	.15	N	N	12
13	.05	N	.06	N	.16	N	N	N	.02	.35	N	N	13
14	.23	N	.01	.25	N	N	.02	.01	N	.01	.01	N	14
15	.08	N	N	.02	N	N	N	.15	N	N	.01	N	15
16	.21	.03	N	.06	.20	N	.03	N	N	.02	N	.25	16
17	.03	N	N	.12	.52	N	.10	N	.14	.15	N	.02	17
18	.11	.03	N	.12	N	N	.05	.04	.05	N	N	.09	18
19	N	.06	.13	.02	N	N	N	.02	.06	N	N	N	19
20	.02	.21	.12	N	.05	.07	.06	.09	.04	N	.12	N	20
21	N	.01	.02	N	.04	.25	N	N	N	N	.03	09	21
22	N	.01	.18	N	N	.22	N	.07	N	.17	N	N	22
23	N	N	N	N	.12	.01	N	04	N	N	N	06	23
24	N	N	N	N	N	N	.02	.08	N	.09	.02	N	24
25	N	N	.09	N	N	N	.02	N	N	N	.01	.01	25
26	N	N	.03	N	N	.02	N	.10	.42	N	.63	.02	26
27	N	N	N	N	N	.03	N	.93	.38	N	N	.37	27
28	N	N	.04	N	N	.54	N	.50	.50	N	N	08	28
29	.03		N	N	N	0.5	1.05	18	.37	.27	N	21	29
30	.12	X	.17	N	N	.02	.44	08	.33	.14	N	N	30
31	07	X	.13	X	N	X	1.24	.01	X	N	X	02	31
Total	2.13	.51	2.08	1.88	1.09	1.31	3.47	6.12	2.64	2.97	1.44	2.54	YEAR'S TOTAL 28.18
Rain Days.	20	8	18	16	6	10	14	23	14	16	13	17	175

W. 8,000, VIII. 16

Ex JL

40

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8 . 1 . 19

Kept at The Willows, Wickhambreaux, Canterbury

in the County of Kent

by Alexander Baird

Lat. Long. –

Time of Observation 9 am

Nearest Railway Station Bekesbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	N	.01	.07	N	.01	N	N	.01	N	N	.07	.04	1
2	N	.04	01	.01	N	N	N	.20	N	.01	.67	.05	2
3	N	N	.02	.15	.01	N	N	.01	N	.05	.50	N	3
4	N	02	.01	.02	.58	N	N	.05	.39	N	.51	N	4
5	N	.04	N	N	.30	N	N	.02	.08	.01	.01	.04	5
6	.20	.06	N	.08	.32	N	N	.14	.05	.02	.19	.01	6
7	.09	.03	N	.08	.21	N	N	N	.60	.03	.01	N	7
8	N	.03	.01	N	N	N	N	N	.03	N	.12	.02	8
9	.04	N	N	N	N	.09	N	N	.40	.09	N	.09	9
10	.06	N	N	02	N	N	.05	N	.25	.02	.03	.13	10
11	N	N	N	.05	.08	N	.08	N	.20	.47	.09	.09	11
12	.02	.13	N	N	.18	N	N	N	.06	38	.03	N	12
13	.10	.07	N	N	.08	N	.05	N	.10	N	N	N	13
14	.11	N	N	.01	N	.09	.05	N	.06	.12	N	10	14
15	1.35	N	N	.03	N	N	.38	N	N	.10	N	.09	15
16	.15	N	N	.28	N	.13	N	N	.01	N	N	N	16
17	.38	N	N	.09	N	N	.15	.03	N	N	N	.30	17
18	.23	N	N	.10	N	N	N	N	.72	N	N	.03	18
19	.14	N	.28	.11	N	.12	N	N	N	.39	.02	.09	19
20	.03	.04	N	N	N	.10	1.35	N	.07	.48	N	.03	20
21	.04	N	N	N	N	.02	.38	N	.07	.03	N	N	21
22	.06	N	N	.03	N	N	.65	N	1.01	N	N	.16	22
23	.04	N	N	N	.23	N	.39	.01	N	N	N	.04	23
24	N	.22	N	14	.08	.07	N	N	.14	N	03	.03	24
25	.01	N	N	N	N	N	N	.02	N	N	N	N	25
26	N	N	N	N	N	.01	.83	.08	.02	02	.09	.08	26
27	N	.02	N	.14	N	N	.09	.12	.01	.01	05	07	27
28	.01	.08	26	.01	.02	.01	N	.02	N	N	.20	.07	28
29	N		.02	N	N	N	N	.01	1.05	N	08	N	29
30	.01		.30	N	N	N	N	N	.10	.09	N	.02	30
31	N		.01		N		N	N		05		.28	31
Total	3.07	.79	.99	1.35	2.10	.64	4.45	.72	5.42	2.37	2.70	1.86	YEAR'S TOTAL 26.46
Rain Days.	19	13	10	17	12	9	12	13	21	18	17	22	183

W. 6,500. VII. 18. w w c

323

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at The Willows, Wickhambreaux, Canterbury

in the County of Kent

by Alexander Baird

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Bekesbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.10	N	N	.05	N	N	N	N	.13	.03	.40	1
2	.16	N	.01	N	.10	N	.40	.03	N	.02	.21	.27	2
3	.20	N	.44	N	.01	N	.15	N	.05	.01	.04	.21	3
4	.10	.01	.34	N	N	.04	.26	.02	N	.04	.02	.10	4
5	.20	.40	1.05	N	N	N	.38	N	N	N	.03	.23	5
6	.06	N	.01	N	N	N	N	N	N	.02	.05	.11	6
7	.01	N	.21	N	N	N	N	N	N	.01	.09	N	7
8	.30	N	.13	N	N	N	.04	N	N	N	01	N	8
9	.18	N	.05	.15	N	N	.01	N	N	N	.28	N	9
10	.39	N	.04	.01	N	N	N	N	N	N	.11	N	10
11	.18	N	.03	.34	N	N	N	N	N	N	.01	.03	11
12	.05	N	N	.03	N	.01	39	N	N	.08	.36	.01	12
13	.02	N	N	.15	N	N	N	N	N	.01	.33	N	13
14	.02	.01	N	.64	N	N	.65	N	.04	N	N	N	14
15	.22	.03	.04	.20	N	N	N	N	N	.06	.27	N	15
16	.12	.44	N	.07	N	N	N	N	N	N	.10	.05	16
17	.N	.47	N	.10	N	N	N	N	N	N	.22	.02	17
18	.N	.18	N	N	N	N	.23	N	.05	N	.03	.08	18
19	.02	.04	.34	N	N	N	.05	.02	.11	N	.06	.01	19
20	.04	.05	.07	N	N	N	.85	13	.04	N	N	N	20
21	.N	.25	.07	N	N	.53	.10	.N	.01	N	.01	.02	21
22	.N	.02	.04	N	N	.05	.20	N	.18	N	.03	.45	22
23	.03	N	N	.13	N	N	.12	N	.54	N	.01	.05	23
24	.N	N	N	.23	N	11	01	.08	N	N	.15	.01	24
25	.07	N	N	.02	.02	.04	N	.31	N	.12	.01	.01	25
26	.05	.10	.07	.25	N	.10	N	.04	.09	N	.05	.25	26
27	.33	.01	.15	.72	N	N	N	.42	N	.03	N	.04	27
28	.08	.01	20	.19	N	N	.02	N	.02	02	.65	.17	28
29	.11		N	.24	N	N	.01	.50	N	.39	.49	.07	29
30	.01	X	.07	.16	N	N	N	.78	N	.81	.08	40	30
31	13	X	.03	X	N	X	.05	.09	X	62	X	03	31
TOTAL	3.40	2.12	3.39	3.63	.18	.88	3.93	2.42	1.13	2.07	3.73	3.03	YEAR'S TOTAL 29.91
Days with ·01 in. or more	26	15	20	17	4	7	18	11	10	15	27	23	193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Willows, Wickhambreaux Canterbury

in the County of Kent

by Alexander Baird

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bekesbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 8 in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	N	N	.47	N	N	.02	N	.01	.59	.01	.30	1
2	.01	N	09	N	.03	N	N	.24	.05	.14	N	.13	2
3	N	N	.01	.01	.02	.14	N	N	.02	N	N	.03	3
4	N	.05	.01	.24	N	N	.10	.02	N	N	N	.22	4
5	N	N	N	.06	.03	N	.48	.06	.04	N	N	.21	5
6	N	N	.13	N	.12	N	.10	.02	.02	N	N	.03	6
7	.02	N	.01	.14	.03	N	.11	N	N	.06	N	05	7
8	.04	N	N	.03	.04	N	.07	N	N	01	N	N	8
9	.24	.01	N	.02	08	N	.03	.05	N	N	N	.02	9
10	.46	.12	.03	.16	N	N	.03	.01	N	N	N	.02	10
11	.26	N	.05	.15	N	N	.40	N	N	N	N	N	11
12	.10	.02	01	.16	02	.05	.49	N	.03	N	N	N	12
13	.35	.02	.12	.02	N	.05	N	N	.01	N	.10	N	13
14	N	N	.20	.03	N	.05	N	N	.04	N	25	.04	14
15	N	N	N	.05	N	N	N	N	.45	.24	.07	.09	15
16	.01	N	N	03	.04	N	N	N	.14	N	N	.21	16
17	.02	N	N	.22	.05	.10	05	N	.20	N	N	.06	17
18	.07	N	N	.06	.09	N	N	.98	.39	N	N	.05	18
19	.20	N	N	.23	N	N	N	.14	.01	N	.01	02	19
20	.04	.25	N	.13	N	.61	N	N	.72	N	N	N	20
21	N	.08	N	N	N	N	.32	.03	.10	N	N	.13	21
22	.01	.01	N	.16	N	N	N	.06	02	N	N	.31	22
23	N	N	N	N	N	N	.29	.08	N	N	N	.16	23
24	.01	N	.02	N	N	N	.08	N	.13	N	.02	.01	24
25	N	N	.01	05	.23	N	.11	N	.03	N	N	N	25
26	.07	02	.13	.12	N	N	.16	N	.01	N	.01	.04	26
27	.16	09	.01	.19	N	.04	N	N	.01	N	.16	.15	27
28	27	N	N	N	.45	N	.06	N	N	N	.15	.03	28
29	.60	N	N	.02	.04	N	N	N	01	N	.06	.05	29
30	.01	✕	.01	.02	01	N	.11	02	.15	N	.24	.08	30
31	.01	✕	N	✕	N	✕	N	N	✕	.32	✕	.13	31
TOTAL	2.90	.67	.84	2.77	1.28	1.04	3.01	1.71	2.59	1.36	1.08	2.58	YEAR'S TOTAL 21.83
Days with ·01 in. or more	22	10	15	24	15	7	18	12	22	6	11	25	187
Days with ·04 in. or more	14	5	6	16	9	7	15	7	11	5	7	18	120

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

69

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REG

WILMINGTON

KENT

1911-20

Kept at Wilmingto
in the County of W. Ke
by F. Melhaish

in.
nd ft. in.
Level ft.
nce Direction

IMPORTANT NOTE.— result entered to the
previous day. If an Observ l rule, he is earnestly
requested to add the reading n the space provided
for it at the end of this pa of rain,
the selection and placing o Rainfall
Organization are given in "Ru ation to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·75				·01			·01		1
2	·09		·01	·16	·12						·11	·05	2
3	·01				·10						·06	·10	3
4	·06		·07	·10						·15	·10	·29	4
5	·01	·02		·08						·20	·01	·10	5
6	·17		·10									·21	6
7	·02			·03						·28	·30	·17	7
8	·07		·07								·37	·21	8
9	·15		·02	·01							·01	·10	9
10	·01	·07	·02	·01							·02	·68	10
11	·23										·56		11
12			·47		·22	·01			·03		·13	·01	12
13			·05		·18				·20	·12	·05	·10	13
14		·05			·19	·14						·39	14
15		·01	·25							·01	·04	·03	15
16						·25					·52	·02	16
17			·07			·01					·37	·10	17
18	01	·14	·05								·95	·11	18
19						·14		·09	·16	·14	·21	·11	19
20			·02					·29	·01	·04		·50	20
21		·07						·32	·01	·47		·07	21
22			·10			·05		·08		·12		·36	22
23		·10	·05			·72			·11		·01	·08	23
24		·10	·06			·03	·04			·58		·12	24
25		·04	·02	·01		·09	·66			·01			25
26			·11	·19		·23				·09		·22	26
27		·23	·08	·04					·12	·03	·07	·05	27
28		·07		·14				·05			·01		28
29				·15		·18	·12		·07	·17	·04		29
30				·09				·15		·16	·01	·01	30
31					·05						·01		31
Total	·86	·90	1·62	1·76	·86	1·85	·82	·99	·71	2·57	3·97	4·19	TOTAL for year 21·10
No. of Rain Days	12	11	18	13	6	11	3	7	8	15	23	25	152

9,000, IX. '10.

69

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGISTER OF RAINFALL IN 191

Kept at Wilmington

in the County of W. Kent 5

by F. Melhuish

Rain Gauge
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station
Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·75				·01			·01		1
2	·09		·01	·16	·12						·11	·05	2
3	·01				·10						·06	·10	3
4	·06		·07	·10						·15	·10	·29	4
5	·01	·02		·08						·20	·01	·10	5
6	·17		·10									·21	6
7	·02			·03						·28	·30	·17	7
8	·07		·07								·37	·21	8
9	·15		·02	·01							·01	·10	9
10	·01	·07	·02	·01							·02	·68	10
11	·23										·56		11
12			·47		·22	·01			·03		·13	·01	12
13			·05		·18				·20	·12	·05	·10	13
14		·05			·19	·14						·39	14
15		·01	·25							·01	·04	·03	15
16						·25					·52	·02	16
17			·07			·01					·37	·10	17
18	01	·14	·05								·95	·11	18
19						·14		·09	·16	·14	·21	·11	19
20			·02					·29	·01	·04		·50	20
21		·07						·32	·01	·47		·07	21
22			·10			·05		·08		·12		·36	22
23		·10	·05			·72			·11		·01	·08	23
24		·10	·06			·03	·04			·58		·12	24
25		·04	·02	·01		·09	·66			·01			25
26			·11	·19		·23				·09		·22	26
27		·23	·08	·04					·12	·03	·07	·05	27
28		·07		·14				·05			·01		28
29				·15		·18	·12		·07	·17	·04		29
30				·09				·15		·16	·01	·01	30
31					·05						·01		31
Total	·86	·90	1·62	1·76	·86	1·85	·82	·99	·71	2·57	3·97	4·19	TOTAL for year 21·10
No. of Rain Days	12	11	18	13	6	11	3	7	8	15	23	25	152

9,000, IX. '10.

82

FORM A2.
BRITISH RAINFALL.
22 JAN 1913

25x.

REGISTER OF RAINFALL IN 1912

Kept at Wilmington

in the County of Kent 5

by F. Melhuish

Rain Gauge: Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station: Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·07	·02		·07	·05		·05	·38		·16	1
2	·11	·01	·31			·01	·21			·05		·01	2
3	·06		·05			·07		·15		·01		·07	3
4	·10		·43		·22	·17		·01			·11		4
5	·01		·07					·13			·09	·01	5
6		·10			·01			·05			·01	·11	6
7	·30	·01			·05	·72		·40				·02	7
8	·37	·28	·17			·02		·14				·01	8
9	·01	·06		·02		·10	·04					·07	9
10	·02	·02						·33			·09	·25	10
11	·56	·15				·06			·01			·15	11
12	·13	·06	·02		·06	·27					·02	·01	12
13	·05	·03									·05	·01	13
14			·01		·05					·04		·01	14
15	·04		·09		·23	·65		·01			·03	·34	15
16	·52		·01		·01	·02		·07		·03	·10		16
17	·37		·25			·01					·02	·07	17
18	·95		·12					·03		·03		·11	18
19	·21	·06	·10				·09	·14					19
20		·01	·46					·04		·34			20
21		·02	·26					·08		·05	·06		21
22		·08	·01				·11	·09		·02	·01	·02	22
23	·01	·28	·23				·11	·34		·05	·15	·05	23
24		·02				·03	·01	·16				·11	24
25						·16		·94			·29	·50	25
26	·07	·02						·31		·28	·42	·20	26
27	·01						·05			·08		·13	27
28	·04	·04					·10	·04	·01	·52	·33	·11	28
29	·01	·01					·17	·08	1·07	·08	·01		29
30	·01				·06	·39		·05	1·58	·17			30
31							·10	·14					31
Total	3·97	1·26	2·66	·04	·69	2·75	1·04	3·73	2·72	2·13	1·79	2·53	TOTAL for year 25·31
No. of Rain Days.	23	18	17	2	8	15	11	22	5	15	16	23	175

82

79

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Wilmington
in the County of Kent 5
by F. Melhuish

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		·21		·23					·11	·01	·01	·09	1
2	·11	·14					·10		·01		·08		2
3				·27	·22				·01	·01		·15	3
4	·10			·03	·08		·01			·04	·01	·02	4
5	·34		·01			·04	·14		·40	·03	·02	·01	5
6	·22		·08		·02	·02	·37			·24	·08	·02	6
7	·01	·09					·16	·21		·33	·07		7
8		·01	·01		·08					·14	·02		8
9		·10		·01	·04	·06			·06		·02	·02	9
10			·04	·02			·13	·02			·44		10
11	·25			·32	·08					·50	·19		11
12					·04						·44		12
13	·07		·02					·04			·35		13
14	·07		·07	·06			·15	·01	·10	·09	·03		14
15	·17		·25	·11			·32		·04				15
16	·20		·31	·07			·01		·58				16
17	·03	·04	·08	·02			·12	·01					17
18	·02		·06	·13					·01		·03		18
19	·17		·17			·11	·17		·11				19
20	·22		·42	·02						·35			20
21	·01		·17	·10			·08			·33	·62		21
22	·27		·12				·01		·10				22
23	·01		·06					·15	·01			·32	23
24	·02		·01			·06					·03		24
25				·09								·01	25
26			·17					·15		1·07		·17	26
27			·01	·01						·05			27
28	·20		·14	·03						·21			28
29	·10		·03	·18	·23			·14		·01			29
30	·26			·27				·23		·11			30
31								1·23		·05			31
Total	2·85	·59	2·23	1·97	·79	·29	1·77	2·19	1·54	3·57	2·44	·81	YEAR'S TOTAL 21·04
Rain Days.	21	6	20	18	8	5	13	10	12	17	16	9	155

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at *Wilmington*

in the County of *Kent* 5

by *F. Melhuish*

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01							·13					1
2							·07	·09			·06	·14	2
3			·18	·01	·10			·04					3
4	·04		·02	·09				·09			·32	·25	4
5	·06		·03	·30	·18	·02	·13	·37			·02		5
6		·08		·07		·21						·14	6
7	—	·34	·18	·17	·32	·33	·02				·01	·07	7
8	·05	·32	·36	·05		·03	·07	·05				·03	8
9	·18		·83	·10								1·12	9
10	·04	·02	·01	·02	·02				·05			·04	10
11		·38	·17			·05			·18		·30	·37	11
12	·02	·02	·10		·02		·01		·12			·50	12
13	·01	·16	·10						·12	·11	·10	·68	13
14		·06	·20				·04			·23	·05	·56	14
15			·16				·01			·01	·83	·15	15
16	·03		·02										16
17		·13										·04	17
18		·08	·23									·27	18
19	·01	·01	·38				·16		·04	·02	·18	·19	19
20		·10	·24			·05			·04	·01		·02	20
21		·68	·07							·05		·01	21
22		·01	·02	·01	·28	·06	·12			·09		·02	22
23			·04		·09	·12	·06			·02		·02	23
24			·02	·01						·01	·09	·02	24
25	·02		·30				·05	·08		·29		·08	25
26			·03				·01	·06		·05	·17	·40	26
27	·02		·07					·01			·03	·23	27
28		·01								·03	·25	·80	28
29										·40	·10	·04	29
30			·01							·07	·39	·03	30
31					·21								31
													YEAR'S TOTAL
Total	·49	2·40	3·77	·83	1·22	·87	·75	·92	·55	1·39	2·90	6·22	22·31
Rain Days.	12	15	24	10	8	8	12	9	6	14	15	26	159

82

493
60

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
16 MAR 1916

Kept at Wilmington

in the County of Kent 5 E° 82

by F. Melhuish

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36	·03	·05								·30	·33	1
2	·08	·14	·15	·09	·01			·06		·03			2
3	·35		·04	·20	·02			·90	·21			·61	3
4	·05							·17		·04		·20	4
5	·04	·25			·12					·08		·19	5
6	·32	·02	·02	·28			·37					·16	6
7	·31	·26	·01				·16					·18	7
8	·11	·49		·03			·15	·09					8
9		·02		·02		·06		·05		·06	·29	·69	9
10	·20		·01			·03						·38	10
11			·01								·48	·02	11
12	·05			·29	·36			·29		·11	·46		12
13	·02	·65		·01	1·28			·01					13
14		·04					·15	·05	·02			·20	14
15	·09				·03			·16			·32	·07	15
16	·01	·34					·45	·06				·06	16
17		·25			1·08		·03					·01	17
18		·03	·03		·39								18
19	·01	·17					·01			·11			19
20	·24	·01		·05	·01			·13				·24	20
21	·07											·04	21
22	·98	·10	·06	·05			·48					·09	22
23		·13	·06	·01		·01	·20			·27	·10	·25	23
24		·03	·04				·05		·26	·14		·37	24
25			·20	·24			·36					·25	25
26		·06										·40	26
27						·08	·16			·22		·02	27
28		·04							1·50	·14			28
29						·14		·06			·14		29
30		×								·02	·46	·05	30
31	·07	×		×		×		·02	×	·63	×	·24	31
Total	3·36	3·06	·68	1·27	3·30	·32	2·57	2·05	1·99	1·85	2·55	5·05	YEAR'S TOTAL 28·05
Rain Days.	18	19	12	11	9	5	12	13	4	12	8	23	146

W. 8,000. X. 14.

8L

Exe 8L

408

481
59

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Wilmington

in the County of Kent

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08				.15				.15	.06	.24		1
2	.22	.03	.05		.20		.02		.02	.28	.03		2
3		.77	.24				.02		.10	.13	.52		3
4	.18	.03				.13			.08	.02	.59		4
5	.01				.04	.12	.05				.56		5
6		.04	.20	.41		.35	.14				.49		6
7	.08		.40		.18		.15			.05	.97		7
8			.01		.12							.27	8
9			.01		.12					.07		.10	9
10	01	.18	.14	.09		.50	.07					.16	10
11	.02	.17	.05	.15		11							11
12	.02	.03	.01	.04	.37	.13				.06			12
13		.20	.27	.05	.11	.05	.11			.02			13
14		.36	.02		.07			.05				.06	14
15		.24	.18				.03	.20				.24	15
16		.01	.12	.13			.16	.01				.01	16
17	.05	.08		.02			.03	.08	.25	.43		.01	17
18		.08		.10				.11		.08	.89		18
19			.08	.09					04		.53		19
20	.17		.23									.30	20
21			.74				.23					.27	21
22			.10									.34	22
23		.70	.02			.09				.10	.01	.12	23
24					.03	.01		.02		.13	.05	.35	24
25		.77	.15					.13		.15	.05		25
26		.23	.08							.09			26
27	.03		.85	.02		.10		.54		.27			27
28		.42	.20									.15	28
29		.13				.12		.80	.12	.22		.16	29
30		X			.22			.17		.30		.01	30
31		X		X		X			X	.10	X	.07	31
Total	.87	4.47	4.15	1.10	1.61	1.71	1.01	2.11	.76	2.56	4.93	2.62	YEAR'S TOTAL 27.90
Rain Days.	11	18	22	10	11	11	11	10	7	18	12	16	157

W. 8,000. X. 15.

5 made ✓

Examd [illegible]

REGISTER OF RAINFALL IN 1917.

461

FORM A.
BRITISH RAINFALL.

25. JAN 1918

Kept at Wilmington

in the County of Kent

by Metropolitan Water Board

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04		·17				1·25	·01				1
2				·19				·50			·06		2
3	·01	·02		·10				·58		·02	·35		3
4		·13	·11				·15	·12		·45			4
5	·18			·07					·28	·12	·04		5
6				·26	~~·10~~	·10			·05	·02	·06		6
7	·13						·04			·20		·01	7
8	·08			·06			·60	·42		·22	·14	·40	8
9	·03			·09			·17				·01	·35	9
10	·10		·08	·09							·02		10
11	·11		·35	·24				·09	·16	·12			11
12	·04							·05		·52		·02	12
13	·05		·12	·09						·17			13
14			·03	·14									14
15	·04			·02			·06	·05		·02		·01	15
16	·02	·16		·05	·17		·05			·09		·45	16
17	·01	·01		·12	·51	~~·17~~	·30		·25	·11			17
18	·03	·03		·03	·05		·20	·15	·11				18
19	·02	·11	·09	·07	·02	·17							19
20	·04	·19	·08		1·03		·20		·06		·07		20
21		·01			·12								21
22								·09		·09			22
23					·17			·03				·02	23
24						·01	·02				·03		24
25			·01			·01				·08	·05		25
26			·05					·20			·50		26
27			·05					·70					27
28						1·16		·03				·09	28
29					·05	·14	1·50	·01		·20		·22	29
30		✕	·25				1·50	·03		·01		·05	30
31		✕	·04	✕		✕	·90	·01	✕		✕		31
Total	·89 ✓	·70 ✓	1·26 ✓	1·79 ✓	2.12 ✓	1·59 ✓	5·69 ✓	4·31 ✓	·92 ✓	2·44 ✓	1·33 ✓	1·62 ✓	YEAR'S TOTAL 2466 ✓
Rain Days.	15 ✓	9 ✓	12	16 ✓	8 ✓	6 ✓	13 ✓	17 ✓	7 ✓	16 ✓	11 ✓	10 ✓	140 ✓

W. 8,000, IX. 17.

81

154
~~55~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

27.1.18

Kept at Wilmington

in the County of Kent

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·12	·06	1
2		·08						·21			·08	·12	2
3		·03	·12	·04	·53						·49	·03	3
4		·03	·09	·02				·05	·22		·43		4
5		·01			·25			·06	·25				5
6	·10	·01		·20	·24			·01	·62			·03	6
7	·04	·15		·10	·13				·03	·10	·04		7
8		·05							·12		·10		8
9				·02		·06	·01		·30	·12		·12	9
10				·12		·11	·31		·01	·06		·12	10
11	·06						·52		·01	·29	·04	·09	11
12					·22		·24						12
13	·08	·02					·21		·06			·02	13
14	·02		·01			·36			·11	·25		·10	14
15	1·37			·62			·08					·08	15
16	·23			·15		·10			·05				16
17	·33			·17		·04	·86					·10	17
18	·35					·10	·02		·45	·28		·05	18
19	·08			·08			·09			·10		·25	19
20	·02			·45			·42		·26	·17		·02	20
21	·15	·02		·25			·11		·17	·02			21
22				·06	·01		·22		·17			·14	22
23		·03			·20		·51	·22				·02	23
24						·02	·16		·16			·01	24
25	·03			·13		·01	·09	·11					25
26				·04			·37	·12			·20	·08	26
27		·20		·12			·15	·08			·10		27
28								·17	·02		·32	·11	28
29			·19						·92		·01		29
30		✗	·40						·03		·02	·03	30
31		✗	·01	✗		✗		·07	✗	·08	✗		31
Total	2·86	·63	·82	2·57	1·58	·80	4·37	1·10	3·96	1·47	1·95	1·58	YEAR'S TOTAL 23·69
Rain Days.	13	11	6	16	7	8	17	10	19	10	12	20	149

W. 8,000, VIII. 16

81

W 81

5.3
436

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Wilmington

in the County of Kent

by M. W. B. F. Melhuish

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April,	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·15			·01		·11			·12	·09	·66	1
2	·16				·03		·12			·08	·07	·17	2
3	·15		·43				·21		·24		·05	·26	3
4	·13	·02	·41								·03	·19	4
5			·80					·02			·03	·25	5
6	·14		·03								·07	·03	6
7	·02		·20								·09		7
8	·27		·05	·02							·03		8
9	·41				·06						·19		9
10	·11												10
11	·05		·15	·23			·25						11
12				·08			·20						12
13	·02			·20									13
14	·10			·41			·11		·20			·01	14
15	·10		·04	·32		·15				·05		·17	15
16	·15			·03		·87					·08	·03	16
17	·05	·72				·04					·12		17
18		·46	·12						·05		·06	·05	18
19		·26	·32			·02	·28	·25	·04		·04		19
20	·10	·03	·02				·04	·10			·02		20
21	·16	·05	·01				·20				·01		21
22		·22					·13		·22		·04	·19	22
23		·10					·05		·03		·01	·02	23
24				·17			·04	·01		·04	·02		24
25				·01	·02			·15				·02	25
26	·08	·22	·09	·07			·02	·03	·05			·16	26
27	·42	·05		·76				·23			·01		27
28			·21	·21			·04	·72			·16	·16	28
29				·05				·35		·30	·03	·16	29
30		X		·24		·10		·30		·09	·17	·07	30
31		X		X		X			X	·02	X	·06	31
Total	2·74	2·28	2·88	2·80	·12	1·18	1·80	2·16	·83	·70	1·42	2·66	YEAR'S TOTAL 21·57
Rain Days.	19	11	14	14	4	5	14	10	7	7	22	18	145

W. 6,500, VII. 18. W W C

411

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

7 JAN 1921

Kept at Wilmington

in the County of Kent

by Metropolitan Water Board.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·21			·22			·26		·18	1
2			·04					·20	·02	·13		·01	2
3						01			·10			·03	3
4		·08		·40			·25			·03		·05	4
5			·08		·03		·51	·07	·03			·03	5
6			·11		·14		·15					·01	6
7				·12	·01		·10					·01	7
8				·14	·02		·09						8
9	·23			·01				·03					9
10	·17	·11	·05				·20				·01		10
11	·15		·04	·31			·27					·22	11
12	·06			·11		18							12
13			·05	·04									13
14			·17	·14		·26			·10	·22	·15		14
15			·03	·25					1·25	·03	·04		15
16				·07		·03			·26				16
17				·01					·60			·05	17
18								1·05	·07			·05	18
19	·08			·25		·03						·09	19
20	·03	·20		·13		·49			·25				20
21							·67	·03	·92			·03	21
22				·34					·28			·41	22
23							·28					·30	23
24				·01									24
25				·04			·10						25
26	·01		·07	·01								·01	26
27	·18	·02		·03		·13					·07	·09	27
28	·32		·10	·14	·09		·07				·04	·02	28
29	·40		·02									·13	29
30							·08		·25		·25	·10	30
31										·27		·04	31
Total	1·63	·41	·76	2·76	·29	1·13	2·99	1·38	4·13	·94	·56	1·86	Year's Total 1884
Days with ·01 in. or more	10	4	11	20	5	7	13	5	12	6	6	20	~~119~~
	8	3	9	15	2	4	13	3	10	4	5	12	~~89~~

(44,283). Wt. [illegible],958—218. 7500. 10/19. Gp.132. A.&E.W.

S. made ✓

Stats. 1.IV.14.

31 MAR 1914

FORM A.
BRITISH RAINFALL.

REGIS

WOODCHURCH
"HENGHERST"
KENT
1913

Kept at "Hengher ... am
in the County of Kent ... Ashford
... 5 in.
by W. Mitchell ... round 1 ft. in.
to Capta ... ea Level ft.

IMPORTANT NOTE.– ... e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
/

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·35	·03	·12	·04	·06	—	—	—	·10	·07	·06	1
2	·01	·21	—	—	—	—	·22	—	—	—	·09	·02	2
3	·01	·01	·04	·55	·27	—	—	—	—	—	—	·08	3
4	·09	—	·04	·01	—	—	·05	—	—	·09	·09	—	4
5	·24	·05	·02	·02	—	·04	·12	—	·48	·07	·15	·05	5
6	·02	·02	·08	·02	·02	·05	·32	—	—	·49	·14	·02	6
7	—	·10	·04	·03	—	·02	·03	—	—	·50	·04	·02	7
8	—	·02	·02	—	·16	·02	—	·05	—	·35	·06	·02	8
9	—	·06	·01	·02	·20	—	—	·15	·12	—	·05	·02	9
10	·02	—	·01	·05	—	—	·23	—	—	—	·50	—	10
11	·58	—	—	·42	—	—	—	—	—	·55	·07	—	11
12	—	—	—	—	·02	—	—	—	—	—	·68	—	12
13	·76	—	·01	—	—	·02	—	·04	—	—	·20	·02	13
14	·14	—	·10	·06	—	—	·06	—	·02	·16	·15	—	14
15	·09	—	·25	·06	—	—	·57	—	—	—	—	—	15
16	·40	—	·41	·12	—	—	—	—	·36	—	—	—	16
17	·06	—	·05	·06	—	—	·22	·01	·01	—	—	—	17
18	·02	·08	·06	·15	—	—	·04	·01	—	—	·07	·05	18
19	·07	—	·12	—	—	—	·10	·07	·23	—	·02	—	19
20	·57	—	·05	·13	—	·25	—	—	·01	·38	—	—	20
21	·05	—	·05	·19	·06	—	—	—	·05	·68	·55	—	21
22	·24	—	·26	—	—	—	·06	—	·07	—	—	—	22
23	·01	—	·01	—	—	—	·02	—	—	—	—	—	23
24	·05	—	·04	—	—	—	—	·03	—	—	·05	(26) ·62	24
25	—	—	—	·20	—	·11	—	—	—	—	·02	—	25
26	—	—	·19	—	—	·01	—	·04	—	·66	·02	—	26
27	—	·05	·05	—	—	—	—	—	—	·19	—	·28	27
28	·27	—	·28	—	—	—	—	—	—	·35	—	—	28
29	·27		·04	·26	·06	—	—	·07	—	·03	—	—	29
30	·37		·09	·19	·11	—	—	·40	—	·04	—	·13	30
31	—		·14		—		—	·25		·18		—	31
Total	4.36	·95	2·49	2.66	·94	·58	2·04	~~4.41~~ 1·42	1.35	4.82	3.02	1.39 ✓	YEAR'S TOTAL 26.02
Rain Days.	23	10	24	19	9	9	13	11	9	16	19	13	178 ✓

26·02

W.7,000, XI. 13

S. made ✓

REGIS

Stats. 1.IV.14.

31 MAR 1914

FORM A.
BRITISH RAINFALL.

Kept at "Hengherst" Woodchurch

in the County of Kent

by W Mitchell Head Gardener to Captain Somerset Webb.

Time of Observation 9 a.m

Nearest Railway Station Ashford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.35	.03	.12	.04	.06	—	—	—	.10	.07	.06	1
2	.01	.21	—	—	—	—	.22	—	—	—	.09	.02	2
3	.01	.01	.04	.55	.27	—	—	—	—	—	—	.08	3
4	.09	—	.04	.01	—	—	.05	—	—	.09	.09	—	4
5	.24	.05	.02	.02	—	.04	.12	—	.48	.07	.15	.05	5
6	.02	.02	.08	.02	.02	.05	.32	—	—	.49	.14	.02	6
7	—	.10	.04	.03	—	.02	.03	—	—	.50	.04	.02	7
8	—	.02	.02	—	.16	.02	—	.05	—	.35	.06	.02	8
9	—	.06	.01	.02	.20	—	—	.15	.12	—	.05	.02	9
10	.02	—	.01	.05	—	—	.23	—	—	—	.50	—	10
11	.58	—	—	.42	—	—	—	—	—	.55	.07	—	11
12	—	—	—	—	.02	—	—	—	—	—	.68	—	12
13	.76	—	.01	—	—	.02	—	.04	—	—	.20	.02	13
14	.14	—	.10	.06	—	—	.06	—	.02	.16	.15	—	14
15	.09	—	.25	.06	—	—	.57	—	—	—	—	—	15
16	.40	—	.41	.12	—	—	—	—	.36	—	—	—	16
17	.06	—	.05	.06	—	—	.22	.01	.01	—	—	—	17
18	.02	.08	.06	.15	—	—	.04	.01	—	—	.07	.05	18
19	.07	—	.12	—	—	—	.10	.07	.23	—	.02	—	19
20	.57	—	.05	.13	—	.25	—	—	.01	.38	—	—	20
21	.05	—	.05	.19	.06	—	—	—	.05	.68	.55	—	21
22	.24	—	.26	—	—	—	.06	—	.07	—	—	—	22
23	.01	—	.01	—	—	—	.02	—	—	—	—	—	23
24	.05	—	.04	—	—	—	—	.03	—	—	.05	(26) .62	24
25	—	—	—	.20	—	.11	—	—	—	—	.02	—	25
26	—	—	.19	—	—	.01	—	.04	—	.66	.02	—	26
27	—	.05	.05	—	—	—	—	—	—	.19	—	.28	27
28	.27	—	.28	—	—	—	—	—	—	.35	—	—	28
29	.27		.04	.26	.06	—	—	.07	—	.03	—	—	29
30	.37		.09	.19	.11	—	—	.70	—	.04	—	.13	30
31	—		.14		—		—	.25		.18		—	31
Total	4.36	.95	2.49	2.66	.94	.58	2.04	~~4.41~~ 1.42	1.35	4.82	3.02	1.39 ✓	YEAR'S TOTAL 26.02
Rain Days.	23	10	27	19	9	9	13	11	9	16	19	13	178 ✓

26.02

W.7,000, XI. 13

WROTHAM
(WHITEHALL)
KENT
1911 - 1912

REC

FORM A2.
BRITISH RAINFALL.
24 JAN 1912

Kept at WROTHAM (Whit

in the County of

by A.F. BOWKER

in.
Ground 1 ft. – in.
Sea Level 365 ft.
/m
Name WROTHAM (S.E.&C.Ry.)
Distance 1m 1f Direction S.W.by S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05 s	—	—	1·23	—	—	—	·04	—	—	·02	·01	1
2	·14 s	—	·01	·11	·29	—	—	—	—	—	·14	·20	2
3	·02	·03	—	—	·17	—	—	—	—	—	·07	·14	3
4	·22	·02	·09	·17 s	—	—	—	—	·04	·57	·32	·14	4
5	·03	·02	—	·02 s	—	—	—	—	—	·41	·02	·15	5
6	·26	—	·07	—	—	—	—	—	—	—	—	·33	6
7	·04	—	·02	—	—	—	—	—	—	·24	·34	·37	7
8	·11	—	·12	—	—	—	—	—	—	—	·34	·23	8
9	·22	— s	·02	·05	—	—	—	—	—	—	·03	·03	9
10	—	·07	·06	·04	—	—	—	—	—	—	·02	·64	10
11	·39	—	·05	—	·05	—	—	—	—	—	1·05	—	11
12	— s	—	·54 s	—	—	·06	—	—	—	—	·13	·01	12
13	—	—	·04 s	—	·24	—	—	—	·67	—	·03	·18	13
14	—	·14	·02 s	—	·27	—	—	—	—	·14	—	·47	14
15	—	·02	·34 s	—	—	—	—	—	—	—	·12	·01	15
16	—	—	—	—	—	·28	—	—	—	·02	·63	·14	16
17	—	—	·01	—	—	·02	—	—	—	—	1·16	·15	17
18	—	·18	·01	—	} ·01	—	—	—	—	—	1·67	·18	18
19	—	—	—	—		·13	—	—	·14	·18	·32	·13	19
20	·01	—	—	—	—	—	—	·35	·03	·07	—	·75	20
21	·02	·10	—	—	—	—	—	·07	·06	·75	·01 s	·25	21
22	·01	—	·22	—	—	·06	—	·03	—	·25	—	·50	22
23	—	·24	·03	—	—	·88	—	—	·21	·01	03	·18	23
24	—	·15	— s	—	—	·04	·06	·01	—	·51	—	·25	24
25	·01	·06	·17 s	·02	—	·18	—	·06	·02	—	03	—	25
26	—	·01	·26 s	·27	·01	·08	—	—	—	·16	05 s	·25	26
27	—	·31	·11	·06	—	—	—	—	·12	·45	—	·05	27
28	·01	·21	—	·21	—	—	—	·02	—	—	03	·01	28
29	—		—	·17	—	·12	·18	—	·16	19	—	—	29
30	—		—	—	—	·01	—	·52	·03	24	—	·01	30
31	—		—		—		—	—		—		—	31
Total	1·54	1·56	2·19	2·35	1·04	1·86	·24	1·10	1·48	4·19	6·56	5·76	TOTAL for year 29·87
No. of Rain Days.	15	14	19	11	7	11	2	8	10	15	22	27	161

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
24 JAN 1912

REC

Kept at WROTHAM (WHITEHILL), KENT 4

in the County of —

by A. F. BOWKER

Rain Gauge
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 365 ft.

Time of Observation 9 a/m

Nearest Railway Station
Name WROTHAM (S.E. & C. Ry.)
Distance 1m 1f Direction S.W. by S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05 s	—	—	1·23	—	—	—	·04	—	—	·02	·01	1
2	·14 s	—	·01	·11	·29	—	—	—	—	—	·14	·20	2
3	·02	·03	—	—	·17	—	—	—	—	—	·07	·14	3
4	·22	·02	·09	·17 s	—	—	—	—	·04	·57	·32	·14	4
5	·03	·02	—	·02 s	—	—	—	—	—	·41	·02	·15	5
6	·26	—	·07	—	—	—	—	—	—	—	—	·33	6
7	·04	—	·02	—	—	—	—	—	—	·24	·34	·37	7
8	·11	—	·12	—	—	—	—	—	—	—	·34	·23	8
9	·22	— s	·02	·05	—	—	—	—	—	—	·03	·03	9
10	—	·07	·06	·04	—	—	—	—	—	—	·02	·64	10
11	·39	—	·05	—	·05	—	—	—	—	—	1·05	—	11
12	— s	—	·54 s	—	—	·06	—	—	—	—	·13	·01	12
13	—	—	·04 s	—	·24	—	—	—	·67	—	·03	·18	13
14	—	·14	·02 s	—	·27	—	—	—	—	·14	—	·47	14
15	—	·02	·34 s	—	—	—	—	—	—	—	·12	·01	15
16	—	—	—	—	—	·28	—	—	—	·02	·63	·14	16
17	—	—	·01	—	—	·02	—	—	—	—	1·16	·15	17
18	—	·18	·01	—	} ·01	—	—	—	—	—	1·67	·18	18
19	—	—	—	—		·13	—	—	·14	·18	·32	·13	19
20	·01	—	—	—	—	—	—	·35	·03	·07	—	·75	20
21	·02	·10	—	—	—	—	—	·07	·06	·75	·01 s	·25	21
22	·01	—	·22	—	—	·06	—	·03	—	·25	—	·50	22
23	—	·24	·03	—	—	·88	—	—	·21	·01	03	·18	23
24	—	·15	— s	—	—	·04	·06	·01	—	·51	—	·25	24
25	·01	·06	·17 s	·02	—	·18	—	·06	·02	—	03	—	25
26	—	·01	·26 s	·27	·01	·08	—	—	—	·16	05 s	·25	26
27	—	·31	·11	·06	—	—	—	—	·12	·45	—	·05	27
28	·01	·21	—	·21	—	—	—	·02	—	—	03	·01	28
29	—		—	·17	—	·12	·18	—	·16	19	—	—	29
30	—		—	—	—	·01	—	·52	·03	24	—	·01	30
31	—		—		—		—	—		—		—	31
Total	1·54	1·56	2·19	2·35	1·04	1·86	·24	1·10	1·48	4·19	6·56	5·76	TOTAL for year 29·87
No. of Rain Days.	15	14	19	11	7	11	2	8	10	15	22	27	161

W. 8,000, X. '11.

Co. [illegible] auth. 16.VII.13.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

16 JUL 1913

~~W. Kob.~~

Kept at Wrotham (Whitehill)

in the County of Kent 4

by A. F. Bowker

Lat. 51° 18′ 24″ N Long. 0° 19′ 24″ E

Time of Observation 9 a/m

Nearest Railway Station Wrotham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·0″

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01 s	·12	·01 s	—	·16	·02	—	·07	·55	—	·18	1
2	—	·01 s	·51	—	—	—	·25	·08	·02	·08	—	—	2
3	·08	·15 s	·05	—	·02	·10	·01	·17	·01	—	—	·04	3
4	·28	—	·56	—	·18	·25	—	·02	—	—	·17	—	4
5	·14	·02 s	·25	—	·01	—	—	·20	—	—	·18	·03	5
6	·46	·05	—	—	·02	—	—	·13	—	—	·02	·08	6
7	·01	—	—	—	·08	·88	·05	·09	—	—	—	·04	7
8	·30	·25	·20	—	—	·11	—	·24	·01	—	·01	·01	8
9	·01	·11	—	·04	—	—	·05	·04	—	—	·01	·10	9
10	—	·03	—	—	—	—	—	·15	—	—	·07	·20	10
11	·03	·29	·01	—	—	·09	—	·02	·05	—	—	·28	11
12	·01	·10	·03	—	·19	·25	—	—	—	·01	·04 s	·01	12
13	—	·01	·03	—	—	—	·03	·02	·01	—	·26	·02	13
14	—	—	·01	—	·03	—	—	·03	·01	·05	—	—	14
15	·01	—	·12	—	·31	·75	—	·01	—	—	·05	·35	15
16	·23	—	·04	—	·01	·13	—	·09	—	·04	·04	—	16
17	·30	—	·31	—	—	·02	—	·02	—	—	·04	·04	17
18	·30	—	·51	—	—	—	·01	·17	—	·04	—	·19	18
19	·06	·13	·12	—	—	·01	·13	·28	—	—	—	—	19
20	·01	·01	·38	—	·04	—	·03	·27	—	·49	—	—	20
21	—	·03	·48	—	·03	—	—	·08	—	·15	·08	—	21
22	·14	·26	·04	—	·01	—	·11	·13	—	—	·17	—	22
23	·54	·21	·31	—	·01	—	—	·41	—	·13	—	·05	23
24	·06	·02	—	—	·01	·06	—	·20	—	—	—	·15	24
25	·04	·03	—	—	—	·19	—	1·01	—	—	·35	·41	25
26	·03 s	·01	—	—	—	—	—	·53	—	·35	·50	·49	26
27	—	—	—	—	—	—	·07	—	—	·13	·06	·15	27
28	—	·03	—	—	—	·01	·21	·03	·04	·53	·54	·14	28
29	—	·02	—	·01	—	—	·03	·26	1·27	·16	·05	—	29
30	—		—	—	·12	—	·03	·13	1·41	·39	—	—	30
31	—		·05		—		·20	·08		·02		—	31
Total	3·04	1·78	4·05	·06	1·07	3·01	1·23	4·89	2·90 2·90	3·12	2·64	2·96	YEAR'S TOTAL 30·75
Rain Days.	20	21	20	3	15	14	15	28	10	15	18	20	199

W. 7,500, XI. ·12

made

REGIS

from augu

FORM A.
BRITISH RAINFALL.

27 MAR 1914

WYE
BILTON HSE
KENT
1913

Kept at Wye Biltn

in the County of Kent

by W W Knight

5 in.

Ground 1 ft. 3 in.

Sea Level 158 ft.

IMPORTANT NOTE. … he result entered to the previous day. If an Obse … rsal rule, he is earnestly requested to add the readin … in the space provided for it at the end of this … ent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.37	.01	.06	.04	.12				.09	.07	.07	1
2	.05	.20	01				.59				03	.02	2
3	.01		.15	.84	.28					.12		.09	3
4	.30		02		.01		.11	.04	.07	.07	.07	.01	4
5	.18	.07	.01			.02	.31		.59	.09	.09	.05	5
6	.01	.03	.05	.07	.04	.26	.02	.07	.01	.32	.20		6
7		.16	.07	.01	.01	02	03	.90		.25	.02	.02	7
8		.01	.01	02	.10	.03		.03		.33	.05	.02	8
9		.08		.02	.24		.06	.15	.08		.02	.02	9
10			01	.18			.20				.50		10
11	.54	.02		.48						.56	.07		11
12								.02			.71		12
13	.70		.02					.07			.38		13
14	.11	.03	.12	.05			.11		.05	.16	.25		14
15	.09		.16	.08			.63		.02				15
16	.44	.02	.57	.22			.14		.44				16
17	.05	.09	.08	.06			.24	.03	.02		.01	.12	17
18	.06		.12	.18			.01	.01	.10		.08		18
19	.18		.15	.01		03	.16	.06	.14				19
20	.55		.06	.09		.30			.05	.28			20
21	.10	.02	.04	.03	.08		.02			.67	1.32		21
22	.23		.12		.01		.16		.04	.05		.02	22
23	.03		.09			.02	.04	.01	.03			.54	23
24	.03		.01	.01				.08			.06		24
25			.01	.29		.18							25
26	.02	.01	.16					.02		.62		.23	26
27		.04	.03		.05					.14			27
28	.29		.24			.01		.06		17			28
29	.21		.05	.31	.06			.02				.05	29
30	52		.08	.28	.10			.60		.05		.34	30
31			24		01			.15		.14			31
Total	4.70	1.15	2.69	3.29	1.03	.99	2.83	2.32	1.64	4.11	3.93	1.60	YEAR'S TOTAL 30.28
Rain Days.	22	14	28	20	13	10	16	17	13	17	17	14	201

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

27 MAR 1914

made

REGIS

from original ret. to Observer.

Kept at Wye Bilting House

in the County of Kent 2

by W W Knight

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 158 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.37	.01	.06	.04	.12				.09	.07	.07	1
2	.05	.20	.01				.59				03	.02	2
3	.01		.15	.84	.28					.12		.09	3
4	.30		02		.01		.11	.04	.07	.07	.07	.01	4
5	.18	.07	.01			.02	.31		.59	.09	.09	.05	5
6	.01	.03	.05	.07	.04	.26	.02	.07	.01	.32	.20		6
7		16	.07	.01	.01	02	03	.90		.25	.02	.02	7
8		.01	01	02	.10	03		.03		.33	.05	.02	8
9		.08		.02	.24		.06	.15	.08		.02	02	9
10			01	.18			.20				.50		10
11	.54	02		.48						.56	.07		11
12								.02			.71		12
13	.70		.02					.07			.38		13
14	.11	03	.12	.05			.11		.05	.16	.25		14
15	.09		.16	.08			.63		.02				15
16	.44	.02	.57	22			.14		44				16
17	.05	09	.08	.06			.24	.03	.02		.01	.12	17
18	.06		.12	.18			.01	.01	.10		.08		18
19	.18		.15	.01		03	.16	.06	.14				19
20	.55		.06	.09		.30			.05	.28			20
21	.10	.02	.04	.03	.08		.02			.67	1.32		21
22	.23		.12		.01		.16		.04	.05		.02	22
23	.03		.09			02	.04	.01	.03			.54	23
24	.03		.01	.01				.08			.06		24
25			.01	.29		.18							25
26	.02	.01	.16					.02		.62		.23	26
27		.04	.03		.05					.14			27
28	.29		.24			.01		.06		17			28
29	.21		.05	.31	.06			.02				.05	29
30	52		.08	.28	.10			.60		.05		.34	30
31			24		01			.15		.14			31
Total	4.70	1.15	2.69	3.29	1.03	.99	2.83	2.32	1.64	4.11	3.93	1.60	YEAR'S TOTAL 30.28
Rain Days.	22	14	28	20	13	10	16	17	13	17	17	14	201

W. 7,500, XI. '12

✓

REGIST

WYE —

{SOUTH EASTERN AGRIC COLLEGE}

KENT

1911 - 16

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

Kept at Wye Col

1 ft. in.

in the County of Kent

l 150. ft.

by H. C. Chapelow

Wye. SE&CR

½ Direction W.

IMPORTANT NOTE.—Ra sult entered to the
previous day. If an Observer ule, he is earnestly
requested to add the reading at the space provided
for it at the end of this parag f rain,
the selection and placing of Rainfall
Organization are given in "*Rule* ion to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	—	—	·70	—	—	—	·065	—	—	·028	·03	1
2	·085	—	·04	·01	·17	·04	—	—	—	—	·13	·25	2
3	·14	·03	—	—	·05	—	—	—	—	—	·03 ~~·18~~	·24	3
4	·07	·01	·055	·40	—	—	—	—	·18	·59	·18	·21	4
5	·03	—	—	—	—	—	—	—	—	·05	—	·35	5
6	·22	—	—	—	—	—	—	—	—	—	—	·25	6
7	·03	—	·01	—	—	—	—	—	—	·85	·56	·65	7
8	·11	—	—	—	—	—	—	—	—	—	·54	·30	8
9	·20	—	·21	·05	—	—	—	—	—	·03	·28	—	9
10	—	·11	—	·12	—	—	—	—	—	—	—	1·09	10
11	·66	—	·04	—	—	—	—	—	—	—	·75	—	11
12	—	—	·70	—	—	·01	—	—	·05	—	·05	·04	12
13	—	—	·10	—	·34	·14	—	—	—	·17	·11	·24	13
14	—	·07	—	—	·20	·09	—	—	—	—	—	·35	14
15	—	·05	·32	—	—	—	—	—	·43	—	·05	·08	15
16	—	—	—	—	—	·46	—	—	—	—	·22	·06	16
17	·01	—	—	—	—	·03	—	—	—	—	·11	·09	17
18	—	·10	·04	—	—	—	—	—	—	—	·95	·20	18
19	—	·02	—	—	—	·035	—	—	—	—	·26	·21	19
20	·01	—	—	—	—	·15	—	1·00	·06	·12	—	·73	20
21	—	·06	—	—	—	—	—	·03	—	·43	—	·29	21
22	·03	—	·25	—	—	—	—	·05	·28	·58	—	·66	22
23	—	·125	·11	—	—	1·34	—	—	·04	·30	·06	·08	23
24	—	·12	·03	—	—	·26	·05	—	—	·68	—	·29	24
25	—	·02	·18	·11	—	·07	—	·23	—	·08	—	—	25
26	—	—	·42	·21	—	·11	—	—	—	·20	·25	·22	26
27	—	·26	·07	·11	—	—	—	—	—	·40	—	·06	27
28	—	·18	—	·09	—	—	—	—	—	—	—	·01	28
29	—	×	·01	·01	—	·12	·23	—	—	·28	—	—	29
30	—	×	—	·04	—	—	—	—	—	·24	—	—	30
31	—	×	—	×	—	×	—	—	×	—	×	—	31
Total	1·735	1·155	2·585	1·85	·76	2·855	·28	1·375	·96	5·00	4·495	6·92	TOTAL for year 29·97
No. of Rain Days.	13	13	16	11	4	13	2	5	6	15	17	25	140

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

Kept at Wye College
in the County of Kent 2
by H. C. Chapelow.

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 150. ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Wye. SE & CR
Distance ½ Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	—	—	·70	—	—	—	·065	—	—	·025	·03	1
2	·085	—	·04	·01	·17	·04	—	—	—	—	·13	·25	2
3	·14	·03	—	—	·05	—	—	—	—	—	·03 ~~·18~~	·24	3
4	·07	·01	·055	·40	—	—	—	—	·18	·59	·18	·21	4
5	·03	—	—	—	—	—	—	—	—	·05	—	·35	5
6	·22	—	—	—	—	—	—	—	—	—	—	·25	6
7	·03	—	·01	—	—	—	—	—	—	·85	·56	·65	7
8	·11	—	—	—	—	—	—	—	—	—	·54	·30	8
9	·20	—	·21	·05	—	—	—	—	—	·03	·28	—	9
10	—	·11	—	·12	—	—	—	—	—	—	—	1·09	10
11	·66	—	·04	—	—	—	—	—	—	—	·75	—	11
12	—	—	·70	—	—	·01	—	—	·05	—	·05	·04	12
13	—	—	·10	—	·34	·14	—	—	—	·17	·11	·24	13
14	—	·07	—	—	·20	·09	—	—	—	—	—	·35	14
15	—	·05	·32	—	—	—	—	—	·43	—	·05	·08	15
16	—	—	—	—	—	·46	—	—	—	—	·22	·06	16
17	·01	—	—	—	—	·03	—	—	—	—	·11	·09	17
18	—	·10	·04	—	—	—	—	—	—	—	·95	·20	18
19	—	·02	—	—	—	·035	—	—	—	—	·26	·21	19
20	·01	—	—	—	—	·15	—	1"·00	·06	·12	—	·73	20
21	—	·06	—	—	—	—	—	·03	—	·43	—	·29	21
22	·03	—	·25	—	—	—	—	·05	·28	·58	—	·66	22
23	—	·125	·11	—	—	1·34	—	—	·04	·30	·06	·08	23
24	—	·12	·03	—	—	·26	·05	—	—	·68	—	·29	24
25	—	·02	·18	·11	—	·07	—	·23	—	·08	—	—	25
26	—	—	·42	·21	—	·11	—	—	—	·20	·25	·22	26
27	—	·26	·07	·11	—	—	—	—	—	·40	—	·06	27
28	—	·18	—	·09	—	—	—	—	—	—	—	·01	28
29	—	✓	·01	·01	—	·12	·23	—	—	·28	—	—	29
30	—	×	—	·04	—	—	—	—	—	·24	—	—	30
31	—	×	—	×	—	×	—	—	×	—	×	—	31
Total	1·735	1·155	2·585	1·85	·76	2·855	·28	1·375	·96	5"·00	4·495	6·92	TOTAL for year 29·97
No. of Rain Days.	13	13	16	11	4	13	2	5	6	15	17	25	140

W. 8,000, X. '11.

Cod for arith 4-11-13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 15 JAN 1913

Kept at S. E. A. College

in the County of Kent. 2

by H. C. Chapelow.

Lat. 51° 11' Long.

Time of Observation 9 a.m

Nearest Railway Station Wye. SE&CR

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·	·11	·	·	·35	·18	·	·14	·75	·	·2	1
2	·	·	·1	·	·	·08	·08	·	·	·14	·	·	2
3	·06	·	·02	·	·02	·27	·02	·09	·01	·07	·	·02	3
4	·23	·1	·74	·	·06	·98	·	·09	·	·	·18	·	4
5	·18	·07	·14	·	·	·27	·	·4	·	·	·18	·01	5
6	·5	·07	·	·	·04	·	·	·57	·	·	·	·01	6
7	·05	·	·	·	·09	·26	·	·3	·	·	·	·04	7
8	·3	·23	·25	·	·	·27	·	·32	·04	·	·	·05	8
9	·03	·03	·02	·01	·	·	·	·02	·	·	·	·05	9
10	··	·05	·	·	·	·	·	·14	·02	·	·03	·38	10
11	·03	·3	·	·	·	·2	·	·16	·07	·	·	·14	11
12	·01	·32	·	·	04	·	·02	·2	·	·	·	·02	12
13	·	·15	·05	·	·	·	·42	·	·	·	·43	·01	13
14	·	·	·06	·	·07	·	·	·04	·02	·	·04	·	14
15	·	·	·1	·	·12	·75	·	·02	·	·	·03	·32	15
16	·11	·	·1	·	·07	·04	·	·08	·	·04	·02	·	16
17	·25	·	·63	·	·	·03	·	·04	·	·	·	·03	17
18	·14	·	·35	·	·	·	·6	·36	·	·07	·03	·4	18
19	·03	·2	·23	·	·	·	·9	·33	·	·	·02	·	19
20	·01	·02	·69	·	·	·	·	·12	·	·76	·	·	20
21	·01	·08	·11	·	·	·	·	·09	·	·25	·09	·	21
22	·04	·25	·05	·	·	·	·03	·07	·	·	·	·02	22
23	·35	·18	·3	·	·08	·02	·	·6	·	·07	·19	·06	23
24	·15	·	·	·	·03	·	·	·16	·	·04	·	·11	24
25	·13	·	·	·	·	·19	·	1"	·	·	·28	·3	25
26	·	·02	·	·	·	·04	·	·54	·	·28	·34	·54	26
27	·	·	·02	·	·	·	·03	·	·	·1	·	·27	27
28	·	·03	·	·	·	·	·06	·09	·02	·61	·48	15	28
29	·	·	·	·07	·	·	·	·13	1·25	·	·21	·	29
30	·	×	·	·	·	·	·11	·71	1·95	·37	·	·	30
31	·	×	·02	×	·04	×	·02	·06	×	·	×	·	31
Total	2·63	2·1	4·09 409	·08	·66	3·75	2·47	6·73	3·52	3·55	2·55	3·13	YEAR'S TOTAL 35·26 35·26
Rain Days.	20	16	20	2	11	14	12	27	9	13	15	21	180

W. 7,500, XI. 12

Cor. by sum. stats. 1.IV.14

FORM A. BRITISH RAINFALL.

28 MAR 1914

REGISTER OF RAINFALL IN 1913

W. 1856

Kept at South Eastern Agric. College Gardens. Wye

in the County of Kent 2

by H. C. Chapelow

Lat. 51° 11' Long.

Time of Observation 9 a.m.

Nearest Railway Station Wye.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·34	·03	·04	·	·09	·	·	·	·07	·6	·5	1
2	·02	·19	·	·	·	·	·5	·	·	·	·4	·2	2
3	·	·	·03	9° ·09	·26	·	·02	·	·	·	·	·8	3
4	·31	·	·03	·	·	·	·09	·01	·11	·07	·8	·	4
5	·12	·07	·01	·04	·	·02	·43	·	·39	·02	·11	·7	5
6	·	·02	·06	·04	·04	·16	·03	·03	·02	·44	·16	·	6
7	·	·13	·02	·02	·	·	·02	·58	·	·22	·5	·2	7
8	·	·02	·02	·02	·11	·04	·	·02	·	·16	·13	·2	8
9	·	·06	·	·02	·19	·	·03	·	·03	·	·2	·	9
10	·	·	·	·11	·	·	·26	·	·	·	·54	·	10
11	·56	·	·	·46	·	·	·	·	·	·46	·6	·	11
12	·	·	·	·	·	·	·	·02	·	·	·68	·	12
13	·7	·	·01	·	·	·	·	·07	·	·	·35	·	13
14	·11	·	·1	·04	·	·	·08	·	·02	·13	·11	·	14
15	·08	·	·16	·09	·	·	·55	·	·	·	·	·	15
16	·43	·	·58	·19	·	·	·1	·	·48	·	·	·	16
17	·03	·	·1	·05	·	·	·23	·03	·	·	·	·11	17
18	·03	·	·11	·14	·	·	·02	·	·	·	·14	·	18
19	·16	·	·1	·	·	·02	·19	·04	·11	·	·	·	19
20	·61	·	·06	·09	·08	·62	·	·	·05	·39	·	·	20
21	·05	·02	·04	·03	·1	·	·01	·	·	·5	·89	·	21
22	·2	·	·27	·	·	·	·12	·	·	·5	·	·3	22
23	·02	·	·02	·	·	·01	·01	·	·01	·	·	·45	23
24	·02	·	·04	·	·	·	·	·03	·	·	·3	·	24
25	·	·	·	·25	·	·16	·	·	·	·	·	·	25
26	·	·	·15	·	·	·	·	·02	·	·5	·	·17	26
27	·	·03	·02	·	·02	·	·	·	·	·16	·	·	27
28	·23	·01	·26	·	·	·	·	·04	·	·15	·	·	28
29	·17	×	·04	·31	·	·	·	·02	·	·	·	·05	29
30	·4	×	·11	·26	·1	·	·	·7	·	·5	·	·	30
31		×	·22	×	·	×	·	·17	×	·18	×	·	31
Total	4·25	·89	2·59	3·10 ✓	·90	1·12	2·69	1·78	1·22	4·45	6·51	3·68	YEAR'S TOTAL 33·18 ✓
Rain Days.	19	10	25	19	8	8	17	14	9	16	16	11	172 ✓

W.7,000, XI. 13

Exd DSS

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
17 FEB 1915

Kept at S. E. A. College. Wye
in the County of Kent
by H. C. Chapelow

Lat. 51° 11' Long.
Time of Observation 9 am
Nearest Railway Station Wye
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 150' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02			·24	·02			·09	·28	1
2							·07				·1	·22	2
3			·15	·11	·16			·04				·3	3
4			·02	·17			·17	·4			·2	·22	4
5	·08		·08	·36	·15			·07					5
6		·02		·25	·02	·3	·02	·03				·36	6
7		·52	·27	·1		·17	·13					·14	7
8	·08	·15	·64	·01	·03			·05				·05	8
9	·2		1·2	·06					·04			1·11	9
10		·02		·03	·07					·02		·18	10
11	·04	·37	·36	·02					·22		·15	·42	11
12		·03	·07		·06	·03	·22		·23			·47	12
13		·24	·23		·04				·14	·11	·07	·45	13
14		·22	·19							·37	·11	·32	14
15	·02	·04	·33				·7				1·68	·03	15
16		·19	·02				·04		·05		·06		16
17		·15	·15						·21	·1	·02	·06	17
18		·14	·08							·41		·38	18
19		·09	1·05				·03			·33	·36	·17	19
20		·16	·1							·4		·32	20
21		·88	·05	·05			·02	·72		·01		·04	21
22				·02		·22	·39	·02		·21			22
23			·69		·24	·17						·02	23
24				·18	·04						·12		24
25	·16		·07		·02			·05		·4			25
26	·05				·02			·21			·09	·25	26
27	·02									·12	·12	·67	27
28	·03				·04					·23	·32	·45	28
29	·03				·02					1·57	·11		29
30			·03							·13	·91	·02	30
31					·21							·06	31
Total	·71	3·22	5·78	1·38	1·12	·89	2·03	1·61	·89	4·41	4·51	6·99	YEAR'S TOTAL 33·54
Rain Days.	10	15	20	13	14	5	11	10	6	14	16	25	159

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
29 JAN 1916

Kept at S. E. Agric. College. Wye
in the County of Kent.
by H. C. Chapelow.

Lat. 51° 11'. Long.
Time of Observation 9. a. m
Nearest Railway Station Wye.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1' ft. in.
" " " " Sea Level 150' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·59	·09	·07	—	—	—	—	·1	·44	—	·35	·16	1
2	·37	·20	·27	—	—	—	—	·08	·22	·02	—	·04	2
3	·37	—	·08	·12	·05	—	—	·15	·63	—	—	·62	3
4	·01	—	—	—	—	—	—	·69	—	·11	·17	·46	4
5	·03	·2	—	·2	—	—	—	·02	—	·09	·15	·53	5
6	·41	·21	—	·52	·1	—	·02	—	—	—	—	·15	6
7	·18	·25	·1	—	—	—	—	—	—	—	—	·35	7
8	·01	·43	·13	·02	—	—	·39	—	—	—	·02	—	8
9	—	·23	—	·02	—	·09	·03	—	—	—	·41	·47	9
10	·32	·04	—	—	—	·08	—	—	—	·04	—	·82	10
11	·03	·02	·01	—	—	—	—	—	—	·09	·62	·07	11
12	·05	·12	—	·54	·06	—	—	·12	—	—	·72	—	12
13	·09	1·17	—	·1	1·5	—	—	—	—	—	—	—	13
14	·02	·03	—	—	—	—	·18	·21	·06	—	—	·31	14
15	·14	—	—	—	·02	—	·04	·27	—	—	·35	—	15
16	·01	·25	—	·04	·04	—	1·6	·12	—	—	·05	—	16
17	·01	·71	—	—	·98	—	—	·11	—	—	—	·32	17
18	—	·14	·03	—	·42	—	—	—	—	·17	—	·13	18
19	—	·18	—	—	—	—	·04	—	—	·04	—	—	19
20	·34	·11	—	·01	—	—	—	—	—	·17	—	·18	20
21	·11	—	—	—	—	—	—	—	—	·28	—	·03	21
22	·04	—	·03	—	—	—	·7	—	—	—	—	·23	22
23	·04	·08	·11	—	—	·03	·13	—	—	·03	—	·42	23
24	·01	·02	·04	·22	—	—	—	—	·2	·06	—	·79	24
25	—	—	·05	·04	—	—	·16	—	—	·03	—	·18	25
26	—	·03	—	—	—	—	—	—	·01	—	—	—	26
27	·02	—	—	—	—	·04	·08	—	—	·32	—	—	27
28	·01	·02	—	—	—	—	·05	—	1·34	·35	—	—	28
29	—	X	—	—	·01	—	·03	·24	·02	—	·65	·08	29
30	·12	X	—	—	—	·86	·02	—	—	—	·68	—	30
31	—	X	—	X	—	X	—	·03	X	·54	X	·28	31
Total	3·33	4·53	·92	1·83	3·18	1·10	3·47	2·14	2·92	2·34	4·17	6·62	YEAR'S TOTAL 36·55
Rain Days.	24 ✓	21 ✓	11 ✓	11 ✓	9 ✓	5 ✓	14 ✓	12 ✓	8 ✓	15 ✓	11 ✓	21 ✓	162 ✓

W. 8,000. X. 15.

cnd/pranth ~~W~~ C.F.E.

332

FORM A.
BRITISH RAINFALL.
16 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at S. E. Agricultural College Wye

in the County of Kent.

by H. E. Chapelow.

Lat. 51° 11' Long.

Time of Observation 9 a.m.

Nearest Railway Station Wye

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1' ft. in.

" " " " Sea Level 150' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	—	—	—	—	—	—	—	·02	—	·41	—	1
2	·28	·10	·47	—	·04	—	—	—	—	·31	—	—	2
3	—	·45	·27	—	—	·09	·15	—	—	·18	·55	—	3
4	·12	·13	—	—	—	·24	·44	—	—	·02	·49	—	4
5	·02	—	—	·08	·02	·14	·57	—	—	·07	·42	—	5
6	—	·06	·08	·39	·03	·39	·18	—	—	·02	·37	—	6
7	—	·05	1·05	—	·48	—	·07	—	—	·03	·40	·03	7
8	·02	—	—	—	·16	—	—	—	—	—	—	—	8
9	—	—	—	—	·38	—	—	—	—	—	—	·06	9
10	—	·15	—	·06	—	·40	·08	—	·05	—	—	·96	10
11	·02	·37	·06	·06	—	·12	—	—	·03	—	—	·14	11
12	·04	·04	—	·10	·68	·21	·03	—	—	—	—	·16	12
13	—	·17	·11	·09	·17	·32	·15	—	—	·12	—	·08	13
14	—	·48	·04	·03	·04	—	·01	—	—	·02	—	—	14
15	—	·15	·07	—	—	—	—	·03	—	—	—	·13	15
16	—	·03	·03	·25	—	—	·18	—	—	—	—	—	16
17	·21	·06	—	·09	—	—	·02	—	·39	·75	—	—	17
18	·07	·12	—	·08	—	—	5 —	·04	—	·15	·95	—	18
19	·13	·02	—	·16	—	—	—	·21	·20	·03	1·07	—	19
20	·03	—	·15	·18	—	·02	—	·07	—	—	—	·06	20
21	—	—	·39	·19	—	—	—	—	—	—	—	·78	21
22	—	·31	·37	·11	—	—	—	—	—	—	—	·67	22
23	—	·15	·10	8 —	—	·08	—	·10	—	—	—	—	23
24	—	·31	—	—	—	·01	—	—	—	·36	·17	—	24
25	—	·32	·11	—	·02	—	—	·46	—	·28	—	·41	25
26	—	·35	·04	—	—	·19	—	·14	—	·55	·09	·15	26
27	·02	·30	·69	—	—	·02	—	·02	—	·36	5 —	—	27
28	4 —	·82	·11	—	—	·01	—	—	—	·11	—	—	28
29	—	·21	—	—	—	·23	—	1·20	·11	·57	—	·37	29
30	—	8 X	·02	—	·03	·05	—	·68	2 —	·27	—	—	30
31	—	X	9 —	X	—	6 X	—	3 —	X	·05	X	·02	31
Total	1·05	5·15	4·21	1·87	2·05	2·52	1·88	2·95	·88 ·80	9 4·30	4·92	9 4·02	YEAR'S TOTAL 35·72 35·72
Rain Days.	12	23	18	1·87 14	11	16	11	10	~~5~~6	19	10	14	164

W. 8,000, VIII. 16